

**THE TAXONOMIC SIGNIFICANCE OF FERMENTATIVE
CARBOHYDRATES BY VARIOUS GRAM NEGATIVE BAC**

Journal of Bacteriology

66, 24-26

DOI: [10.1128/jb.66.1.24-26.1953](https://doi.org/10.1128/jb.66.1.24-26.1953)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A New Type of Polar Monotrichous Flagellation. Journal of General Microbiology, 1954, 10, 68-70.	2.3	42
2	The anaerobic glucose metabolism of <i>Bacterium tularensis</i> . Archives of Biochemistry and Biophysics, 1954, 53, 174-183.	1.4	12
3	The Taxonomy of certain Luminous Bacteria. Journal of General Microbiology, 1955, 13, 111-118.	2.3	31
4	Studies on a Soap Tolerant Organism: a New Variety of <i>Bacterium anitratum</i> . Journal of General Microbiology, 1955, 13, 252-260.	2.3	24
5	TAXONOMY OF <i>LOPHOMONAS</i> N. GEN.. Canadian Journal of Microbiology, 1956, 2, 102-110.	0.8	23
6	Cultural and Biochemical Characteristics of the Genus <i>Chromobacterium</i> . Journal of General Microbiology, 1956, 15, 70-98.	2.3	177
7	Some unsolved problems of yeast taxonomy. Antonie Van Leeuwenhoek, 1957, 23, 1-14.	0.7	15
8	Bacterial Oxidation of Lactose and Melibiose. Nature, 1958, 181, 904-905.	13.7	13
9	THE TAXONOMY OF THE PSYCHROPHILIC MEAT SPOILAGE BACTERIA: A REASSESSMENT. Journal of Applied Bacteriology, 1958, 21, 11-17.	1.1	47
10	THE EFFECT OF THE TETRACYCLINE COMPOUNDS ON THE STORAGE LIFE AND MICROBIOLOGY OF CHILLED EVISCERATED POULTRY. Journal of Applied Bacteriology, 1958, 21, 313-329.	1.1	47
11	Biological studies of some tussock-grassland soils. New Zealand Journal of Agricultural Research, 1958, 1, 943-957.	0.9	35
12	Biological studies of some tussock-grassland soils. New Zealand Journal of Agricultural Research, 1958, 1, 922-938.	0.9	30
13	The Characterization of <i>Pseudomonas fluorescens</i> . Journal of General Microbiology, 1959, 21, 221-263.	2.3	182
14	<i>Pseudomonas fluorescens</i> , ein Boden- und Wasserkeim. Archives of Microbiology, 1959, 33, 1-24.	1.0	15
15	<i>Pseudomonas fluorescens</i> , ein Boden- und Wasserkeim. Archives of Microbiology, 1959, 33, 406-415.	1.0	5
16	<i>Flavobacterium serpens</i> sp., an organism occurring in the microflora of flies. Folia Microbiologica, 1959, 4, 196-199.	1.1	0
17	Production of 5-Keto-gluconic Acid by a Species of <i>Pseudomonas</i> . Nature, 1959, 183, 1133-1134.	13.7	12
18	A Group of <i>Pseudomonads</i> able to synthesize Poly- β -hydroxybutyric Acid. Nature, 1959, 183, 1538-1539.	13.7	52

#	ARTICLE	IF	CITATIONS
19	COLD-RESISTANT FERMENTATIVE GRAM-NEGATIVE ORGANISMS FROM MEAT AND OTHER SOURCES. Journal of Applied Bacteriology, 1959, 22, 57-63.	1.1	45
20	FURTHER EVIDENCE OF THE DESTRUCTION OF BIVALVE LARVAE BY BACTERIA. Biological Bulletin, 1959, 117, 258-266.	0.7	61
21	Contamination and Deterioration of Market Milk. Acta Agriculturae Scandinavica, 1959, 9, 371-389.	0.3	10
22	Contamination and Deterioration of Market Milk. Acta Agriculturae Scandinavica, 1960, 10, 50-64.	0.3	20
23	Contamination and Deterioration of Market Milk. Acta Agriculturae Scandinavica, 1960, 10, 168-176.	0.3	2
24	THE DIFFERENTIATION OF <i>PSEUDOMONAS</i> FROM OTHER GRAM-NEGATIVE BACTERIA ON THE BASIS OF ARGININE METABOLISM. Journal of Applied Bacteriology, 1960, 23, 37-52.	1.1	333
25	CEPHALOTRICHOUS, FERMENTATIVE GRAM-NEGATIVE BACTERIA: THE GENUS <i>AEROMONAS</i> . Journal of Applied Bacteriology, 1960, 23, 216-249.	1.1	86
27	INTRODUCTORY REFLECTIONS ON THE <i>PSEUDOMONAS</i> - <i>ACHROMOBACTER</i> GROUP. Journal of Applied Bacteriology, 1960, 23, 373-378.	1.1	23
28	A DETERMINATIVE SCHEME FOR THE IDENTIFICATION OF CERTAIN GENERA OF GRAM-NEGATIVE BACTERIA, WITH SPECIAL REFERENCE TO THE PSEUDOMONADACEAE. Journal of Applied Bacteriology, 1960, 23, 379-390.	1.1	387
29	SOME RESULTS OF A COMPUTER ANALYSIS OF STRAINS OF <i>PSEUDOMONAS</i> AND <i>ACHROMOBACTER</i> , AND OTHER ORGANISMS. Journal of Applied Bacteriology, 1960, 23, 391-394.	1.1	6
30	DIFFERENTIAL TECHNIQUES AND METHODS OF ISOLATION OF <i>PSEUDOMONAS</i> . Journal of Applied Bacteriology, 1960, 23, 442-462.	1.1	31
31	THE EFFECTS OF ANTIBIOTICS AND IRRADIATION ON THE <i>PSEUDOMONAS</i> - <i>ACHROMOBACTER</i> FLORA OF CHILLED POULTRY. Journal of Applied Bacteriology, 1960, 23, 487-498.	1.1	41
32	TEMPERATURE RELATIONSHIPS AND SOME OTHER CHARACTERISTICS OF THE MICROBIAL FLORA DEVELOPING ON REFRIGERATED BEEF. Journal of Food Science, 1960, 25, 1-18.	1.5	141
33	THE DETERMINATION OF CHLORTETRACYCLINE IN TISSUES II. AN IMPROVED CYLINDER-PLATE METHOD. Journal of Food Science, 1960, 25, 106-112.	1.5	0
34	THE <i>PSEUDOMONAS</i> - <i>ACHROMOBACTER</i> GROUP. Canadian Journal of Microbiology, 1960, 6, 35-42.	0.8	25
35	Some Properties of a Gram-Negative Heterotrophic Marine Bacterium. Journal of General Microbiology, 1960, 23, 471-485.	2.3	10
36	A Classification of the Klebsiella Group. Journal of General Microbiology, 1960, 23, 601-612.	2.3	93
37	Diagnostic tables for the common medical bacteria. The Journal of Hygiene, 1961, 59, 357-373.	1.0	62

#	ARTICLE	IF	CITATIONS
38	CHARACTERISTICS OF ENGLISH ISOLATES OF <i>ERWINIA AMYLOVORA</i> (BURRILL) WINSLOW ET AL.. Journal of Applied Bacteriology, 1961, 24, 195-211.	1.1	47
39	STUDIES ON THE BACTERIAL FLORA OF THE ALIMENTARY TRACT OF PIGS. I. ENTEROBACTERIACEAE AND OTHER GRAM-NEGATIVE BACTERIA. Journal of Applied Bacteriology, 1961, 24, 252-284.	1.1	37
41	Aerobic sporeforming bacilli showing the phenomenon of colony migration. Archives of Microbiology, 1961, 39, 298-312.	1.0	1
42	<i>Pseudomonas maltophilia</i> , an <i>Alcaligenes</i> -like Species. Journal of General Microbiology, 1961, 26, 123-132.	2.3	176
43	A Disease of Finnock Due to <i>Vibrio anguillarum</i> . Journal of General Microbiology, 1961, 24, 247-252.	2.3	51
44	Taxonomic Relationships of <i>Xanthomonas uredovorus</i> . Journal of General Microbiology, 1961, 26, 133-140.	2.3	22
45	Simonsiellaceae fam. nov. with Characterization of <i>Simonsiella crassa</i> and <i>Alysiella filiformis</i> . Journal of General Microbiology, 1962, 29, 615-624.	2.3	55
46	FATAL PYROGENIC REACTIONS IN MAN. Lancet, The, 1962, 279, 563-564.	6.3	7
47	The taxonomy of micrococci and neisseriæ of oral origin. Archives of Oral Biology, 1962, 7, 715-726.	0.8	7
48	Detection of Marine Alginolytic Bacteria. Nature, 1962, 196, 1120-1121.	13.7	10
49	AN ECOLOGICAL INVESTIGATION ON THE USEFULNESS OF TWO SPECIFIC MODIFICATIONS OF EIJKMAN'S TEST AS ONE OF THE METHODS USED FOR THE DETECTION OF FAECAL CONTAMINATION OF FOODS. Journal of Applied Bacteriology, 1962, 25, 20-29.	1.1	16
50	THE BACTERIAL FLORA OF PUGET SOUND FISH. Journal of Applied Bacteriology, 1962, 25, 147-158.	1.1	50
51	THE OCCURRENCE AND ENUMERATION, ACCORDING TO A NEW CLASSIFICATION, OF MICROCOCCI AND STAPHYLOCOCCI IN BACON AND ON HUMAN AND PIG SKIN. Journal of Applied Bacteriology, 1962, 25, 352-361.	1.1	45
52	STUDIES ON MICROCOCCI ISOLATED FROM THE NORTH SEA. Journal of Applied Bacteriology, 1962, 25, 362-368.	1.1	11
53	THE OXIDASE ACTIVITY OF STAPHYLOCOCCI. Journal of Applied Bacteriology, 1962, 25, 445-447.	1.1	16
54	A new levan producing bacterium, <i>Corynebacterium laevaniformans</i> nov. spec.. Antonie Van Leeuwenhoek, 1962, 28, 63-72.	0.7	17
55	A pasteurilla-like organism from the human respiratory tract. The Journal of Pathology and Bacteriology, 1962, 83, 143-151.	1.1	48
56	Characteristics of <i>Erwinia</i> -like Organisms found in Plant Material. Journal of Applied Bacteriology, 1963, 26, 58-65.	1.1	54

#	ARTICLE	IF	CITATIONS
57	Poly- γ -hydroxybuttersäure abbauende Bakterien und Exoenzym. Archives of Microbiology, 1963, 47, 167-200.	1.0	151
58	A Classification of Micrococci and Staphylococci Based on Physiological and Biochemical Tests. Journal of General Microbiology, 1963, 30, 409-427.	2.3	486
59	The Classification of 'Bacterium salmonicida'. Journal of General Microbiology, 1963, 33, 263-274.	2.3	71
60	Bacterial grease-spot disease of passion-fruit. New Zealand Journal of Agricultural Research, 1963, 6, 24-38.	0.9	2
61	Studies on Marine Flavobacteria. Journal of General Microbiology, 1963, 30, 1-19.	2.3	54
62	Contamination and Deterioration of Market Milk. Acta Agriculturae Scandinavica, 1963, 13, 177-194.	0.3	5
63	Studies on the Utilization of Hydrocarbons by Microorganisms. Agricultural and Biological Chemistry, 1963, 27, 773-783.	0.3	8
64	Contamination and Deterioration of Market Milk. Acta Agriculturae Scandinavica, 1963, 13, 157-176.	0.3	11
65	TAXONOMY OF GENUS PSEUDOMONAS WITH SPECIAL REFERENCE TO THEIR MODES OF METABOLISM OF CARBON COMPOUNDS. Journal of General and Applied Microbiology, 1963, 9, 83-95.	0.4	34
66	Azelaic Acid Utilization by a Pseudomonas. Journal of General Microbiology, 1964, 36, 405-414.	2.3	12
67	Pseudomonas vesiculare (Busing et al.) comb. nov.. International Journal of Systematic Bacteriology, 1964, 14, 165-168.	2.8	8
68	The proposed neotype strains of Pseudomonas fluorescens (Trevisan) Migula 1895. International Journal of Systematic Bacteriology, 1964, 14, 145-156.	2.8	5
69	Pyocine-typing of hospital strains of Pseudomonas pyocyanea. Journal of Clinical Pathology, 1964, 17, 236-242.	1.0	122
70	A Study of Features used in the Diagnosis of Pseudomonas aeruginosa. Journal of General Microbiology, 1964, 37, 181-194.	2.3	46
71	Pseudomonas pyocyanea and the arginine dihydrolase system. Journal of Clinical Pathology, 1964, 17, 122-125.	1.0	11
72	A Description of Some Lignolytic Soil Bacteria and their Ability to Oxidize Simple Phenolic Compounds. Journal of General Microbiology, 1964, 36, 171-183.	2.3	28
73	Identification and clinical significance of Klebsiella species in chest infections. Journal of Clinical Pathology, 1964, 17, 617-621.	1.0	19
74	Oxidation of selected alkanes and related compounds by a Pseudomonas strain. Antonie Van Leeuwenhoek, 1964, 30, 303-316.	0.7	42

#	ARTICLE	IF	CITATIONS
75	The Fresh Water Environment and its Significance in Industry. Journal of Applied Bacteriology, 1964, 27, 143-150.	1.1	6
76	Volatile Organic Liquids and Slime Production. Journal of Applied Bacteriology, 1964, 27, 182-195.	1.1	13
77	Characteristics of <i>Pseudomonas solanacearum</i> . Journal of Applied Bacteriology, 1964, 27, 265-277.	1.1	471
78	Characteristics of an Organism Causing Spoilage in an Orange Juice Beverage. Journal of Applied Bacteriology, 1964, 27, 379-384.	1.1	8
79	The Influence of a Change in Farm Dairy Practice on the Bacterial Flora of Fresh and Stored Raw Milk. Journal of Applied Bacteriology, 1964, 27, 385-391.	1.1	10
80	Essentials of the assessment of the hygienic condition of food factories and their products. Journal of the Science of Food and Agriculture, 1964, 15, 349-362.	1.7	12
81	The Microbiological Contamination of Egg Shells and Egg Packing Materials ,. Poultry Science, 1964, 43, 584-595.	1.5	63
82	A case of human protothecosis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1964, 58, 448-451.	0.7	162
83	Resolution of DL-Tryptophan by a Bacterial Acylase. The Journal of the Society of Chemical Industry Japan, 1964, 67, 720-724.	0.1	0
84	Studies on Kojic Acid Metabolism by Microorganisms. Part VII. Nippon Nogeikagaku Kaishi, 1964, 38, 213-215.	0.0	0
85	THE ONPG TEST IN DIAGNOSTIC BACTERIOLOGY. Acta Pathologica Et Microbiologica Scandinavica, 1964, 60, 387-402.	0.0	13
86	STUDIES ON TRANSFORMATION IN MORAXELLA AND ORGANISMS ASSUMED TO BE RELATED TO MORAXELLA. Acta Pathologica Et Microbiologica Scandinavica, 1964, 62, 239-248.	0.0	30
87	THE ONPG TEST IN DIAGNOSTIC BACTERIOLOGY. Acta Pathologica Et Microbiologica Scandinavica, 1964, 60, 376-386.	0.0	34
88	LYSOSTAPHIN: A NEW BACTERIOLYTIC AGENT FOR THE STAPHYLOCOCCUS. Proceedings of the National Academy of Sciences of the United States of America, 1964, 51, 414-421.	3.3	492
89	Microbial Decomposition of Lignins. Acta Agriculturae Scandinavica, 1964, 14, 229-248.	0.3	9
90	Development of Coding Schemes for Microbial Taxonomy. Advances in Applied Microbiology, 1965, 7, 139-167.	1.3	13
91	Studies on the Utilization of Hydrocarbons by Microorganisms. Agricultural and Biological Chemistry, 1965, 29, 943-948.	0.3	17
92	The Identification of Gram-Negative Pleomorphic Bacilli: With Special Reference to a Case of Hemophilus Aphrophilus Endocarditis. American Journal of Clinical Pathology, 1965, 44, 86-93.	0.4	12

#	ARTICLE	IF	CITATIONS
93	Die mikrobiologische Qualitätskontrolle der Margarine I: Die das Verderben der Margarine verursachenden Mikroorganismen. Entnahme, Behandlung und Untersuchung der Proben. Die Prüfung auf Haltbarkeit der Margarine. Lipid - Fett, 1965, 67, 901-906.	0.6	1
94	The Aerobic Flora of Stored Meat with Particular Reference to the Use of Selective Media. Journal of Applied Bacteriology, 1965, 28, 252-264.	1.1	33
95	A Note on the Microflora of Beef Muscle Stored in Nitrogen at 0°C. Journal of Applied Bacteriology, 1965, 28, 365-367.	1.1	13
96	The Properties and Classification of the Predominant Bacteria in Rotten Eggs. Journal of Applied Bacteriology, 1965, 28, 437-453.	1.1	25
98	The Moraxella lwoffii group of bacteria; a review. Antonie Van Leeuwenhoek, 1965, 31, 395-413.	0.7	27
99	Pyocine typing of Pseudomonas aeruginosa. Journal of Clinical Pathology, 1965, 18, 200-202.	1.0	38
100	Characteristics and Identification of Oxidative Pseudomonads Isolated from Diseased Fish. Journal of General Microbiology, 1965, 38, 1-7.	2.3	16
101	The Identification of Atypical Strains of Pseudomonas aeruginosa. Journal of General Microbiology, 1965, 38, 329-342.	2.3	113
102	A bacteriological study of non-chromogenic variants of Serratia marcescens from human sources. Journal of Clinical Pathology, 1965, 18, 618-621.	1.0	7
103	Proposal of a neotype, ATCC 14216, for Pseudomonas aeruginosa (Schroeter 1872) Migula 1900 and request for an opinion. International Journal of Systematic Bacteriology, 1965, 15, 87-96.	2.8	1
104	Use of an improved cetrimide agar medium and other culture methods for Pseudomonas aeruginosa. Journal of Clinical Pathology, 1965, 18, 752-756.	1.0	151
105	The Classification of Staphylococci and Micrococci from World-wide Sources. Journal of General Microbiology, 1965, 38, 363-387.	2.3	267
106	HOSPITAL INFECTION WITH PSEUDOMONAS AERUGINOSA IN NEUROSURGERY. Lancet, The, 1965, 286, 365-369.	6.3	59
107	FLAVOBACTERIUM MENINGOSEPTICUM IN 8 NON-FATAL CASES OF POSTOPERATIVE BACTEREMIA. Lancet, The, 1965, 285, 1294-1296.	6.3	35
108	Microbial isolates from the digestive tract of Triatoma protracta (Uhler) (Reduviidae). Journal of Invertebrate Pathology, 1965, 7, 45-48.	1.5	6
109	The Aerobic Pseudomonads a Taxonomic Study. Journal of General Microbiology, 1966, 43, 159-271.	2.3	3,044
110	The isolation of pediococci from human saliva. Archives of Oral Biology, 1966, 11, 967-973.	0.8	20
111	BACTERIAL METABOLISM OF D-ASPARTATE INVOLVING RACEMIZATION AND DECARBOXYLATION. Canadian Journal of Microbiology, 1966, 12, 745-751.	0.8	6

#	ARTICLE	IF	CITATIONS
112	THE IMPORTANCE OF TEMPERATURE FOR THE GROWTH OF <i>FLAVOBACTERIUM MENINGOSEPTICUM</i> . Acta Pathologica Et Microbiologica Scandinavica, 1966, 67, 291-302.	0.0	12
113	Taxometric Models of Bacterial Soil Populations. Acta Agriculturae Scandinavica, 1966, 16, 30-38.	0.3	11
114	Über physiologische Merkmale und die Frage der systematischen Stellung des Rotz-Erregers. Medical Microbiology and Immunology, 1966, 152, 249-261.	2.6	3
115	A new species of <i>Proteus</i> isolated from larvae of the gypsy moth <i>Porthetria dispar</i> (L.). Antonie Van Leeuwenhoek, 1966, 32, 187-191.	0.7	24
116	The Groups of Microorganisms Composing the "Total"-Count Population in Frozen Vegetables. Journal of Food Science, 1966, 31, 234-239.	1.5	19
117	Comparative Studies on Coryneform Bacteria from Milk and Dairy Sources. Journal of Applied Bacteriology, 1966, 29, 72-92.	1.1	43
118	Coryneform Bacteria in Poultry, Eggs and Meat. Journal of Applied Bacteriology, 1966, 29, 161-166.	1.1	19
119	Characteristics of English Isolates of <i>Pseudomonas syringae</i> van Hall from Pear. Journal of Applied Bacteriology, 1966, 29, 292-300.	1.1	3
120	Comparison of Plant Pathogenic Pseudomonads from Fruit Trees. Journal of Applied Bacteriology, 1966, 29, 342-356.	1.1	67
121	Some Observations on the Taxonomy of the Genus <i>Microbacterium</i> . I. Cultural and Physiological Reactions and Heat Resistance. Journal of Applied Bacteriology, 1966, 29, 607-615.	1.1	20
122	Some Strains in Search of a Genus--Corynebacterium, Mycobacterium, Nocardia or What?. Journal of General Microbiology, 1966, 43, 329-343.	2.3	140
123	Neonatal meningitis caused by <i>Flavobacterium meningosepticum</i> type F. Journal of Clinical Pathology, 1966, 19, 79-80.	1.0	22
124	CHARACTERISTICS OF <i>ALCALIGENES ODORANS</i> VAR. <i>VIRIDANS</i> ISOLATED FROM HUMAN SOURCES. Canadian Journal of Microbiology, 1967, 13, 895-900.	0.8	6
125	A COMPARISON OF RAT AND RABBIT SERA BACTERICIDINS ACTIVE AGAINST STAPHYLOCOCCI. Canadian Journal of Microbiology, 1967, 13, 885-894.	0.8	6
126	Bacteria Recovered From Distilled Water and Inhalation Therapy Equipment. JAMA Pediatrics, 1967, 114, 7.	3.6	36
127	<i>Pseudomonas aeruginosa</i> respiratory tract infections in patients receiving mechanical ventilation. The Journal of Hygiene, 1967, 65, 229-235.	1.0	47
128	Studies on the Utilization of Hydrocarbons by Microorganisms. Agricultural and Biological Chemistry, 1967, 31, 1337-1342.	0.3	14
129	HISTOCHEMICAL AND BACTERIOLOGICAL STUDIES ON DIGESTION IN NINE SPECIES OF LEECHES (ANNELIDA: Tj ETOg1 1 0.784314 rgB	0.7	48

#	ARTICLE	IF	CITATIONS
130	A PROTEOLYTIC PSEUDOMONAD FROM SKIN LESIONS OF RAINBOW TROUT (SALMO GAIRDNERII): I. CHARACTERISTICS OF THE PATHOGENIC EFFECTS AND THE EXTRACELLULAR PROTEINASE. Canadian Journal of Microbiology, 1967, 13, 405-416.	0.8	22
131	Bacteriological Studies on the White Perch, <i>Roccus americanus</i> . Chesapeake Science, 1967, 8, 135.	0.5	11
132	Identity of Gram Negative, Yellow Pigmented, Fermentative Bacteria isolated from Plants and Animals. Journal of Applied Bacteriology, 1967, 30, 175-189.	1.1	82
133	Effect of Oxygen Tension on the Spoilage Microflora of Irradiated and Non-irradiated Haddock (<i>Melanogrammus aeglefinus</i>) Fillets. Journal of Applied Bacteriology, 1967, 30, 239-245.	1.1	15
134	Bacteriology of Prepacked Pork with Reference to the Gas Composition within the Pack. Journal of Applied Bacteriology, 1967, 30, 321-332.	1.1	80
135	A Divided Petri Dish for Use with Multipoint Inoculators. Journal of Applied Bacteriology, 1967, 30, 495-497.	1.1	39
136	An assessment of the inhibitory activity of rat serum on staphylococci. Antonie Van Leeuwenhoek, 1967, 33, 87-96.	0.7	1
137	Some bacteriological aspects of dairy waste activated sludge. Antonie Van Leeuwenhoek, 1967, 33, 359-359.	0.7	0
138	Antimicrobial properties of testosterone and its intermediates. Antonie Van Leeuwenhoek, 1968, 34, 275-286.	0.7	21
139	Distribution of Psychrophilic Microorganisms in Different Dairy Environments. Journal of Applied Bacteriology, 1968, 31, 290-301.	1.1	11
140	Bacterial Degradation of Plasticized PVC. Journal of Applied Bacteriology, 1968, 31, 305-310.	1.1	23
141	Esterases and DNA Base Composition Analysis of <i>Vibrio cholerae</i> and Related Vibrios. Journal of Applied Bacteriology, 1968, 31, 323-335.	1.1	16
142	Effects of Pasteurization or Added Sulphite on the Microbiology of Stored Vacuum Packed Baconburgers. Journal of Applied Bacteriology, 1968, 31, 462-478.	1.1	22
143	A Bacteriological Study of Stored, Sulphite Treated Peeled Potatoes. Journal of Applied Bacteriology, 1968, 31, 479-492.	1.1	4
144	Subacute bacterial endocarditis caused by a micro-organism resembling <i>Haemophilus aphrophilus</i> . The Journal of Pathology and Bacteriology, 1968, 95, 191-198.	1.1	10
145	<i>Plesiomonas shigelloides</i> : An unusual isolate from faeces. The Journal of Pathology and Bacteriology, 1968, 95, 562-567.	1.1	6
146	PROPERTIES AND COMPOSITION OF THE BACTERIAL FLORA OF A PINE FOREST SOIL. Journal of Soil Science, 1968, 19, 154-167.	1.2	24
147	The bacterial degradation of synthetic anionic detergents. Water Research, 1968, 2, 849-876.	5.3	4

#	ARTICLE	IF	CITATIONS
148	Formation and final composition of the bacterial flora of a dairy waste activated sludge. <i>Water Research</i> , 1968, 2, 665-671.	5.3	27
149	Characteristics of a Marine <i>Vibrio</i> -Bacteriophage System. <i>Journal of the Arizona Academy of Science</i> , 1968, 5, 28.	0.1	14
150	Chitin decomposition in soil. <i>Transactions of the British Mycological Society</i> , 1968, 51, 287-292.	0.6	11
151	Chitin decomposition in soil. <i>Transactions of the British Mycological Society</i> , 1968, 51, 293-309.	0.6	39
152	HOSPITAL INFECTION FROM CONTAMINATED ICE. <i>Lancet, The</i> , 1968, 292, 620-622.	6.3	32
153	A diagnostic key for identifying organisms recovered from rotten eggs. <i>British Poultry Science</i> , 1968, 9, 111-120.	0.8	13
154	A comparison of 120 strains of <i>Bacterium anitratum</i> Schaub and Hauber with the type strain of this species. <i>International Journal of Systematic Bacteriology</i> , 1968, 18, 207-229.	2.8	18
155	Adansonian Analysis of the Rhizobiaceae. <i>Journal of General Microbiology</i> , 1968, 51, 245-266.	2.3	112
156	Serological and Pyocine Types of <i>Pseudomonas aeruginosa</i> from Various Sources. <i>Japanese Journal of Microbiology</i> , 1968, 12, 111-119.	0.4	25
157	Characterization of Bacterial Populations by Means of Factor Profiles. <i>Acta Agriculturae Scandinavica</i> , 1968, 18, 22-32.	0.3	5
158	THE CHARACTERISTICS AND DISTRIBUTION OF MARINE BACTERIA ISOLATED FROM THE INDIAN OCEAN1. <i>Limnology and Oceanography</i> , 1968, 13, 656-664.	1.6	14
159	Dairy Products. , 1968, , 29-194.		6
160	ARTHROBACTER LUTEUS NOV. SP. ISOLATED FROM BREWERY SEWAGE. <i>Journal of General and Applied Microbiology</i> , 1969, 15, 317-326.	0.4	20
161	Gram-negative bacilli in burns. <i>Journal of Clinical Pathology</i> , 1969, 22, 634-641.	1.0	45
162	Physiological and Morphological Characteristics of <i>Kurthia zopfii</i> Isolated from Meat Products. <i>Journal of Applied Bacteriology</i> , 1969, 32, 371-380.	1.1	30
163	Aniline Utilization by a Soil <i>Pseudomonad</i> . <i>Journal of Applied Bacteriology</i> , 1969, 32, 457-462.	1.1	29
164	(Symposium on Myxobacteria and Flavobacteria: Paper X). Properties of Some Pectolytic, Yellow pigmented, Gram Negative Bacteria Isolated from Fresh Cauliflowers. <i>Journal of Applied Bacteriology</i> , 1969, 32, 60-67.	1.1	22
165	Bacteriophages of psychrophilic pseudomonads. I. Host range of phage pools active against fish spoilage and fish-pathogenic pseudomonads. <i>Antonie Van Leeuwenhoek</i> , 1969, 35, 307-317.	0.7	38

#	ARTICLE	IF	CITATIONS
166	Bacteriophages of psychrophilic pseudomonads. II. Host range of phage active against <i>Pseudomonas putrefaciens</i> . <i>Antonie Van Leeuwenhoek</i> , 1969, 35, 318-324.	0.7	23
167	Characterization of the oxidase-negative, gram-negative coccobacilli (the <i>Achromobacter-Acinetobacter</i> group). <i>Antonie Van Leeuwenhoek</i> , 1969, 35, 421-429.	0.7	23
168	Etude des bactéries associées aux Algues marines en culture. <i>Marine Biology</i> , 1969, 2, 350-355.	0.7	26
169	Sterility and Concentration of Pilocarpine Solutions. <i>American Journal of Ophthalmology</i> , 1969, 68, 1099-1102.	1.7	4
170	Clover rhizoplane bacteria antagonistic to <i>Rhizobium trifolii</i> . <i>Canadian Journal of Microbiology</i> , 1969, 15, 361-364.	0.8	12
171	Soil bacteria: comparisons of rhizosphere and nonrhizosphere populations. <i>Canadian Journal of Microbiology</i> , 1969, 15, 473-488.	0.8	35
172	Enzymatic Racemization of Leucine and \pm -Aminobutyrate. <i>Agricultural and Biological Chemistry</i> , 1969, 33, 424-429.	0.3	3
173	An Epizootic of Vibriosis in Chinook Salmon. <i>Bulletin of the Wildlife Disease Association</i> , 1969, 5, 73-76.	0.2	49
174	Studies on the Bacterial Flora in the Intestines of Various Marine Fish. <i>Nippon Suisan Gakkaishi</i> , 1969, 35, 93-100.	0.0	14
175	Determination of <i>Pseudomonas aeruginosa</i> by Biochemical Test Methods. <i>Japanese Journal of Microbiology</i> , 1970, 14, 49-56.	0.4	9
176	An Ecological Study of the Psychrotrophic Bacteria of Soil, Water, Grass and Hay. <i>Journal of Applied Bacteriology</i> , 1970, 33, 420-435.	1.1	28
177	Application of the fluorescent antibody technique to the identification of marine pseudomonads: a preliminary study. <i>Marine Biology</i> , 1970, 5, 57-61.	0.7	0
178	<i>Micrococcus diversus</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1970, 20, 179-183.	2.8	1
179	The Identification, Taxonomy and Classification of Luminous Bacteria. <i>Journal of General Microbiology</i> , 1970, 64, 151-169.	2.3	98
180	Four bacterial soil populations characterized and compared by a factor analytical method. <i>Canadian Journal of Microbiology</i> , 1970, 16, 455-464.	0.8	28
181	A simple diagnostic milk medium for <i>Pseudomonas aeruginosa</i> . <i>Journal of Clinical Pathology</i> , 1970, 23, 172-177.	1.0	110
183	The bacteria of a sandy beach as an ecological factor affecting the interstitial gastrotrich <i>Turbanella hyalina</i> Schultze. <i>Journal of Experimental Marine Biology and Ecology</i> , 1970, 4, 119-133.	0.7	38
184	Nonfermentative gram-negative bacilli of nosocomial interest. <i>American Journal of Medicine</i> , 1970, 48, 735-749.	0.6	149

#	ARTICLE	IF	CITATIONS
185	Bacteria isolated from plantar ulcers of ethiopian leprosy patients, with the antibacterial drug sensitivities of the isolates. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1970, 64, 421-426.	0.7	3
186	A survey of some physiological characteristics of stream-borne bacteria. Water Research, 1970, 4, 493-499.	5.3	9
187	Isolation and identification of iron-reducing bacteria from gley soils. Soil Biology and Biochemistry, 1971, 3, 43-55.	4.2	63
188	The disease complex of the gypsy moth. Journal of Invertebrate Pathology, 1971, 18, 101-107.	1.5	46
189	Aerobic heterotrophic bacteria in activated sludge. Water Research, 1971, 5, 1023-1030.	5.3	58
190	Carbenicillin therapy of severe Pseudomonas aeruginosa infections. Journal of Chronic Diseases, 1971, 24, 19-28.	1.3	14
191	Nocardia caviae and Nocardia asteroides: Comparative bacteriological and mouse pathogenicity studies. Journal of Comparative Pathology, 1971, 81, 79-87.	0.1	27
192	Studies on Collagenase of a Marine Bacterium. Agricultural and Biological Chemistry, 1971, 35, 1651-1659.	0.3	6
193	Chapter I Routine Biochemical Tests. Methods in Microbiology, 1971, 6, 1-32.	0.4	101
194	Experimental Infection with <i>Pseudomonas aeruginosa</i> in Mice. Japanese Journal of Microbiology, 1971, 15, 295-300.	0.4	26
195	A new gas vacuolated heterotrophic rod from freshwaters. Archives of Microbiology, 1971, 80, 70-77.	1.0	16
196	SKIN FLORA OF INFANTS WITH NAPKIN RASH. British Journal of Dermatology, 1971, 85, 250-253.	1.4	19
197	Distribution and activity of oceanic bacteria. Deep Sea Research and Oceanographic Abstracts, 1971, 18, 1111-1121.	0.3	15
198	Occurrence of <i>Erwinia carotovora</i> in the rhizosphere of cotton plants which escape verticillium wilt. Plant and Soil, 1971, 34, 215-218.	1.8	5
199	An Initial Approach to the Taxonomy of Some Gram Negative Yellow Pigmented Rods. Journal of Applied Bacteriology, 1971, 34, 699-716.	1.1	60
200	A Composite Arginine Glucose Medium for the Characterization of <i>Pseudomonas aeruginosa</i> and other Gram Negative Bacilli. Journal of Applied Bacteriology, 1971, 34, 779-786.	1.1	8
201	The Microbiology of Fish and Fishery Products—a Progress Report. Journal of Applied Bacteriology, 1971, 34, 299-315.	1.1	126
202	Observations on the Microflora of Vacuum Packed Sliced Cooked Meat Products. Journal of Applied Bacteriology, 1971, 34, 377-397.	1.1	106

#	ARTICLE	IF	CITATIONS
203	Extracellular Enzymic Activity of Poultry Spoilage Bacteria. Journal of Applied Bacteriology, 1971, 34, 599-609.	1.1	33
204	Characterization of Nonfermentative Nonfastidious Gram Negative Bacteria encountered in Medical Bacteriology. Journal of Applied Bacteriology, 1971, 34, 623-644.	1.1	69
205	Colonization with Gentamicin-Resistant <i>Pseudomonas aeruginosa</i> , Pyocine Type 5, in a Burn Unit. Journal of Infectious Diseases, 1971, 124, S18-S23.	1.9	80
206	Numerical Taxonomy of Some Nocardioform Bacteria. Journal of General Microbiology, 1971, 69, 33-80.	2.3	358
207	Comparison of Four Methods for Demonstrating Glucose Breakdown by Bacteria. Journal of General Microbiology, 1971, 68, 221-225.	2.3	11
208	A microbiological survey of the incubated eggs of chickens and waterfowl. British Poultry Science, 1972, 13, 549-556.	0.8	14
209	Identification and characterization of <i>Moraxella phenylpyruvica</i> . Journal of Clinical Pathology, 1972, 25, 959-965.	1.0	16
210	A Re-examination of the Fish-Pathogenic Bacterium that had been Reported as a <i>Pasteurella</i> Species. Nippon Suisan Gakkaishi, 1972, 38, 803-812.	0.0	22
211	Studies on the Utilization of Petro-yeast as Diet of Freshwater Fish-I. Nippon Suisan Gakkaishi, 1972, 38, 1013-1019.	0.0	7
212	Bacteria in Stomach of Marine Little Toothed Whales. Nippon Suisan Gakkaishi, 1972, 38, 1177-1183.	0.0	3
213	Bacterial Flora in the Digestive Tract of Marine Fish-I. Nippon Suisan Gakkaishi, 1972, 38, 50-55.	0.0	8
214	Characteristics of a <i>Pseudomonas</i> sp. from an Epizootic of Pond-Cultured Eels (<i>Anguilla japonica</i>). Nippon Suisan Gakkaishi, 1972, 38, 577-587.	0.0	90
215	Bacterial Flora in the Digestive Tracts of Marine Fish-II. Nippon Suisan Gakkaishi, 1972, 38, 633-637.	0.0	22
216	Bacterial Formation of the Combined Forms of Riboflavin from Hydrocarbons. Nippon Nogeikagaku Kaishi, 1972, 46, 639-644.	0.0	0
217	<i>Vibrio anguillarum</i> ISOLATED FROM A NASAL ABSCESS OF THE COD FISH (<i>Gadus morhua</i>). Journal of Wildlife Diseases, 1972, 8, 207-214.	0.3	7
218	Chapter II Computer Taxonomy. Methods in Microbiology, 1972, 7, 29-98.	0.4	22
219	The Taxonomy of the Crown-gall Organism <i>Agrobacterium tumefaciens</i> and Its Relationship to Rhizobia and Other Agrobacteria. Journal of General Microbiology, 1972, 72, 565-574.	2.3	78
220	Use of an Oxidation-Fermentation Medium in the Identification of Yeasts. HSMHA Health Reports, 1972, 87, 172.	0.3	5

#	ARTICLE	IF	CITATIONS
221	Numerical Taxonomy of the Genus <i>Pseudomonas</i> from Milk and Milk Products. <i>Journal of Dairy Science</i> , 1972, 55, 19-24.	1.4	11
222	<i>Streptococcus uberis</i> of Bovine Mastitis Origin: Isolation, Characterization, and Serology of Two Mucoid Strains. <i>Journal of Dairy Science</i> , 1972, 55, 194-199.	1.4	3
223	The disease complex of the gypsy moth. <i>Journal of Invertebrate Pathology</i> , 1972, 20, 303-308.	1.5	10
224	TAXONOMIC STUDIES ON CORYNEFORM BACTERIA. <i>Journal of General and Applied Microbiology</i> , 1972, 18, 399-416.	0.4	149
225	MICROFLORA OF ACTIVATED SLUDGE. <i>Journal of General and Applied Microbiology</i> , 1972, 18, 239-248.	0.4	26
226	Microbial activities in soil near natural gas leaks. <i>Archives of Microbiology</i> , 1972, 83, 32-51.	1.0	43
227	Studies on <i>Agrobacterium tumefaciens</i> : characterization of strains 1D135 and B6, and analysis of the bacterial chromosome, transfer RNA and ribosomes for tumor-inducing ability. <i>Physiological Plant Pathology</i> , 1972, 2, 47-57.	1.4	106
228	Bacteria of muds colonized by <i>Spartina townsendii</i> and their possible role in <i>Spartina</i> die-back. <i>Plant and Soil</i> , 1972, 36, 349-361.	1.8	5
229	Modification of Baird-Parkers's classification system of <i>Staphylococcus albus</i> . <i>Medical Microbiology and Immunology</i> , 1973, 158, 249-257.	2.6	28
230	Antibiotic- and hormonally induced alterations in <i>Staphylococcus aureus</i> . <i>Antonie Van Leeuwenhoek</i> , 1973, 39, 21-31.	0.7	4
231	Bacteriology of activated sludge, in particular the filamentous bacteria. <i>Antonie Van Leeuwenhoek</i> , 1973, 39, 189-205.	0.7	100
232	Comparison of group If with <i>Flavobacterium</i> and <i>Moraxella</i> . <i>Antonie Van Leeuwenhoek</i> , 1973, 39, 473-480.	0.7	16
233	PROPERTIES OF GRAM NEGATIVE AEROBES ISOLATED FROM MEATS. <i>Journal of Food Science</i> , 1973, 38, 303-305.	1.5	34
234	<i>Pseudomonas marginalis</i> (Brown) Stevens als Erreger einer Bakteriose an Kopfsalat in Deutschland. <i>Journal of Phytopathology</i> , 1973, 78, 187-191.	0.5	2
235	The Bacterial Flora of the Atlantic Salmon (<i>Salmo salar</i> L.) in Relation to its Environment. <i>Journal of Applied Bacteriology</i> , 1973, 36, 377-386.	1.1	89
236	The Microbial Associations Developing on Experimental Trickling Filters Irrigated with Domestic Sewage. <i>Journal of Applied Bacteriology</i> , 1973, 36, 465-474.	1.1	6
237	The Doubtful Status of the Species <i>Zymomonas anaerobia</i> and <i>Z. mobilis</i> . <i>Journal of Applied Bacteriology</i> , 1973, 36, 531-539.	1.1	25
238	Microbial Progression in Sliced Vacuum Packaged Bacon at Refrigeration Temperatures. <i>Journal of Applied Bacteriology</i> , 1973, 36, 543-552.	1.1	1

#	ARTICLE	IF	CITATIONS
239	Identification of <i>Pseudomonas</i> spp. Isolated from Milk Produced in South Eastern Queensland. Journal of Applied Bacteriology, 1973, 36, 585-598.	1.1	32
240	Mechanism of Action of the Gonadal Steroids Producing Diminution of Growth of <i>Staphylococcus Aureus</i> . Journal of Applied Bacteriology, 1973, 36, 707-721.	1.1	4
241	The Lâ€Phase of <i>Erwinia carotovora</i> var. <i>atroseptica</i> and its Possible Association with Plant Tissue. Journal of Applied Bacteriology, 1973, 36, 729-737.	1.1	28
243	Studies in Humic Acids Decomposing Bacteria in Soil. Zentralblatt Fur Bakteriologie, Parasitenkunde, Infektionskrankheiten Und Hygiene Zweite Naturwissenschaftliche Abt: Allgemeine, Landwirtschaftliche Und Technische Mikrobiologie, 1973, 128, 168-172.	0.0	2
244	Studies in Humic Acids Decomposing Bacteria in Soil. Zentralblatt Fur Bakteriologie, Parasitenkunde, Infektionskrankheiten Und Hygiene Zweite Naturwissenschaftliche Abt: Allgemeine, Landwirtschaftliche Und Technische Mikrobiologie, 1973, 128, 162-167.	0.0	2
245	Isolation of pentachlorophenol decomposing bacteria from soil. Soil Science and Plant Nutrition, 1973, 19, 109-116.	0.8	110
246	Comparison of <i>Vibrio parahaemolyticus</i> Cultures Isolated in the United States with Those Isolated in Japan. Journal of Infectious Diseases, 1973, 127, 237-241.	1.9	54
247	Heterotrophic Bacterial Population in Acid Coal Mine Water: <i>Flavobacterium acidurans</i> sp. n.. International Journal of Systematic Bacteriology, 1973, 23, 142-150.	2.8	23
248	Gluconic Acid-producing Bacteria from Honey Bees and Ripening Honey. Journal of General Microbiology, 1973, 76, 211-216.	2.3	28
249	Numerical Taxonomy and Laboratory Identification of <i>Bacterionema matruchotii</i> , <i>Rothia dentocariosa</i> , <i>Actinomyces naeslundii</i> , <i>Actinomyces viscosus</i> , and Some Related Bacteria. Journal of General Microbiology, 1973, 76, 43-63.	2.3	64
250	Numerical Taxonomy of <i>Haemophilus</i> and Related Bacteria. International Journal of Systematic Bacteriology, 1973, 23, 405-418.	2.8	43
251	Characterization of haemolytic enterococci isolated from oral infections. Acta Odontologica Scandinavica, 1973, 31, 387-393.	0.9	13
252	The ortho-nitrophenol (ONPG) test and acid from lactose in Gram-negative genera. Journal of Clinical Pathology, 1973, 26, 821-825.	1.0	13
253	Aerobic bacteria occurring in the hind-gut of the cockroach, <i>Blatta orientalis</i> . The Journal of Hygiene, 1973, 71, 1-8.	1.0	77
254	Trimethylamine metabolism in obligate and facultative methylotrophs. Biochemical Journal, 1973, 132, 101-112.	3.2	132
255	OXAMICETIN, A NEW ANTIBIOTIC OF BACTERIAL ORIGIN. Journal of Antibiotics, 1973, 26, 765-770.	1.0	9
256	A taxonomic study by computer analysis of marine bacteria from New Zealand waters. Journal of the Royal Society of New Zealand, 1973, 3, 129-140.	1.0	14
257	Identification of Potent Bacterium for Production of Chillproofing Enzyme. Agricultural and Biological Chemistry, 1973, 37, 2359-2363.	0.3	0

#	ARTICLE	IF	CITATIONS
258	Endocarditis Caused by <i>Lactobacillus plantarum</i> . <i>Annals of Internal Medicine</i> , 1973, 78, 33.	2.0	54
259	Morphological, Biochemical, and Serological Characterization of <i>Rothia dentocariosa</i> . <i>International Journal of Systematic Bacteriology</i> , 1974, 24, 154-159.	2.8	28
260	Epidemiology and Control of Fire Blight. <i>Annual Review of Phytopathology</i> , 1974, 12, 389-412.	3.5	81
261	Pierce's Disease of Grapevines: Evidence for a Bacterial Etiology. <i>Science</i> , 1974, 184, 1375-1377.	6.0	20
262	The isolation and identification of <i>Vibrio cholerae</i> .. <i>Journal of Clinical Pathology</i> , 1974, 27, 764-766.	1.0	6
263	WORT ENTEROBACTERIA-A REVIEW. <i>Journal of the Institute of Brewing</i> , 1974, 80, 342-356.	0.8	43
264	Observations on <i>Vibrio Eltor</i> . <i>Journal of Medical Microbiology</i> , 1974, 7, 127-130.	0.7	0
265	Observations on Anaerobic Glucose Utilization Tests in <i>Staphylococcus-Micrococcus</i> Identification. <i>International Journal of Systematic Bacteriology</i> , 1974, 24, 1-5.	2.8	13
266	Detection of Hippurate Hydrolase among <i>Bacillus</i> Species by Thin Layer Chromatography and other Methods. <i>Journal of Applied Bacteriology</i> , 1974, 37, 15-30.	1.1	18
267	<i>Erwinia rhapontici</i> (Millard) Burkholder Associated with Pink Grain of Wheat. <i>Journal of Applied Bacteriology</i> , 1974, 37, 353-358.	1.1	23
268	A Study of Test Media used for the Identification of Soft-rotting <i>Erwinia</i> Species.. <i>Journal of Phytopathology</i> , 1974, 80, 267-278.	0.5	5
269	Diagnosis of infections by <i>Yersinia enterocolitica</i> . <i>Infection</i> , 1974, 2, 40-45.	2.3	11
270	Some aspects of the regulation of the production of extracellular proteolytic enzymes by a marine bacterium. <i>Archives of Microbiology</i> , 1974, 101, 21-34.	1.0	32
271	A comparison of strains of King's group IIb of <i>Flavobacterium</i> with <i>Flavobacterium meningosepticum</i> . <i>Antonie Van Leeuwenhoek</i> , 1974, 40, 255-264.	0.7	29
272	A study in test reproducibility between laboratories: Report of a <i>Pseudomonas</i> Working Party. <i>Antonie Van Leeuwenhoek</i> , 1974, 40, 481-527.	0.7	38
273	EVALUATION OF SUCCINIC ACID AND HEAT TO IMPROVE THE MICROBIOLOGICAL QUALITY OF POULTRY MEAT. <i>Journal of Food Science</i> , 1974, 39, 985-987.	1.5	56
274	A study of nitrite-dependent dissimilatory micro-organisms isolated from oregon soils. <i>Soil Biology and Biochemistry</i> , 1974, 6, 335-339.	4.2	20
275	<i>Nocardia coeliaca</i> , <i>Nocardia autotrophica</i> , and the Nocardin Strain. <i>International Journal of Systematic Bacteriology</i> , 1974, 24, 54-63.	2.8	1,150

#	ARTICLE	IF	CITATIONS
276	Applicability of cetrimide, nitrofurantoin, TTC, and sodium arsenite to the isolation of marine pseudomonads. Canadian Journal of Microbiology, 1974, 20, 1065-1069.	0.8	4
277	Germination of <i>Botrytis cinerea</i> spores on beetroot leaves treated with antibiotics. Transactions of the British Mycological Society, 1974, 62, 537-545.	0.6	9
278	Studies of <i>Pseudomonas aeruginosa</i> Infections Among Hospitalized Patients. Japanese Journal of Microbiology, 1974, 18, 9-14.	0.4	3
279	Organic Acid Production by Unicellular Green Algae during the Heterotrophic Growth. Nippon Nogeikagaku Kaishi, 1974, 48, 261-267.	0.0	0
280	Diversity of the degradation of panthenol by microorganisms.. Agricultural and Biological Chemistry, 1974, 38, 1989-1996.	0.3	7
281	<i>Vibrio cholerae</i> flagellar antigens: A serodiagnostic test, functional implications of H-reactivity and taxonomic importance of cross-reactions within the <i>Vibrio</i> genus. Medical Microbiology and Immunology, 1975, 162, 29-41.	2.6	26
282	Bacteriological Studies of Wicomico River Soft-Shell Clam (<i>Mya arenaria</i>) Mortalities. Chesapeake Science, 1975, 16, 3.	0.5	4
283	A Study of 5920 Strains of Psychrotrophic Bacteria Isolated from Chickens. Journal of Applied Bacteriology, 1975, 38, 89-97.	1.1	35
284	The Bacterial Flora of some Queensland Fish and its Ability to cause Spoilage. Journal of Applied Bacteriology, 1975, 39, 91-100.	1.1	45
285	Changes in the Microbiology of Vacuum-packaged Beef. Journal of Applied Bacteriology, 1975, 39, 227-237.	1.1	100
286	A <i>Proteus inconstans</i> which Produces "Cabbage Odour"™ in the Spoilage of Vacuum-packed Sliced Bacon. Journal of Applied Bacteriology, 1975, 39, 263-271.	1.1	17
287	<i>Pseudomonas glathei</i> sp. nov., a new nitrogen-scavenging rod isolated from acid lateritic relicts in Germany. Zeitschrift Fur Allgemeine Mikrobiologie, 1975, 15, 287-299.	0.0	5
288	Nitrogen fixation by a <i>Rhizobium</i> sp. in association with non-leguminous plant cell cultures. Nature, 1975, 253, 350-351.	13.7	100
289	Nitrogenase activity in rhizobia in absence of plant host. Nature, 1975, 256, 407-409.	13.7	176
290	Occurrence, prevention, and monitoring of microbial quality loss of foods and dairy products. C R C Critical Reviews in Environmental Control, 1975, 5, 1-139.	1.0	19
291	Cell Envelopes with Regularly Arranged Surface Subunits in <i>Acinetobacter</i> and Related Bacteria. CRC Critical Reviews in Microbiology, 1975, 4, 65-100.	4.8	18
292	Spoilage Odors in Poultry Meat Produced by Pigmented and Nonpigmented <i>Pseudomonas</i> . Poultry Science, 1975, 54, 2001-2006.	1.5	18
293	Numerical Taxonomy of Aquatic Enterobacteriaceae. Journal of Great Lakes Research, 1975, 1, 33-45.	0.8	0

#	ARTICLE	IF	CITATIONS
294	Die qualitative VerÄnderung der Bakterienflora im Ackerboden nach DÄ¼ngung mit bestimmten organischen Stoffen. Zentralblatt Fur Bakteriologie, Parasitenkunde, Infektionskrankheiten Und Hygiene Zweite Naturwissenschaftliche Abt: Allgemeine, Landwirtschaftliche Und Technische Mikrobiologie, 1975, 130, 612-632.	0.0	0
295	Soybean flower-to-seed movement of epiphytic bacteria. Canadian Journal of Microbiology, 1976, 22, 429-431.	0.8	3
296	Current taxonomy and identification of nonfermentative gram negative bacilli. Human Pathology, 1976, 7, 265-275.	1.1	21
297	A strain of Serratia marcescens pathogenic for larvae of Lymantria dispar: Characterization. Journal of Invertebrate Pathology, 1976, 27, 185-190.	1.5	5
298	Bacteria associated with eggs and first-instar larvae of the European corn borer: Identification and frequency of occurrence. Journal of Invertebrate Pathology, 1976, 27, 229-237.	1.5	13
299	A bacterial leaf spot disease of several Brassica varieties.. Australasian Plant Pathology, 1976, 5, 30.	0.5	5
300	Facultative Wood-digesting Bacteria from the Hind-gut of the Termite Reticulitermes hesperus. Journal of General Microbiology, 1976, 95, 287-296.	2.3	65
301	Incidence and Identification of Phospholipase C-Producing Bacteria in Fresh and Spoiled Homogenized Milk. Journal of Dairy Science, 1976, 59, 1857-1864.	1.4	18
302	Nalidixic acid as a selective agent for the isolation of enterobacteria from river water. The Journal of Hygiene, 1976, 77, 23-30.	1.0	3
303	A new bacterial leaf spot on a Magnolia hybrid.. Australasian Plant Pathology, 1976, 5, 32.	0.5	0
304	A Numerical Taxonomic Study of Proteusâ€¢Providence Bacteria. Journal of Applied Bacteriology, 1976, 41, 143-161.	1.1	31
305	Possible Cause of Anomalies in the Oxidationâ€¢Fermentation Test. Journal of Applied Bacteriology, 1976, 41, 493-496.	1.1	2
306	Competition for exogenous substrates in vitro by leaf surface micro-organisms and germination of conidia of Botrytis cinerea. Physiological Plant Pathology, 1976, 9, 227-239.	1.4	32
307	Some properties of coagulase-negative deoxyribonuclease-producing strains of staphylococci from human infections. Medical Microbiology and Immunology, 1976, 162, 143-152.	2.6	35
308	Energy metabolism of some representatives of the Haemophilus group. Antonie Van Leeuwenhoek, 1976, 42, 429-444.	0.7	16
309	Amino Acid Catabolites of Gram-Negative Bacteria. International Journal of Systematic Bacteriology, 1977, 27, 179-184.	2.8	1
310	Taxonomy of Acinetobacter: the usefulness of beta-D-xyloside xylohydrolase for strain differentiation.. Journal of Clinical Pathology, 1977, 30, 838-841.	1.0	8
311	Physiological, Biochemical and Morphological Characteristics of Mesquite Wood-digesting Bacteria. Journal of General Microbiology, 1977, 101, 71-77.	2.3	8

#	ARTICLE	IF	CITATIONS
312	On Bacterial Adhesion – The Effect of Certain Enzymes on Adhered Cells of a Marine Pseudomonas sp.. Botanica Marina, 1977, 20, .	0.6	30
313	A Numerical Taxonomic Survey of Listeria and Related Bacteria. Journal of General Microbiology, 1977, 98, 399-421.	2.3	138
314	Generic composition of deoxyribonucleic acid-hydrolyzing bacteria in seawater.. Nippon Suisan Gakkaishi, 1977, 43, 47-52.	0.0	2
315	Changes in microflora during storage at low temperature of salted fish.. Nippon Suisan Gakkaishi, 1977, 43, 1241-1247.	0.0	2
316	Studies on Bacterial Aerosol. Japanese Journal of Hygiene, 1977, 32, 588-594.	0.6	0
317	Microcycclus and Related Ring-Forming Bacteria. CRC Critical Reviews in Microbiology, 1977, 5, 243-269.	4.8	20
318	Aerobic heterotrophic bacteria isolated from water, mud, and macrophytes of Lake Grasmere, New Zealand. New Zealand Journal of Marine and Freshwater Research, 1977, 11, 541-557.	0.8	1
319	Taxonomy of the Genus Serratia. Journal of General Microbiology, 1977, 98, 39-66.	2.3	128
320	A Chromogenic Bioluminescent Bacterium Associated with the Entomophilic Nematode Chromonema heliothidis1. Journal of Invertebrate Pathology, 1977, 29, 253-261.	1.5	42
321	Semisolid culture medium for oxidative fermentation test of Pseudomonas aeruginosa.. Kurume Medical Journal, 1977, 24, 199-202.	0.0	0
322	Seedling blight of Celosia caused by Pseudomonas syringae van Hall.. Australasian Plant Pathology, 1977, 6, 57.	0.5	1
323	An assessment of the presence of Phytophthora cinnamomi Rands and Pythium spp. in samples of roadmaking materials.. Australasian Plant Pathology, 1977, 6, 58.	0.5	0
324	Bacteriological Changes Occurring During the Culture of Algae in the Liquid Phase of Animal Slurry. Journal of Applied Bacteriology, 1977, 42, 27-43.	1.1	9
325	Incidence and Spoilage Potential of Isolates from Vacuum-packaged Meat of High pH Value. Journal of Applied Bacteriology, 1977, 43, 25-38.	1.1	70
326	A Taxonomic Study of Flavobacteria and Related Gram Negative Yellow Pigmented Rods. Journal of Applied Bacteriology, 1977, 43, 345-367.	1.1	46
327	Occurrence of Bacterial Blight of Iris caused by <i>Xanthomonas tardicrescens</i> in Japan. Journal of Phytopathology, 1977, 88, 97-105.	0.5	3
328	Chemical composition and organoleptic properties of Ras cheese, made under different technological conditions. Molecular Nutrition and Food Research, 1977, 21, 673-684.	0.0	0
329	Characterization of some fish and shrimp spoiling bacteria. Antonie Van Leeuwenhoek, 1977, 43, 283-303.	0.7	31

#	ARTICLE	IF	CITATIONS
330	Utilization of benzylpenicillin as carbon, nitrogen and energy source by a <i>Pseudomonas fluorescens</i> strain. <i>Archives of Microbiology</i> , 1977, 115, 271-275.	1.0	21
331	The occurrence of <i>Pseudomonas</i> spp. in surface water and in tap water as determined on citrate media. <i>Antonie Van Leeuwenhoek</i> , 1977, 43, 187-197.	0.7	37
332	Effect of environmental conditions on the production of two extracellular proteolytic enzymes by <i>Vibrio</i> SA1. <i>Antonie Van Leeuwenhoek</i> , 1978, 44, 129-140.	0.7	18
333	Sediment bacteria in the deep Norwegian Sea. <i>Marine Biology</i> , 1978, 47, 201-209.	0.7	23
334	A comparative analysis of extreme thermophilic bacteria belonging to the genus <i>Thermus</i> . <i>Archives of Microbiology</i> , 1978, 117, 189-196.	1.0	322
335	BACTERIAL FLORA OF ANTARCTIC KRILL (<i>Euphasia superba</i>) AND SOME OF THEIR ENZYMATIC PROPERTIES. <i>Journal of Food Science</i> , 1978, 43, 1196-1197.	1.5	20
336	Correlations between epithelial cells and bacterial populations in bacteriological skin samples. <i>British Journal of Dermatology</i> , 1978, 99, 537-543.	1.4	6
337	Internal Browning of Hyacinth caused by <i>Erwinia rhapontici</i> . <i>Plant Pathology</i> , 1978, 27, 120-124.	1.2	18
338	Microbial associations in sponges. II. Numerical analysis of sponge and water bacterial populations. <i>Marine Biology</i> , 1978, 49, 169-176.	0.7	134
339	<i>Erwinia salicis</i> in cricket bat willows: peroxidase, polyphenoloxidase, β -glucosidase, pectinolytic and cellulolytic enzyme activity in diseased wood. <i>Physiological Plant Pathology</i> , 1978, 12, 333-347.	1.4	15
340	The isolation and properties of a mesophilic <i>Bacillus</i> species utilizing quinate, p-hydroxybenzoate, and phthalate as sources of carbon and energy. <i>Current Microbiology</i> , 1978, 1, 269-271.	1.0	6
341	<i>Beneckea gazogenes</i> sp. nov., a red, facultatively anaerobic, marine bacterium. <i>Current Microbiology</i> , 1978, 1, 233-238.	1.0	37
342	Tomato pith necrosis caused by <i>Pseudomonas corrugata</i> n. sp.. <i>Annals of Applied Biology</i> , 1978, 88, 105-114.	1.3	101
343	Studies on the Production of Extracellular Proteinases by a Non-pigmented Strain of <i>Chromobacterium lividum</i> Isolated from Abattoir Effluent. <i>Journal of Applied Bacteriology</i> , 1978, 45, 111-124.	1.1	14
344	<i>Neisseria gonorrhoeae</i> : evaluation of some methods used for carbohydrate utilization. <i>Canadian Journal of Microbiology</i> , 1978, 24, 177-181.	0.8	36
345	The Causative Organism of Contagious Equine Metritis 1977: Proposal for a New Species to be known as <i>Haemophilus equigenitalis</i> . <i>Equine Veterinary Journal</i> , 1978, 10, 136-144.	0.9	108
346	Sources and properties of some organisms isolated in two abattoirs. <i>Meat Science</i> , 1978, 2, 263-273.	2.7	36
347	Modified Oxidation/Fermentation Medium for Use in Identification of Bacterial Fish Pathogens. <i>Journal of the Fisheries Research Board of Canada</i> , 1978, 35, 1629-1630.	1.0	13

#	ARTICLE	IF	CITATIONS
348	Effect of Spring Thaw on Microorganisms in an Arctic Meadow Site. Arctic and Alpine Research, 1978, 10, 679.	1.3	12
349	A HYGIENIC MILK SUPPLY. International Journal of Dairy Technology, 1978, 31, 165-168.	1.3	0
350	Melioidosis presenting as prostatitisâ€”A case report from Sabah. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1978, 72, 522-524.	0.7	13
351	A bacterial phenylalanine aminotransferase lacking pyridoxal 5â€²-phosphate as cofactor. Biochimica Et Biophysica Acta - Biomembranes, 1978, 523, 344-357.	1.4	5
352	The Classification and Characterization of Chromobacteria from a Lowland River. Journal of General Microbiology, 1978, 105, 11-21.	2.3	38
353	The microbiology of a new recirculatory automatic watering system compared with a conventional automatic system. Laboratory Animals, 1978, 12, 133-136.	0.5	0
354	Characterization, Taxonomy, and Emended Description of <i>Vibrio metschnikovii</i> . International Journal of Systematic Bacteriology, 1978, 28, 99-111.	2.8	100
355	<i>Pseudomonas pomi</i> Cole 1959 Is a Later Subjective Synonym of <i>Acetobacter pasteurianus</i> (Hansen 1879) Beijerinck 1898, and <i>Pseudomonas melophthora</i> Allen and Riker 1932 is a Nomen Dubium. International Journal of Systematic Bacteriology, 1978, 28, 532-537.	2.8	12
356	Characterization of a New Marine Sedimentary Bacterium as <i>Flavobacterium oceanosedimentum</i> sp. nov.. International Journal of Systematic Bacteriology, 1978, 28, 561-566.	2.8	11
357	The process of manganese depositon in paddy soils. Soil Science and Plant Nutrition, 1978, 24, 319-325.	0.8	8
358	æ—¥æœ—æ²;â²,æµ-âŸŸâ«âˆ†â, fâŸªâ,âŸ½æ°—æ€Šâ,âŸ©âŸ¼â,âŸ²âŸ³âˆ†â€šâŸ£ç°è€-ll âŸéçç°è€âŸªâˆ†âŸž. Nippon Suisan Gakkaishi, 1978, 44, 1135-1139.		
359	Direct Plating Medium Procedure for Isolating and Enumerating <i>Vibrio parahaemolyticus</i> in Fish and Shellfish. Shokuhin Eiseigaku Zasshi Journal of the Food Hygienic Society of Japan, 1978, 19, 383-391_1.	0.1	1
360	Distribution of Mannan-degrading bacteria in aquatic environments.. Nippon Suisan Gakkaishi, 1978, 44, 1135-1139.	0.0	5
361	Radioresistance of an <i>Acinetobacter</i> species.. Journal of General and Applied Microbiology, 1979, 25, 401-406.	0.4	15
362	<i>Flavobacterium aquatile</i> and <i>Flavobacterium meningosepticum</i> : Glucose Nonfermenters with Similar Flagellar Morphologies. International Journal of Systematic Bacteriology, 1979, 29, 333-338.	2.8	9
363	A Study on the Bacterial Flora Isolated from Marine Algae. Botanica Marina, 1979, 22, .	0.6	29
364	Rhizoplane microorganisms of rice seedlings as examined by scanning electron microscopy. Soil Science and Plant Nutrition, 1979, 25, 539-551.	0.8	17
365	Characteristics of <i>Pseudomonas aeruginosa</i> in relation to laboratory-induced resistance to gentamicin.. Journal of Clinical Pathology, 1979, 32, 723-727.	1.0	9

#	ARTICLE	IF	CITATIONS
366	The Properties of Novel Mesophilic Denitrifying Bacillus Cultures Found in Tropical Soils. Journal of General Microbiology, 1979, 115, 419-430.	2.3	24
367	The Isolation and Characterization of Agarolytic Bacteria from a Lowland River. Journal of General Microbiology, 1979, 115, 355-368.	2.3	46
368	Bacteriocin, Plasmid and Pectolytic Diversity in Pseudomonas cepacia of Clinical and Plant Origin. Journal of General Microbiology, 1979, 110, 161-170.	2.3	86
369	Identification of Pseudomonas pseudomallei in the clinical laboratory.. Journal of Clinical Pathology, 1979, 32, 500-504.	1.0	44
370	Degradation of the Selective Herbicide 2,2-Dichloropropionate (Dalapon) by a Soil Bacterium. Journal of General Microbiology, 1979, 110, 39-45.	2.3	39
371	Taxonomic and Serological Studies on Micropolyspora faeni and Micropolyspora Strains from Soil Bearing the Specific Epithet rectivirgula. Journal of General Microbiology, 1979, 115, 343-354.	2.3	67
372	POTENTIAL APPLICATION OF MICROBIAL ANTAGONISM TO EXTENDED STORAGE STABILITY OF A FLESH TYPE FOOD. Journal of Food Science, 1979, 44, 43-46.	1.5	54
373	Effects of the Herbicide Barban and its Commercial Formulation Carbyne on Soil Microorganisms. Journal of Applied Bacteriology, 1979, 46, 431-442.	1.1	3
374	Anaerobic Fish Spoilage by Bacteria I. Biochemical Changes in Herring Extracts. Journal of Applied Bacteriology, 1979, 46, 531-543.	1.1	25
375	Effect of Packaging under Carbon Dioxide, Nitrogen or Air on the Microbial Flora of Pork Stored at 4°C. Journal of Applied Bacteriology, 1979, 47, 197-208.	1.1	169
376	The lipolytic and proteolytic activity of bacteria isolated from blended raw milk. International Journal of Dairy Technology, 1979, 32, 19-23.	1.3	35
377	Isolation and characterisation of Agrobacterium species. New Zealand Journal of Agricultural Research, 1979, 22, 631-639.	0.9	14
378	Journal of Applied Bacteriology, 1979, 46, 431-442. Nippon Suisan Gakkaishi, 1979, 45, 1189-1194.	0.0	3
379	Campylobacters: cultural characteristics of intestinal campylobacters from man and animals. The Journal of Hygiene, 1980, 85, 427-442.	1.0	306
380	Partial Freezing of Campylobacter. Nippon Suisan Gakkaishi, 1980, 46, 451-454.	0.0	0
381	Structure, diversity, and catabolic potentialities of aerobic heterotrophic bacterial populations associated with continuous cultures of natural marine phytoplankton. Microbial Ecology, 1980, 5, 265-279.	1.4	48
382	Recent observations on leafy gall in Liliaceae and some other families. European Journal of Plant Pathology, 1980, 86, 55-68.	0.5	33
383	Biocoenosis and degradation in model wastewater treatment plants. European Journal of Applied Microbiology and Biotechnology, 1980, 9, 151-163.	1.3	10

#	ARTICLE	IF	CITATIONS
384	False-negative oxidase reaction as a result of medium acidification. <i>Antonie Van Leeuwenhoek</i> , 1980, 46, 301-312.	0.7	17
385	Deoxyribonucleic acid relatedness of some menaquinone-producing <i>Flavobacterium</i> and <i>Cytophaga</i> strains. <i>Antonie Van Leeuwenhoek</i> , 1980, 46, 41-49.	0.7	23
386	SHELF-LIFE STUDIES ON CARBON DIOXIDE PACKAGED FINFISH FROM THE GULF OF MEXICO. <i>Journal of Food Science</i> , 1980, 45, 157-162.	1.5	165
387	The disappearance of benomyl from mushroom casing. <i>Annals of Applied Biology</i> , 1980, 95, 73-82.	1.3	9
388	Numerical Taxonomy of some Marine <i>Pseudomonads</i> and <i>Alteromonads</i> *. <i>Journal of Applied Bacteriology</i> , 1980, 49, 375-383.	1.1	12
389	Isolation of staphylococcal L-phase variants from the blood and egg yolks of normal chickens. <i>Research in Veterinary Science</i> , 1980, 29, 51-56.	0.9	2
390	Utilization of Methyl Amines as Nitrogen Sources by Non-methylotrophs. <i>Microbiology (United Kingdom)</i> , 1980, 107, 101-105.	0.7	10
391	Growth responses of oligotrophic and heterotrophic marine bacteria in various substrate concentrations, and taxonomic studies on them. <i>Canadian Journal of Microbiology</i> , 1980, 26, 800-806.	0.8	18
392	Heterotrophic bacteria in two Canadian rivers. Seasonal variations in the predominant bacterial populations. <i>Water Research</i> , 1980, 14, 449-460.	5.3	41
393	<i>Pseudomonas aeruginosa</i> and <i>Escherichia coli</i> in sewage and fresh water. <i>Water Research</i> , 1980, 14, 713-721.	5.3	39
394	Coincidence of cadmium and antibiotic resistance in New York Bight apex benthic microorganisms. <i>Marine Pollution Bulletin</i> , 1980, 11, 264-269.	2.3	14
396	Heterotrophic bacteria attached to seaweeds. <i>Journal of Experimental Marine Biology and Ecology</i> , 1980, 47, 251-258.	0.7	44
398	Identification and ecology of salt-requiring vibrio associated with cured meats. <i>Meat Science</i> , 1980, 5, 71-81.	2.7	15
399	Nutrition carbon source and taxonomic studies of <i>Bacillus megaterium</i> et <i>B. cereus</i> . <i>Canadian Journal of Microbiology</i> , 1980, 26, 778-786.	0.8	7
400	Abundance and distribution of the gut flora of the desert locust, <i>Schistocerca gregaria</i> . <i>Journal of Invertebrate Pathology</i> , 1981, 38, 378-385.	1.5	53
401	Microbial degradation of profluralin. <i>Soil Biology and Biochemistry</i> , 1981, 13, 33-38.	4.2	10
402	A comprehensive study of environmental and human pathogenic <i>Vibrio alginolyticus</i> strains. <i>Zentralblatt Fur Bakteriologie, Mikrobiologie Und Hygiene 1 Abt Originale A, Medizinische Mikrobiologie, Infektionskrankheiten Und Parasitologie</i> , 1981, 251, 213-222.	0.3	4
403	Chemotaxonomic and phenotypic characterization of the strains of species in the <i>Flavobacterium-cytophaga</i> complex. <i>Journal of General and Applied Microbiology</i> , 1981, 27, 57-107.	0.4	100

#	ARTICLE	IF	CITATIONS
404	Studies on Bacterial Aerosol. Japanese Journal of Hygiene, 1981, 36, 718-724.	0.6	0
405	Occurrence and generic Composition of protease-producing moderately halophilic bacteria in neritic seawater around Japan.. Nippon Suisan Gakkaishi, 1981, 47, 359-364.	0.0	0
406	An Assessment of Biochemical and Serological Tests for <i>Agrobacterium radiobacter</i> subsp. <i>tumefaciens</i> . Journal of Phytopathology, 1981, 102, 292-300.	0.5	11
407	A Numerical Taxonomic Study of <i>Pseudomonas</i> -like Bacteria Isolated from Fish in Southeastern Queensland and their Association with Spoilage. Journal of Applied Bacteriology, 1981, 50, 29-44.	1.1	35
408	Taxonomy and Description of <i>Vibrio fluvialis</i> sp. nov. (Synonym Group F Vibrios, Group EF6). Journal of Applied Bacteriology, 1981, 50, 73-94.	1.1	178
409	Microbiological Aspects of Cold Cleaning with an Iodophor of Milk Pipeline Installations. Journal of Applied Bacteriology, 1981, 50, 229-238.	1.1	3
410	The Classification, Identification and Nomenclature of Agrobacteria. Journal of Applied Bacteriology, 1981, 50, 443-467.	1.1	91
411	Effect of Hyperbaric Carbon Dioxide Pressure on the Microbial Flora of Pork Stored at 4 or 14°C. Journal of Applied Bacteriology, 1981, 50, 493-504.	1.1	74
412	Characterization of a radiation-resistant <i>Acinetobacter</i> . Zeitschrift Fur Allgemeine Mikrobiologie, 1981, 21, 125-130.	0.0	2
413	Identification and population dynamics of bacteria in symptomatic oat leaves. Microbial Ecology, 1981, 7, 23-28.	1.4	2
414	Purification and characterization of β -galactosidase from a strain of <i>Bacillus coagulans</i> . Antonie Van Leeuwenhoek, 1981, 47, 53-64.	0.7	9
415	The identification of the two subspecies of <i>Xanthomonas populi</i> in vitro. Forest Pathology, 1981, 11, 25-29.	0.5	7
416	The bacterial disease of ash (<i>Fraxinus excelsior</i>), caused by <i>Pseudomonas syringae</i> subsp. <i>savastanoi</i> pv. <i>Fraxini</i> Il. Etiology and taxonomic considerations. Forest Pathology, 1981, 11, 425-438.	0.5	33
417	Effect of temperature on differential persistence and insect transmission of <i>Erwinia carotovora</i> var. <i>atroseptica</i> and <i>Erwinia carotovora</i> var. <i>carotovora</i> . American Potato Journal, 1981, 58, 585-592.	0.4	3
418	<i>Agitococcus lubricus</i> gen. nov. sp. nov., a Lipolytic, Twitching Coccus from Freshwater. International Journal of Systematic Bacteriology, 1981, 31, 177-183.	2.8	31
419	Electron Microscopic Observations of <i>Flavobacterium aquatile</i> NCIB 8694 (= ATCC 11947) and <i>Flavobacterium meningosepticum</i> NCTC 10016 (= ATCC 13253). International Journal of Systematic Bacteriology, 1981, 31, 226-231.	2.8	8
420	Numerical Taxonomy of <i>Haemophilus</i> . Microbiology (United Kingdom), 1981, 126, 123-149.	0.7	18
421	The Genus <i>Alcaligenes</i> . , 1981, , 856-861.		9

#	ARTICLE	IF	CITATIONS
422	Prevalence of byssinosis in Swedish cotton mills.. Occupational and Environmental Medicine, 1981, 38, 138-143.	1.3	18
423	Nonpathogenic Members of the Genus Pseudomonas. , 1981, , 719-741.		81
424	Numerical Taxonomy of Psychrotrophic Pseudomonads. Microbiology (United Kingdom), 1982, 128, 1249-1264.	0.7	45
425	Rhodococcus luteus nom. nov. and Rhodococcus maris nom. nov.. International Journal of Systematic Bacteriology, 1982, 32, 1-14.	2.8	64
426	Growth of Staphylococcus epidermidis in Soft Agar in Relation to Respiration, Dehydrogenase Activity and Biotype. Microbiology (United Kingdom), 1982, 128, 2141-2147.	0.7	0
427	A Numerical Taxonomic Study of the Genus Shigella. Microbiology (United Kingdom), 1982, 128, 1933-1957.	0.7	10
428	SQ 26,180, a novel monobactam. I. Taxonomy, fermentation and biological properties.. Journal of Antibiotics, 1982, 35, 184-188.	1.0	41
429	Isolement et propri�t�s de nouvelles bact�ries appartenant au premier groupe morphologique du genre Bacillus et dont le DNA contient pr�s de 55 mol% de guanine + cytosine. , 1982, 3, 387-393.		0
430	Vibrio Parahaemolyticus and Related Halophilic Vibrios. CRC Critical Reviews in Microbiology, 1982, 10, 77-124.	4.8	441
431	Three Vibrio strains pathogenic to larvae of Crassostrea gigas and Ostrea edulis. Aquaculture, 1982, 29, 201-226.	1.7	104
432	Phylloplane bacteria in a pine forest. Canadian Journal of Microbiology, 1982, 28, 580-592.	0.8	17
433	Bacterium (Lactobacillus?) eurydice strains from bumble bees. Journal of Invertebrate Pathology, 1982, 40, 180-185.	1.5	7
434	Differential production of acid by enterobacteriaceae in OF media and in fermentation broth. Medical Microbiology and Immunology, 1982, 170, 185-189.	2.6	0
435	Octopinverwertung durch <i>Pseudomonas</i> spp.¹. Journal of Phytopathology, 1982, 105, 305-310.	0.5	8
436	Phytopathological, Serological, Biochemical and Protein Electrophoretic Characterization of Erwinia amylovora Strains Isolated in Belgium. Journal of Phytopathology, 1982, 103, 349-360.	0.5	23
437	Identification of bacteria of dairy origin using miniaturized test�systems. Journal of Applied Bacteriology, 1982, 53, 343-350.	1.1	4
438	The bacterial population of a blanket peat. Journal of Applied Bacteriology, 1982, 53, 35-48.	1.1	29
439	The populations, characterization and activity of suspended bacteria in the Welsh River Dee. Journal of Applied Bacteriology, 1982, 53, 49-59.	1.1	35

#	ARTICLE	IF	CITATIONS
440	A numerical taxonomic study of <i>Pseudomonas</i> strains from spoiled meat. Journal of Applied Bacteriology, 1982, 52, 219-228.	1.1	85
441	Salient biochemical characters of <i>Actinobacillus actinomycetemcomitans</i> . Archives of Microbiology, 1982, 131, 60-67.	1.0	148
442	<i>Erwinia</i> spp. and a new canker disease of hybrid poplars in Ontario. Forest Pathology, 1983, 13, 261-279.	0.5	11
443	The microbial flora of smoked pork loin and frankfurter sausage stored in different gas atmospheres at 4°C. Journal of Applied Bacteriology, 1983, 54, 45-56.	1.1	104
444	A note on a single tube technique for the Hugh and Leifson's oxidation-fermentation test. Journal of Applied Bacteriology, 1983, 54, 143-144.	1.1	0
445	The intestinal microflora of farmed Dover sole (<i>Solea solea</i>) at different stages of fish development. Journal of Applied Bacteriology, 1983, 55, 215-223.	1.1	73
446	A numerical taxonomic study of species of <i>Vibrio</i> isolated from the aquatic environment and birds in Kent, England. Journal of Applied Bacteriology, 1983, 55, 263-282.	1.1	54
447	The microbial flora of herring fillets after storage in carbon dioxide, nitrogen or air at 2°C. Journal of Applied Bacteriology, 1983, 55, 49-56.	1.1	87
448	A bacterial leaf spot of <i>Protea cynaroides</i> (king protea). Annals of Applied Biology, 1983, 102, 339-344.	1.3	7
449	Problems and methods of estimation of microbial contamination of nonsterile drugs (Review). Pharmaceutical Chemistry Journal, 1983, 17, 294-302.	0.3	0
450	Heterotrophic bacterial guild structure: Relationship to biodegradative populations. Microbial Ecology, 1983, 9, 41-55.	1.4	16
451	Ecology and taxonomy of chitinoclastic <i>Cytophaga</i> and related chitin-degrading bacteria isolated from an estuary. Microbial Ecology, 1983, 9, 273-294.	1.4	15
452	Description of <i>Campylobacter laridis</i> , a new species comprising the nalidixic acid resistant thermophilic <i>Campylobacter</i> (NARTC) group. Current Microbiology, 1983, 8, 231-238.	1.0	195
453	<i>Pseudomonas halodurans</i> sp. nov., a halotolerant bacterium. Archives of Microbiology, 1983, 136, 117-123.	1.0	42
454	A note on the identity and properties of the spoilage microflora of chub-packed luncheon meat stored at ambient temperature. Canadian Journal of Microbiology, 1983, 29, 1220-1223.	0.8	9
455	Morphological and physiological characteristics and lipopolysaccharide composition of <i>N₂-fixing (C₂H₂-reducing) root-associated Pseudomonas</i> sp.. Canadian Journal of Microbiology, 1983, 29, 874-880.	0.8	48
456	The Classification of Pseudomonads and Other Obligately Aerobic Gram-Negative Bacteria from British Pork Sausage and Ingredients. Systematic and Applied Microbiology, 1983, 4, 424-438.	1.2	21
458	Taxonomic Study of <i>Paracoccus denitrificans</i> . International Journal of Systematic Bacteriology, 1983, 33, 26-37.	2.8	215

#	ARTICLE	IF	CITATIONS
460	Moderately Halophilic Gram-Positive Cocci from Hypersaline Environments. <i>Systematic and Applied Microbiology</i> , 1983, 4, 564-570.	1.2	45
461	éšč—...èCEVibrio anguillarumã«ã-¾ãªMã,«Pseudomonas sp.ã@æ²«èCEãŠã,ãª²è†æ»ã½œç”“. <i>Nippon Suisan Gakkaishô</i> , 1983, 49, 1109-1114.		
462	The Ribonucleotide Sequence of 5S rRNA from Two Strains of Deep-Sea Barophilic Bacteria. <i>Microbiology (United Kingdom)</i> , 1984, 130, 1911-1920.	0.7	49
463	Further Characterization of <i>Xanthomonas campestris</i> pv. <i>mangiferae</i> indicae. <i>International Journal of Systematic Bacteriology</i> , 1984, 34, 77-79.	2.8	11
464	<i>Prosthecomicrobium hirschii</i> , a New Species in a Redefined Genus. <i>International Journal of Systematic Bacteriology</i> , 1984, 34, 304-308.	2.8	30
465	Contribution of tabtoxin to the pathogenicity of <i>Pseudomonas syringae</i> pv. <i>tabaci</i> . <i>Physiological Plant Pathology</i> , 1984, 25, 55-69.	1.4	49
466	Survival in the Field of <i>Pseudomonas cichorii</i> (Swingle) Stapp, Causal Agent of Lettuce Varnish Disease. <i>Journal of Phytopathology</i> , 1984, 110, 89-105.	0.5	13
467	<i>Corynebacterium fascians</i> : Phytopathogenicity and Numerical Analysis of Phenotypic Features. <i>Journal of Phytopathology</i> , 1984, 110, 89-105.	0.5	8
468	Bacterial Rot of <i>Dieffenbachia maculata</i> (Lodd.) G. Don. Caused by <i>Erwinia chrysanthemi</i> . <i>Journal of Phytopathology</i> , 1984, 109, 11-20.	0.5	1
469	Effect of temperature on the microbial flora of herring fillets stored in air or carbon dioxide. <i>Journal of Applied Bacteriology</i> , 1984, 56, 275-282.	1.1	41
470	A generalâ€‘purpose system for characterizing medically important bacteria to genus level. <i>Journal of Applied Bacteriology</i> , 1984, 57, 279-290.	1.1	6
471	<i>Gemmata obscuriglobus</i> , a new genus and species of the budding bacteria. <i>Antonie Van Leeuwenhoek</i> , 1984, 50, 261-268.	0.7	104
472	<i>Pseudomonas</i> species and other non-fermenters in clinical specimens: their frequency of occurrence and significance. <i>Antonie Van Leeuwenhoek</i> , 1984, 50, 283-285.	0.7	1
473	Bacterial flora from echinoderm guts and associated sediment in the abyssal Vema Fault. <i>Marine Biology</i> , 1984, 79, 1-10.	0.7	11
474	Taxonomic studies on filamentous bacteria from sewage belonging to the <i>Flavobacterium-Cytophaga</i> complex. <i>Archives of Microbiology</i> , 1984, 137, 295-301.	1.0	11
476	The Microbial Flora of Salted Raw Milk. <i>Systematic and Applied Microbiology</i> , 1984, 5, 527-533.	1.2	5
477	Characterization of a Ligninolytic Bacterial Isolate: Taxonomic Relatedness and Oxidation of Some Lignin. Related Compounds. <i>Systematic and Applied Microbiology</i> , 1984, 5, 433-447.	1.2	10
478	Biochemical identification of bacteria by replicator methods on agar plates. <i>Pathology</i> , 1984, 16, 434-440.	0.3	12

#	ARTICLE	IF	CITATIONS
479	Occurrence of various histamine-forming bacteria on/in fresh fishes.. Nippon Suisan Gakkaishi, 1984, 50, 161-167.	0.0	16
480	Distribution of phototrophic purple nonsulfur bacteria in activated sludge systems and other aquatic environments.. Nippon Suisan Gakkaishi, 1984, 50, 1929-1937.	0.0	89
481	The degradation of 1-phenylalkanes by an oil-degrading strain of Acinetobacter lwoffii. Antonie Van Leeuwenhoek, 1985, 51, 45-56.	0.7	24
482	Microbial transformation of a fungicide-derived amine, dimethyl-p-phenylene diamine by Alcaligenes DM4. FEMS Microbiology Letters, 1985, 28, 25-29.	0.7	1
483	Aeromonas, a possible etiological agent in the formation of secondary tumors of crown gall. FEMS Microbiology Letters, 1985, 30, 161-164.	0.7	1
484	A probability matrix for the identification of vibrios. Journal of Applied Bacteriology, 1985, 58, 407-423.	1.1	25
485	Bacteria in bivalve shellfish with special reference to the oyster. Journal of Applied Bacteriology, 1985, 59, 41-47.	1.1	105
486	Cellulolytic and dextranolytic Gram-negative bacteria: revival of the genus <i>Cellvibrio</i> . Journal of Applied Bacteriology, 1985, 59, 81-97.	1.1	53
487	Taxonomic Position of <i>Campylobacter cryaerophila</i> sp. nov.. International Journal of Systematic Bacteriology, 1985, 35, 342-356.	2.8	123
488	A Numerical Taxonomic Study of <i>Actinobacillus</i> , <i>Pasterella</i> and <i>Yersinia</i> . Microbiology (United Kingdom) 117, 1985, 1-16.	0.7	16
489	Biochemical and exoenzymatic properties of <i>Aeromonas</i> species. Diagnostic Microbiology and Infectious Disease, 1985, 3, 223-232.	0.8	85
490	Identification of Proteolytic <i>Pseudomonads</i> Isolated from Raw Milk. Journal of Dairy Science, 1985, 68, 1902-1909.	1.4	16
492	Epidemic spread of <i>Acinetobacter calcoaceticus</i> in a neurosurgical department analyzed by electronic data processing. Journal of Hospital Infection, 1985, 6, 166-174.	1.4	20
493	A practical method for determining the susceptibility of aquatic <i>Vibrio</i> and <i>Aeromonas</i> spp. to antibacterial agents. Aquaculture, 1985, 46, 263-266.	1.7	3
494	<i>Pirella marina</i> sp. nov., a budding, peptidoglycan-less bacterium from brackish water. Systematic and Applied Microbiology, 1986, 8, 177-180.	1.2	86
495	Microbial populations in wetwood of European white fir (<i>Abies alba</i> Mill.) (Quantification of) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	0.7	2
496	Evaluation of a rapid tube lysostaphin test to differentiate between staphylococci and micrococci. International Journal of Food Microbiology, 1986, 3, 31-41.	2.1	8
497	Bacterial brown spot disease of <i>Cymbidium</i> spp. caused by <i>Pseudomonas cepacia</i> .. Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 1986, 52, 825-834.	0.1	10

#	ARTICLE	IF	CITATIONS
498	A numerical taxonomic study of the dominant bacteria isolated from tilapia intestines.. Nippon Suisan Gakkaishi, 1986, 52, 1625-1634.	0.0	8
499	PSEUDOMONAS SYRINGAE PV. TOMATO (OKABE, 1933) YOUNG, DYE & WILKIE, 1978. A NEW BACTERIAL DISEASE OF TOMATO IN PORTUGAL.. Acta Horticulturae, 1986, , 303-310.	0.1	0
500	Numbers and viability of bacteria in ornithogenic soils of Antarctica. Polar Biology, 1986, 5, 195-198.	0.5	48
501	Microbial populations in wetwood of European white fir (<i>Abies alba</i> Mill.). FEMS Microbiology Letters, 1986, 38, 141-150.	0.7	2
502	The microflora in a sour dough started spontaneously on typical Swedish rye meal. Food Microbiology, 1986, 3, 3-12.	2.1	49
503	Occurrence of plant hormone (cytokinin)â€producing bacteria in the sea. Journal of Applied Bacteriology, 1986, 61, 569-574.	1.1	36
504	Isolation and characterization of aerobic heterotrophic bacteria from natural spring waters in the Lanjaron area (Spain). Journal of Applied Bacteriology, 1986, 61, 365-372.	1.1	47
505	Physiological and Genetic Characterization of a Diazotrophic Pseudomonad. Microbiology (United Tj ETQq1 1 0.784314 rgBT /Overlo	0.7	17
506	Numerical Taxonomy of Red-pigmented Bacteria Isolated from a Lowland River, with the Description of a New Taxon, <i>Rugamonas rubra</i> gen. nov., sp. nov.. Microbiology (United Kingdom), 1986, 132, 1899-1909.	0.7	17
507	Methanol-Utilizing Ancylobacter Strains and Comparison of Their Cellular Fatty Acid Compositions and Quinone Systems with Those of Spirosoma, Flectobacillus, and Runella Species. International Journal of Systematic Bacteriology, 1986, 36, 415-421.	2.8	30
508	Numerical Taxonomy of Vibrios Isolated from Aquatic Environments. International Journal of Systematic Bacteriology, 1986, 36, 531-543.	2.8	86
509	Identification of manganeseâ€oxidizing bacteria from desert varnish. Geomicrobiology Journal, 1986, 4, 343-360.	1.0	81
510	A Revised Probability Matrix for the Identification of Gram-negative, Aerobic, Rod-shaped, Fermentative Bacteria. Microbiology (United Kingdom), 1986, 132, 3113-3135.	0.7	20
511	The Identification of Gram-Negative, Nonfermentative Bacteria from Water: Problems and Alternative Approaches to Identification. Advances in Applied Microbiology, 1986, 31, 293-365.	1.3	38
512	Phenotypic and Genotypic Diversity of <i>Pseudomonas tolaasii</i> and White Line Reacting Organisms Isolated from Cultivated Mushrooms. Microbiology (United Kingdom), 1986, 132, 2249-2264.	0.7	22
513	Emendation of <i>Methylobacillus</i> Yordy and Weaver 1977, a Genus for Methanol-Utilizing Bacteria. International Journal of Systematic Bacteriology, 1986, 36, 502-511.	2.8	52
514	Characterization of <i>Alteromonas denitrificans</i> sp. nov.. International Journal of Systematic Bacteriology, 1987, 37, 416-421.	2.8	47
515	Reclassification of <i>Pseudomonas acidovorans</i> den Dooren de Jong 1926 and <i>Pseudomonas testosteroni</i> Marcus and Talalay 1956 as <i>Comamonas acidovorans</i> comb. nov. and <i>Comamonas testosteroni</i> comb. nov., with an Emended Description of the Genus <i>Comamonas</i> . International Journal of Systematic Bacteriology, 1987, 37, 52-59.	2.8	191

#	ARTICLE	IF	CITATIONS
516	Cupriavidus necator gen. nov., sp. nov.; a Nonobligate Bacterial Predator of Bacteria in Soil. International Journal of Systematic Bacteriology, 1987, 37, 323-326.	2.8	94
517	Alteration of the aerobic- and facultative anaerobic bacterial flora of the A/B purification process caused by limited oxygen supply. Water Research, 1987, 21, 129-131.	5.3	4
518	A rapid method for detection of histamine-producing bacteria. International Journal of Food Microbiology, 1987, 5, 137-146.	2.1	30
519	Enterotoxin production by Staphylococcus aureus strains isolated from Danish foods. International Journal of Food Microbiology, 1987, 4, 207-214.	2.1	15
520	Detection of specific spoilage bacteria from fish stored at low (0Â°C) and high (20Â°C) temperatures. International Journal of Food Microbiology, 1987, 4, 65-72.	2.1	331
521	Supplement Peptone Agar " A Simple Carbohydrate Degradation Plate Medium for the Identification of Neisseria Species. Zentralblatt Fur Bakteriologie, Mikrobiologie, Und Hygiene Series A, Medical Microbiology, Infectious Diseases, Virology, Parasitology, 1987, 264, 131-136.	0.5	1
522	The community structure of sessile heterotrophic bacteria stressed by acid mine drainage. Microbial Ecology, 1987, 14, 219-232.	1.4	31
523	Distribution of ultramicrobacteria in a gulf coast estuary and induction of ultramicrobacteria. Microbial Ecology, 1987, 14, 113-127.	1.4	37
524	Capacity for biosurfactant production of environmental Pseudomonas and Vibrionaceae growing on carbohydrates. Applied Microbiology and Biotechnology, 1987, 26, 439.	1.7	48
525	Degradation of low concentrations of dichlorobenzenes and 1,2,4-trichlorobenzene by Pseudomonas sp. strain P51 in nonsterile soil columns. FEMS Microbiology Letters, 1987, 45, 333-341.	0.7	55
526	Leaf and petiole rot of Ficus lyrata cv. Compacta caused by Pseudomonas cichorii. Plant Pathology, 1987, 36, 219-221.	1.2	4
527	Differentiation between Xanthomonas campestris pv. graminis (ISPP List 1980), pv. phleipratensis (ISPP) Tj ETQq1 1 0.784314 rgBT /Ov Numerical Analysis of Phenotypic Features and Protein Gel Electrophoregrams. Journal of Phytopathology, 1987, 118, 135-156.	0.5	34
528	Vergleich eines "glatten" und eines "rauen" Stammes von Pseudomonas syringae pv. phaseolicola. Journal of Phytopathology, 1987, 118, 326-334.	0.5	4
529	Biology of <i>Pseudomonas cichorii</i> in chrysanthemum¹. EPPO Bulletin, 1987, 17, 321-333.	0.6	6
530	Bacterial soft rot of tomato in plastic greenhouses in Crete. Annals of Applied Biology, 1987, 111, 115-123.	1.3	31
531	Microflora associated with the internal surfaces of rubber and stainless steel milk transfer pipeline. Journal of Applied Bacteriology, 1987, 62, 327-333.	1.1	49
532	Microbial spoilage of pre-cooked potato-topped pies. Journal of Applied Bacteriology, 1988, 64, 227-234.	1.1	9
533	A numerical taxonomic study of non-motile non-fermentative Gram-negative bacteria from foods. Journal of Applied Bacteriology, 1988, 65, 7-21.	1.1	41

#	ARTICLE	IF	CITATIONS
534	Composition of the microflora of witloof chicory seeds. <i>Microbial Ecology</i> , 1988, 16, 339-348.	1.4	5
535	Differences in plating efficiency of bacteria from river epilithon sampled from upper and lower surfaces of artificial substrata. <i>Microbial Ecology</i> , 1988, 15, 217-228.	1.4	19
536	Effect of pH, temperature, and growth conditions on the adhesion of a gliding bacterium and three nongliding bacteria to polystyrene. <i>Microbial Ecology</i> , 1988, 16, 183-195.	1.4	37
537	Microbial communities in the saturated groundwater environment I: Methods of isolation and characterization of heterotrophic bacteria. <i>Microbial Ecology</i> , 1988, 16, 17-29.	1.4	56
538	Amino acid racemase with broad substrate specificity, its properties and use in phenylalanine racemization. <i>Applied Microbiology and Biotechnology</i> , 1988, 29, 523-527.	1.7	12
539	Microbiological and Chemical Changes of Surimi-Based Imitation Crab during Storage. <i>Journal of Food Science</i> , 1988, 53, 1343-1346.	1.5	18
540	Isolation and identification of <i>Micrococcus roseus</i> and <i>Planococcus</i> sp. from schirmacher oasis, antarctica. <i>Journal of Biosciences</i> , 1988, 13, 409-414.	0.5	47
541	1 Classical and Rapid Identification Methods for Medically Important Bacteria. <i>Methods in Microbiology</i> , 1988, 19, 1-67.	0.4	435
542	Bacteriological survey of antibiotic-treated sea waters in a <i>Pecten maximus</i> hatchery. <i>Aquaculture</i> , 1988, 71, 1-8.	1.7	23
543	Microbial Metabolism of Quinoline and Related Compounds. <i>Systematic and Applied Microbiology</i> , 1988, 10, 185-190.	1.2	56
544	Outbreak of infection with <i>Achromobacter xylosoxidans</i> from contaminated intravascular pressure transducers. <i>Journal of Hospital Infection</i> , 1988, 12, 1-6.	1.4	40
545	Vorkommen diazotropher Bakterien in der Endorhizosphäre und Rhizoplane von Winterweizen auf einem Sandstandort mit gemäßigtem Klima. <i>Zentralblatt für Mikrobiologie</i> , 1988, 143, 621-629.	0.2	4
546	The composition of the rhizosphere of chicory (<i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi). <i>Canadian Journal of Microbiology</i> , 1988, 34, 1203-1208.	0.8	9
547	<i>Rarobacter faecitabidus</i> gen. nov., sp. nov., a Yeast-Lysing Coryneform Bacterium. <i>International Journal of Systematic Bacteriology</i> , 1988, 38, 7-11.	2.8	32
548	Taxonomic Studies on <i>Brochothrix</i> , <i>Erysipelothrix</i> , <i>Listeria</i> and Atypical <i>Lactobacilli</i> . <i>Microbiology (United Kingdom)</i> , 1988, 134, 1165-1183.	0.7	35
549	Historical perspectives and identification of <i>Neisseria</i> and related species. <i>Clinical Microbiology Reviews</i> , 1988, 1, 415-431.	5.7	115
550	Emended Description of <i>Enterobacter cancerogenus</i> comb. nov. (Formerly <i>Erwinia cancerogena</i>). <i>International Journal of Systematic Bacteriology</i> , 1988, 38, 371-374.	2.8	38
551	Characterization of <i>Xanthomonas campestris</i> pv. <i>pennamericanum</i> pv. nov., Causal Agent of Bacterial Leaf Streak of Pearl Millet. <i>International Journal of Systematic Bacteriology</i> , 1988, 38, 362-366.	2.8	10

#	ARTICLE	IF	CITATIONS
552	Lysobactin, a novel antibacterial agent produced by <i>Lysobacter</i> sp. l. Taxonomy, isolation and partial characterization.. <i>Journal of Antibiotics</i> , 1988, 41, 1740-1744.	1.0	92
553	Respiratory quinone profiles as tools for identifying different bacterial populations in activated sludge.. <i>Journal of General and Applied Microbiology</i> , 1988, 34, 39-56.	0.4	104
554	Comparison of gliding bacteria isolated from fish in North America and other areas of the Pacific rim.. <i>Fish Pathology</i> , 1988, 23, 197-202.	0.4	36
555	Taxonomic Diversity of the D-Glucose Oxidation Pathway in the Enterobacteriaceae. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 61-67.	2.8	39
556	Classification of " <i>Chromobacterium marismortui</i> " in a New Genus, <i>Chromohalobacter</i> gen. nov., as <i>Chromohalobacter marismortui</i> comb. nov., nom. rev.. <i>International Journal of Systematic Bacteriology</i> , 1989, 39, 382-386.	2.8	110
557	Fertilizer effects on soil microbial communities and organic matter in the rhizosphere of <i>Sitonia hystrix</i> and <i>Agropyron smithii</i> . <i>Arid Land Research and Management</i> , 1989, 3, 397-404.	0.3	12
558	Isolation of mucoid strains of <i>Pseudomonas aeruginosa</i> from non-cystic-fibrosis patients and characterisation of the structure of their secreted alginate. <i>Journal of Medical Microbiology</i> , 1989, 28, 183-189.	0.7	36
559	Growth and activity of <i>Shewanella putrefaciens</i> isolated from spoiling fish. <i>International Journal of Food Microbiology</i> , 1989, 9, 51-62.	2.1	115
560	The bacterial microflora of witloof chicory (<i>Cichorium intybus</i> L. var. <i>foliosum</i> Hegi) leaves. <i>Microbial Ecology</i> , 1989, 18, 175-186.	1.4	19
561	Clinical strains of <i>Acinetobacter</i> classified by DNA-DNA hybridization. <i>Apmis</i> , 1989, 97, 595-605.	0.9	246
562	Bacterial contaminants of micropropagated plant cultures. <i>Journal of Applied Bacteriology</i> , 1989, 67, 353-361.	1.1	109
563	<i>Lactobacillus plantarum</i> ; a deleterious contaminant of plant tissue cultures. <i>Journal of Applied Bacteriology</i> , 1989, 67, 363-370.	1.1	25
565	Coronatine production by <i>Pseudomonas syringae</i> pathovars: Screening method and capacity of product formation. <i>Journal of Basic Microbiology</i> , 1989, 29, 463-468.	1.8	32
566	Isolates of <i>Arthrobacter</i> from the soils of Schirmacher Oasis, Antarctica. <i>Polar Biology</i> , 1989, 10, 225.	0.5	54
567	Deoxyribonucleic Acid Relatedness and Phenotypic Variation among Human Isolates of <i>Eikenella corrodens</i> . <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1989, 271, 61-69.	0.5	6
568	Improved procedure for physiological characterization of microorganisms from diverse environments. <i>Journal of Microbiological Methods</i> , 1989, 9, 9-14.	0.7	1
569	Isolation of <i>Moraxella anatipestifer</i> from embryonated goose eggs. <i>Avian Pathology</i> , 1989, 18, 351-355.	0.8	16
570	Non-clinical intramammary infection in lactating ewes and its association with clinical mastitis. <i>British Veterinary Journal</i> , 1989, 145, 178-184.	0.5	26

#	ARTICLE	IF	CITATIONS
571	Bacterial Rot of Witloof Chicory Caused by Strains of <i>Erwinia</i> and <i>Pseudomonas</i> : Symptoms, Isolation and Characterization. <i>Journal of Phytopathology</i> , 1989, 124, 337-365.	0.5	14
572	Occurrence of <i>Aeromonas hydrophila</i> in wild birds. <i>Avian Pathology</i> , 1989, 18, 685-695.	0.8	19
573	Bacterial Leaf Spot of Anthurium (<i>Anthurium</i> spp.) Caused by a <i>Pseudomonas</i> sp. in the French West Indies. <i>Journal of Phytopathology</i> , 1989, 124, 215-224.	0.5	7
574	Production of dihydroxamate siderophore alcaligin by <i>Alcaligenes xylosoxidans</i> subsp. <i>xylosoxidans</i> . <i>Agricultural and Biological Chemistry</i> , 1990, 54, 1837-1839.	0.3	10
575	Effects of Different Cropping Systems on the Occurrence of Fluorescent <i>Pseudomonas</i> spp. <i>Journal of Phytopathology</i> , 1990, 130, 65-81.	0.5	3
576	Characterization of <i>Pseudomonas syringae</i> pv. <i>tomato</i> by Numerical Analysis of Phenotypic Features	0.5	2
577	THIS ARTICLE HAS BEEN WITHDRAWN: QUARANTINE PROCEDURE METHODE DE QUARANTAINE. <i>EPPO Bulletin</i> , 1990, 20, 235-254.	0.6	28
578	The aerobic psychrotrophic populations on meat and meat contact surfaces in a meat production system and on meat stored at chill temperatures. <i>Journal of Applied Bacteriology</i> , 1990, 68, 335-344.	1.1	30
579	Classification of the spoilage flora of fish, with special reference to <i>Shewanella putrefaciens</i> . <i>Journal of Applied Bacteriology</i> , 1990, 68, 601-618.	1.1	106
580	The bacteriology of fresh and spoiling Lake Victorian Nile perch (<i>Lates niloticus</i>). <i>International Journal of Food Microbiology</i> , 1990, 10, 303-316.	2.1	107
581	Nitrogenase activity and nitrogen-fixing bacteria associated with the roots of <i>Atriplex</i> spp. growing in saline sodic soils of Pakistan. <i>Biology and Fertility of Soils</i> , 1990, 9, 315-320.	2.3	14
582	Identification of some lactic acid bacteria from two Zimbabwean fermented milk products. <i>World Journal of Microbiology and Biotechnology</i> , 1990, 6, 178-186.	1.7	24
583	Lack of PQQ dependent glucose dehydrogenase apoenzyme in some <i>Acinetobacter</i> spp.. <i>Antonie Van Leeuwenhoek</i> , 1990, 58, 99-100.	0.7	1
584	Preparation of guluronate lyase from <i>Pseudomonas alginovora</i> for protoplast isolation in <i>Laminaria</i> . <i>Enzyme and Microbial Technology</i> , 1990, 12, 885-890.	1.6	52
585	<i>Actinobacillus rossii</i> sp. nov., <i>Actinobacillus seminis</i> sp. nov., nom. rev., <i>Pasteurella bettii</i> sp. nov., <i>Pasteurella lymphangitidis</i> sp. nov., <i>Pasteurella mairi</i> sp. nov., and <i>Pasteurella trehalosi</i> sp. nov.. <i>International Journal of Systematic Bacteriology</i> , 1990, 40, 148-153.	2.8	129
586	Demonstration of synonymy between the plant pathogens <i>Pseudomonas avenae</i> and <i>Pseudomonas rubrilineans</i> . <i>Journal of General Microbiology</i> , 1990, 136, 2029-2033.	2.3	13
587	Identification of a denitrifying gliding bacterium, isolated from soil and able to reduce nitrous oxide in the presence of sulfide and acetylene, as <i>Flexibacter canadensis</i> . <i>Canadian Journal of Microbiology</i> , 1990, 36, 765-770.	0.8	15
588	Differentiation of Phytopathogenic <i>Pseudomonas</i> and <i>Xanthomonas</i> Species and Pathovars by Numerical Taxonomy and Protein Gel Electrophoregrams. <i>Systematic and Applied Microbiology</i> , 1990, 13, 60-71.	1.2	32

#	ARTICLE	IF	CITATIONS
589	Utilization of various chemotrophic and phototrophic bacteria as food by the anaerobic ciliate <i>Trimyema compressum</i> . <i>European Journal of Protistology</i> , 1990, 26, 122-131.	0.5	19
590	Culture Media and Tests. , 1990, , 529-561.		3
591	Numbers and types of psychrotrophic bacteria in pasteurized milk subjected to a preincubated plate count at 21Å°C. <i>International Journal of Dairy Technology</i> , 1990, 43, 79-81.	1.3	4
592	Physiological Characterization and Identification of <i>Listeria</i> Species. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1991, 275, 423-435.	0.5	13
593	Infra- and Intraspecific Classification of <i>Pseudomonas solanacearum</i> Strains, using Whole Cell Fatty Acid Analysis. <i>Systematic and Applied Microbiology</i> , 1991, 14, 335-345.	1.2	58
594	Description of <i>Campylobacter upsaliensis</i> sp. nov. Previously Known as the CNW Group. <i>Systematic and Applied Microbiology</i> , 1991, 14, 39-45.	1.2	37
595	Identification of <i>Bacillus</i> species isolated from <i>Picea abies</i> by physiological tests, phage typing and fatty acid analysis. <i>Scandinavian Journal of Forest Research</i> , 1991, 6, 365-377.	0.5	27
596	Psychrotrophic flora of raw milk: resistance to several common disinfectants. <i>Journal of Dairy Research</i> , 1991, 58, 127-136.	0.7	6
597	Acclimatization resistance of a <i>Pseudomonas aeruginosa</i> prototype strain to imipenem.. <i>Journal of Antibiotics</i> , 1991, 44, 985-994.	1.0	8
598	The use of API 20E for the identification of <i>Vibrio anguillarum</i> and <i>V. ordalii</i> . <i>Journal of Fish Diseases</i> , 1991, 14, 359-365.	0.9	34
599	Recherche des bactĂ©rioses de la pomme de terre dans le littoral algĂ©rois. <i>EPPO Bulletin</i> , 1991, 21, 723-726.	0.6	5
600	Recherche du feu bactĂ©rien d'Erwinia amylovora sur Poirier dans l'AlgĂ©rois. <i>EPPO Bulletin</i> , 1991, 21, 727-729.	0.6	2
601	Fluorescent <i>Pseudomonads</i> Associated with Diseases of Wheat in South Africa. <i>Journal of Phytopathology</i> , 1991, 133, 36-48.	0.5	1
602	The microflora of soak water during tempeh production from various beans. <i>Journal of Applied Bacteriology</i> , 1991, 70, 334-338.	1.1	14
603	Elimination of <i>Lactobacillus plantarum</i> , <i>Corynebacterium</i> spp., <i>Staphylococcus saprophyticus</i> and <i>Pseudomonas paucimobillis</i> from micropropagated <i>Hemerocallis</i> , <i>Choisya</i> and <i>Delphinium</i> cultures using antibiotics. <i>Journal of Applied Bacteriology</i> , 1991, 71, 307-330.	1.1	55
604	Development of microorganisms during cold storage of pea and chickpea tempeh and effect of <i>Lactobacillus plantarum</i> on storage microflora. <i>Journal of the Science of Food and Agriculture</i> , 1991, 56, 71-78.	1.7	7
605	Microbiological characterization of a fuel-oil contaminated site including numerical identification of heterotrophic water and soil bacteria. <i>Microbial Ecology</i> , 1991, 21, 227-251.	1.4	429
606	Characterization of aerobic heterotrophic bacteria isolated from marshes. <i>Environmental Toxicology and Water Quality</i> , 1991, 6, 329-340.	0.7	0

#	ARTICLE	IF	CITATIONS
607	Identification of <i>Janthinobacterium lividum</i> from the soils of the islands of Scotia Ridge and from Antarctic peninsula. <i>Polar Biology</i> , 1991, 11, 267.	0.5	52
608	Characterization of a pyridine-degrading branched Gram-positive bacterium isolated from the anoxic zone of an oil shale column. <i>Applied Microbiology and Biotechnology</i> , 1991, 35, 824.	1.7	23
609	Taxonomy and Pathogenicity of <i>Erwinia cacticida</i> sp. nov. <i>International Journal of Systematic Bacteriology</i> , 1991, 41, 197-212.	2.8	78
610	<i>Sphingobacterium antarcticus</i> sp. nov., a Psychrotrophic Bacterium from the Soils of Schirmacher Oasis, Antarctica. <i>International Journal of Systematic Bacteriology</i> , 1992, 42, 102-106.	2.8	131
611	Bacteria inhabiting artificially inoculated xylem of <i>Picea abies</i> . <i>Scandinavian Journal of Forest Research</i> , 1992, 7, 165-175.	0.5	6
612	Numerical and Chemotaxonomy of Polyphosphate Accumulating <i>Acinetobacter</i> Strains with High Polyphosphate: AMP Phosphotransferase (PPAT) Activity. <i>Systematic and Applied Microbiology</i> , 1992, 15, 409-419.	1.2	48
613	Numerical Taxonomy and Nucleic Acid Studies of <i>Vibrio mediterranei</i> . <i>Systematic and Applied Microbiology</i> , 1992, 15, 82-91.	1.2	15
614	Biochemical and physiological characteristics of <i>Xenorhabdus</i> species, symbiotically associated with entomopathogenic nematodes including <i>Steinernema kushidai</i> and their pathogenicity against <i>Spodoptera litura</i> (Lepidoptera: Noctuidae). <i>Archives of Microbiology</i> , 1992, 158, 387.	1.0	29
615	Interactions between fungi, bacteria and beech leaves in a stream microcosm. <i>Oecologia</i> , 1992, 89, 542-549.	0.9	72
616	Identification and population dynamics of bacteria in leaf spots of soybean. <i>Microbial Ecology</i> , 1992, 24, 305-311.	1.4	20
617	Bacteriological Profile and Shelflife of White Amur (<i>Ctenopharyngodon idella</i>). <i>Journal of Food Science</i> , 1992, 57, 66-68.	1.5	8
618	Eastern and southern African strains of <i>Xanthomonas campestris</i> pv. <i>vasculorum</i> are distinguishable by restriction fragment length polymorphism of DNA and polyacrylamide gel electrophoresis of membrane proteins. <i>Plant Pathology</i> , 1992, 41, 113-121.	1.2	22
619	Bacterial rot of witloof chicory roots caused by <i>Erwinia chrysanthemi</i> . <i>Plant Pathology</i> , 1992, 41, 228-231.	1.2	4
620	Control of fungal pathogens " postharvest. <i>Phytoparasitica</i> , 1992, 20, S143-S148.	0.6	9
621	Numerical classification and identification of <i>Aeromonas</i> genospecies. <i>Journal of Applied Bacteriology</i> , 1992, 72, 341-351.	1.1	53
622	Species of <i>Pseudomonas</i> obtained at 7°C and 30°C during aerobic storage of lamb carcasses. <i>Journal of Applied Bacteriology</i> , 1992, 73, 317-323.	1.1	10
623	Occurrence of antimicrobial activities of bacteria from soybean leaf spots. <i>Journal of Basic Microbiology</i> , 1993, 33, 349-355.	1.8	14
624	Evaluation of the API 20E system for identification and discrimination of <i>Vibrio vulnificus</i> biotypes 1 and 2. <i>Journal of Fish Diseases</i> , 1993, 16, 79-82.	0.9	36

#	ARTICLE	IF	CITATIONS
625	Biocontrol of <i>Botrytis cinerea</i> and <i>Alternaria brassicicola</i> on Dutch white cabbage by bacterial antagonists at cold-store temperatures. <i>Plant Pathology</i> , 1993, 42, 270-279.	1.2	31
626	Identification of some Bacteria from Paddy Antagonistic to Several Rice Fungal Pathogens. <i>Journal of Phytopathology</i> , 1993, 138, 189-208.	0.5	21
627	Numerical classification and identification of <i>Acinetobacter</i> genomic species. <i>Journal of Applied Bacteriology</i> , 1993, 75, 259-268.	1.1	61
628	Biological specificity of bottled natural mineral waters: characterization by ribosomal ribonucleic acid gene restriction patterns. <i>Journal of Applied Bacteriology</i> , 1993, 75, 292-298.	1.1	15
629	Production and specificity of poly- and monoclonal antibodies raised against <i>Shewanella putrefaciens</i> . <i>Journal of Applied Bacteriology</i> , 1993, 74, 444-451.	1.1	10
630	Contamination of beef carcasses by psychrotrophic <i>Pseudomonas</i> and <i>Enterobacteriaceae</i> at different stages along the processing line. <i>International Journal of Food Microbiology</i> , 1993, 20, 67-83.	2.1	27
631	Characteristics and antagonistic activity of lactic acid bacteria isolated from chilled fish products. <i>International Journal of Food Microbiology</i> , 1993, 18, 305-320.	2.1	50
632	Microbiological and aromatic characteristics of fermented maize doughs for kenkey production in Ghana. <i>International Journal of Food Microbiology</i> , 1993, 19, 135-143.	2.1	116
633	An evaluation of media for the membrane filtration enumeration of <i>Aeromonas</i> from drinking water. <i>Letters in Applied Microbiology</i> , 1993, 17, 58-60.	1.0	24
634	Antibiotic resistance in bacteria isolated from three freshwater fish farms and an unpolluted stream in Denmark. <i>Aquaculture</i> , 1993, 115, 195-207.	1.7	67
635	<i>Aeromonas</i> -associated gastroenteritis in Egypt. <i>Zentralblatt für Mikrobiologie</i> , 1993, 148, 441-447.	0.2	18
636	Production of (S)-(+)-citramalic acid from itaconic acid by resting cells of <i>Alcaligenes denitrificans</i> strain MCI2775. <i>Applied Microbiology and Biotechnology</i> , 1993, 40, 466.	1.7	5
637	Distribution and antibiotic resistance among aerobic heterotrophic bacteria from rivers in relation to pollution. <i>Journal of Environmental Science and Health Part A: Environmental Science and Engineering</i> , 1993, 28, 73-87.	0.1	6
638	Bacterial Flora in Natural Mineral Waters: Characterization by Ribosomal Ribonucleic Acid Gene Restriction Patterns. <i>Systematic and Applied Microbiology</i> , 1993, 16, 483-493.	1.2	26
639	The bacterium <i>Xanthomonas</i> . , 1993, , 121-156.		17
640	Numerical taxonomy of psychrotrophic bacteria isolated from raw ewes' milk. <i>Journal of Dairy Research</i> , 1993, 60, 371-383.	0.7	21
641	Molecular characterization of field isolates of <i>Pseudomonas syringae</i> pv. <i>glycinea</i> differing in coronatine production. <i>Journal of General Microbiology</i> , 1993, 139, 1927-1937.	2.3	54
642	<i>Acidiphilium multivorum</i> sp. nov., an acidophilic chemoorganotrophic bacterium from pyritic acid mine drainage.. <i>Journal of General and Applied Microbiology</i> , 1994, 40, 143-159.	0.4	76

#	ARTICLE	IF	CITATIONS
643	" <i>Erwinia nulandii</i> " Is a Subjective Synonym of <i>Erwinia persicinus</i> . International Journal of Systematic Bacteriology, 1994, 44, 282-284.	2.8	10
644	Microbial flora and some chemical properties of ersho, a starter for teff (<i>Eragrostis tef</i>) fermentation. World Journal of Microbiology and Biotechnology, 1994, 10, 69-73.	1.7	15
645	Density, activity, and diversity of bacteria indigenous to a karstic aquifer. Microbial Ecology, 1994, 28, 79-99.	1.4	31
646	A new bacterial strain of Antarctica, <i>Alteromonas</i> sp. that produces a heteropolymer slime. Polar Biology, 1994, 14, 561.	0.5	19
647	Microbiological evaluation of tofu and tempeh during processing and storage. Plant Foods for Human Nutrition, 1994, 45, 183-189.	1.4	13
648	Occurrence of <i>Bacillus</i> species on evergreen oak leaves. FEMS Microbiology Ecology, 1994, 14, 331-342.	1.3	16
649	Characterization of Spanish isolates of <i>Pseudomonas corrugata</i> from tomato and pepper. Plant Pathology, 1994, 43, 80-90.	1.2	19
650	Bacterial sudden yellow death and soft rot of <i>Coriandrum sativum</i> . Plant Pathology, 1994, 43, 944-946.	1.2	1
651	The occurrence in Portugal of the bacterial disease of maize crops caused by <i>Erwinia chrysanthemi</i> . Plant Pathology, 1994, 43, 1050-1054.	1.2	4
652	Characterisation and pathogenicity of bacteria from shoot tips of the globe artichoke (<i>Cynara</i>) Tj ETQq1 1 0.784314.rgBT /Overlock 10	1.3	8
653	Production of histamine and tyramine by lactic acid bacteria isolated from vacuumâ€packed sugarâ€salted fish. Journal of Applied Bacteriology, 1994, 76, 417-423.	1.1	107
654	Characterization of bacteria contaminating tissue cultures of apple rootstock â€YPâ€™. Journal of Applied Bacteriology, 1994, 76, 368-376.	1.1	6
655	Frequency and diversity of antibiotic production by putative <i>Erwinia herbicola</i> strains. Journal of Applied Bacteriology, 1994, 76, 603-607.	1.1	36
656	Metabolic activities of pseudomonads in batch cultures in extract of minced lamb. Journal of Applied Bacteriology, 1994, 77, 613-620.	1.1	37
657	Isolation and characterization of a novel facultatively alkaliphilic bacterium, <i>Corynebacterium</i> sp., grown on n-alkanes. Archives of Microbiology, 1994, 162, 381-386.	1.0	8
658	Proposal of Minimal Standards for Describing New Species of the Family Campylobacteraceae. International Journal of Systematic Bacteriology, 1994, 44, 842-845.	2.8	92
659	Serological characterization of potato isolates of <i>Erwinia carotovora</i> subsp. <i>atroseptica</i> and subsp. <i>carotovora</i> using polyclonal and monoclonal antibodies. Journal of Applied Bacteriology, 1995, 79, 592-602.	1.1	10
660	Factors affecting the growth of <i>Listeria monocytogenes</i> on minimally processed fresh endive. Journal of Applied Bacteriology, 1995, 78, 636-646.	1.1	88

#	ARTICLE	IF	CITATIONS
661	Isolation and characterization of a visibly luminous variant of <i>Vibrio fischeri</i> strain ES114 from the sepiolid squid <i>Euprymna scolopes</i> . <i>Archives of Microbiology</i> , 1995, 164, 194-202.	1.0	16
662	Microbiology of siljo, a traditional Ethiopian fermented legume product. <i>World Journal of Microbiology and Biotechnology</i> , 1995, 11, 338-342.	1.7	13
663	Some biochemical properties and antibiotic sensitivities of <i>Pasteurella piscicida</i> isolated in Greece and comparison with strains from Japan, France and Italy. <i>Journal of Fish Diseases</i> , 1995, 18, 1-7.	0.9	41
664	Qualitative and quantitative characterization of spoilage bacteria from packed fish. <i>International Journal of Food Microbiology</i> , 1995, 26, 319-333.	2.1	324
665	Microflora of Fermented Puffer Fish Ovaries in Rice-Bran “Fugunoko Nukazuke”. <i>Fisheries Science</i> , 1995, 61, 291-295.	0.7	24
666	Chapter 23 Gene expression in astrocytes during and after ischemia. <i>Progress in Brain Research</i> , 1995, 105, 245-253.	0.9	47
667	Prevention of Vitrification AÃociated with in vitro Shoot Culture of Oregano. (<i>Origanum vulgare</i>) by <i>Pseudomonas</i> spp.. <i>Journal of Plant Physiology</i> , 1995, 147, 447-451.	1.6	290
668	Classification and identification of bacteria: current approaches to an old problem. Overview of methods used in bacterial systematics. <i>Journal of Biotechnology</i> , 1996, 47, 3-38.	1.9	176
669	Effect of container smoking and incubation temperature on the microbiological and some biochemical qualities of fermenting Ergo, a traditional ethiopian sour milk. <i>International Dairy Journal</i> , 1996, 6, 95-104.	1.5	25
670	Importance of autolysis and microbiological activity on quality of cold-smoked salmon. <i>Food Research International</i> , 1996, 29, 181-188.	2.9	98
671	The influence of substrate on siderophore production by fish spoilage bacteria. <i>Journal of Microbiological Methods</i> , 1996, 25, 199-205.	0.7	18
672	Lactic acid fermentation of cassava dough into agbelima. <i>International Journal of Food Microbiology</i> , 1996, 31, 87-98.	2.1	94
673	<i>Pseudomonas syringae</i> pv. <i>coriandricola</i> , Incitant of Bacterial Umbel Blight and Seed Decay of Coriander (<i>Coriandrum sativum</i> L.) in Germany. <i>Journal of Phytopathology</i> , 1996, 144, 169-178.	0.5	24
674	Experiences with the use of a starter culture in the fermentation of maize for ?kenkey? production in Ghana. <i>World Journal of Microbiology and Biotechnology</i> , 1996, 12, 531-536.	1.7	38
675	<i>Shewanella</i> alga Bacteremia in Two Patients with Lower Leg Ulcers. <i>Clinical Infectious Diseases</i> , 1996, 22, 1036-1039.	2.9	75
676	<i>Agrococcus jenensis</i> gen. nov., sp. nov., a New Genus of Actinomycetes with Diaminobutyric Acid in the Cell Wall. <i>International Journal of Systematic Bacteriology</i> , 1996, 46, 234-239.	2.8	557
677	Inclusion of <i>Aeromonas</i> DNA Hybridization Group 11 in <i>Aeromonas encheleia</i> and Extended Descriptions of the Species <i>Aeromonas eucrenophila</i> and <i>A. encheleia</i> . <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1157-1164.	2.8	61
678	<i>Bogoriella caseilytica</i> gen. nov., sp. nov., a New Alkaliphilic Actinomycete from a Soda Lake in Africa. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 788-794.	2.8	94

#	ARTICLE	IF	CITATIONS
679	Demetria terrigena gen. nov., sp. nov., a New Genus of Actinomycetes Isolated from Compost Soil. International Journal of Systematic Bacteriology, 1997, 47, 1129-1133.	2.8	321
680	Pseudoalteromonas antarctica sp. nov., Isolated from an Antarctic Coastal Environment. International Journal of Systematic Bacteriology, 1997, 47, 345-351.	2.8	62
681	Microbiology and Pathology of Fibrinous Pericarditis in Danish Slaughter Pigs. Transboundary and Emerging Diseases, 1997, 44, 271-280.	0.6	33
682	<i>Bacillus pumilus</i> , the Cause of Bacterial Blotch of Immature Balady Peach in Egypt. Journal of Phytopathology, 1997, 145, 447-453.	0.5	15
683	Computer Aided Assignment of Motile <i>Aeromonas</i> Strains to Genospecies Level by Standard Biochemical Tests. Zoonoses and Public Health, 1997, 44, 221-233.	1.4	1
684	The influence of extensification in grassland management on the populations of micro-organisms in the phyllosphere of grasses. Microbiological Research, 1997, 152, 75-85.	2.5	44
685	A Study of the Fate of the Autochthonous Bacterial Flora of Still Mineral Waters by Analysis of Restriction Fragment Length Polymorphism of Genes Coding For rRNA. Systematic and Applied Microbiology, 1997, 20, 492-503.	1.2	18
686	Antagonistic Activities of Epiphytic Bacteria from Soybean Leaves against <i>Pseudomonas syringae</i> pv. glycinea in vitro and in planta. Microbial Ecology, 1997, 34, 118-124.	1.4	45
687	Title is missing!. European Journal of Plant Pathology, 1998, 104, 181-188.	0.8	43
688	Biological properties of some nitrogen-fixing associative enterobacteria. Plant and Soil, 1998, 202, 49-59.	1.8	6
689	Slow-growing and oligotrophic soil bacteria phylogenetically close to <i>Bradyrhizobium japonicum</i> . FEMS Microbiology Ecology, 1998, 25, 277-286.	1.3	70
690	THE BACTERIAL FLORA IN BOTTLED NATURAL MINERAL WATER SOLD IN ITALY. Journal of Food Quality, 1998, 21, 175-185.	1.4	7
691	QUANTITATIVE STUDIES OF PROTEOLYTIC AND LIPOLYTIC BACTERIA IN FROZEN MINCED BEEF AND HAMBURGER. Journal of Muscle Foods, 1998, 9, 127-138.	0.5	1
692	Enterobacteriaceae found in high numbers in fish, minced meat and pasteurised milk or cream and the presence of toxin encoding genes. International Journal of Food Microbiology, 1998, 39, 11-17.	2.1	107
693	Study of the microbial ecology of cold-smoked salmon during storage at 8°C. International Journal of Food Microbiology, 1998, 39, 111-121.	2.1	186
694	Evaluation of the role of <i>Carnobacterium piscicola</i> in spoilage of vacuum- and modified-atmosphere-packed cold-smoked salmon stored at 5°C. International Journal of Food Microbiology, 1998, 39, 155-166.	2.1	123
695	Identification of pseudomonads from fresh and chill-stored chicken carcasses. International Journal of Food Microbiology, 1998, 39, 185-194.	2.1	30
696	Isolation of <i>Vibrio</i> sp. S-1 exhibiting extraordinarily high catalase activity. Journal of Bioscience and Bioengineering, 1998, 85, 113-116.	0.9	22

#	ARTICLE	IF	CITATIONS
697	Comparison of the microflora isolated from spoiled cold-smoked salmon from three smokehouses. Food Research International, 1998, 31, 703-711.	2.9	57
698	Lithocholic Acid Side-chain Cleavage to Produce 17-Keto or 22-Aldehyde Steroids by <i>Pseudomonas putida</i> strain ST-491 Grown in the Presence of an Organic Solvent, Diphenyl Ether. Bioscience, Biotechnology and Biochemistry, 1998, 62, 2182-2188.	0.6	11
699	<i>Pseudoalteromonas tunicata</i> sp. nov., a bacterium that produces antifouling agents. International Journal of Systematic Bacteriology, 1998, 48, 1205-1212.	2.8	163
700	Spoilage of Lightly Salted Lumpfish (<i>Cyclopterus lumpus</i>) Roe at 5 °C. Journal of Aquatic Food Product Technology, 1998, 7, 23-34.	0.6	6
701	<i>Pelistega europaea</i> gen. nov., sp. nov., a bacterium associated with respiratory disease in pigeons: taxonomic structure and phylogenetic allocation. International Journal of Systematic Bacteriology, 1998, 48, 431-440.	2.8	46
702	Use of Conserved Randomly Amplified Polymorphic DNA (RAPD) Fragments and RAPD Pattern for Characterization of <i>Lactobacillus fermentum</i> in Ghanaian Fermented Maize Dough. Applied and Environmental Microbiology, 1999, 65, 3213-3221.	1.4	62
703	Inhibition of <i>Vibrio anguillarum</i> by <i>Pseudomonas fluorescens</i> AH2, a Possible Probiotic Treatment of Fish. Applied and Environmental Microbiology, 1999, 65, 969-973.	1.4	344
704	A taxonomic study of bacteria isolated from grasses: a proposed new species <i>Pseudomonas graminis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 297-308.	0.8	75
705	<i>Agrococcus citreus</i> sp. nov., isolated from a medieval wall painting of the chapel of Castle Herberstein (Austria). International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1165-1170.	0.8	56
706	Occurrence of watermark disease of willows in Japan. Plant Pathology, 1999, 48, 613-619.	1.2	10
707	Effect of <i>Bacillus thuringiensis</i> and a pyrethroid insecticide on the leaf microflora of Brassica oleracea. Letters in Applied Microbiology, 1999, 28, 359-362.	1.0	7
708	A numerical taxonomic study of the <i>Pseudomonas</i> flora isolated from poultry meat. Journal of Applied Microbiology, 1999, 87, 15-28.	1.4	39
709	Influence of process operations on shelf-life and microbial population of fresh-cut vegetables. Journal of Industrial Microbiology and Biotechnology, 1999, 23, 484-488.	1.4	22
710	Taxonomic studies of extremely barophilic bacteria isolated from the Mariana Trench and description of <i>Moritella yayanosii</i> sp. nov., a new barophilic bacterial isolate. Extremophiles, 1999, 3, 71-77.	0.9	108
711	Characterization of lactic acid bacteria isolated from a Thai low-salt fermented fish product and the role of garlic as substrate for fermentation. International Journal of Food Microbiology, 1999, 46, 219-229.	2.1	100
712	A survey of the microbiological quality of bottled water sold in the UK and changes occurring during storage. International Journal of Food Microbiology, 1999, 48, 59-65.	2.1	41
713	Identities of the <i>Pseudomonas</i> spp. in flora from chilled chicken. International Journal of Food Microbiology, 1999, 48, 87-96.	2.1	56
714	<i>Paracoccus carotinifaciens</i> sp. nov., a new aerobic Gram-negative astaxanthin-producing bacterium. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 277-282.	0.8	131

#	ARTICLE	IF	CITATIONS
715	Restriction fragment length polymorphism analysis of psychrophilic and psychrotrophic <i>Vibrio</i> and <i>Photobacterium</i> from the north-western Pacific Ocean and Otsuchi Bay, Japan. <i>Canadian Journal of Microbiology</i> , 1999, 45, 67-76.	0.8	14
716	<i>Kocuria palustris</i> sp. nov. and <i>Kocuria rhizophila</i> sp. nov., isolated from the rhizoplane of the narrow-leaved cattail (<i>Typha angustifolia</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 167-173.	0.8	123
717	Diazotrophic bacteria in root-free soil and in the root zone of pine (<i>Pinus sylvestris</i> L.) and oak (<i>Quercus robur</i> L.). <i>Applied Soil Ecology</i> , 1999, 12, 239-250.	2.1	39
718	<i>Flexibacter Maritimus</i> Associated with a Bacterial Stomatitis in Atlantic Salmon Smolts Reared in Net-Pens in British Columbia. <i>Journal of Aquatic Animal Health</i> , 1999, 11, 35-44.	0.6	51
719	Production of Polyester Blend of Poly(3-hydroxybutyrate-co-4-hydroxybutyrate) and Poly(3-hydroxyalkanoate) with Saturated and Unsaturated Monomers from 4-Hydroxybutyric Acid by <i>Chromobacterium</i> sp.. <i>Chemistry Letters</i> , 1999, 28, 737-738.	0.7	12
720	Effective Biosynthesis of Poly(3-hydroxybutyrate) from Plant Oils by <i>Chromobacterium</i> sp.. <i>Polymer Journal</i> , 1999, 31, 210-212.	1.3	11
721	Development of Bacterial Resistance to the Third Generation Cephalosporins and Their Clinical Use. <i>Journal of Chemotherapy</i> , 1999, 11, 260-265.	0.7	5
722	<i>Yersinia ruckeri</i> Septicaemia in Experimentally Infected Carp (<i>Cyprinus Carpio</i> L.) Fingerlings. <i>Acta Veterinaria Hungarica</i> , 1999, 47, 161-172.	0.2	15
723	Bacterial canker of <i>Maackia amurensis</i> var. <i>buergeri</i> caused by a putative <i>Pseudomonas syringae</i> . <i>Forest Pathology</i> , 2000, 30, 19-27.	0.5	0
724	Characterization of strain HY99, a novel microorganism capable of aerobic and anaerobic degradation of aniline. <i>FEMS Microbiology Letters</i> , 2000, 190, 215-221.	0.7	79
725	Title is missing!. <i>Australasian Plant Pathology</i> , 2000, 29, 120.	0.5	22
726	Application of a systematic experimental procedure to develop a microbial model for rapid fish shelf life predictions. <i>International Journal of Food Microbiology</i> , 2000, 60, 171-184.	2.1	217
727	Isolation and Characterization of Antagonists for the Biocontrol of the Postharvest Wound Pathogen <i>Botrytis cinerea</i> on Strawberry Fruits. <i>Journal of Food Protection</i> , 2000, 63, 386-394.	0.8	48
728	<i>Rhodococcus pyridinivorans</i> sp. nov., a pyridine-degrading bacterium.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 2173-2180.	0.8	74
729	<i>Janibacter terrae</i> sp. nov., a bacterium isolated from soil around a wastewater treatment plant.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1821-1827.	0.8	49
730	<i>Arthrobacter flavus</i> sp. nov., a psychrophilic bacterium isolated from a pond in McMurdo Dry Valley, Antarctica.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1553-1561.	0.8	176
731	Genomic and phenotypic characterization of <i>Xanthomonas cynarae</i> sp. nov., a new species that causes bacterial bract spot of artichoke (<i>Cynara scolymus</i> L.).. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 1471-1478.	0.8	30
732	Recommended minimal standards for describing new species of the genus <i>Helicobacter</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2000, 50, 2231-2237.	0.8	88

#	ARTICLE	IF	CITATIONS
733	Acidovorax anthurii sp. nov., a new phytopathogenic bacterium which causes bacterial leaf-spot of anthurium.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 235-246.	0.8	48
734	Polyphasic taxonomic approach in the description of Alishewanella fetalis gen. nov., sp. nov., isolated from a human foetus.. International Journal of Systematic and Evolutionary Microbiology, 2000, 50, 1133-1142.	0.8	53
735	Selection of Antagonistic Bacteria of Clavibacter michiganensis subsp. michiganensis and Evaluation of Their Efficiency Against Bacterial Canker of Tomato. Biocontrol Science and Technology, 2001, 11, 141-149.	0.5	25
736	Performance of Pseudomonas CFC-selective medium in the fish storage ecosystems. Journal of Microbiological Methods, 2001, 47, 243-247.	0.7	39
737	In vitro antagonism of the probiont Pseudomonas fluorescens strain AH2 against Aeromonas salmonicida does not confer protection of salmon against furunculosis. Aquaculture, 2001, 199, 1-11.	1.7	83
738	Isolation and 16S rRNA sequence analysis of the beneficial bacteria from the rhizosphere of rice. Canadian Journal of Microbiology, 2001, 47, 110-117.	0.8	127
739	Recharacterization of Pseudomonas fulva lizuka and Komagata 1963, and proposals of Pseudomonas parafulva sp. nov. and Pseudomonas cremoricolorata sp. nov.. Journal of General and Applied Microbiology, 2001, 47, 247-261.	0.4	51
740	The probiotic potential against vibriosis of the indigenous microflora of rainbow trout. Environmental Microbiology, 2001, 3, 755-765.	1.8	163
741	Brown spot caused by Sphingomonas sp. on yellow Spanish melon fruits in Spain*. Plant Pathology, 2001, 50, 397-401.	1.2	12
742	Characterization of Aeromonas and Vibrio species isolated from a drinking water reservoir. Journal of Applied Microbiology, 2001, 90, 919-927.	1.4	25
743	Bacteria associated with Pinus sylvestris "Lactarius rufus ectomycorrhizas and their effects on mycorrhiza formation in vitro. New Phytologist, 2001, 151, 743-751.	3.5	160
744	Title is missing!. World Journal of Microbiology and Biotechnology, 2001, 17, 39-45.	1.7	57
745	Aerobic nitrate respiration by a newly isolated phenol-degrading bacterium, Alcaligenes strain P5. Biotechnology Letters, 2001, 23, 627-630.	1.1	13
746	Title is missing!. Plant and Soil, 2001, 237, 47-54.	1.8	187
747	Growth and metabolic activity of Shewanella putrefaciens maintained under different CO ₂ and O ₂ concentrations. International Journal of Food Microbiology, 2001, 64, 277-287.	2.1	61
748	Identification of lactic acid bacteria constituting the predominating microflora in an acid-fermented condiment (tempoyak) popular in Malaysia. International Journal of Food Microbiology, 2001, 63, 149-157.	2.1	61
749	A new enzymatic method of stereoselective oxidation of racemic 1,2-indandiol. Journal of Molecular Catalysis B: Enzymatic, 2001, 13, 27-36.	1.8	11
750	Corynebacterium mooreparkense sp. nov. and Corynebacterium casei sp. nov., isolated from the surface of a smear-ripened cheese.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 843-852.	0.8	84

#	ARTICLE	IF	CITATIONS
751	Description of <i>Microbacterium foliorum</i> sp. nov. and <i>Microbacterium phyllosphaerae</i> sp. nov., isolated from the phyllosphere of grasses and the surface litter after mulching the sward, and reclassification of <i>Aureobacterium resistens</i> (Funke et al. 1998) as <i>Microbacterium resistens</i> comb. nov... International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 1267-1276.	0.8	110
752	<i>Zobellia galactanovorans</i> gen. nov., sp. nov., a marine species of Flavobacteriaceae isolated from a red alga, and classification of [Cytophaga] <i>uliginosa</i> (ZoBell and Upham 1944) Reichenbach 1989 as <i>Zobellia uliginosa</i> gen. nov., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 985-997.	0.8	168
753	Bacteriological profile and holding temperatures of street-vended foods from Addis Ababa. International Journal of Environmental Health Research, 2001, 11, 95-105.	1.3	15
754	<i>Pseudoalteromonas ulvae</i> sp. nov., a bacterium with antifouling activities isolated from the surface of a marine alga.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 1499-1504.	0.8	82
755	Phenotypic Methods for Determining Genomovar Status of the <i>Burkholderia cepacia</i> Complex. Journal of Clinical Microbiology, 2001, 39, 1073-1078.	1.8	148
756	<i>Burkholderia cepacia</i> genomovar VI, a new member of the <i>Burkholderia cepacia</i> complex isolated from cystic fibrosis patients.. International Journal of Systematic and Evolutionary Microbiology, 2001, 51, 271-279.	0.8	123
757	Some microbiological and biochemical studies on the fermentation of 'awaze' and 'datta', traditional Ethiopian condiments. International Journal of Food Sciences and Nutrition, 2001, 52, 5-14.	1.3	11
758	<i>Psychromonas kaiokoae</i> sp. nov., a novel piezophilic bacterium from the deepest cold-seep sediments in the Japan Trench. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1527-1532.	0.8	32
759	Characterization of <i>Pseudomonas</i> spp. Associated with Spoilage of Gilt-Head Sea Bream Stored under Various Conditions. Applied and Environmental Microbiology, 2002, 68, 65-72.	1.4	127
760	Utilization of Ganglioside-Degrading <i>Paenibacillus</i> sp. Strain TS12 for Production of Glucosylceramide. Applied and Environmental Microbiology, 2002, 68, 5241-5248.	1.4	8
761	Biosynthesis of Polyhydroxyalkanoates from 1,3-Propanediol by <i>Chromobacterium</i> sp.. Polymer Journal, 2002, 34, 659-665.	1.3	10
762	Molecular Cloning and Expression of Mn ²⁺ -Dependent Sphingomyelinase/Hemolysin of an Aquatic Bacterium, <i>Pseudomonas</i> sp. Strain TK4. Journal of Bacteriology, 2002, 184, 540-546.	1.0	19
763	Natural Infestation of Onion Seed by <i>Pantoea ananatis</i> , Causal Agent of Center Rot. Plant Disease, 2002, 86, 106-111.	0.7	89
764	<i>Erwinia chrysanthemi</i> , the cause of soft rot in ginger (<i>Zingiber officinale</i>) in Australia. Australasian Plant Pathology, 2002, 31, 419.	0.5	17
765	Sensory, chemical and bacteriological changes in vacuum-packed pressurised squid mantle (<i>Todaropsis eblanae</i>) stored at 4 Å°C. International Journal of Food Microbiology, 2002, 74, 1-12.	2.1	63
766	<i>Planococcus antarcticus</i> and <i>Planococcus psychrophilus</i> spp. nov. isolated from cyanobacterial mat samples collected from ponds in Antarctica. Extremophiles, 2002, 6, 253-261.	0.9	98
767	Microbial analysis of Malaysian tempeh, and characterization of two bacteriocins produced by isolates of <i>Enterococcus faecium</i> . Journal of Applied Microbiology, 2002, 92, 147-157.	1.4	77
768	Sensory, chemical and bacteriological changes during storage of iced squid (<i>Todaropsis eblanae</i>). Journal of Applied Microbiology, 2002, 92, 941-950.	1.4	72

#	ARTICLE	IF	CITATIONS
769	Biochemical identification and numerical taxonomy of <i>Aeromonas</i> spp. isolated from environmental and clinical samples in Spain. <i>Journal of Applied Microbiology</i> , 2002, 93, 420-430.	1.4	44
770	Identification of <i>Edwardsiella ictaluri</i> from diseased freshwater catfish, <i>Pangasius hypophthalmus</i> (Sauvage), cultured in the Mekong Delta, Vietnam. <i>Journal of Fish Diseases</i> , 2002, 25, 733-736.	0.9	110
771	Microbiological stability and diversity in raw pre-peeled potatoes packed in different atmospheres. <i>European Food Research and Technology</i> , 2003, 217, 421-426.	1.6	7
772	<i>Halomonas glaciei</i> sp. nov. isolated from fast ice of Adelie Land, Antarctica. <i>Extremophiles</i> , 2003, 7, 55-61.	0.9	58
773	The microbial ecology of processing equipment in different fish industries—analysis of the microflora during processing and following cleaning and disinfection. <i>International Journal of Food Microbiology</i> , 2003, 87, 239-250.	2.1	145
774	Antimicrobial interactions of microbial species involved in the fermentation of cassava dough into agbelima with particular reference to the inhibitory effect of lactic acid bacteria on enteric pathogens. <i>International Journal of Food Microbiology</i> , 2003, 89, 41-50.	2.1	40
775	Effect of anoxia and high sulphide concentrations on heterotrophic microbial communities in reduced surface sediments (Black Spots) in sandy intertidal flats of the German Wadden Sea. <i>FEMS Microbiology Ecology</i> , 2003, 44, 291-301.	1.3	40
776	<i>Kocuria polaris</i> sp. nov., an orange-pigmented psychrophilic bacterium isolated from an Antarctic cyanobacterial mat sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 183-187.	0.8	98
777	Antibiotic resistance of benthic bacteria in fish-farm and control sediments of the Western Mediterranean. <i>Aquaculture</i> , 2003, 219, 83-97.	1.7	102
778	<i>Salinibacterium amurskyense</i> gen. nov., sp. nov., a novel genus of the family Microbacteriaceae from the marine environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2061-2066.	0.8	116
779	Similarity of Tetracycline Resistance Genes Isolated from Fish Farm Bacteria to Those from Clinical Isolates. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5336-5342.	1.4	206
780	<i>Delftia tsuruhatensis</i> sp. nov., a terephthalate-assimilating bacterium isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1479-1483.	0.8	121
781	<i>Leifsonia rubra</i> sp. nov. and <i>Leifsonia aurea</i> sp. nov., psychrophiles from a pond in Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 977-984.	0.8	79
782	Fluorescent pseudomonads associated with the phyllosphere of grasses; <i>Pseudomonas trivialis</i> sp. nov., <i>Pseudomonas poae</i> sp. nov. and <i>Pseudomonas congelans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1461-1469.	0.8	106
783	<i>Pseudoalteromonas phenolica</i> sp. nov., a novel marine bacterium that produces phenolic anti-methicillin-resistant <i>Staphylococcus aureus</i> substances. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 583-588.	0.8	72
784	<i>Pseudomonas rhizosphaerae</i> sp. nov., a novel species that actively solubilizes phosphate in vitro. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2067-2072.	0.8	90
785	<i>Bacillus krulwichiae</i> sp. nov., a halotolerant obligate alkaliphile that utilizes benzoate and m-hydroxybenzoate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1531-1536.	0.8	76
786	<i>Sporosarcina macmurdoensis</i> sp. nov., from a cyanobacterial mat sample from a pond in the McMurdo Dry Valleys, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1363-1367.	0.8	63

#	ARTICLE	IF	CITATIONS
787	<i>Pannonibacter phragmitetus</i> gen. nov., sp. nov., a novel alkalitolerant bacterium isolated from decomposing reed rhizomes in a Hungarian soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 555-561.	0.8	55
788	Occurrence of White Top of Pea Caused by a New Strain of <i>Pseudomonas syringae</i> pv. <i>pisii</i> . <i>Plant Disease</i> , 2003, 87, 1404-1410.	0.7	20
789	Comparison of Sodium Hypochlorite-Based Foam and Peroxyacetic Acid-Based Fog Sanitizing Procedures in a Salmon Smokehouse: Survival of the General Microflora and <i>Listeria monocytogenes</i> . <i>Journal of Food Protection</i> , 2003, 66, 592-598.	0.8	29
790	<i>Brevibacterium celere</i> sp. nov., isolated from degraded thallus of a brown alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2107-2111.	0.8	34
791	<i>Colwellia piezophila</i> sp. nov., a novel piezophilic species from deep-sea sediments of the Japan Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1627-1631.	0.8	116
792	<i>Exiguobacterium oxidotolerans</i> sp. nov., a novel alkaliphile exhibiting high catalase activity. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2013-2017.	0.8	86
793	<i>Alkalibacterium psychrotolerans</i> sp. nov., a psychrotolerant obligate alkaliphile that reduces an indigo dye. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2379-2383.	0.8	86
794	<i>Salegentibacter holothuriorum</i> sp. nov., isolated from the edible holothurian <i>Apostichopus japonicus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1107-1110.	0.8	38
795	<i>Ancylobacter rudongensis</i> sp. nov., isolated from roots of <i>Spartina anglica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 385-388.	0.8	28
796	Seasonal Incidence of Autochthonous Antagonistic <i>Roseobacter</i> spp. and <i>Vibrionaceae</i> Strains in a Turbot Larva (<i>Scophthalmus maximus</i>) Rearing System. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7288-7294.	1.4	85
797	<i>Sulfitobacter delicatus</i> sp. nov. and <i>Sulfitobacter dubius</i> sp. nov., respectively from a starfish (<i>Stellaster equestris</i>) and sea grass (<i>Zostera marina</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 475-480.	0.8	104
798	<i>Arenibacter certesii</i> sp. nov., a novel marine bacterium isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1173-1176.	0.8	37
799	<i>Kaistella koreensis</i> gen. nov., sp. nov., a novel member of the <i>Chryseobacterium</i> - <i>Bergeyella</i> - <i>Riemerella</i> branch. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2319-2324.	0.8	45
800	<i>Anoxybacillus vainovskiensis</i> sp. nov., a moderately thermophilic bacterium from a hot spring in Kamchatka. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1239-1242.	0.8	50
801	<i>Aeromonas simiae</i> sp. nov., isolated from monkey faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 481-485.	0.8	81
802	<i>Paracoccus haeundaensis</i> sp. nov., a Gram-negative, halophilic, astaxanthin-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1699-1702.	0.8	111
803	Effect of solar radiation and the subsequent dark periods on two newly isolated and characterized Antarctic marine bacteria. <i>Polar Research</i> , 2004, 23, 67-77.	1.6	2
804	<i>Psychrobacter salsus</i> sp. nov. and <i>Psychrobacter adeliensis</i> sp. nov. Isolated from Fast Ice from Adelie Land, Antarctica. <i>Systematic and Applied Microbiology</i> , 2004, 27, 628-635.	1.2	36

#	ARTICLE	IF	CITATIONS
805	Souring and breakdown of cyanogenic glucosides during the processing of cassava into akyeke. <i>International Journal of Food Microbiology</i> , 2004, 93, 115-121.	2.1	53
806	Association of <i>Enterobacter cloacae</i> with Rhizome Rot of Edible Ginger in Hawaii. <i>Plant Disease</i> , 2004, 88, 1318-1327.	0.7	45
807	Characterization of esculin-positive <i>Pseudomonas fluorescens</i> strains isolated from an underground brook. <i>Folia Microbiologica</i> , 2004, 49, 725-730.	1.1	5
808	Bacterial Stem Rot in Greenhouse Pepper (<i>Capsicum annum</i> L.) in Sardinia (Italy): Occurrence of <i>Erwinia carotovora</i> subsp. <i>carotovora</i> . <i>Journal of Phytopathology</i> , 2004, 152, 28-33.	0.5	8
809	Psychrophilic pseudomonads from Antarctica: <i>Pseudomonas antarctica</i> sp. nov., <i>Pseudomonas meridiana</i> sp. nov. and <i>Pseudomonas proteolytica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 713-719.	0.8	132
810	<i>Wautersia</i> gen. nov., a novel genus accommodating the phylogenetic lineage including <i>Ralstonia eutropha</i> and related species, and proposal of <i>Ralstonia</i> [<i>Pseudomonas</i>] <i>syzygii</i> (Roberts et al. 1990) comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 317-327.	0.8	231
811	<i>Bacillus asahii</i> sp. nov., a novel bacterium isolated from soil with the ability to deodorize the bad smell generated from short-chain fatty acids. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1997-2001.	0.8	52
812	Effects of different water treatment methods and antibiotic addition on larval survival and gut microflora development in Atlantic halibut (<i>Hippoglossus hippoglossus</i> L.) yolk-sac larvae. <i>Aquaculture</i> , 2004, 232, 129-143.	1.7	33
813	Effect of solar radiation and the subsequent dark periods on two newly isolated and characterized Antarctic marine bacteria. <i>Polar Research</i> , 2004, 23, 67-77.	1.6	1
814	Plant-growth-promoting rhizobacteria isolated from a Calcisol in a semi-arid region of Uzbekistan: biochemical characterization and effectiveness. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 94-99.	1.1	78
815	Some virulence properties and characterization of motile <i>Aeromonas</i> species from milk and white cheese. <i>International Journal of Dairy Technology</i> , 2005, 58, 106-110.	1.3	10
816	First laboratory confirmation of <i>Xylophilus ampelinus</i> in Slovenia. <i>EPPO Bulletin</i> , 2005, 35, 149-155.	0.6	7
817	Computer-assisted identification and clustering for regulated phytopathogenic bacteria: construction of a reference database and development of a computer system. <i>EPPO Bulletin</i> , 2005, 35, 61-68.	0.6	1
818	Effect of boiling and roasting on the fermentation of soybeans into dawadawa (soy-dawadawa). <i>International Journal of Food Microbiology</i> , 2005, 104, 69-82.	2.1	72
819	Utilization of Unfermented Cassava Flour for the Production of an Indigenous African Fermented Food, Agbelima. <i>World Journal of Microbiology and Biotechnology</i> , 2005, 21, 1201-1207.	1.7	17
820	Characterization of <i>Pseudomonas</i> Species Isolated from the Rhizosphere of Plants Grown in Serozem Soil, Semi-Arid Region of Uzbekistan. <i>Scientific World Journal</i> , The, 2005, 5, 501-509.	0.8	28
821	Antilisterial Activity of a <i>Carnobacterium piscicola</i> Isolated from Brazilian Smoked Fish (Surubim) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1 from Surubim. <i>Journal of Food Protection</i> , 2005, 68, 2068-2077.	0.8	34
822	<i>Oceanobacillus oncorhynchi</i> sp. nov., a halotolerant obligate alkaliphile isolated from the skin of a rainbow trout (<i>Oncorhynchus mykiss</i>), and emended description of the genus <i>Oceanobacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1521-1524.	0.8	67

#	ARTICLE	IF	CITATIONS
823	<i>Asticcacaulis taihuensis</i> sp. nov., a novel stalked bacterium isolated from Taihu Lake, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1239-1242.	0.8	14
824	<i>Novosphingobium taihuense</i> sp. nov., a novel aromatic-compound-degrading bacterium isolated from Taihu Lake, China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1229-1232.	0.8	123
825	<i>Loktanella agnita</i> sp. nov. and <i>Loktanella rosea</i> sp. nov., from the north-west Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2203-2207.	0.8	51
826	<i>Leadbetterella byssophila</i> gen. nov., sp. nov., isolated from cotton-waste composts for the cultivation of oyster mushroom. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2297-2302.	0.8	64
827	<i>Alkalibacterium iburiense</i> sp. nov., an obligate alkaliphile that reduces an indigo dye. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1525-1530.	0.8	67
828	Identification of <i>Shewanella baltica</i> as the Most Important H ₂ S-Producing Species during Iced Storage of Danish Marine Fish. <i>Applied and Environmental Microbiology</i> , 2005, 71, 6689-6697.	1.4	170
829	<i>Tetragenococcus koreensis</i> sp. nov., a novel rhamnolipid-producing bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1409-1413.	0.8	56
830	Psychrotolerant hydrocarbon-degrading <i>Rhodococcus</i> strains isolated from polluted Antarctic soils. <i>Antarctic Science</i> , 2005, 17, 47-56.	0.5	85
831	<i>Bacillus patagoniensis</i> sp. nov., a novel alkalitolerant bacterium from the rhizosphere of <i>Atriplex lampa</i> in Patagonia, Argentina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 443-447.	0.8	59
832	<i>Dyadobacter hamtensis</i> sp. nov., from Hamta glacier, located in the Himalayas, India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2113-2117.	0.8	58
833	<i>Terrabacter terrae</i> sp. nov., a novel actinomycete isolated from soil in Spain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2491-2495.	0.8	41
834	Isolation and Characterization of <i>Burkholderia gladioli</i> from Orchids in Hawaii. <i>Plant Disease</i> , 2005, 89, 1273-1278.	0.7	31
835	<i>Shewanella surugensis</i> sp. nov., <i>Shewanella kaireitica</i> sp. nov. and <i>Shewanella abyssi</i> sp. nov., isolated from deep-sea sediments of Suruga Bay, Japan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1607-1613.	0.8	48
836	Emended description of the genus <i>Phyllobacterium</i> and description of four novel species associated with plant roots: <i>Phyllobacterium bourgognense</i> sp. nov., <i>Phyllobacterium ifriqiyense</i> sp. nov., <i>Phyllobacterium leguminum</i> sp. nov. and <i>Phyllobacterium brassicacearum</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 827-839.	0.8	137
837	Characterisation of potato isolates of <i>Dickeya chrysanthemi</i> in Spain by a microtitre system for biovar determination. <i>Annals of Applied Biology</i> , 2006, 148, 157-164.	1.3	42
838	Microbial Flora of Lamb Carcasses Stored at 0°C in Packs Flushed with Nitrogen or Filled with Carbon Dioxide. <i>Journal of Food Science</i> , 1985, 50, 482-485.	1.5	15
839	Effect of dietary inulin and oligosaccharides as prebiotics for weaning turbot, <i>Psetta maxima</i> (Linnaeus, C. 1758). <i>Aquaculture International</i> , 2006, 14, 219-229.	1.1	194
840	Isolation and Culture of a Marine Bacterium Degrading the Sulfated Fucans from Marine Brown Algae. <i>Marine Biotechnology</i> , 2006, 8, 27-39.	1.1	87

#	ARTICLE	IF	CITATIONS
841	Bacteria Isolated from the Different Developmental Stages and Larval Organs of the Obligate Parasitic Fly, <i>Wohlfahrtia magnifica</i> (Diptera: Sarcophagidae). <i>Microbial Ecology</i> , 2006, 51, 13-21.	1.4	42
842	<i>Pseudoxanthomonas suwonensis</i> sp. nov., isolated from cotton waste composts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 659-662.	0.8	39
843	<i>Aquitalea magnusonii</i> gen. nov., sp. nov., a novel Gram-negative bacterium isolated from a humic lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 867-871.	0.8	40
844	<i>Roseomonas lacus</i> sp. nov., isolated from freshwater lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 25-28.	0.8	69
845	Molecular Techniques for Understanding the Microbial Community Structure in Mycorrhizosphere. , 2006, , 173-198.		1
846	<i>Flavobacterium daejeonense</i> sp. nov. and <i>Flavobacterium suncheonense</i> sp. nov., isolated from greenhouse soils in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1645-1649.	0.8	65
847	Emendation of the genus <i>Flammeovirga</i> and <i>Flammeovirga aprica</i> with the proposal of <i>Flammeovirga arenaria</i> nom. rev., comb. nov. and <i>Flammeovirga yaeyamensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2095-2100.	0.8	49
848	<i>Ancylobacter polymorphus</i> sp. nov. and <i>Ancylobacter vacuolatus</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1185-1188.	0.8	25
849	<i>Exiguobacterium indicum</i> sp. nov., a psychrophilic bacterium from the Hamta glacier of the Himalayan mountain ranges of India. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2765-2770.	0.8	91
850	<i>Flavobacterium saliperosum</i> sp. nov., isolated from freshwater lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 439-442.	0.8	54
851	<i>Agrococcus casei</i> sp. nov., isolated from the surfaces of smear-ripened cheeses. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 92-97.	0.8	40
852	<i>Leifsonia ginsengi</i> sp. nov., isolated from ginseng root. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 405-408.	0.8	62
853	<i>Sediminitomix flava</i> gen. nov., sp. nov., of the phylum Bacteroidetes, isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1689-1693.	0.8	23
854	<i>Alkalimonas collagenimarina</i> sp. nov., a psychrotolerant, obligate alkaliphile isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1549-1553.	0.8	17
855	<i>Curtobacterium flaccumfaciens</i> pv. <i>beticola</i> , A New Pathovar of Pathogens in Sugar Beet. <i>Plant Disease</i> , 2007, 91, 677-684.	0.7	24
856	Occurrence of florfenicol resistance in bacteria associated with two Chilean salmon farms with different history of antibacterial usage. <i>Aquaculture</i> , 2007, 266, 39-46.	1.7	81
857	Seasonal variation in the chemical composition and microbiological condition of Mediterranean horse mackerel (<i>Trachurus mediterraneus</i>) muscle from the North Aegean Sea (Greece). <i>Food Control</i> , 2007, 18, 251-257.	2.8	57
858	Quality assessment of Mediterranean horse mackerel (<i>Trachurus mediterraneus</i>) and blue jack mackerel (<i>Trachurus picturatus</i>) during storage in ice. <i>Food Control</i> , 2007, 18, 1172-1179.	2.8	19

#	ARTICLE	IF	CITATIONS
859	Screening rhizobacteria for biological control of Fusarium root and crown rot of sorghum in Ethiopia. <i>Biological Control</i> , 2007, 40, 97-106.	1.4	109
860	Degradation of aniline and monochloroanilines by <i>Rhodococcus</i> sp. An 117 and a pseudomonad: A comparative study. <i>Zeitschrift Fur Allgemeine Mikrobiologie</i> , 1983, 23, 235-246.	0.0	1
861	The spoilage flora of eviscerated chickens stored at different temperatures. <i>International Journal of Food Science and Technology</i> , 1966, 1, 113-119.	1.3	63
862	Some microbiological considerations applying to the conditioning, ageing and vacuum packaging of lamb. <i>International Journal of Food Science and Technology</i> , 1978, 13, 1-13.	1.3	13
863	The aerobic microflora of the Scotch haggis. <i>International Journal of Food Science and Technology</i> , 1980, 15, 111-118.	1.3	1
864	Composition of bacterial flora in sliced vacuum packed Bologna-type sausage as influenced by nitrite. <i>International Journal of Food Science and Technology</i> , 1983, 18, 371-385.	1.3	13
865	Ripening and spoilage of sugar salted herring with and without nitrate.. <i>International Journal of Food Science and Technology</i> , 1984, 19, 203-213.	1.3	16
866	Involvement of pseudomonads in deterioration or "ready-to-use" salads. <i>International Journal of Food Science and Technology</i> , 1989, 24, 47-58.	1.3	70
867	Effect of irradiation and chilled storage on the microbiological and sensory quality of a ready meal. <i>International Journal of Food Science and Technology</i> , 1995, 30, 757-771.	1.3	17
868	Growth of yeasts, lactic and acetic acid bacteria in palm wine during tapping and fermentation from felled oil palm (<i>Elaeis guineensis</i>) in Ghana. <i>Journal of Applied Microbiology</i> , 2007, 102, 599-606.	1.4	85
869	Diversity of <i>Shewanella</i> population in fish <i>Sparus aurata</i> harvested in the Aegean Sea. <i>Journal of Applied Microbiology</i> , 2007, 103, 711-721.	1.4	39
870	Characterisation of <i>Pseudomonas</i> spp. isolated from foods. <i>Annals of Microbiology</i> , 2007, 57, 39-47.	1.1	89
871	Isolation and characterization of a novel bacterium, <i>Sphingomonas bisphenolicum</i> strain AO1, that degrades bisphenol A. <i>Biodegradation</i> , 2007, 18, 247-255.	1.5	46
872	Isolation and characterization of <i>Pseudoalteromonas ruthenica</i> (SBT033), an EPS-producing biofilm bacterium from the seawater intake point of a tropical power station. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 509-515.	1.7	16
873	Use of starter culture of <i>Lactobacillus plantarum</i> BP04 in the preservation of dining-hall food waste. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 2249-2256.	1.7	8
874	<i>Acinetobacter</i> sp. strain Ths, a novel psychrotolerant and alkalitolerant bacterium that utilizes hydrocarbon. <i>Extremophiles</i> , 2008, 12, 729-734.	0.9	17
875	Lactic acid production from dining-hall food waste by <i>Lactobacillus plantarum</i> using response surface methodology. <i>Journal of Chemical Technology and Biotechnology</i> , 2008, 83, 1541-1550.	1.6	20
876	Isolation of putative probionts from cod rearing environment. <i>Veterinary Microbiology</i> , 2008, 132, 328-339.	0.8	34

#	ARTICLE	IF	CITATIONS
877	Antibacterial Activity of Artificial Phenothiazines and Isoflavones from Plants. Topics in Heterocyclic Chemistry, 2008, , 67-132.	0.2	37
878	Bacterial canker of olives caused by of <i>Pseudomonas syringae</i> pv. <i>syringae</i> in Iran. Scientia Horticulturae, 2008, 118, 128-131.	1.7	1
879	Suppression of <i>Pythium ultimum</i> root rot of sorghum by rhizobacterial isolates from Ethiopia and South Africa. Biological Control, 2008, 45, 72-84.	1.4	51
880	<i>Exiguobacterium soli</i> sp. nov., a psychrophilic bacterium from the McMurdo Dry Valleys, Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2447-2453.	0.8	51
881	<i>Burkholderia sediminicola</i> sp. nov., isolated from freshwater sediment. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 565-569.	0.8	34
882	<i>Alkalibacterium indicireducens</i> sp. nov., an obligate alkaliphile that reduces indigo dye. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 901-905.	0.8	62
883	<i>Paracoccus halophilus</i> sp. nov., isolated from marine sediment of the South China Sea, China, and emended description of genus <i>Paracoccus</i> Davis 1969. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 257-261.	0.8	78
884	Microorganism and enzyme activities in the soil of landfill sites of Bereg county. Archives of Agronomy and Soil Science, 2008, 54, 465-479.	1.3	4
885	<i>Mariniflexile fucanivorans</i> sp. nov., a marine member of the Flavobacteriaceae that degrades sulphated fucans from brown algae. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2107-2113.	0.8	39
886	<i>Psychromonas japonica</i> sp. nov., <i>Psychromonas aquimarina</i> sp. nov., <i>Psychromonas macrocephali</i> sp. nov. and <i>Psychromonas ossibalaenae</i> sp. nov., psychrotrophic bacteria isolated from sediment adjacent to sperm whale carcasses off Kagoshima, Japan. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1709-1714.	0.8	36
887	<i>Amphritea japonica</i> sp. nov. and <i>Amphritea balenae</i> sp. nov., isolated from the sediment adjacent to sperm whale carcasses off Kagoshima, Japan. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2815-2820.	0.8	24
888	<i>Neptunomonas japonica</i> sp. nov., an <i>Osedax japonicus</i> symbiont-like bacterium isolated from sediment adjacent to sperm whale carcasses off Kagoshima, Japan. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 866-871.	0.8	47
889	<i>Flavobacterium lindanitolerans</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1665-1669.	0.8	46
890	<i>Nocardioides daphniae</i> sp. nov., isolated from <i>Daphnia cucullata</i> (Crustacea: Cladocera). International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 78-83.	0.8	44
891	<i>Pseudochrobactrum glaciei</i> sp. nov., isolated from sea ice collected from Peter the Great Bay of the Sea of Japan. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2454-2458.	0.8	29
892	<i>Wohlfahrtiimonas chitiniclastica</i> gen. nov., sp. nov., a new gammaproteobacterium isolated from <i>Wohlfahrtia magnifica</i> (Diptera: Sarcophagidae). International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 976-981.	0.8	126
893	<i>Phaeobacter</i> and <i>Ruegeria</i> Species of the <i>Roseobacter</i> Clade Colonize Separate Niches in a Danish Turbot (<i>Scophthalmus maximus</i>)-Rearing Farm and Antagonize <i>Vibrio anguillarum</i> under Different Growth Conditions. Applied and Environmental Microbiology, 2008, 74, 7356-7364.	1.4	174
894	Description of <i>Maribacter forsetii</i> sp. nov., a marine Flavobacteriaceae isolated from North Sea water, and emended description of the genus <i>Maribacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 790-797.	0.8	47

#	ARTICLE	IF	CITATIONS
895	<i>Bacillus polygoni</i> sp. nov., a moderately halophilic, non-motile obligate alkaliphile isolated from indigo balls. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 120-124.	0.8	42
896	Isolation and Identification of <i>Xanthomonas Oryzae</i> PV. <i>Oryzae</i> the Causal Agent of Bacterial Blight of Rice in Iran. Journal of Plant Protection Research, 2008, 48, .	1.0	9
897	Characterization of <i>Erwinia chrysanthemi</i> from a Bacterial Heart Rot of Pineapple Outbreak in Hawaii. Plant Disease, 2008, 92, 1444-1450.	0.7	26
899	Detection Et Caracterisation Des Bacteries Phytopathogenes Transmises Par Les Semences Du Riz Au Burkina Faso. Agronomie Africaine, 2009, 16, .	0.0	2
900	<i>Phycisphaera mikurensis</i> gen. nov., sp. nov., isolated from a marine alga, and proposal of <i>Phycisphaeraceae</i> fam. nov., <i>Phycisphaerales</i> ord. nov. and <i>Phycisphaerae</i> classis nov. in the phylum <i>Planctomycetes</i> . Journal of General and Applied Microbiology, 2009, 55, 267-275.	0.4	187
901	Phyllospheric microbial populations of ragweed (<i>Ambrosia Elatior</i> L.) plant grown in toxic metal-contaminated areas. Archives of Agronomy and Soil Science, 2009, 55, 217-231.	1.3	6
902	<i>Delftia lacustris</i> sp. nov., a peptidoglycan-degrading bacterium from fresh water, and emended description of <i>Delftia tsuruhatensis</i> as a peptidoglycan-degrading bacterium. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2195-2199.	0.8	97
903	<i>Kocuria gwangalliensis</i> sp. nov., an actinobacterium isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2769-2772.	0.8	35
904	<i>Pseudomonas brassicacearum</i> subsp. <i>neoaurantiaca</i> subsp. nov., orange-pigmented bacteria isolated from soil and the rhizosphere of agricultural plants. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2476-2481.	0.8	26
905	Resistance to β -lactams in Bacteria Isolated from Different Types of Portuguese Cheese. International Journal of Molecular Sciences, 2009, 10, 1538-1551.	1.8	28
906	Description of <i>Chryseobacterium anthropi</i> sp. nov. to accommodate clinical isolates biochemically similar to <i>Kaistella koreensis</i> and <i>Chryseobacterium haifense</i> , proposal to reclassify <i>Kaistella koreensis</i> as <i>Chryseobacterium koreense</i> comb. nov. and emended description of the genus <i>Chryseobacterium</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2421-2428.	0.8	95
907	<i>Flavobacterium tiangeerense</i> sp. nov., a cold-living bacterium isolated from a glacier. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2773-2777.	0.8	27
908	<i>Sphingomonas japonica</i> sp. nov., isolated from the marine crustacean <i>Paralithodes camtschatica</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1179-1182.	0.8	21
909	Evaluation of functional diversity in rhizobacterial taxa of a wild grass (<i>Saccharum ravennae</i>) colonizing abandoned fly ash dumps in Delhi urban ecosystem. Soil Biology and Biochemistry, 2009, 41, 813-821.	4.2	72
910	STUDIES IN URINARY TRACT INFECTIONS. Acta Medica Scandinavica, 1969, 186, 47-51.	0.0	19
911	COMPARISON OF METHODS FOR ESTIMATION OF ANAEROBIC PRODUCTION OF ACID FROM GLUCOSE AND MANNITOL IN STAPHYLOCOCCI AND MICROCOCCI. Acta Pathologica Et Microbiologica Scandinavica, 1967, 71, 141-146.	0.0	16
912	TYPING OF <i>PSEUDOMONAS AERUGINOSA</i> BY PYOCINE PRODUCTION. Acta Pathologica Et Microbiologica Scandinavica, 1968, 72, 401-411.	0.0	16
913	<i>YERSINIA ENTEROCOLITICA</i> IN PATIENTS WITH SYMPTOMS OF INFECTIOUS DISEASE. Acta Pathologica Et Microbiologica Scandinavica, 1968, 74, 101-113.	0.0	30

#	ARTICLE	IF	CITATIONS
914	FINE STRUCTURE AND TAXONOMIC POSITION OF <i>NEISSERIA HAEMOLYSANS</i> (THJÅTTA & BÅE 1938) OR <i>GEMELLA HAEMOLYSANS</i> (BERGER 1960). Acta Pathologica Et Microbiologica Scandinavica - Section B Microbiology and Immunology, 1970, 78B, 375-389.	0.0	18
915	<i>MORAXELLA BOVIS</i> ISOLATED FROM CATTLE WITH INFECTIOUS KERATOCONJUNCTIVITIS. Acta Pathologica Et Microbiologica Scandinavica - Section B Microbiology and Immunology, 1970, 78B, 429-434.	0.0	5
916	FLAVOBACTERIUM MENINGOSEPTICUM ISOLATED FROM THE GENITALS. Acta Pathologica Et Microbiologica Scandinavica - Section B Microbiology and Immunology, 1971, 79B, 102-106.	0.0	14
917	YERSINIA ENTEROCOLITICA IN SMALL RODENTS FROM NORWAY, SWEDEN AND FINLAND. Acta Pathologica Microbiologica Scandinavica Section B Microbiology, 1975, 83B, 335-342.	0.0	25
918	<i>Pseudomonas Cepacia</i> Bacteremia Due to Intrinsic Contamination of an Anesthetic. Acta Pathologica Microbiologica Scandinavica Section B Microbiology, 1979, 87B, 15-20.	0.0	3
919	INVESTIGATION OF <i>MICROCOCCACEAE</i> IN A DEPARTMENT OF CARDIAC SURGERY. Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 1983, 91B, 273-278.	0.1	1
920	GENETIC AND PHENOTYPIC CHARACTERISTICS OF A NEW GROUP OF CAMPYLOBACTER ISOLATED FROM PIGS AND CATTLE. Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 2009, 92B, 71-72.	0.1	9
921	Etiologic Importance of Coagulase-Negative <i>Micrococcaceae</i> Isolated from Blood Cultures. Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 1985, 93B, 1-6.	0.1	9
922	EVALUATION OF A CONVENTIONAL ROUTINE METHOD FOR IDENTIFICATION OF CLINICAL ISOLATES OF COAGULASE-NEGATIVE <i>STAPHYLOCOCCUS</i> AND <i>MICROCOCCUS</i> SPECIES Comparison with API-Staph and API-Staph-Ident. Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section B, Microbiology, 1987, 95B, 283-292.	0.1	12
923	Effects of dietary probiotic supplementations on prevention/treatment of yersiniosis disease. Journal of Applied Microbiology, 2009, 106, 1147-1153.	1.4	61
924	Penaeus monodon larvae can be protected from Vibrio harveyi infection by pre-emptive treatment of a rearing system with antagonistic or non-antagonistic bacterial probiotics. Aquaculture Research, 2010, 41, 847-860.	0.9	31
925	IDENTIFICATION OF CELLULOLYTIC BACTERIA ISOLATED FROM THE TERMITE <i>COPTOTERMES CURVIGNATHUS</i> (HOLMGREN). Journal of Rapid Methods and Automation in Microbiology, 2009, 17, 103-116.	0.4	21
926	Microbiological and biochemical changes during processing of the traditional chinese food douzhi. Food Control, 2009, 20, 1086-1091.	2.8	7
927	<i>Pseudomonas tuomuerensis</i> sp. nov., isolated from a bird's nest. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 139-143.	0.8	22
928	Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies. Journal of Agricultural Science, 2009, 147, 17-30.	0.6	45
929	Phylum XIV. Bacteroidetes phyl. nov., 2010, , 25-469.		80
930	Biological control of great brome (<i>Bromus diandrus</i>) in durum wheat (<i>Triticum durum</i>): specificity, physiological traits and impact on plant growth and root architecture of the fluorescent pseudomonad strain X33d. BioControl, 2010, 55, 561-572.	0.9	33
931	Inhibition of spore germination of <i>Ulva pertusa</i> by the marine bacterium <i>Pseudoalteromonas haloplanktis</i> Cl4. Acta Oceanologica Sinica, 2010, 29, 69-78.	0.4	9

#	ARTICLE	IF	CITATIONS
932	Characterization of heterotrophic nitrifying bacteria with respiratory ammonification and denitrification activity – Description of <i>Paenibacillus uliginis</i> sp. nov., an inhabitant of fen peat soil and <i>Paenibacillus purispatii</i> sp. nov., isolated from a spacecraft assembly clean room. <i>Systematic and Applied Microbiology</i> , 2010, 33, 328-336.	1.2	68
933	Untersuchungen zur <i>Aeromonas</i> -Infektion kaltblütiger Tiere. <i>Zentralblatt für Veterinärmedizin Reihe B</i> , 2010, 14, 663-671.	0.0	4
934	Wirkungen von Leukozidin und Hämolyysin von <i>Pseudomonas aeruginosa</i> auf Granulozyten. <i>Zentralblatt für Veterinärmedizin Reihe B</i> , 1973, 20, 199-205.	0.0	3
935	Mischinfektion von Albinoratten durch <i>Pasteurella pneumotropica</i> und eine neue pneumotrope <i>Pasteurella</i> species. <i>Zentralblatt für Veterinärmedizin Reihe B</i> , 2010, 24, 476-485.	0.0	15
936	Speciation of Gram-positive bacteria in fresh and ambient-stored sub-tropical marine fish. <i>International Journal of Food Microbiology</i> , 2010, 138, 32-38.	2.1	29
937	Effect of high-pressure treatment on microbial activity and lipid oxidation in chilled coho salmon. <i>European Journal of Lipid Science and Technology</i> , 2010, 112, 362-372.	1.0	41
938	Neutralization of alkaline industrial wastewaters using <i>Exiguobacterium</i> sp.. <i>International Biodeterioration and Biodegradation</i> , 2010, 64, 191-196.	1.9	29
939	Notes on the almost unknown genus <i>Jeotgalicoccus</i> . <i>Letters in Applied Microbiology</i> , 2010, 50, 441-444.	1.0	15
940	Genotypic characterization of <i>Brochothrix</i> spp. isolated from meat, poultry and fish. <i>Letters in Applied Microbiology</i> , 2010, 51, 245-251.	1.0	14
941	PURIFICATION AND CHARACTERIZATION OF β -CARRAGEENASE FROM MARINE BACTERIUM MUTANT STRAIN <i>PSEUDOALTEROMONAS</i> SP. AJ5-13 AND ITS DEGRADED PRODUCTS. <i>Journal of Food Biochemistry</i> , 2010, 34, 661.	1.2	21
942	MICROBIAL DYNAMICS DURING THE FERMENTATION OF WAKALIM, A TRADITIONAL ETHIOPIAN FERMENTED SAUSAGE. <i>Journal of Food Quality</i> , 2010, 33, 370-390.	1.4	13
943	Glycan profiling of urine, amniotic fluid and ascitic fluid from galactosialidosis patients reveals novel oligosaccharides with reducing end hexose and aldohexonic acid residues. <i>FEBS Journal</i> , 2010, 277, 2970-2986.	2.2	14
944	Pectolytic Bacteria Associated with Soft Rot of Calla Lily (<i>Zantedeschia</i> spp.) Tubers. <i>Journal of Phytopathology</i> , 2010, 158, 201-209.	0.5	22
945	<i>Psychrobacter piscatorii</i> sp. nov., a psychrotolerant bacterium exhibiting high catalase activity isolated from an oxidative environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 205-208.	0.8	26
946	<i>Winogradskyella exilis</i> sp. nov., isolated from the starfish <i>Stellaster equestris</i> , and emended description of the genus <i>Winogradskyella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1577-1580.	0.8	38
947	<i>Vogesella mureinivorans</i> sp. nov., a peptidoglycan-degrading bacterium from lake water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2467-2472.	0.8	32
948	Regional variations in the population structure of <i>Pseudomonas syringae</i> pathovar <i>phaseolicola</i> from Spain are revealed by typing with PmeI pulsed-field gel electrophoresis, plasmid profiling and virulence gene complement. <i>Microbiology (United Kingdom)</i> , 2010, 156, 1795-1804.	0.7	7
949	<i>Shewanella</i> in a Tilapia Fish Farm. <i>Journal of Fisheries Sciences</i> , 2010, , .	0.2	2

#	ARTICLE	IF	CITATIONS
950	<i>Celeribacter neptunius</i> gen. nov., sp. nov., a new member of the class Alphaproteobacteria. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1620-1625.	0.8	30
951	<i>Bacillus trypoxylicola</i> sp. nov., xylanase-producing alkaliphilic bacteria isolated from the guts of Japanese horned beetle larvae (<i>Trypoxylus dichotomus septentrionalis</i>). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 61-66.	0.8	36
952	<i>Chryseobacterium solincola</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1876-1880.	0.8	44
954	Microbial shelf-life extension of chilled Coho salmon (<i>Oncorhynchus kisutch</i>) and abalone (<i>Haliotis</i>) Tj ETQq1 1 0.784314 rgBT/Overlo	2.8	61
955	<i>Microbulbifer chitinilyticus</i> sp. nov. and <i>Microbulbifer okinawensis</i> sp. nov., chitin-degrading bacteria isolated from mangrove forests. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2215-2220.	0.8	35
956	Î ² -1,3-Glucanase from <i>Delftia tsuruhatensis</i> Strain MV01 and Its Potential Application in Vinification. Applied and Environmental Microbiology, 2011, 77, 983-990.	1.4	53
957	<i>Cryobacterium arcticum</i> sp. nov., a psychrotolerant bacterium from an Arctic soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1849-1853.	0.8	42
958	Phenotypic and Physiological Characterization Methods. Methods in Microbiology, 2011, 38, 15-60.	0.4	40
959	<i>Arthrobacter livingstonensis</i> sp. nov. and <i>Arthrobacter cryotolerans</i> sp. nov., salt-tolerant and psychrotolerant species from Antarctic soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 979-984.	0.8	48
960	<i>Paracoccus sphaerophysae</i> sp. nov., a siderophore-producing, endophytic bacterium isolated from root nodules of <i>Sphaerophysa salsula</i> . International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 665-669.	0.8	47
961	<i>Pseudomonas toyotomiensis</i> sp. nov., a psychrotolerant facultative alkaliphile that utilizes hydrocarbons. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1842-1848.	0.8	31
962	<i>Sphingomonas rubra</i> sp. nov., isolated from bioreactor wastewater. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1028-1032.	0.8	18
963	Microbial load, prevalence and antibiograms of <i>Salmonella</i> and <i>Shigella</i> in lettuce and green peppers. Ethiopian Journal of Health Sciences, 2011, 20, 41-8.	0.2	23
964	Utilization of acetylsalicylic acid as sole carbon source and the induction of its enzymatic hydrolysis by an isolated strain of <i>Acinetobacter lwoffii</i> . Journal of Pharmacy and Pharmacology, 2011, 22, 461-464.	1.2	9
965	ANTIBIOTIC RESISTANCE IN ENTEROBACTERIACEAE ISOLATED FROM PORTUGUESE DELI MEATS. Journal of Food Safety, 2011, 31, 1-20.	1.1	11
966	<i>Tahibacter aquaticus</i> gen. nov., sp. nov., a new gammaproteobacterium isolated from the drinking water supply system of Budapest (Hungary). Systematic and Applied Microbiology, 2011, 34, 110-115.	1.2	22
967	Characterization of <i>Pectobacterium</i> species from Iran using biochemical and molecular methods. European Journal of Plant Pathology, 2011, 129, 413-425.	0.8	54
968	Purple-Pigmented Viocaine-Producing <i>Duganella</i> spp. Inhabit the Rhizosphere of Wild and Cultivated Olives in Southern Spain. Microbial Ecology, 2011, 62, 446-459.	1.4	39

#	ARTICLE	IF	CITATIONS
969	<i>Halomonas vilamensis</i> sp. nov., isolated from high-altitude Andean lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1211-1217.	0.8	24
970	<i>Nocardioides hungaricus</i> sp. nov., isolated from a drinking water supply system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 549-553.	0.8	16
971	<i>Shewanella indica</i> sp. nov., isolated from sediment of the Arabian Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2058-2064.	0.8	30
972	<i>Erwinia piriflorinigrans</i> sp. nov., a novel pathogen that causes necrosis of pear blossoms. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 561-567.	0.8	51
973	<i>Ignatzschineria indica</i> sp. nov. and <i>Ignatzschineria ureiclastica</i> sp. nov., isolated from adult flesh flies (Diptera: Sarcophagidae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1360-1369.	0.8	54
974	<i>Flavobacterium sinopsychrotolerans</i> sp. nov., isolated from a glacier. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 20-24.	0.8	36
975	<i>Leifsonia psychrotolerans</i> sp. nov., a psychrotolerant species of the family Microbacteriaceae from Livingston Island, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1938-1943.	0.8	27
976	Characterization of Catalase from Psychrotolerant <i>Psychrobacter piscatorii</i> T-3 Exhibiting High Catalase Activity. <i>International Journal of Molecular Sciences</i> , 2012, 13, 1733-1746.	1.8	16
977	<i>Parasphingopyxis lamellibrachiae</i> gen. nov., sp. nov., isolated from a marine annelid worm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2224-2228.	0.8	34
978	<i>Flavobacterium xueshanense</i> sp. nov. and <i>Flavobacterium urumqiense</i> sp. nov., two psychrophilic bacteria isolated from glacier ice. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1151-1157.	0.8	35
979	Genetic Diversity of <i>Brenneria Nigrifluens</i> Strains in North of Iran (Margin of Caspian Sea). <i>Cercetari Agronomice in Moldova</i> , 2012, 45, 57-68.	0.3	3
980	<i>Microvirga lupini</i> sp. nov., <i>Microvirga lotononidis</i> sp. nov. and <i>Microvirga zambiensis</i> sp. nov. are alphaproteobacterial root-nodule bacteria that specifically nodulate and fix nitrogen with geographically and taxonomically separate legume hosts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2579-2588.	0.8	174
981	Formation of Se (0) Nanoparticles by <i>Duganella</i> sp. and <i>Agrobacterium</i> sp. isolated from Se-laden soil of North-East Punjab, India. <i>Microbial Cell Factories</i> , 2012, 11, 64.	1.9	79
983	Molecular characterization of <i>Pseudomonas syringae</i> isolates from fruit trees and raspberry in Serbia. <i>European Journal of Plant Pathology</i> , 2012, 134, 191-203.	0.8	11
984	Characterization and control of microbial black spot spoilage in dry-cured Iberian ham. <i>Food Control</i> , 2012, 23, 128-136.	2.8	9
985	Application of the antibiotic batumin for accurate and rapid identification of staphylococcal small colony variants. <i>BMC Research Notes</i> , 2012, 5, 374.	0.6	7
986	Phylum XXVI. Actinobacteria phyl. nov., 2012, , 33-2028.		58
987	<i>Brevibacillus nitrificans</i> sp. nov., a nitrifying bacterium isolated from a microbiological agent for enhancing microbial digestion in sewage treatment tanks. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2121-2126.	0.8	27

#	ARTICLE	IF	CITATIONS
988	Nakamurella panacisegetis sp. nov. and proposal for reclassification of Humicoccus flavidus Yoon et al., 2007 and Saxeibacter lacteus Lee et al., 2008 as Nakamurella flavida comb. nov. and Nakamurella lactea comb. nov.. Systematic and Applied Microbiology, 2012, 35, 291-296.	1.2	33
989	Cruoricaptor ignavus gen. nov., sp. nov., a novel bacterium of the family Flavobacteriaceae isolated from blood culture of a man with bacteraemia. Systematic and Applied Microbiology, 2012, 35, 421-426.	1.2	15
990	Arenimonas metalli sp. nov., isolated from an iron mine. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1744-1749.	0.8	38
991	Psychrobacter isolates of human origin, other than Psychrobacter phenylpyruvicus, are predominantly Psychrobacter faecalis and Psychrobacter pulmonis, with emended description of P. faecalis. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 671-674.	0.8	26
992	Comparison of pathogenicity of Clavibacter michiganensis subsp. insidiosus and Pseudomonas viridiflava strains on alfalfa. Archives of Phytopathology and Plant Protection, 2012, 45, 922-931.	0.6	1
993	Pseudomonas viridiflava, a Multi Host Plant Pathogen with Significant Genetic Variation at the Molecular Level. PLoS ONE, 2012, 7, e36090.	1.1	45
994	Isolation, Characterization, and Identification of Biological Control Agent for Potato Soft Rot in Bangladesh. Scientific World Journal, The, 2012, 2012, 1-6.	0.8	20
995	Hospital Water Supply as a Potential Source of Opportunistic Pathogens. American Journal of Environmental Sciences, 2012, 8, 262-270.	0.3	1
996	Characterization and identification of soft rot bacterial pathogens in Bangladeshi potatoes. African Journal of Microbiology Research, 2012, 6, 1437-1445.	0.4	5
997	Aquipuribacter hungaricus gen. nov., sp. nov., an actinobacterium isolated from the ultrapure water system of a power plant. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 556-562.	0.8	14
998	Exploring diversity of Erwinia amylovora population in Serbia by conventional and automated techniques and detection of new PFGE patterns. European Journal of Plant Pathology, 2012, 133, 545-557.	0.8	4
999	Exploring diversity of Erwinia amylovora population in Serbia by conventional and automated techniques and detection of new PFGE patterns. European Journal of Plant Pathology, 2012, 133, 715-727.	0.8	7
1000	Identification and RAPD-typing of Ewingella americana on cultivated mushrooms in Castilla-La Mancha, Spain. European Journal of Plant Pathology, 2012, 133, 517-522.	0.8	11
1001	Characterization of rhizosphere bacteria for control of phytopathogenic fungi of tomato. Journal of Environmental Management, 2012, 95, S332-S337.	3.8	26
1002	Pannonibacter indica sp. nov., a highly arsenate-tolerant bacterium isolated from a hot spring in India. Archives of Microbiology, 2013, 195, 1-8.	1.0	39
1003	Pseudomonas prosekii sp. nov., a Novel Psychrotrophic Bacterium from Antarctica. Current Microbiology, 2013, 67, 637-646.	1.0	38
1004	Flavobacterium hauense sp. nov., isolated from soil and emended descriptions of Flavobacterium subsaxonicum, Flavobacterium beibuense and Flavobacterium rivuli. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3237-3242.	0.8	37
1005	Characterization of Malaysian Pectobacterium spp. from vegetables using biochemical, molecular and phylogenetic methods. European Journal of Plant Pathology, 2013, 137, 431-443.	0.8	9

#	ARTICLE	IF	CITATIONS
1006	Isolation and characterization of rhizosphere bacteria for the biocontrol of the damping-off disease of tomatoes in Tunisia. <i>Comptes Rendus - Biologies</i> , 2013, 336, 557-564.	0.1	36
1007	Description of <i>Pseudomonas jessenii</i> subsp. <i>pseudoputida</i> subsp. nov., amended description of <i>Pseudomonas jessenii</i> and description of <i>Pseudomonas jessenii</i> subsp. <i>jessenii</i> subsp. nov.. <i>Folia Microbiologica</i> , 2013, 58, 631-639.	1.1	8
1008	Characterization of an industrially important alkalophilic bacterium, <i>Bacillus agaradhaerens</i> strain nandiniphase5. <i>Journal of Pharmacy Research</i> , 2013, 6, 543-550.	0.4	7
1009	<i>Flavobacterium enshiense</i> sp. nov., isolated from soil, and emended descriptions of the genus <i>Flavobacterium</i> and <i>Flavobacterium cauense</i> , <i>Flavobacterium saliperosum</i> and <i>Flavobacterium suncheonense</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 886-892.	0.8	119
1010	<i>Azorhizobium oxalatophilum</i> sp. nov., and emended description of the genus <i>Azorhizobium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1505-1511.	0.8	17
1011	<i>Halomonas nanhaiensis</i> sp. nov., a halophilic bacterium isolated from a sediment sample from the South China Sea. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 997-1005.	0.7	18
1012	Evaluation of rhizobacterial isolates from Argentina, Uruguay and Chile for plant growth-promoting characteristics and antagonistic activity towards <i>Rhizoctonia</i> sp. and <i>Macrophomina</i> sp. in <i>Ávitro</i> . <i>European Journal of Soil Biology</i> , 2013, 54, 69-77.	1.4	13
1013	<i>Budvicia diplopodium</i> sp. nov. and emended description of the genus <i>Budvicia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 260-267.	0.8	12
1014	<i>Actinotalea ferrariae</i> sp. nov., isolated from an iron mine, and emended description of the genus <i>Actinotalea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3398-3403.	0.8	22
1015	<i>Candida tropicalis</i> BPU1, a novel isolate from the rumen of the Malabari goat, is a dual producer of biosurfactant and polyhydroxybutyrate. <i>Yeast</i> , 2013, 30, 103-110.	0.8	26
1016	<i>Acinetobacter nectaris</i> sp. nov. and <i>Acinetobacter boissieri</i> sp. nov., isolated from floral nectar of wild Mediterranean insect-pollinated plants. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1532-1539.	0.8	74
1018	Saved barley (<i>Hordeum vulgare</i>) seed quality in mid-altitudes and high-lands of Southern Ethiopia. <i>African Journal of Agricultural Research</i> Vol Pp, 2014, 9, 448-454.	0.2	3
1019	Phenotypic Characterization and the Principles of Comparative Systematics. , 0, , 330-393.		157
1020	Evaluation of repeat sequences on plasmid pEA29 of <i>Erwinia amylovora</i> from Iran. <i>European Journal of Plant Pathology</i> , 2014, 140, 735-744.	0.8	1
1021	Thiouracil-Forming Bacteria Identified and Characterized upon Porcine <i>In Vitro</i> Digestion of Brassicaceae Feed. <i>Applied and Environmental Microbiology</i> , 2014, 80, 7433-7442.	1.4	12
1022	Thermotolerant <i>Bacillus kokeshiiformis</i> sp. nov. isolated from marine animal resources compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2668-2674.	0.8	18
1023	<i>Thermomonas carbonis</i> sp. nov., isolated from the soil of a coal mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3631-3635.	0.8	25
1024	Predictive models for bacterial growth in sea bass (<i>Dicentrarchus labrax</i>) stored in ice. <i>International Journal of Food Science and Technology</i> , 2014, 49, 354-363.	1.3	17

#	ARTICLE	IF	CITATIONS
1025	Novel Psychropiezophilic Oceanospirillales Species <i>Profundimonas piezophila</i> gen. nov., sp. nov., Isolated from the Deep-Sea Environment of the Puerto Rico Trench. <i>Applied and Environmental Microbiology</i> , 2014, 80, 54-60.	1.4	55
1026	<i>Thalassospira povalilytica</i> sp. nov., a polyvinyl-alcohol-degrading marine bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1149-1153.	0.8	49
1027	<sc>PM</sc> 7/120 (1) <i>Pseudomonas syringae</i> pv<i>. actinidiae</i>. <i>EPPO Bulletin</i> , 2014, 44, 360-375.	0.6	29
1028	<i>Hephaestia caeni</i> gen. nov., sp. nov., a novel member of the family Sphingomonadaceae isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 738-744.	0.8	19
1029	Effect of Storage Temperature on the Microbial Composition of Ready-to-Use Vegetables. <i>Current Microbiology</i> , 2014, 68, 133-139.	1.0	18
1030	<i>Bacillus luteus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1580-1586.	0.8	22
1031	Occurrence, genetic diversity and pathogenicity characteristics of <i>Pseudomonas viridiflava</i> inducing alfalfa bacterial wilt and crown root rot disease in Iran. <i>European Journal of Plant Pathology</i> , 2014, 139, 299-307.	0.8	4
1032	Enhanced Nitrogen Fixing in <i>Sesbania grandiflora</i> by <i>Azospirillum</i> (BPL7) sp. Isolated from Godavari Belt Region, Andhra Pradesh, India. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , 2014, 84, 549-559.	0.4	0
1033	<i>Phreatobacter oligotrophus</i> gen. nov., sp. nov., an alphaproteobacterium isolated from ultrapure water of the water purification system of a power plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 839-845.	0.8	46
1034	<i>Povalibacter uvarum</i> gen. nov., sp. nov., a polyvinyl-alcohol-degrading bacterium isolated from grapes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2712-2717.	0.8	40
1035	The art of isolating nitrogen-fixing bacteria from non-leguminous plants using N-free semi-solid media: a practical guide for microbiologists. <i>Plant and Soil</i> , 2014, 384, 413-431.	1.8	229
1036	<i>Paenibacillus nicotianae</i> sp. nov., isolated from a tobacco sample. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1199-1205.	0.7	11
1037	<i>Alsobacter metallidurans</i> gen. nov., sp. nov., a thallium-tolerant soil bacterium in the order Rhizobiales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 775-780.	0.8	22
1038	<i>Eoetvoesia caeni</i> gen. nov., sp. nov., isolated from an activated sludge system treating coke plant effluent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1920-1925.	0.8	24
1039	Phylogenetic study of Japanese <i>Dickeya</i> spp. and development of new rapid identification methods using PCR-RFLP. <i>Journal of General Plant Pathology</i> , 2014, 80, 237-254.	0.6	25
1040	<i>Clavibacter michiganensis</i> subsp. <i>phaseoli</i> subsp. nov., pathogenic in bean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1752-1755.	0.8	39
1041	<i>Psychrobium conchae</i> gen. nov., sp. nov., a psychrophilic marine bacterium isolated from the Iheya North hydrothermal field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3668-3675.	0.8	13
1042	<i>Rosenbergiella australoborealis</i> sp. nov., <i>Rosenbergiella collisarenosi</i> sp. nov. and <i>Rosenbergiella epipactidis</i> sp. nov., three novel bacterial species isolated from floral nectar. <i>Systematic and Applied Microbiology</i> , 2014, 37, 402-411.	1.2	53

#	ARTICLE	IF	CITATIONS
1043	Mobilization of manganese by basalt associated Mn(II)-oxidizing bacteria from the Indian Ridge System. <i>Chemosphere</i> , 2014, 95, 486-495.	4.2	22
1044	<i>Ornithinibacillus halotolerans</i> sp. nov., isolated from a saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1685-1689.	0.8	10
1045	Identification and enhanced hydrogen evolution in two alginate-immobilized strains of <i>Brevundimonas diminuta</i> isolated from sludge and waterlogged soil. <i>Ecohydrology and Hydrobiology</i> , 2015, 15, 81-88.	1.0	6
1063	Characterization of phosphate solubilizing rhizobacteria isolated from lentil growing areas of Ethiopia. <i>African Journal of Microbiology Research</i> , 2015, 9, 1637-1648.	0.4	12
1064	Microbial Indicators of Soil Quality. <i>SSSA Special Publication Series</i> , 0, , 73-90.	0.2	60
1065	Characterization of <i>Erwinia chrysanthemi</i> isolates inciting stalk rot disease of sorghum. <i>African Journal of Agricultural Research Vol Pp</i> , 2015, 10, 2309-2314.	0.2	3
1066	On the Ancestral UDP-Glucose Pyrophosphorylase Activity of GalF from <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 1253.	1.5	12
1067	Characterization of <i>Pectobacterium</i> species isolated from vegetable crops in north-west of Iran. <i>African Journal of Agricultural Research Vol Pp</i> , 2015, 10, 4258-4267.	0.2	5
1068	<i>Halomonas heilongjiangensis</i> sp. nov., a novel moderately halophilic bacterium isolated from saline and alkaline soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 403-413.	0.7	25
1069	<i>Arenimonas subflava</i> sp. nov., isolated from a drinking water network, and emended description of the genus <i>Arenimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1915-1921.	0.8	26
1070	Stone Consolidation by Bacterial Carbonatogenesis: Evaluation of in situ Applications. <i>Restoration of Buildings and Monuments</i> , 2015, 21, 9-20.	0.6	19
1071	Identification and characterization of bacteria associated with decline of ironwood (<i>Casuarina</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.58 11	0.5	11
1072	<i>Novosphingobium marinum</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 676-680.	0.8	24
1073	Interaction of rhizobacterial strains for growth improvement of <i>Crocus sativus</i> L. under tissue culture conditions. <i>Plant Cell, Tissue and Organ Culture</i> , 2015, 121, 325-334.	1.2	24
1074	<i>Zoogloea oleivorans</i> sp. nov., a floc-forming, petroleum hydrocarbon-degrading bacterium isolated from biofilm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 274-279.	0.8	38
1075	<i>Melghiribacillus thermohalophilus</i> gen. nov., sp. nov., a novel filamentous, endospore-forming, thermophilic and halophilic bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1172-1179.	0.8	18
1076	Characterization of a novel strain phylogenetically related to <i>Kocuria rhizophila</i> and its chemical modification to improve performance of microbial fuel cells. <i>Biosensors and Bioelectronics</i> , 2015, 69, 113-120.	5.3	38
1077	Magnetic fields suppress <i>Pseudomonas aeruginosa</i> biofilms and enhance ciprofloxacin activity. <i>Biofouling</i> , 2015, 31, 443-457.	0.8	33

#	ARTICLE	IF	CITATIONS
1078	<i>Actinotalea suaedae</i> sp. nov., isolated from the halophyte <i>Suaeda physophora</i> in Xinjiang, Northwest China. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1-7.	0.7	21
1079	<i>Delftia deserti</i> sp. nov., isolated from a desert soil sample. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1445-1450.	0.7	26
1080	<i>Bacillus crescens</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2531-2536.	0.8	9
1081	<i>Burkholderia insulsa</i> sp. nov., a facultatively chemolithotrophic bacterium isolated from an arsenic-rich shallow marine hydrothermal system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 189-194.	0.8	28
1082	Assessment of the toxic effect exerted by fluorescent pseudomonads on embryos and larvae of the sea urchin <i>Strongylocentrotus nudus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2015, 115, 263-271.	2.9	10
1083	<i>Algoriella xinjiangensis</i> gen. nov., sp. nov., a new psychrotolerant bacterium of the family Flavobacteriaceae. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1107-1116.	0.7	12
1084	Microbiological evolution of gilthead sea bream (<i>Sparus aurata</i>) in Canary Islands during ice storage. <i>Journal of Food Science and Technology</i> , 2015, 52, 1586-1593.	1.4	15
1085	Diversity among <i>Pseudomonas corrugata</i> and <i>Pseudomonas mediterranea</i> isolated from tomato and pepper showing symptoms of pith necrosis in Greece. <i>Plant Pathology</i> , 2015, 64, 307-318.	1.2	14
1086	Plant Extract Regulating Pectate Lyase Production in Soft Rotting Bacterial Isolates. <i>The Agriculturists</i> , 2016, 13, 81-88.	0.3	1
1087	Phosphate solubilization and multiple plant growth promoting properties of rhizobacteria isolated from chickpea (<i>Cicer arietinum</i> L.) producing areas of Ethiopia. <i>African Journal of Biotechnology</i> , 2016, 15, 1899-1912.	0.3	23
1088	Rapid Detection of Polymyxin Resistance in <i>Enterobacteriaceae</i> . <i>Emerging Infectious Diseases</i> , 2016, 22, 1038-1043.	2.0	163
1089	American lobsters (<i>Homarus americanus</i>) not surviving during air transport: evaluation of microbial spoilage. <i>Italian Journal of Food Safety</i> , 2016, 5, 5620.	0.5	5
1090	<i>PM</i> 7/127 (1) <i>Acidovorax citrulli</i> . <i>EPPO Bulletin</i> , 2016, 46, 444-462.	0.6	8
1091	<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> isolated from weeds in bean crop fields. <i>Letters in Applied Microbiology</i> , 2016, 62, 344-348.	1.0	16
1092	Isolation and characterization of <i>Pseudomonas syringae</i> pv. <i>syringae</i> which induce leaf spot on walnut. <i>European Journal of Plant Pathology</i> , 2016, 146, 837-846.	0.8	5
1093	Characterization of antibiotic resistant and enzyme producing bacterial strains isolated from the Arabian Sea. <i>3 Biotech</i> , 2016, 6, 28.	1.1	9
1094	Identification, enzymatic spoilage characterization and proteolytic activity quantification of <i>Pseudomonas</i> spp. isolated from different foods. <i>Food Microbiology</i> , 2016, 54, 142-153.	2.1	98
1095	A Mini Review on Cyanophycin: Production, Analysis and Its Applications. <i>Environmental Science and Engineering</i> , 2016, , 49-58.	0.1	7

#	ARTICLE	IF	CITATIONS
1096	Isolation of TDA-producing <i>Phaeobacter</i> strains from sea bass larval rearing units and their probiotic effect against pathogenic <i>Vibrio</i> spp. in <i>Artemia</i> cultures. <i>Systematic and Applied Microbiology</i> , 2016, 39, 180-188.	1.2	43
1097	Variation of the <i>Pseudomonas</i> community structure on oak leaf lettuce during storage detected by culture-dependent and -independent methods. <i>International Journal of Food Microbiology</i> , 2016, 216, 95-103.	2.1	6
1098	<i>Halopectonella vilamensis</i> gen. nov, sp. nov., a halophilic strictly aerobic bacterium of the family Ectothiorhodospiraceae. <i>Extremophiles</i> , 2016, 20, 19-25.	0.9	18
1099	Microbial Growth Models in Gilthead Sea Bream (<i>Sparus aurata</i>) Stored in Ice. <i>Journal of Aquatic Food Product Technology</i> , 2016, 25, 307-322.	0.6	7
1100	Rapid Aminoglycoside NP Test for Rapid Detection of Multiple Aminoglycoside Resistance in Enterobacteriaceae. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1074-1079.	1.8	9
1101	Diversity of <i>Serratia marcescens</i> Strains Associated with Cucurbit Yellow Vine Disease in Georgia. <i>Plant Disease</i> , 2017, 101, 129-136.	0.7	13
1102	Developing a green and sustainable process for enhanced PHB production by <i>Azohydromonas australica</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2017, 10, 122-129.	1.5	17
1103	Comparative study on the degradation of dibutyl phthalate by two newly isolated <i>Pseudomonas</i> sp. V21b and <i>Comamonas</i> sp. 51F. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2017, 15, 1-10.	2.1	66
1104	Assessment of resistance to bacterial wilt incited by <i>Ralstonia solanacearum</i> in tomato germplasm. <i>Journal of Plant Diseases and Protection</i> , 2017, 124, 585-590.	1.6	49
1105	Genetic diversity of soft rot strains of <i>Pectobacterium</i> , isolated from different hosts, using ISSR marker. <i>Archives of Phytopathology and Plant Protection</i> , 2017, 50, 789-801.	0.6	2
1106	Protection and consolidation of stone heritage by self-inoculation with indigenous carbonatogenic bacterial communities. <i>Nature Communications</i> , 2017, 8, 279.	5.8	83
1108	Bacteriological water quality in school's drinking fountains and detection antibiotic resistance genes. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2017, 16, 5.	1.7	13
1109	Isolation and characterization of <i>Erwinia piriflorinigrans</i> causal agent flower necrosis of red poppy. <i>Australasian Plant Pathology</i> , 2017, 46, 611-616.	0.5	6
1110	Assessment of the Potential Role of <i>Streptomyces</i> in Cave Moonmilk Formation. <i>Frontiers in Microbiology</i> , 2017, 8, 1181.	1.5	63
1111	Microbiological quality and safety of some-street-vended foods in Jimma Town, Southwestern Ethiopia. <i>African Journal of Microbiology Research</i> , 2017, 11, 574-585.	0.4	16
1112	Absorbent Pads Containing <i>N</i> -Halamine Compound for Potential Antimicrobial Use for Chicken Breast and Ground Chicken. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1941-1948.	2.4	15
1113	Novel red fluorescence protein based microplate assay for drug screening against dormant <i>Mycobacterium tuberculosis</i> by using paraffin. <i>Tuberculosis</i> , 2018, 110, 15-19.	0.8	11
1115	Carbon Utilization and Fatty Acid Profiles For Characterization of Bacteria. <i>Soil Science Society of America Book Series</i> , 0, , 543-556.	0.3	10

#	ARTICLE	IF	CITATIONS
1116	Identification, incidence and control of bacterial blotch disease in mushroom crops by management of environmental conditions. <i>Scientia Horticulturae</i> , 2018, 229, 10-18.	1.7	20
1117	Rapid detection of colistin resistance in <i>Acinetobacter baumannii</i> using MALDI-TOF-based lipidomics on intact bacteria. <i>Scientific Reports</i> , 2018, 8, 16910.	1.6	61
1118	Modelling a Silent Epidemic: A Review of the In Vitro Models of Latent Tuberculosis. <i>Pathogens</i> , 2018, 7, 88.	1.2	30
1119	A new <i>Rhizobium</i> species isolated from the water of a crater lake, description of <i>Rhizobium aquaticum</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2175-2183.	0.7	17
1120	Antifungal activity of volatile compounds produced by <i>Staphylococcus sciuri</i> strain MarR44 and its potential for the biocontrol of <i>Colletotrichum nymphaeae</i> , causal agent strawberry anthracnose. <i>International Journal of Food Microbiology</i> , 2019, 307, 108276.	2.1	53
1121	Diversity and degradative capabilities of bacteria and fungi isolated from oil-contaminated and hydrocarbon-polluted soils in Kazakhstan. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 7261-7274.	1.7	25
1122	One-Step Synthesis of Epoxy Group-Terminated Organosilica Nanodots: A Versatile Nanoplatform for Imaging and Eliminating Multidrug-Resistant Bacteria and Their Biofilms. <i>Small</i> , 2019, 15, e1901647.	5.2	41
1123	<i>Ralstonia solanacearum</i> , <i>Ganoderma australe</i> , and bacterial wetwood as predictors of ironwood tree (<i>Casuarina equisetifolia</i>) decline in Guam. <i>Australasian Plant Pathology</i> , 2019, 48, 625-636.	0.5	6
1124	Applications of New Rhizobacteria <i>Pseudomonas</i> Isolates in Agroecology via Fundamental Processes Complementing Plant Growth. <i>Scientific Reports</i> , 2019, 9, 12832.	1.6	83
1125	Antilisterial and antistaphylococcal activity of a <i>Lactococcus lactis</i> strain isolated from Brazilian fresh Minas cheese. <i>Journal of Food Safety</i> , 2019, 39, e12593.	1.1	5
1126	<i>Brenneria</i> spp. and <i>Rahnella victoriana</i> associated with acute oak decline symptoms on oak and hornbeam in Iran. <i>Forest Pathology</i> , 2019, 49, e12535.	0.5	34
1127	Effects of aeration on the suspended matter from a tropical and eutrophic estuary. <i>Journal of Environmental Sciences</i> , 2019, 86, 175-186.	3.2	3
1128	Occurrence of Transferable Integrons and <i>sul</i> and <i>dfr</i> Genes Among Sulfonamide-and/or Trimethoprim-Resistant Bacteria Isolated From Chilean Salmonid Farms. <i>Frontiers in Microbiology</i> , 2019, 10, 748.	1.5	52
1129	Identification and genetic diversity analysis of strain <i>Pseudomonas syringae</i> S5: A pathogen responsible for bacteriosis in <i>Avena sativa</i> plants. <i>Journal of Phytopathology</i> , 2019, 167, 146-155.	0.5	5
1130	<i>Flavobacterium circumlabens</i> sp. nov. and <i>Flavobacterium cupreum</i> sp. nov., two psychrotrophic species isolated from Antarctic environmental samples. <i>Systematic and Applied Microbiology</i> , 2019, 42, 291-301.	1.2	17
1131	Rhizospheric rhizobia identification in maize (<i>Zea mays</i> L.) plants. <i>Agronomia Colombiana</i> , 2019, 37, 255-262.	0.1	6
1132	<i>Acidovorax avenae</i> subsp. <i>cattleyae</i> causes bacterial brown spot disease on terrestrial orchid <i>Habenaria lindleyana</i> in Thailand. <i>Journal of Plant Pathology</i> , 2019, 101, 31-37.	0.6	3
1133	<i>Endozoicomonas coralli</i> sp. nov., isolated from the coral <i>Acropora</i> sp.. <i>Archives of Microbiology</i> , 2019, 201, 531-538.	1.0	12

#	ARTICLE	IF	CITATIONS
1134	Pedobacter paludis sp. nov., isolated from wetland soil. Archives of Microbiology, 2019, 201, 349-355.	1.0	4
1135	Pararticibacter amylolyticus gen. nov., sp. nov., Isolated from a Rotten Hemp Rope, and Reclassification of Pedobacter tournemirensis as Pararticibacter tournemirensis comb. nov.. Current Microbiology, 2020, 77, 320-326.	1.0	14
1136	Comparative study of the culturable microbiota present in two different rearing systems, flow-through system (FTS) and recirculation system (RAS), in a great scallop hatchery. Aquaculture Research, 2020, 51, 542-556.	0.9	4
1137	Brenneria goodwinii and Gibbsiella quercinecans isolated from weeping cankers on Quercus robur L. in Spain. European Journal of Plant Pathology, 2020, 156, 965-969.	0.8	13
1138	Genome sequence and metabolic analysis revealed the catabolic pathways for the degradation of 1,2-dichloroethane and other related Xenobiotics in Ancylobacter aquaticus strain UV5. Gene Reports, 2020, 21, 100969.	0.4	2
1139	Selection and characterization yeast potential from pineapple for bioethanol production using some sugar sources. IOP Conference Series: Earth and Environmental Science, 2020, 457, 012038.	0.2	0
1140	Aer Receptors Influence the Pseudomonas chlororaphis PCL1606 Lifestyle. Frontiers in Microbiology, 2020, 11, 1560.	1.5	11
1141	Phenotypic and genotypic analysis of Pseudomonas syringae recovered from symptomatic beans and associated weeds in Northern Spain. European Journal of Plant Pathology, 2020, 157, 377-387.	0.8	1
1142	Cave bacteria-induced amorphous calcium carbonate formation. Scientific Reports, 2020, 10, 8696.	1.6	47
1143	Phenotypical Characteristics of the Black Yeast Exophiala dermatitidis Are Affected by Pseudomonas aeruginosa in an Artificial Sputum Medium Mimicking Cystic Fibrosis-Like Conditions. Frontiers in Microbiology, 2020, 11, 471.	1.5	9
1144	Pectobacterium carotovorum subsp. actinidiae associated with canker on pear trees in Brazil. European Journal of Plant Pathology, 2021, 159, 219-226.	0.8	2
1146	Sustainable Food Production Systems for Climate Change Mitigation: Indigenous Rhizobacteria for Potato Bio-fertilization in Tanzania. , 2021, , 1-27.		0
1148	Potential of some endophytic bacteria in biological control of root-knot nematode Meloidogyne incognita. Egyptian Journal of Biological Pest Control, 2021, 31, .	0.8	9
1149	Erwinia mallotivora is the causal agent of papaya bacterial crown rot disease in Lampung Timur, Indonesia. Plant Protection Science, 2021, 57, 122-133.	0.7	4
1150	Characterization of Denitrifying and Dissimilatory Nitrate Reduction to Ammonium Bacteria Isolated from Mud Crab Culture Environment. Microbiology and Biotechnology Letters, 2021, , .	0.2	0
1151	Prevalence and Survival of <i>Stenotrophomonas</i> Species in Milk and Dairy Products in Egypt. Foodborne Pathogens and Disease, 2021, 18, 337-345.	0.8	3
1152	Biological Control of Chili Damping-Off Disease, Caused by Pythium myriotylum. Frontiers in Microbiology, 2021, 12, 587431.	1.5	11
1153	Identification of the Pseudomonas fluorescens group as being responsible for blue pigment on fresh cheese. Journal of Dairy Science, 2021, 104, 6548-6558.	1.4	5

#	ARTICLE	IF	CITATIONS
1154	Identification and analysis of the biological activity of the new strain of <i>Pseudoalteromonas piscicida</i> isolated from the hemal fluid of the bivalve <i>Modiolus kurilensis</i> (F. R. Bernard, 1983). <i>Archives of Microbiology</i> , 2021, 203, 4461-4473.	1.0	2
1155	The first case of <i>Planococcus glaciei</i> found in blood, a report from the Czech Republic. <i>Folia Microbiologica</i> , 2022, 67, 121-127.	1.1	2
1156	Improvement of bovine tuberculosis diagnosis. <i>Veterinary Science Today</i> , 2021, , 261-265.	0.1	0
1158	Cat-scratch disease. Isolation and culture of the bacterial agent. <i>JAMA - Journal of the American Medical Association</i> , 1988, 259, 1347-1352.	3.8	224
1160	Characterization of a radiation-resistant <i>Acinetobacter</i> . <i>Zeitschrift Fur Allgemeine Mikrobiologie</i> , 1981, 21, 125-130.	0.0	9
1161	Degradation of aniline and monochloroanilines by <i>Rhodococcus</i> sp. An 117 and a pseudomonad: A comparative study. <i>Zeitschrift Fur Allgemeine Mikrobiologie</i> , 1983, 23, 235-246.	0.0	51
1162	Class I. Alphaproteobacteria class. nov., 2005, , 1-574.		11
1163	Class II. Betaproteobacteria class. nov., 2005, , 575-922.		7
1164	Gram-positive brewery bacteria. , 2003, , 181-217.		26
1165	Aerobic and Facultatively Anaerobic Bacteria. , 1985, , 125-313.		7
1166	Gram-positive brewery bacteria. , 1999, , 127-161.		8
1167	Aerobic and Facultatively Anaerobic Bacteria. , 1981, , 127-308.		10
1168	Gram-positive brewery bacteria. , 1996, , 127-161.		19
1169	Essentials of Enumeration and Identification Methods for Microorganisms Which Interfere with the Safety of Foods with Particular Reference to Simplification Avoiding the Use of Nonconventional Instrumentation. , 1985, , 603-621.		1
1170	The Genera <i>Spirillum</i> , <i>Aquaspirillum</i> , and <i>Oceanospirillum</i> . , 1981, , 595-608.		6
1171	Human- and Animal-Pathogenic Members of the Genus <i>Pseudomonas</i> . , 1981, , 666-700.		26
1172	Characteristics Relevant to the Question of Environmental Fate of Genetically Engineered INA-Deletion Mutant Strains of <i>Pseudomonas</i> . <i>Current Plant Science and Biotechnology in Agriculture</i> , 1987, , 1005-1012.	0.0	2
1173	Isolation and identification of diazotrophic bacteria from rice, wheat and kallar grass. , 1998, , 197-205.		6

#	ARTICLE	IF	CITATIONS
1174	Isolation and characterization of a visibly luminous variant of <i>Vibrio fischeri</i> strain ES114 from the sepiolid squid <i>Euprymna scolopes</i> . <i>Archives of Microbiology</i> , 1995, 164, 194-202.	1.0	3
1175	Inhibition and Destruction of <i>Pseudomonas aeruginosa</i> . , 1971, , 307-367.		15
1176	Activity of 2,4-Diacetylphloroglucinol Isolated from a Strain of <i>Pseudomonas Fluorescens</i> to <i>Gaeumannomyces Graminis</i> Var. <i>Tritici</i> . <i>Developments in Agricultural and Managed-forest Ecology</i> , 1991, , 252-257.	0.2	10
1177	La flore microbienne du smen marocain. II. Flores lipolytique et casÃ©olytique. <i>Dairy Science and Technology</i> , 1988, 68, 333-347.	0.9	3
1178	Some Characteristics of Pectolytic Bacteria Associated with Potato in Tasmania. <i>Australian Journal of Biological Sciences</i> , 1971, 24, 917.	0.5	13
1180	Isolation, Pathogenicity and Characterization of Fluorescent <i>Pseudomonads</i> Associated with Discolored Alfalfa Roots. <i>Phytopathology</i> , 1974, 64, 865.	1.1	16
1181	<i>Halomonas subglaciescola</i> , a New Species of Halotolerant Bacteria Isolated from Antarctica. <i>International Journal of Systematic Bacteriology</i> , 1987, 37, 27-34.	2.8	99
1182	<i>Aeromonas popoffii</i> sp. nov., a Mesophilic Bacterium Isolated from Drinking Water Production Plants and Reservoirs. <i>International Journal of Systematic Bacteriology</i> , 1997, 47, 1165-1171.	2.8	88
1183	<i>Schineria larvae</i> gen. nov., sp. nov., isolated from the 1st and 2nd larval stages of <i>Wohlfahrtia magnifica</i> (Diptera: Sarcophagidae).. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 401-407.	0.8	68
1184	<i>Burkholderia ambifaria</i> sp. nov., a novel member of the <i>Burkholderia cepacia</i> complex including biocontrol and cystic fibrosis-related isolates.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2001, 51, 1481-1490.	0.8	210
1185	<i>Paenibacillus chinjuensis</i> sp. nov., a novel exopolysaccharide-producing bacterium.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 415-421.	0.8	28
1186	<i>Thermomonas haemolytica</i> gen. nov., sp. nov., a gamma-proteobacterium from kaolin slurry.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 473-483.	0.8	58
1187	<i>Kytococcus schroeteri</i> sp. nov., a novel Gram-positive actinobacterium isolated from a human clinical source.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1609-1614.	0.8	41
1188	<i>Pseudomonas extremorientalis</i> sp. nov., isolated from a drinking water reservoir.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 2113-2120.	0.8	27
1189	Properties of a New Group of Alkalophilic Bacteria. <i>Microbiology (United Kingdom)</i> , 1980, 117, 9-17.	0.7	18
1190	Methods for Determining the Biochemical Activities of Micro-organisms as applied to Classification. <i>Journal of General Microbiology</i> , 1955, 12, 337-343.	2.3	6
1191	Molecular comparison of pathogenic bacteria from pear trees in Japan and the fire blight pathogen <i>Erwinia amylovora</i> . <i>Microbiology (United Kingdom)</i> , 2001, 147, 2951-2959.	0.7	59
1192	<i>Pseudomonas</i> --An attempt at a general classification. <i>Journal of General Microbiology</i> , 1961, 25, 379-408.	2.3	141

#	ARTICLE	IF	CITATIONS
1193	The Decomposition of Toluene by Soil Bacteria. <i>Journal of General Microbiology</i> , 1964, 36, 107-122.	2.3	97
1194	Physiological diversity in clinical isolates of <i>Pseudomonas aeruginosa</i> . <i>Journal of Medical Microbiology</i> , 1981, 14, 153-157.	0.7	2
1195	<i>Shimia sagamensis</i> sp. nov., a marine bacterium isolated from cold-seep sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2786-2790.	0.8	16
1196	<i>Siphonobacter aquaeclarae</i> gen. nov., sp. nov., a novel member of the family "Flexibacteraceae"™, phylum Bacteroidetes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2567-2571.	0.8	16
1197	<i>Comamonas jiangduensis</i> sp. nov., a biosurfactant-producing bacterium isolated from agricultural soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2168-2173.	0.8	25
1198	<i>Janibacter melonis</i> sp. nov., isolated from abnormally spoiled oriental melon in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1975-1980.	0.8	55
1199	<i>Bacillus oshimensis</i> sp. nov., a moderately halophilic, non-motile alkaliphile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 907-911.	0.8	51
1200	<i>Dyadobacter beijingensis</i> sp. nov., isolated from the rhizosphere of turf grasses in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 862-865.	0.8	35
1201	<i>Paracoccus angustae</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3469-3475.	0.8	25
1202	<i>Chitinophaga barathri</i> sp. nov., isolated from mountain soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4233-4238.	0.8	17
1203	<i>Enterovibrio pacificus</i> sp. nov., isolated from seawater, and emended descriptions of <i>Enterovibrio coralii</i> and the genus <i>Enterovibrio</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 319-325.	0.8	11
1204	<i>Thalassobius abyssi</i> sp. nov., a marine bacterium isolated from cold-seep sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 574-579.	0.8	18
1205	<i>Larsenimonas suaedae</i> sp. nov., a moderately halophilic, endophytic bacterium isolated from the euhalophyte <i>Suaeda salsa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2952-2958.	0.8	8
1206	Possible misidentification of species in the <i>Pseudomonas fluorescens</i> lineage as <i>Burkholderia pseudomallei</i> and <i>Francisella tularensis</i> , and emended descriptions of <i>Pseudomonas breneri</i> , <i>Pseudomonas gessardii</i> and <i>Pseudomonas proteolytica</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3420-3425.	0.8	12
1207	Reclassification of <i>Alteromonas fuliginea</i> (Romanenko et al. 1995) as <i>Pseudoalteromonas fuliginea</i> comb. nov. and an emended description. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3737-3742.	0.8	8
1208	<i>Pelobium manganitolerans</i> gen. nov., sp. nov., isolated from sludge of a manganese mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4954-4959.	0.8	14
1209	<i>Pedobacter vanadiisoli</i> sp. nov., isolated from soil of a vanadium mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5112-5117.	0.8	8
1210	<i>Rufibacter quisquiliarum</i> sp. nov., a new member of the phylum Bacteroidetes isolated from a bioreactor treating landfill leachate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5150-5154.	0.8	10

#	ARTICLE	IF	CITATIONS
1211	<i>Rhodococcus sovatus</i> sp. nov., an actinomycete isolated from the hypersaline and heliothermal Lake Ursu. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 190-196.	0.8	18
1212	<i>Deinococcus budaensis</i> sp. nov., a mesophilic species isolated from a biofilm sample of a hydrothermal spring cave. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5345-5351.	0.8	19
1213	<i>Caenimicrobium hargitense</i> gen. nov., sp. nov., a new member of the family Alcaligenaceae (Betaproteobacteria) isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 627-632.	0.8	14
1214	<i>Brevundimonas balnearis</i> sp. nov., isolated from the well water of a thermal bath. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1033-1038.	0.8	19
1215	<i>Pedobacter jamesrossensis</i> sp. nov., <i>Pedobacter lithocola</i> sp. nov., <i>Pedobacter mendelii</i> sp. nov. and <i>Pedobacter petrophilus</i> sp. nov., isolated from the Antarctic environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1499-1507.	0.8	32
1216	Red-pink pigmented <i>Hymenobacter coccineus</i> sp. nov., <i>Hymenobacter lapidarius</i> sp. nov. and <i>Hymenobacter glacialis</i> sp. nov., isolated from rocks in Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1975-1983.	0.8	33
1217	<i>Mucilagibacter terrae</i> sp. nov., isolated from Antarctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4002-4007.	0.8	13
1218	Minimal standards for describing new species belonging to the families Campylobacteraceae and Helicobacteraceae: <i>Campylobacter</i> , <i>Arcobacter</i> , <i>Helicobacter</i> and <i>Wolinella</i> spp.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5296-5311.	0.8	84
1219	<i>Tuwongella immobilis</i> gen. nov., sp. nov., a novel non-motile bacterium within the phylum Planctomycetes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4923-4929.	0.8	25
1220	<i>Quisquiliibacterium transsilvanicum</i> gen. nov., sp. nov., a novel betaproteobacterium isolated from a waste-treating bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4742-4746.	0.8	13
1221	<i>Pedobacter mongoliensis</i> sp. nov., isolated from grassland soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1112-1117.	0.8	8
1222	<i>Salinisphaera aquimarina</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1130-1134.	0.8	8
1223	<i>Stenotrophomonas lactitubi</i> sp. nov. and <i>Stenotrophomonas indicatrix</i> sp. nov., isolated from surfaces with food contact. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1830-1838.	0.8	28
1224	<i>Roseicyclus marinus</i> sp. nov., isolated from a <i>Synechococcus</i> culture, and emended description of the genus <i>Roseicyclus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1781-1786.	0.8	10
1225	<i>Flavobacterium chryseum</i> sp. nov. and <i>Flavobacterium psychroterrae</i> sp. nov., novel environmental bacteria isolated from Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3132-3139.	0.8	12
1226	<i>Ignatzschineria cameli</i> sp. nov., isolated from necrotic foot tissue of dromedaries (<i>Camelus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj S <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3627-3634.	0.8	21
1227	<i>Nocardioides silvaticus</i> sp. nov., isolated from forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 68-73.	0.8	10
1228	<i>Pradoshia eiseniae</i> gen. nov., sp. nov., a spore-forming member of the family Bacillaceae capable of assimilating 3-nitropropionic acid, isolated from the anterior gut of the earthworm <i>Eisenia fetida</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1265-1273.	0.8	16

#	ARTICLE	IF	CITATIONS
1229	<i>Deinococcus fonticola</i> sp. nov., isolated from a radioactive thermal spring in Hungary. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1724-1730.	0.8	7
1230	<i>Sphingomonas aracearum</i> sp. nov., isolated from rhizospheric soil of Araceae plants. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2972-2978.	0.8	8
1231	<i>Hymenobacter edaphi</i> sp. nov., isolated from abandoned arsenic-contaminated farmland soil. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2921-2927.	0.8	6
1232	<i>Pseudomonas leptonychotis</i> sp. nov., isolated from Weddell seals in Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 302-308.	0.8	15
1233	<i>Sphingomonas montanisoli</i> sp. nov., isolated from mountain soil. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3606-3613.	0.8	5
1234	<i>Pseudomonas karstica</i> sp. nov. and <i>Pseudomonas spelaei</i> sp. nov., isolated from calcite moonmilk deposits from caves. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5131-5140.	0.8	13
1235	Genetic diversity of nitrate reducing bacteria in marine and brackish water nitrifying bacterial consortia generated for activating nitrifying bioreactors in recirculating aquaculture systems. Aquaculture Research, 2017, 48, 5729-5740.	0.9	10
1237	Approaches to the Identification of Aerobic Gram-Negative Bacteria. , 0, , 613-634.		8
1238	Bacteriology of Spoilage of Fish Muscle. Applied Microbiology, 1963, 11, 458-462.	0.6	27
1239	Detection and Incidence of Specific Species of Spoilage Bacteria on Fish. Applied Microbiology, 1968, 16, 1734-1737.	0.6	60
1240	Use of a quantitative oxidase test for characterizing oxidative metabolism in bacteria. Applied and Environmental Microbiology, 1976, 31, 668-679.	1.4	27
1241	One-tube oxidation-fermentation methods: limitations posed by atypical fermentative reactions. Applied and Environmental Microbiology, 1976, 31, 778-780.	1.4	1
1242	Staphylococci from the feces of different animal species: biotypes of <i>Staphylococcus aureus</i> strains of sheep and goat origin. Applied and Environmental Microbiology, 1976, 32, 53-55.	1.4	10
1243	Volatiles produced by microorganisms isolated from refrigerated chicken at spoilage. Applied and Environmental Microbiology, 1976, 32, 222-231.	1.4	96
1244	Membrane filter procedure for enumeration of <i>Vibrio parahaemolyticus</i> . Applied and Environmental Microbiology, 1976, 32, 679-684.	1.4	18
1245	Medium for the Selective Isolation of Members of the Genus <i>Pseudomonas</i> from Natural Habitats. Applied and Environmental Microbiology, 1977, 33, 1222-1224.	1.4	41
1246	Numerical taxonomy and ecology of petroleum-degrading bacteria. Applied and Environmental Microbiology, 1977, 34, 60-68.	1.4	67
1247	Animal fecal carriership and biotypes of <i>Staphylococcus aureus</i> . Applied and Environmental Microbiology, 1977, 34, 461-464.	1.4	14

#	ARTICLE	IF	CITATIONS
1248	Measurement of Proteolysis in Natural Waters. Applied and Environmental Microbiology, 1979, 37, 900-908.	1.4	36
1249	Aerobic and facultatively anaerobic bacteria associated with the gut of Canada geese (<i>Branta</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T Microbiology, 1979, 38, 258-266.	1.4	17
1250	Digestion of algin by <i>Pseudomonas maltophilia</i> and <i>Pseudomonas putida</i> . Applied and Environmental Microbiology, 1980, 39, 92-96.	1.4	32
1251	Contamination of broiler carcass skin during commercial processing procedures: an electron microscopic study. Applied and Environmental Microbiology, 1980, 40, 133-144.	1.4	95
1252	Classification of bacteria from commercial egg washers and washed and unwashed eggs. Applied and Environmental Microbiology, 1980, 40, 710-714.	1.4	27
1253	Utilization of Low Concentrations of Starch by a <i>Flavobacterium</i> Species Isolated from Tap Water. Applied and Environmental Microbiology, 1981, 41, 216-221.	1.4	38
1254	Usefulness of Electrophoretic Pattern of Cell Envelope Protein as a Taxonomic Tool for Fishhold Slime <i>Moraxella</i> Species. Applied and Environmental Microbiology, 1981, 42, 351-356.	1.4	13
1255	Correlations Between Predominant Heterotrophic Bacteria and Physicochemical Water Quality Parameters in Two Canadian Rivers. Applied and Environmental Microbiology, 1982, 43, 269-283.	1.4	40
1256	Identification of volatile organic compounds produced by fluorescent pseudomonads on chicken breast muscle. Applied and Environmental Microbiology, 1982, 43, 1504-1506.	1.4	35
1257	Nutritional versatility of a starch-utilizing <i>Flavobacterium</i> at low substrate concentrations. Applied and Environmental Microbiology, 1983, 45, 804-810.	1.4	29
1258	Influence of Substratum Wettability on Attachment of Freshwater Bacteria to Solid Surfaces. Applied and Environmental Microbiology, 1983, 45, 811-817.	1.4	266
1259	Metabolism of fensulfothion by a soil bacterium, <i>Pseudomonas alcaligenes</i> C1. Applied and Environmental Microbiology, 1983, 46, 475-479.	1.4	16
1260	Predominant Bacteria in an Activated Sludge Reactor for the Degradation of Cutting Fluids. Applied and Environmental Microbiology, 1983, 46, 1214-1223.	1.4	25
1261	Substrate Utilization by an Oxalate-Consuming <i>Spirillum</i> Species in Relation to Its Growth in Ozonated Water. Applied and Environmental Microbiology, 1984, 47, 551-559.	1.4	114
1262	Isolation from haddock tissue of psychrophilic bacteria with maximum growth temperature below 20 degrees C. Applied and Environmental Microbiology, 1984, 48, 439-440.	1.4	9
1263	Filamentous sulfur bacteria of activated sludge: characterization of <i>Thiothrix</i> , <i>Beggiatoa</i> , and <i>Eikelboom</i> type O21N strains. Applied and Environmental Microbiology, 1985, 49, 887-898.	1.4	86
1264	Modified Medium for the Oxidation-Fermentation Test in the Identification of Marine Bacteria. Applied and Environmental Microbiology, 1985, 49, 1541-1543.	1.4	117
1265	Occurrence of <i>Campylobacter jejuni</i> and <i>Giardia</i> species in muskrat (<i>Ondatra zibethica</i>). Applied and Environmental Microbiology, 1985, 50, 177-178.	1.4	22

#	ARTICLE	IF	CITATIONS
1266	Characterization of dysgonic, heterotrophic bacteria from drinking water. Applied and Environmental Microbiology, 1985, 50, 1213-1218.	1.4	23
1267	Nitrogen-Fixing Pseudomonads Isolated from Roots of Plants Grown in the Canadian High Arctic. Applied and Environmental Microbiology, 1986, 51, 251-255.	1.4	82
1268	Degradation of 1,4-dichlorobenzene by Alcaligenes sp. strain A175. Applied and Environmental Microbiology, 1986, 52, 1374-1381.	1.4	175
1269	Seasonal occurrence of Campylobacter spp. in surface waters and their correlation with standard indicator bacteria. Applied and Environmental Microbiology, 1987, 53, 523-526.	1.4	101
1270	Metabolism of 2,6-dimethylnaphthalene by flavobacteria. Applied and Environmental Microbiology, 1988, 54, 428-433.	1.4	26
1271	Evidence for a new pathway in the bacterial degradation of 4-fluorobenzoate. Applied and Environmental Microbiology, 1989, 55, 2499-2504.	1.4	60
1272	Isolation and identification of Pseudomonas spp. from Schirmacher Oasis, Antarctica. Applied and Environmental Microbiology, 1989, 55, 767-770.	1.4	107
1273	Identification and Plant Interaction of a <i>Phyllobacterium</i> sp., a Predominant Rhizobacterium of Young Sugar Beet Plants. Applied and Environmental Microbiology, 1990, 56, 1093-1102.	1.4	43
1274	Isolation of amoebae and Pseudomonas and Legionella spp. from eyewash stations. Applied and Environmental Microbiology, 1991, 57, 163-167.	1.4	80
1275	Competitive Ability and Survival in Soil of <i>Pseudomonas</i> Strain 679-2, a Dominant, Nonobligate Bacterial Predator of Bacteria. Applied and Environmental Microbiology, 1992, 58, 32-37.	1.4	21
1276	Enumeration and Characterization of Bacterial Colonists of a Submersed Aquatic Plant, Eurasian Watermilfoil (<i>Myriophyllum spicatum</i> L.). Applied and Environmental Microbiology, 1992, 58, 3374-3379.	1.4	14
1277	Lipopolysaccharides as Determinants of Serological Variability in <i>Pseudomonas corrugata</i> . Applied and Environmental Microbiology, 1993, 59, 1805-1812.	1.4	40
1278	Inhibitory effect against pathogenic and spoilage bacteria of Pseudomonas strains isolated from spoiled and fresh fish. Applied and Environmental Microbiology, 1993, 59, 2197-2203.	1.4	83
1279	Characterization of Monoclonal Antibodies Specific for Erwinia carotovora subsp. atroseptica and Comparison of Serological Methods for Its Sensitive Detection on Potato Tubers. Applied and Environmental Microbiology, 1994, 60, 2076-2085.	1.4	49
1280	Oxidative Bioconversion of Cholesterol by <i>Pseudomonas</i> sp. Strain ST-200 in a Water-Organic Solvent Two-Phase System. Applied and Environmental Microbiology, 1994, 60, 2518-2523.	1.4	50
1281	Bromate reduction by denitrifying bacteria. Applied and Environmental Microbiology, 1995, 61, 239-244.	1.4	68
1282	Preparation of GM1 ganglioside with sialidase-producing marine bacteria as a microbial biocatalyst. Applied and Environmental Microbiology, 1997, 63, 1861-1865.	1.4	27
1283	Differentiation of Shewanella putrefaciens and Shewanella alga on the basis of whole-cell protein profiles, ribotyping, phenotypic characterization, and 16S rRNA gene sequence analysis. Applied and Environmental Microbiology, 1997, 63, 2189-2199.	1.4	117

#	ARTICLE	IF	CITATIONS
1284	Anaerobic and aerobic degradation of pyridine by a newly isolated denitrifying bacterium. Applied and Environmental Microbiology, 1997, 63, 2578-2585.	1.4	72
1285	Chemical and Sensory Changes Associated with Microbial Flora of Mediterranean Boque (<i>Boops</i>) Tj ETQq1 1 0.784314 rgBT /Overbo 698-706.	1.4	141
1286	Production of Acylated Homoserine Lactones by Psychrotrophic Members of the <i>Enterobacteriaceae</i> Isolated from Foods. Applied and Environmental Microbiology, 1999, 65, 3458-3463.	1.4	91
1287	Occurrence of <i>Shewanella algae</i> in Danish Coastal Water and Effects of Water Temperature and Culture Conditions on Its Survival. Applied and Environmental Microbiology, 1999, 65, 3896-3900.	1.4	41
1288	Prodigiosin-Producing Bacteria from Marine Sources. Applied Microbiology, 1964, 12, 13-17.	0.6	41
1289	Microbial Ecology of Activated Sludge. Applied Microbiology, 1964, 12, 412-417.	0.6	79
1290	β -Glucosidase Activity in Phytopathogenic Bacteria. Applied Microbiology, 1964, 12, 487-491.	0.6	18
1291	Bacteriology of Spoilage of Fish Muscle. Applied Microbiology, 1965, 13, 625-630.	0.6	37
1292	Factors Influencing the Occurrence of High Numbers of Iodine-Resistant Bacteria in Iodinated Swimming Pools. Applied Microbiology, 1966, 14, 627-635.	0.6	37
1293	Characteristics of <i>Cytophaga psychrophila</i> (Borg) Isolated from Outbreaks of Bacterial Cold-Water Disease. Applied Microbiology, 1968, 16, 97-101.	0.6	49
1294	Detection and Incidence of Specific Species of Spoilage Bacteria on Fish. Applied Microbiology, 1968, 16, 1734-1737.	0.6	58
1295	Characteristics of Myxobacteria Isolated from the Surface of Freshwater Fish. Applied Microbiology, 1968, 16, 1901-1906.	0.6	46
1296	Laboratory Identification of <i>Rothia dentocariosa</i> and Its Occurrence in Human Clinical Materials. Applied Microbiology, 1969, 17, 150-156.	0.6	62
1297	Predominant Catalase-negative Soil Bacteria. III. <i>Agromyces</i> , gen. n., Intermediary to <i>Actinomyces</i> and <i>Nocardia</i> . Applied Microbiology, 1969, 18, 340-349.	0.6	82
1298	In Vitro Effects of Carbenicillin Combined with Gentamicin or Polymyxin B Against <i>Pseudomonas aeruginosa</i> . Applied Microbiology, 1969, 18, 469-473.	0.6	52
1299	Numerical Taxonomy of Heterotrophic Bacteria Growing in Association with Continuous-Culture <i>Chlorella sorokiniana</i> . Applied Microbiology, 1969, 18, 1044-1049.	0.6	11
1300	Laboratory Identification of Aeromonads from Man and Other Animals. Applied Microbiology, 1970, 19, 618-620.	0.6	13
1301	Isolation of Psychrophilic Bacteriophage-Host Systems from Refrigerated Food Products. Applied Microbiology, 1971, 22, 220-223.	0.6	55

#	ARTICLE	IF	CITATIONS
1302	Sand Beach Bacteria: Enumeration and Characterization. <i>Applied Microbiology</i> , 1973, 26, 293-297.	0.6	13
1303	Lipolytic Bacteria in the Ottawa River. <i>Applied Microbiology</i> , 1973, 26, 733-740.	0.6	24
1304	Characterization of Hydrogen Sulfide-Producing Bacteria Isolated from Meat and Poultry Plants. <i>Applied Microbiology</i> , 1975, 29, 165-169.	0.6	34
1305	Microbiological Characteristics of Dungeness Crab (<i>Cancer magister</i>). <i>Applied Microbiology</i> , 1975, 30, 72-78.	0.6	23
1306	Microbiology of Shellfish. Bacteriological Study of the Natural Flora of Pacific Oysters (<i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,582 Td</i>)	0.6	79
1307	The Identification and Separation of <i>Aeromonas liquefaciens</i> from <i>Pseudomonas fluorescens</i> and Related Organisms Occurring in Diseased Fish. <i>Applied Microbiology</i> , 1961, 9, 587-590.	0.6	13
1308	Bacterial taxonomy: a critique. <i>Bacteriological Reviews</i> , 1966, 30, 257-266.	7.7	15
1309	Initial colonization of teeth in monkeys as related to diet. <i>Infection and Immunity</i> , 1976, 14, 1022-1027.	1.0	53
1310	Characterization and Relatedness of Marine Vibrios Pathogenic to Fish: Physiology, Serology, and Epidemiology. <i>Journal of Bacteriology</i> , 1969, 100, 1242-1247.	1.0	60
1311	Polyphasic Taxonomy of the Genus <i>Vibrio</i> : Numerical Taxonomy of <i>Vibrio cholerae</i> , <i>Vibrio parahaemolyticus</i> , and Related <i>Vibrio</i> Species. <i>Journal of Bacteriology</i> , 1970, 104, 410-433.	1.0	321
1312	Tryptophanase-Positive Bacteria in the Marine Environment. <i>Journal of Bacteriology</i> , 1971, 106, 283-285.	1.0	12
1313	Gas-Vacuolated Strains of <i>Microcycilus aquaticus</i> . <i>Journal of Bacteriology</i> , 1971, 108, 236-240.	1.0	77
1314	<i>Vibrio psychroerythrus</i> sp. n.: Classification of the Psychrophilic Marine Bacterium, NRC 1004. <i>Journal of Bacteriology</i> , 1972, 111, 340-342.	1.0	54
1315	Nutritional Requirements of <i>Acinetobacter</i> Strains Isolated from Soil, Water, and Sewage. <i>Journal of Bacteriology</i> , 1972, 112, 1014-1016.	1.0	45
1316	Interspecies Transformation of <i>Acinetobacter</i> : Genetic Evidence for a Ubiquitous Genus. <i>Journal of Bacteriology</i> , 1972, 112, 917-931.	1.0	416
1317	A New Episomic Element Controlling Fermentative Metabolism and Excretion of Amino Acids by <i>Citrobacter intermedium</i> C3. <i>Journal of Bacteriology</i> , 1974, 119, 9-18.	1.0	14
1318	Excretion of glutamic acid in <i>Citrobacter intermedium</i> C3 associated with plasmid deoxyribonucleic acid. <i>Journal of Bacteriology</i> , 1979, 138, 721-725.	1.0	10
1319	Lectin, a possible basis for symbiosis between bacteria and sponges.. <i>Journal of Bacteriology</i> , 1981, 145, 548-558.	1.0	76

#	ARTICLE	IF	CITATIONS
1320	Bacterial Oxidation of Naphthalene and Phenanthrene. Journal of Bacteriology, 1983, 153, 1069-1071.	1.0	36
1321	THE METABOLISM OF PHYTOPATHOGENIC BACTERIA I. Journal of Bacteriology, 1955, 70, 469-475.	1.0	31
1322	MORPHOLOGICAL AND PHYSIOLOGICAL CHARACTERISTICS OF THE GENUS <i>CHROMOBACTERIUM</i> . Journal of Bacteriology, 1956, 71, 393-400.	1.0	30
1323	OXIDATION OF MONO- AND DISACCHARIDES TO ALDONIC ACIDS BY PSEUDOMONAS SPECIES. Journal of Bacteriology, 1960, 79, 346-355.	1.0	34
1324	EFFECT OF INCUBATION TEMPERATURE ON BIOCHEMICAL TESTS IN THE GENERA PSEUDOMONAS AND ACHROMOBACTER. Journal of Bacteriology, 1960, 79, 591-593.	1.0	22
1325	TAXONOMIC RELATIONSHIPS AMONG THE PSEUDOMONADS. Journal of Bacteriology, 1961, 82, 1-14.	1.0	100
1326	FERMENTATION REACTIONS OF PSEUDOMONAS CAVIAE AND ITS SEROLOGICAL RELATIONSHIP TO AEROMONADS. Journal of Bacteriology, 1962, 83, 750-753.	1.0	10
1327	ATTEMPT IN CLASSIFICATION OF CATALASE-POSITIVE STAPHYLOCOCCI AND MICROCOCCI. Journal of Bacteriology, 1962, 84, 1140-1147.	1.0	45
1328	QUANTITATIVE APPROACH TO THE STUDY OF BACTERIAL SPECIES. Journal of Bacteriology, 1963, 85, 1061-1070.	1.0	131
1329	SEROLOGY OF THE <i>MIMA-HERELLEA</i> GROUP AND THE GENUS <i>MORAXELLA</i> . Journal of Bacteriology, 1964, 87, 900-909.	1.0	16
1330	PROTEOLYTIC ACTIVITY AND GENERAL CHARACTERISTICS OF A MARINE BACTERIUM, AEROMONAS PROTEOLYTICA SP. N. Journal of Bacteriology, 1964, 87, 1227-1233.	1.0	71
1331	LEAF-NODULE SYMBIOSIS I. Journal of Bacteriology, 1964, 88, 776-781.	1.0	45
1332	REISOLATION AND EMENDATION OF DESCRIPTION OF <i>VIBRIO MARINUS</i> (RUSSELL) FORD. Journal of Bacteriology, 1964, 88, 831-837.	1.0	111
1333	Bacteriostatic Action of Progesterone on Staphylococci and Other Microorganisms. Journal of Bacteriology, 1966, 92, 1285-1289.	1.0	36
1334	Bacterial Oxidation of 2-Tridecanone to 1-Undecanol. Journal of Bacteriology, 1967, 93, 649-655.	1.0	45
1335	Properties of Bacteria Isolated from Deep-Sea Sediments. Journal of Bacteriology, 1968, 95, 211-220.	1.0	31
1336	Significance of the temperature characteristic of growth. Journal of Bacteriology, 1968, 95, 736-737.	1.0	63
1337	Use of Lysostaphin in the Isolation of Highly Polymerized Deoxyribonucleic Acid and in the Taxonomy of Aerobic Micrococcaceae. Journal of Bacteriology, 1968, 95, 739-743.	1.0	53

#	ARTICLE	IF	CITATIONS
1338	<i>Prosthecomicrobium</i> and <i>Ancalomicrobium</i> : New Prosthecate Freshwater Bacteria. Journal of Bacteriology, 1968, 95, 1921-1942.	1.0	622
1339	Aldohexuronic Acid Catabolism by a Soil <i>Aeromonas</i> . Journal of Bacteriology, 1969, 97, 97-106.	1.0	17
1340	Deoxyribonucleic Acid Base Composition in the Taxonomy of <i>Staphylococcus</i> . Journal of Bacteriology, 1969, 97, 557-560.	1.0	24
1341	Morphological, Cultural, Biochemical, and Serological Comparison of Japanese Strains of <i>Vibrio parahemolyticus</i> with Related Cultures Isolated in the United States. Journal of Bacteriology, 1969, 98, 511-518.	1.0	107
1342	Association of <i>Pseudomonas cepacia</i> with chronic granulomatous disease. Journal of Clinical Microbiology, 1975, 1, 425-428.	1.8	55
1343	Rapid Identification of <i>Enterobacteriaceae</i> by Using Noncommercial Micro-Tests in Conjunction with API 20E Profile Data. Journal of Clinical Microbiology, 1979, 10, 399-403.	1.8	1
1344	Evaluation of rapid carbohydrate degradation tests for identification of pathogenic <i>Neisseria</i> . Journal of Clinical Microbiology, 1980, 11, 394-397.	1.8	17
1345	Comparison of methods for identifying <i>Staphylococcus</i> and <i>Micrococcus</i> spp. Journal of Clinical Microbiology, 1981, 14, 195-200.	1.8	28
1346	Accuracy of a rapid carbohydrate oxidation microtube method for identification of nonfermentative gram-negative bacilli. Journal of Clinical Microbiology, 1982, 15, 43-47.	1.8	1
1347	Modified oxidation-fermentation medium for detection of acid production from carbohydrates by <i>Neisseria</i> spp. and <i>Branhamella catarrhalis</i> . Journal of Clinical Microbiology, 1983, 18, 56-62.	1.8	34
1348	Characterization of an unclassified microaerophilic bacterium associated with gastroenteritis. Journal of Clinical Microbiology, 1988, 26, 101-105.	1.8	95
1349	Inhibition of <i>Escherichia coli</i> serotype O157:H7 by bromthymol blue. Journal of Clinical Microbiology, 1988, 26, 2248-2249.	1.8	1
1350	Assessment of conventional and commercial methods for identification of clinical isolates of cysteine-requiring strains of <i>Escherichia coli</i> and <i>Klebsiella</i> species. Journal of Clinical Microbiology, 1990, 28, 1947-1951.	1.8	14
1351	Reliability of phenotypic tests for identification of <i>Acinetobacter</i> species. Journal of Clinical Microbiology, 1991, 29, 277-282.	1.8	307
1352	<i>Pseudomonas cepacia</i> strains isolated from water reservoirs of unheated nebulizers. Journal of Clinical Microbiology, 1976, 3, 62-66.	1.8	33
1353	Rapid method for identification of gram-negative, nonfermentative bacilli. Journal of Clinical Microbiology, 1976, 3, 566-575.	1.8	50
1354	Isolation of a mucoid alginate-producing <i>Pseudomonas aeruginosa</i> strain from the equine guttural pouch. Journal of Clinical Microbiology, 1992, 30, 595-599.	1.8	11
1355	Description of Leeds <i>Acinetobacter</i> Medium, a new selective and differential medium for isolation of clinically important <i>Acinetobacter</i> spp., and comparison with Herellea agar and Holton's agar. Journal of Clinical Microbiology, 1994, 32, 2353-2358.	1.8	76

#	ARTICLE	IF	CITATIONS
1356	Identification of Burkholderia cepacia isolates from patients with cystic fibrosis and use of a simple new selective medium. Journal of Clinical Microbiology, 1997, 35, 614-619.	1.8	191
1357	Identification and Population Structure of <i>Burkholderia stabilis</i> sp. nov. (formerly) Tj ETQq1 1 0.784314 rgBT (Overlock, 10 Tf 507)	1.8	173
1358	Preliminary observations on the application of the multiple inocula (replicator) method for carbon substrate utilization studies of <i>Alcaligenes faecalis</i> . Journal of Clinical Microbiology, 1977, 5, 485-487.	1.8	9
1359	Pathogenicity of nonpigmented cultures of <i>Chromobacterium violaceum</i> . Journal of Clinical Microbiology, 1977, 5, 514-516.	1.8	32
1360	Bromothymol blue and carbohydrate-sensitive plating media. Journal of Clinical Microbiology, 1977, 6, 343-347.	1.8	2
1361	<i>Vibrio Anguillarum</i> : A Comparative Study of Fish Pathogenic, Environmental, and Reference Strains. Acta Veterinaria Scandinavica, 1983, 24, 456-476.	0.5	34
1362	Staphylococcal and other Bacterial Species Associated with Intramammary Infections in Danish Dairy Herds. Acta Veterinaria Scandinavica, 1995, 36, 475-487.	0.5	43
1363	Production of low-salt restructured Mediterranean horse mackerel (<i>Trachurus mediterraneus</i>) using microbial transglutaminase/caseinate system. Journal of the Hellenic Veterinary Medical Society, 2018, 66, 147.	0.1	5
1365	Transcriptome Analysis of Acetyl-Homoserine Lactone-Based Quorum Sensing Regulation in <i>Yersinia pestis</i> . PLoS ONE, 2013, 8, e62337.	1.1	24
1366	TAXONOMIC EVALUATION OF NITRATE RESPIRATION AND CARBOHYDRATE FERMENTATION IN AEROBIC BACTERIA. Journal of General and Applied Microbiology, 1965, 11, 191-201.	0.4	24
1367	MICROBIOLOGICAL STUDIES ON PETROLEUM AND NATURAL GAS XIII. IDENTIFICATION OF THE FLAVIN NUCLEOTIDE-FORMING BACTERIA. Journal of General and Applied Microbiology, 1976, 22, 79-84.	0.4	11
1368	Identification of quinolinic acid-utilizing bacteria.. Journal of General and Applied Microbiology, 1979, 25, 279-291.	0.4	4
1369	Species composition and growth-temperature characteristics of coliforms in relation to their sources.. Journal of General and Applied Microbiology, 1982, 28, 139-154.	0.4	12
1370	A succinoglycan-decomposing bacterium, <i>Cytophaga arvensicola</i> sp. nov.. Journal of General and Applied Microbiology, 1982, 28, 369-388.	0.4	32
1371	Assimilatory nitrate reductase of some soil bacteria.. Journal of General and Applied Microbiology, 1984, 30, 317-327.	0.4	3
1372	Application of miniaturized physiological tests in numerical classification and identification of some bacilli.. Journal of General and Applied Microbiology, 1991, 37, 225-247.	0.4	20
1373	Numerical classification of coryneform bacteria and related taxa.. Journal of General and Applied Microbiology, 1993, 39, 135-214.	0.4	21
1374	Variation of lipolytic activity in the genus <i>Acinetobacter</i> .. Journal of General and Applied Microbiology, 1994, 40, 103-113.	0.4	6

#	ARTICLE	IF	CITATIONS
1375	Nocardial infection in cultured yellowtails (<i>Seriola quinqueradiata</i> and <i>S.purpurascens</i>)â€”Il. Fish Pathology, 1968, 3, 24-33.	0.4	26
1376	Characterization of <i>Xanthomonas oryzae</i> (Uyeda et Ishiyama) Dowson, the Bacterial Blight Pathogen of Rice. <i>Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan</i> , 1976, 42, 124-130.	0.1	2
1377	Causal agents associated with the internal black rot syndrome of Japanese horse radish (<i>Eutrema</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1986, 52, 59-68.	0.1	3
1378	Taxonomic study on soft rot bacteria isolated from diseased rhizomes and roots of wasabi (<i>Eutrema</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1986, 52, 69-77.	0.1	12
1379	Distribution and Virulence Gene Comparison of <i>Aeromonas</i> Strains Isolated from Diseased Fish and Water Environment. <i>Polish Journal of Microbiology</i> , 2013, 62, 299-302.	0.6	10
1380	Multidrug Resistance in Large-Plasmid-Associated Presumptive Enterohaemorrhagic <i>Escherichia coli</i> Isolated from Contaminated Lake Water. <i>Bangladesh Journal of Microbiology</i> , 2012, 28, 33-40.	0.2	3
1381	Assessment of Wilt Intensity and Identification of Causal Fungal and Bacterial Pathogens on Hot Pepper (<i>Capsicum annum</i> L.) in Bako Tibbe and Nonno Districts of West Shewa Zone, Ethiopia. <i>International Journal of Phytopathology</i> , 2015, 4, 21-28.	0.1	11
1382	Biology and control of <i>Agrobacterium tumefaciens</i> . <i>Hilgardia</i> , 1971, 40, 537-552.	0.7	45
1383	Taxonomic Study and Distribution of Denitrifying Bacteria in Lake Kizaki. <i>Japanese Journal of Limnology</i> , 1979, 40, 81-92.	0.1	12
1384	Difference in bacterial floras among different size fractions of suspended particles in a hypertrophic pond.. <i>Japanese Journal of Limnology</i> , 1985, 46, 247-255.	0.1	5
1385	Characteristics of generic composition of aerobic heterotrophic bacteria in periphyton at an oligotrophic region in the Tamagawa River.. <i>Japanese Journal of Limnology</i> , 1987, 48, 55-65.	0.1	9
1386	Isolation and Identification of Lactic Acid Bacteria and Yeast from Raw Milk in Khartoum State (Sudan). <i>Research Journal of Microbiology</i> , 2008, 3, 163-168.	0.2	11
1387	Cadmium Toxicity on Species of <i>Bacillus</i> and <i>Pseudomonas</i> During Growth on Crude Oil. <i>Trends in Applied Sciences Research</i> , 2007, 2, 115-123.	0.4	1
1388	Characterization of <i>Pseudomonas viridiflava</i> Causing Alfalfa Root Rot Disease in Hamedan Province of Iran. <i>Journal of Plant Pathology & Microbiology</i> , 2012, 03, .	0.3	7
1390	MELIOIDOSIS IN A CHILD IN PAPUA NEW GUINEA SUCCESSFUL TREATMENT WITH KANAMYCIN AND TRIMETHOPRIMâ€”SULPHAMETHOXAZOLE. <i>Medical Journal of Australia</i> , 1975, 2, 476-478.	0.8	17
1391	Isolation, screening and characterization of potential probiotics from farmed tiger grouper (<i>Epinephelus fuscoguttatus</i>). <i>African Journal of Microbiology Research</i> , 2012, 6, .	0.4	11
1392	Isolation and Characterization of Lactic Acid Bacteria from Fermented Foods. <i>Vegetos</i> , 2013, 26, 325.	0.8	11
1393	TAXONOMICAL STUDIES OF THE SO-CALLED NAG VIBRIOS. <i>Japanese Journal of Medical Science and Biology</i> , 1967, 20, 265-280.	0.4	50

#	ARTICLE	IF	CITATIONS
1394	Morphological, Pathological, Biochemical and Molecular Characterization of <i>Ralstonia solanacearum</i> Isolates in Bangladesh. American Journal of Molecular Biology, 2021, 11, 142-164.	0.1	4
1395	Flavobacterium flabelliforme sp. nov. and Flavobacterium geliluteum sp. nov., Two Multidrug-Resistant Psychrotrophic Species Isolated From Antarctica. Frontiers in Microbiology, 2021, 12, 729977.	1.5	7
1396	A new basal medium to test carbon utilization for plant pathogenic bacteria.. Nihon Shokubutsu Byori Gakkaiho = Annals of the Phytopathological Society of Japan, 2001, 67, 97-106.	0.1	3
1397	Arthrobacter roseus sp. nov., a psychrophilic bacterium isolated from an antarctic cyanobacterial mat sample.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1017-1021.	0.8	47
1398	The Genera Prosthecomicrobium and Ancalomicrobium. , 2006, , 65-71.		1
1399	Dominant Bacterial Genera of a Tilapia Fish Farm and RAPD Typing of Vibrio Isolates. Journal of Fisheries Sciences, 2008, , .	0.2	1
1400	The Environment and the Tools in Rhizo- and Bioremediation of Contaminated Soil. Soil Biology, 2009, , 315-338.	0.6	0
1401	Assessment of Seafood Spoilage and the Microorganisms Involved. , 2009, , 515-535.		3
1402	Chapter 21. Culture Media for Food Spoilage Bacteria of the Order Pseudomonadales: Pseudomonas, Acinetobacter and Psychrobacter spp.. , 2011, , 482-507.		1
1403	Physiological and Biochemical Characterization of Bacillus spp. from Polychaete, Perinereis aibuhitensis. Journal of Life Science, 2013, 23, 415-425.	0.2	0
1404	Characterization and Organic Hydrocarbons Degradation Potential of Euryhaline Marine Microorganism, Bacillus sp. EBW4 Isolated from Polychaete (Perinereis aibuhitensis). Korean Journal of Microbiology, 2013, 49, 38-45.	0.2	1
1406	Characterization of Moroccan Population of Erwinia Amylovora, the Causal Agent of Fire Blight on Rosacea. International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB), 2014, 4, 200-203.	0.2	2
1407	Numerical Taxonomy of Gram-Positive and Catalase-Positive Rods Isolated from Frozen Vegetables. Applied Microbiology, 1967, 15, 158-162.	0.6	14
1408	THE SIGNIFICANCE OF CONTAMINANTS. , 1965, , 143-145.		0
1410	Morphological and Biochemical Differentiation of Achromobacter and Moraxella (Debord's Tribe) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 1	0.6	20
1411	Identification of denitrifying bacteria from sediments of Rawa Jombor waters, Central Java and its trophic status. Biodiversitas, 2016, 17, .	0.2	0
1412	Production of Basal Soft Rot Symptom and Maceration of Carnation Tissue by Pseudomonas caryophylli and Corynebacterium species. Phytopathology, 1970, 60, 1040.	1.1	3
1413	Potentially Pathogenic, Nonfermentative, H ₂ S-Producing Gram-Negative Rod (1 b). Applied Microbiology, 1970, 19, 176-176.	0.6	32

#	ARTICLE	IF	CITATIONS
1414	Reagent Strips and Conventional Tests for Acid Production from Mannitol and Coagulase Activity of Staphylococcus : a Comparative Study. Applied Microbiology, 1971, 21, 95-97.	0.6	0
1415	Procedure for Isolation and Enumeration of <i>Vibrio parahaemolyticus</i> . Applied Microbiology, 1972, 23, 26-33.	0.6	19
1416	GENERAL PROPERTIES OF MICRO-ORGANISMS OF SIGNIFICANCE IN PHARMACY. , 1972, , 117-156.		0
1417	Chondroitinase-Producing Bacteria in Natural Habitats. Applied Microbiology, 1975, 29, 414-421.	0.6	15
1418	Spoilage Association of Chicken Breast Muscle. Applied Microbiology, 1975, 29, 44-47.	0.6	25
1419	Studies on Microorganisms in Activated Sludge of Fishery Waste Water-II Bacterial flora in waste activated sludge of brayed fish flesh-production. Japanese Journal of Water Treatment Biology, 1978, 14, 33-38.	0.2	0
1421	Ice-Nucleation-Active Bacteria on Citrus in Florida. Current Plant Science and Biotechnology in Agriculture, 1987, , 994-1004.	0.0	0
1422	Glucose Nonfermenting Gram-Negative Rods. , 1988, , 262-276.		0
1423	Microbiological and Chemical Properties of the Forest Humus Layer at Four Sites in Southern Finland. , 1990, , 351-372.		0
1424	Evolution of Soil-Borne Populations of Bacteria and Fungi at Different Times of Wheat Monoculture. Developments in Agricultural and Managed-forest Ecology, 1991, , 247-251.	0.2	0
1425	Isolation, Molecular Characterisation of Polyhydroxyalkanoate Producing Novel Bacillus sp., skm7T from a Polluted Pond Water. British Biotechnology Journal, 2015, 8, 1-9.	0.4	4
1426	The Genus Vibrio and Related Genera. , 2015, , 371-382.		0
1427	Pool of Biological Resources for Potential Applications in Solid State Fermentation Obtained from a Forest Plantation of <i>Pinus pseudostrobus</i> Lindl, Mexico. Advances in Microbiology, 2016, 06, 1021-1039.	0.3	0
1429	Agente causal del tizÃn foliar en Ungnadia speciosa Endl. (Sapindales: Sapindaceae) y la evaluaciÃn in vitro e in situ de un biocida. Madera Bosques, 2010, 16, 5-15.	0.1	0
1430	Sphingourantiacus capsulatus sp. nov., isolated from mountain soil, and emended description of the genus Sphingourantiacus. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4930-4935.	0.8	10
1431	Genotypic Molecular Detection of Certain Genes Encoding Virulence Determinates and Antibiotic Resistance in Staphylococcus Aureus Isolates from Mastitis Cows. Alexandria Journal of Veterinary Sciences, 2017, , 1.	0.0	0
1432	Effect of Wood Charcoal Powder on Rate of Microbial Production of Lactic Acid in Dehulled and Undehulled Vigna unguiculata Pastes. Journal of Nutrition & Food Sciences, 2017, 07, .	1.0	0
1434	Biochemical characterization of Pseudomonas fluorescens against Alternaria alternata in ashwagandha. Agriculture Update, 2017, 12, 1190-1195.	0.0	0

#	ARTICLE	IF	CITATIONS
1435	Planktotalea lamellibrachiae sp. nov., isolated from a marine organism in Kagoshima Bay, Japan. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4785-4789.	0.8	7
1436	Runella aurantiaca sp. nov., isolated from sludge of a manganese mine. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2174-2177.	0.8	7
1437	Epiphytic PGPB Bacillus megaterium AFI1 and Paenibacillus nicotianae AFI2 Improve Wheat Growth and Antioxidant Status under Ni Stress. Plants, 2021, 10, 2334.	1.6	9
1438	Culicoidibacter larvae gen. nov., sp. nov., from the gastrointestinal tract of the biting midge (Culicoides sonorensis) larva, belongs to a novel lineage Culicoidibacteraceae fam. nov., Culicoidibacterales ord. nov. and Culicoidibacteria classis nov. of the phylum Firmicutes. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6482-6490.	0.8	14
1439	Pseudomonas syringae causing bacterial canker on apple trees in Brazil. Bragantia, 2020, 79, 592-598.	1.3	5
1440	Microbiological Methods for Pharmaceutical Analysis. , 2020, , 303-423.		0
1441	Segnochro bacterium spirostomi gen. nov., sp. nov., isolated from the ciliate Spirostomum yagjui and description of a novel family, Segnochro bacteraceae fam. nov. within the order Rhizobiales of the class Alphaproteobacteria. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1250-1258.	0.8	9
1443	Bacteriological studies on the white perch, Roccus americanus. Estuaries and Coasts, 1967, 8, 135-154.	1.0	0
1444	Differential medium for detecting dental plaque bacteria resembling Actinomyces viscosus and Actinomyces naeslundii. Journal of Clinical Microbiology, 1975, 2, 305-310.	1.8	56
1445	Substituted Diazenes: Effect on the Growth of Enterobacteria and Possible Use as Selective Agents for Isolation of Pseudomonads. Applied Microbiology, 1971, 22, 1141-1146.	0.6	7
1446	An Unclassified Gram-Negative Rod Isolated From the Pharynx on Thayer-Martin Medium (Selective) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.6	34
1447	Potato Aroma of Lamb Carcasses. Applied Microbiology, 1972, 24, 1003-1004.	0.6	4
1448	One-Tube Test for Determining Oxidative or Fermentative Metabolism of Bacteria. Applied Microbiology, 1974, 27, 811-813.	0.6	6
1449	Taxonomic Significance of Phenethyl Alcohol Production by Achromobacter Isolates from Fishery Sources. Applied Microbiology, 1974, 28, 681-687.	0.6	9
1450	Characterization of Radiation-Resistant Vegetative Bacteria in Beef. Applied Microbiology, 1975, 30, 242-250.	0.6	29
1451	Convenient System for Multiple Screening of Microbial Carbohydrate Metabolism. Journal of Clinical Microbiology, 1976, 4, 201-203.	1.8	4
1452	Fluorescent pseudomonads capable of growth at 41 degrees C but distinct from Pseudomonas aeruginosa. Journal of Clinical Microbiology, 1976, 4, 443-449.	1.8	13
1453	Changes in the Microflora of Haddock Fillets and Shucked Soft-Shell Clams After Irradiation with Co 60 Gamma Rays and Storage at 0 C and 6 C. Applied Microbiology, 1963, 11, 229-234.	0.6	10

#	ARTICLE	IF	CITATIONS
1454	Violet-Pigmented Pseudomonads With Antifungal Activity From the Rhizosphere of Beans. Applied Microbiology, 1963, 11, 533-538.	0.6	0
1455	Characterization of Certain Gram-Negative Bacteria from Surface Waters. Applied Microbiology, 1965, 13, 575-578.	0.6	1
1456	Effect of β Irradiation on the Microflora of Freshwater Fish. Applied Microbiology, 1966, 14, 957-965.	0.6	9
1457	Evaluation of Sellers Medium in Identification of Some Gram-negative Bacteria. Applied Microbiology, 1967, 15, 661-664.	0.6	7
1458	Microbiological Evaluation of Pacific Shrimp Processing. Applied Microbiology, 1969, 18, 188-192.	0.6	13
1459	Evaluation of Media for Differentiating Nonfermenting Gram-negative Bacteria of Medical Significance. Applied Microbiology, 1969, 18, 355-359.	0.6	3
1460	Identification of the <i>Mima-Herellea</i> Group of Organisms and Selected Members of the Genus <i>Neisseria</i> . Applied Microbiology, 1969, 18, 575-578.	0.6	1
1461	Practical Physiological Schema for the Identification of <i>Herellea vaginicola</i> and its Differentiation from Similar Organisms. Applied Microbiology, 1969, 18, 1015-1024.	0.6	8
1462	Vibrios from Fish Pen Slime Which Mimic <i>Escherichia coli</i> on Violet Red Bile Agar. Applied Microbiology, 1970, 20, 107-112.	0.6	20
1463	Pseudomonads and Achromobacters in the Spoilage of Irradiated Haddock of Different Preirradiation Quality. Applied Microbiology, 1970, 20, 333-341.	0.6	14
1464	Taxonomic problems relating to the identification of species within the genus <i>Pseudomonas</i> . International Journal of Systematic Bacteriology, 1955, 5, 153-160.	2.8	3
1465	Biochemical Tests for the Identification of Aerobic Bacteria. , 2016, , 3.17.1.1-3.17.48.3.		2
1466	Lysine Decarboxylase Activity in Broth and Agar Media. Applied Microbiology, 1971, 22, 1091-1095.	0.6	5
1467	Changes in the Microflora of Vacuum-packaged, Irradiated Petrale Sole (<i>Eopsetta jordani</i>) Fillets Stored at 0.5 C. Applied Microbiology, 1966, 14, 921-927.	0.6	7
1468	Diagnostic Criteria for Differentiation of Pseudomonads Pathogenic for Man. Applied Microbiology, 1968, 16, 1497-1502.	0.6	21
1469	Growth of Mixed Cultures on Mixed Substrates. Applied Microbiology, 1968, 16, 1337-1342.	0.6	7
1470	Responses of Staphylococci to Androgens. Applied Microbiology, 1968, 16, 1512-1517.	0.6	7
1471	Multipoint inoculator system. Applied Microbiology, 1968, 16, 1797-1798.	0.6	4

#	ARTICLE	IF	CITATIONS
1628	Exudative epidermitis in pigs. Bacteriological studies on the causative agent. Canadian Journal of Comparative Medicine and Veterinary Science, 1967, 31, 243-7.	0.2	5
1629	Characteristics of non-cholera Vibrios isolated from cases of human diarrhoea. Bulletin of the World Health Organization, 1965, 32, 627-32.	1.5	30
1630	Laboratory diagnosis of whooping-cough or Bordetella infections. Bulletin of the World Health Organization, 1960, 23, 15-35.	1.5	10
1631	Evaluation of biocontrol potential of <i>Achromobacter xylosoxidans</i> strain CTA8689 against common bean root rot. Physiological and Molecular Plant Pathology, 2022, 117, 101769.	1.3	10
1632	The fish pathogen <i>Flavobacterium columnare</i> represents four distinct species: <i>Flavobacterium columnare</i> , <i>Flavobacterium covae</i> sp. nov., <i>Flavobacterium davisii</i> sp. nov. and <i>Flavobacterium oreochromis</i> sp. nov., and emended description of <i>Flavobacterium columnare</i> . Systematic and Applied Microbiology, 2022, 45, 126293.	1.2	59
1634	The characteristics and questionable taxonomic position of the oxalate-decomposing bacterium, <i>Vibrio extorquens</i> . Proceedings of the Indian Academy of Sciences - Section A Part 3 Mathematical Sciences, 1960, 51, 157-163.	0.1	1
1639	Isolation and Characterization of a <i>Brenneria</i> sp. Shown to Be the Causal Agent of Bleeding Canker Disease of <i>Populus nigra</i> in Iran. Russian Agricultural Sciences, 2021, 47, 584-595.	0.1	0
1640	Community of Hydrocarbon-Oxidizing Bacteria in Petroleum Products on the Example of TS-1 Jet Fuel and AI-95 Gasoline. Applied Biochemistry and Microbiology, 2021, 57, 949-961.	0.3	2
1641	Calcium Carbonate Precipitating Cultivable Bacteria from Different Speleothems of Karst Caves. Geomicrobiology Journal, 2022, 39, 107-122.	1.0	5
1643	<i>Pedobacter fastidiosus</i> sp. nov., isolated from glacial habitats of maritime Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	0.8	6
1644	Biosequestration of carbon dioxide using carbonic anhydrase from novel <i>Streptomyces kunmingensis</i> . Archives of Microbiology, 2022, 204, 270.	1.0	8
1645	A Probability Matrix for the Identification of Gram-negative, Aerobic, Non-fermentative Bacteria that Grow on Nutrient Agar. Microbiology (United Kingdom), 1986, 132, 1827-1842.	0.7	36
1658	Diversity and phylogeny of the bacterial strains isolated from nodules of fenugreek (<i>Trigonella) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	1
1660	Sour Honeys from 57 Species of Stingless Bees in 18 Countries. Bee World, 2022, 99, 74-81.	0.3	2
1661	Plant Development of Early-Maturing Spring Wheat (<i>Triticum aestivum</i> L.) under Inoculation with <i>Bacillus</i> sp. V2026. Plants, 2022, 11, 1817.	1.6	12
1663	Biochemical Diversity, Pathogenicity and Phylogenetic Analysis of <i>Pseudomonas viridiflava</i> from Bean and Weeds in Northern Spain. Microorganisms, 2022, 10, 1542.	1.6	1
1664	<i>Lysinabacillus fusiformis</i> and <i>Paenibacillus alvei</i> Obtained from the Internal of <i>Nasutitermes</i> Termites Revealed Their Ability as Antagonist of Plant Pathogenic Fungi. Plant Pathology Journal, 2022, 38, 449-460.	0.7	2
1667	Biochemical identification and numerical taxonomy of <i>Aeromonas</i> spp. isolated from food samples in Turkey. Turkish Journal of Biology, 0, , .	2.1	6

#	ARTICLE	IF	CITATIONS
1668	Screening of Endophytes for Biocatalytic Tools. Springer Protocols, 2023, , 193-208.	0.1	0
1669	Characterization of three <i>Stenotrophomonas</i> strains isolated from different ecosystems and proposal of <i>Stenotrophomonas mori</i> sp. nov. and <i>Stenotrophomonas lacuserhii</i> sp. nov.. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	5
1670	Endophytic bacteria isolated from medicinal plants induce plant growth promotion and southern blight disease suppression in tomato. , 0, , .		0
1671	<i>Curtobacterium flaccumfaciens</i> sp. nov. with antagonistic effect on <i>Xanthomonas translucens</i> sp. nov. <i>acerealis</i> , plays a dual role in the legumes-wheat rotation system. <i>European Journal of Plant Pathology</i> , 2023, 165, 611-621.	0.8	1
1672	Short Communication: First report of <i>Xanthomonas sacchari</i> causing rice sheath rot disease in Lampung, Indonesia. <i>Biodiversitas</i> , 2022, 23, .	0.2	0
1673	Chemical Analysis and Microorganisms of Compost of Rice Harvest Residues Through Various Kinds of Decomposers. <i>Asian Journal of Plant Sciences</i> , 2023, 22, 158-164.	0.2	0
1674	<i>Pseudomonas paralcaligenes</i> sp. nov., isolated from a hospitalized patient. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2023, 73, .	0.8	1
1675	<i>Enterobacter</i> species, emerging plant-pathogenic bacteria, associated with decline and offshoot rot of date palm in Iran. <i>European Journal of Plant Pathology</i> , 2023, 166, 341-351.	0.8	2
1676	Distributional spectrum of bacterial wilt of chili incited by <i>Ralstonia solanacearum</i> in Pakistan. <i>Bragantia</i> , 0, 82, .	1.3	2
1679	On the community-structure of the gut-microbiota of <i>Eisenia lucens</i> (Annelida,Oligochaeta). <i>Pedobiologia</i> , 1979, 19, 213-220.	0.5	19
1686	Utilization of Waste Biomass for Producing Useful Chemicals. <i>Clean Energy Production Technologies</i> , 2023, , 71-98.	0.3	0