

# Middle Cerebral Artery Occlusion in the Rat by Intraluminal

Stroke

27, 1616-1623

DOI: [10.1161/01.str.27.9.1616](https://doi.org/10.1161/01.str.27.9.1616)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Quantitative evaluation of blood-brain barrier permeability following middle cerebral artery occlusion in rats. <i>Brain Research</i> , 1996, 739, 88-96.	1.1	489
3	Effect of delayed albumin hemodilution on infarction volume and brain edema after transient middle cerebral artery occlusion in rats. <i>Journal of Neurosurgery</i> , 1997, 87, 595-601.	0.9	130
4	Reproducibility and reliability of middle cerebral artery occlusion using a silicone-coated suture (Koizumi) in rats. <i>Journal of the Neurological Sciences</i> , 1997, 153, 8-11.	0.3	85
5	Effects of Isradipine, an L-Type Calcium Channel Blocker on Permanent and Transient Focal Cerebral Ischemia in Spontaneously Hypertensive Rats. <i>Experimental Neurology</i> , 1997, 148, 45-50.	2.0	32
7	Transient Middle Cerebral Artery Occlusion by Intraluminal Suture: I. Three-Dimensional Autoradiographic Image-Analysis of Local Cerebral Glucose Metabolism and Blood Flow Interrelationships during Ischemia and Early Recirculation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 1266-1280.	2.4	113
8	Transient Middle Cerebral Artery Occlusion by Intraluminal Suture: II. Neurological Deficits, and Pixel-Based Correlation of Histopathology with Local Blood Flow and Glucose Utilization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 1281-1290.	2.4	92
9	Effects of Combined Glutamate and Platelet-Activating Factor Inhibition on the Outcome of Focal Cerebral Ischaemia - an Initial Screening Study. <i>Metabolic Brain Disease</i> , 1997, 12, 237-249.	1.4	0
10	Effects of combined glutamate and platelet-activating factor inhibition on the outcome of focal cerebral ischaemia - an initial screening study. <i>Metabolic Brain Disease</i> , 1997, 12, 237-249.	1.4	19
11	Estradiol Protects against Ischemic Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 1253-1258.	2.4	520
12	Protection against blood-brain barrier disruption in focal cerebral ischemia by the type IV phosphodiesterase inhibitor BBB022: a quantitative study. <i>Brain Research</i> , 1998, 787, 277-285.	1.1	48
13	The effect of high-dose albumin therapy on local cerebral perfusion after transient focal cerebral ischemia in rats. <i>Brain Research</i> , 1998, 804, 105-113.	1.1	86
14	YM90K, an AMPA receptor antagonist, protects against ischemic damage caused by permanent and transient middle cerebral artery occlusion in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1998, 358, 586-591.	1.4	15
15	Middle cerebral artery occlusion in the rat: consistent protocol for a model of stroke. <i>Neuropathology and Applied Neurobiology</i> , 1998, 24, 487-497.	1.8	64
16	Quantification of infarct size on focal cerebral ischemia model of rats using a simple and economical method. <i>Journal of Neuroscience Methods</i> , 1998, 84, 9-16.	1.3	102
17	Pixel-based image analysis of HSP70, GADD45 and MAP2 mRNA expression after focal cerebral ischemia: hemodynamic and histological correlates. <i>Molecular Brain Research</i> , 1998, 63, 79-97.	2.5	31
18	Does poly-L-lysine coating of the middle cerebral artery occlusion suture improve infarct consistency in a murine model?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1998, 7, 296-301.	0.7	10
19	Intraarterial Urokinase Produces Significant Attenuation of Infarction Volume in an Embolic Focal Ischemia Model. <i>Experimental Neurology</i> , 1998, 154, 330-335.	2.0	17
20	Temporal dependent neuroprotection with propentofylline (HWA 285) in a temporary focal ischemia model. <i>European Journal of Pharmacology</i> , 1998, 346, 151-157.	1.7	11

#	ARTICLE	IF	CITATIONS
21	The influence of delayed postischemic hyperthermia following transient focal ischemia: Alterations of gene expression. <i>Journal of the Neurological Sciences</i> , 1998, 159, 1-10.	0.3	20
22	Neurobiology of Stroke. <i>International Review of Neurobiology</i> , 1998, 42, 55-101.	0.9	23
23	Intraluminal suture occlusion of the middle cerebral artery in Spontaneously Hypertensive rats. <i>Neurological Research</i> , 1998, 20, 265-270.	0.6	47
24	Relative Neuroprotective Effects of Dizocilpine and Isoflurane During Focal Cerebral Ischemia in the Rat. <i>Anesthesia and Analgesia</i> , 1998, 87, 72-78.	1.1	27
25	Relative Neuroprotective Effects of Dizocilpine and Isoflurane During Focal Cerebral Ischemia in the Rat. <i>Anesthesia and Analgesia</i> , 1998, 87, 72-78.	1.1	47
26	Neuroprotective Effects of Combination Therapy with Tirilazad and Magnesium in Rats Subjected to Reversible Focal Cerebral Ischemia. <i>Neurosurgery</i> , 1999, 44, 163-171.	0.6	80
27	Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia. <i>Neurosurgical Focus</i> , 1999, 7, E2.	1.0	2
28	Posttreatment With High-Dose Albumin Reduces Histopathological Damage and Improves Neurological Deficit Following Fluid Percussion Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 1999, 16, 445-453.	1.7	102
29	Quantitation of multiple gene expression by in situ hybridization autoradiography: accurate normalization using Bayes classifier. <i>Journal of Neuroscience Methods</i> , 1999, 88, 63-70.	1.3	9
30	NF- $\kappa$ B is activated and promotes cell death in focal cerebral ischemia. <i>Nature Medicine</i> , 1999, 5, 554-559.	15.2	615
31	Temporal Profile and Cellular Localization of Interleukin-6 Protein after Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 1256-1262.	2.4	108
32	Immunohistochemical analysis of cyclic AMP response element binding protein phosphorylation in focal cerebral ischemia in rats. <i>Brain Research</i> , 1999, 818, 520-526.	1.1	68
33	Effects of RSR13, a synthetic allosteric modifier of hemoglobin, alone and in combination with dizocilpine, on outcome from transient focal cerebral ischemia in the rat. <i>Brain Research</i> , 1999, 826, 172-180.	1.1	8
34	Protein extravasation and cellular uptake after high-dose human-albumin treatment of transient focal cerebral ischemia in rats. <i>Brain Research</i> , 1999, 827, 237-242.	1.1	43
35	Middle cerebral artery occlusion in the mouse by intraluminal suture coated with poly-l-lysine: neurological and histological validation. <i>Brain Research</i> , 1999, 833, 181-190.	1.1	133
36	Dietary restriction and 2-deoxyglucose administration reduce focal ischemic brain damage and improve behavioral outcome: Evidence for a preconditioning mechanism. <i>Journal of Neuroscience Research</i> , 1999, 57, 830-839.	1.3	312
37	Mexiletine and magnesium independently, but not combined, protect against permanent focal cerebral ischemia in Wistar rats. <i>Journal of Neuroscience Research</i> , 1999, 58, 442-448.	1.3	41
38	Efficacy of AR-R15896AR in the rat monofilament model of transient middle cerebral artery occlusion. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1999, 8, 388-397.	0.7	9

#	ARTICLE	IF	CITATIONS
39	Nicotinamide reduces infarction up to two hours after the onset of permanent focal cerebral ischemia in Wistar rats. <i>Neuroscience Letters</i> , 1999, 259, 21-24.	1.0	108
40	Inhibition of cyclic AMP-dependent protein kinase in the acute phase of focal cerebral ischemia in the rat. <i>Neuroscience</i> , 1999, 94, 361-371.	1.1	25
41	Application of endovascular suture occlusion of middle cerebral artery in gerbils to obtain consistent infarction. <i>Neurological Research</i> , 1999, 21, 574-578.	0.6	16
42	Influence of different fixation procedures on the quantification of infarction and oedema in a rat model of stroke. <i>Neuropathology and Applied Neurobiology</i> , 2000, 26, 243-250.	1.8	20
43	Immunohistochemical Detection of Leukemia Inhibitory Factor After Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 661-668.	2.4	55
44	Temporal Changes of the Apparent Diffusion Coefficients of Water and Metabolites in Rats With Hemispheric Infarction: Experimental Study of Transhemispheric Diaschisis in the Contralateral Hemisphere at 7 Tesla. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 726-735.	2.4	41
45	Neuroprotection by LY341122, a novel inhibitor of lipid peroxidation, against focal ischemic brain damage in rats. <i>European Journal of Pharmacology</i> , 2000, 389, 79-88.	1.7	13
46	MRZ 2/579, a novel uncompetitive N-methyl-d-aspartate antagonist, reduces infarct volume and brain swelling and improves neurological deficit after focal cerebral ischemia in rats. <i>Brain Research</i> , 2000, 862, 111-119.	1.1	14
47	ARL 17477, a selective nitric oxide synthase inhibitor, with neuroprotective effects in animal models of global and focal cerebral ischaemia. <i>Brain Research</i> , 2000, 871, 234-244.	1.1	52
48	Effects of blockade of voltage-sensitive Ca <sup>2+</sup> /Na <sup>+</sup> channels by a novel phenylpyrimidine derivative, NS-7, on CREB phosphorylation in focal cerebral ischemia in the rat. <i>Brain Research</i> , 2000, 873, 83-93.	1.1	11
49	Post-ischemic RSR13 amplifies the effect of dizocilpine on outcome from transient focal cerebral ischemia in the rat. <i>Brain Research</i> , 2000, 853, 15-21.	1.1	8
50	Comparative neuroprotective efficacy of prolonged moderate intraischemic and postischemic hypothermia in focal cerebral ischemia. <i>Journal of Neurosurgery</i> , 2000, 92, 91-99.	0.9	133
51	Evaluating the Efficacy of Citicoline in Embolic Ischemic Stroke in Rats: Neuroprotective Effects When Used Alone or in Combination with Urokinase. <i>Experimental Neurology</i> , 2000, 161, 733-739.	2.0	56
52	Postischemic Spontaneous Hyperthermia and Its Effects in Middle Cerebral Artery Occlusion in the Rat. <i>Experimental Neurology</i> , 2000, 163, 399-407.	2.0	78
53	Activated phosphorylation of cyclic AMP response element binding protein is associated with preservation of striatal neurons after focal cerebral ischemia in the rat. <i>Neuroscience</i> , 2000, 100, 345-354.	1.1	47
54	Effect of middle cerebral artery occlusion on the passage of pituitary adenylate cyclase activating polypeptide across the blood-brain barrier in the rat. <i>Regulatory Peptides</i> , 2000, 91, 89-95.	1.9	38
55	Differential changes of bax, caspase-3 and p21 mRNA expression after transient focal brain ischemia in the rat. <i>Molecular Brain Research</i> , 2000, 79, 88-101.	2.5	42
56	Neuroprotective effects of an AMPA receptor antagonist YM872 in a rat transient middle cerebral artery occlusion model. <i>Neuropharmacology</i> , 2000, 39, 211-217.	2.0	37

#	ARTICLE	IF	CITATIONS
57	Rodent Models of Focal Cerebral Ischemia. <i>Current Protocols in Neuroscience</i> , 2000, 12, Unit9.6.	2.6	12
58	Quantitative measurement of motor and somatosensory impairments after mild (30 min) and severe (2) Tj ETQq1 1 0.784314 rgBT /Qve 141-146.	0.3	112
59	Definition of the anterior choroidal artery territory in rats using intraluminal occluding technique. <i>Journal of the Neurological Sciences</i> , 2000, 182, 16-28.	0.3	32
60	Phosphorylation of Signal Transducer and Activator of Transcription-3 (Stat3) after Focal Cerebral Ischemia in Rats. <i>Experimental Neurology</i> , 2001, 170, 63-71.	2.0	126
61	Alteration of second messengers during acute cerebral ischemia â€“ adenylyate cyclase, cyclic AMP-dependent protein kinase, and cyclic AMP response element binding protein. <i>Progress in Neurobiology</i> , 2001, 65, 173-207.	2.8	115
62	Early overuse and disuse of the affected forelimb after moderately severe intraluminal suture occlusion of the middle cerebral artery in rats. <i>Behavioural Brain Research</i> , 2001, 126, 33-41.	1.2	68
63	Neurotrophic Factor-Secreting Cell Grafting for Cerebral Ischemia: Preliminary Report. <i>Cell Transplantation</i> , 2001, 10, 419-422.	1.2	12
64	Neuroprotection from Delayed Postischemic Administration of a Metalloporphyrin Catalytic Antioxidant. <i>Journal of Neuroscience</i> , 2001, 21, 4582-4592.	1.7	153
65	Up-regulation of the Ire1-mediated signaling molecule, Bip, in ischemic rat brain. <i>NeuroReport</i> , 2001, 12, 4023-4028.	0.6	47
66	Neurotolerability of Contrast Agents in Rats with Brain Ischemia Induced by Transient Middle Cerebral Artery Occlusion. <i>Investigative Radiology</i> , 2001, 36, 1-8.	3.5	10
67	Comparative Study Between Gadobenate Dimeglumine and Gadobutrol in Rats with Brain Ischemia. <i>Investigative Radiology</i> , 2001, 36, 561-572.	3.5	5
68	A New Model of Localized Ischemia in Rat Somatosensory Cortex Produced by Cortical Compression. <i>Stroke</i> , 2001, 32, 2615-2623.	1.0	32
69	Effects of dexmedetomidine after transient and permanent occlusion of the middle cerebral artery in the rat. <i>Journal of Neural Transmission</i> , 2001, 108, 261-271.	1.4	53
70	Cognitive and behavioral assessment in experimental stroke research: will it prove useful?. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 325-342.	2.9	127
71	Cerebral activation and distribution of inducible hsp110 and hsp70 mRNAs following focal ischemia in rat. <i>Toxicology</i> , 2001, 167, 135-144.	2.0	17
72	Mitochondrial Respiratory Function and Cell Death in Focal Cerebral Ischemia. <i>Journal of Neurochemistry</i> , 2001, 73, 1189-1199.	2.1	71
73	Neuroprotective Effects of the CRF1 Antagonist R121920 after Permanent Focal Ischemia in the Rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 1208-1214.	2.4	22
74	LY393615, a novel neuronal Ca <sup>2+</sup> and Na <sup>+</sup> channel blocker with neuroprotective effects in models of in vitro and in vivo cerebral ischemia. <i>Brain Research</i> , 2001, 888, 138-149.	1.1	15

#	ARTICLE	IF	CITATIONS
75	The effect of bone morphogenetic protein-7 (BMP-7) on functional recovery, local cerebral glucose utilization and blood flow after transient focal cerebral ischemia in rats. <i>Brain Research</i> , 2001, 905, 81-90.	1.1	31
76	Effect of melatonin on ischemia reperfusion injury induced by middle cerebral artery occlusion in rats. <i>European Journal of Pharmacology</i> , 2001, 428, 185-192.	1.7	100
77	Neuroprotective effect of treatment with human albumin in permanent focal cerebral ischemia: histopathology and cortical perfusion studies. <i>European Journal of Pharmacology</i> , 2001, 428, 193-201.	1.7	75
78	Stilbazulenyl nitron, a novel azulenyl nitron antioxidant, improved neurological deficit and reduced contusion size after traumatic brain injury in rats. <i>Journal of Neurosurgery</i> , 2002, 96, 1077-1083.	0.9	19
79	Therapeutic window for nicotinamide following transient focal cerebral ischemia. <i>NeuroReport</i> , 2002, 13, 213-216.	0.6	44
80	Treatment of Ischemic Brain Damage by Perturbing NMDA Receptor- PSD-95 Protein Interactions. <i>Science</i> , 2002, 298, 846-850.	6.0	927
81	Protective effect of resveratrol against oxidative stress in middle cerebral artery occlusion model of stroke in rats. <i>Life Sciences</i> , 2002, 71, 655-665.	2.0	299
82	Melatonin reduces cerebral edema formation caused by transient forebrain ischemia in rats. <i>Life Sciences</i> , 2002, 72, 583-590.	2.0	60
83	Identification of differentially expressed genes induced by transient ischemic stroke. <i>Molecular Brain Research</i> , 2002, 101, 12-22.	2.5	57
84	DNA microarray analysis of cortical gene expression during early recirculation after focal brain ischemia in rat. <i>Molecular Brain Research</i> , 2002, 108, 81-93.	2.5	101
85	DNA array reveals altered gene expression in response to focal cerebral ischemia. <i>Brain Research Bulletin</i> , 2002, 58, 491-498.	1.4	59
86	Nicotinamide therapy protects against both necrosis and apoptosis in a stroke model. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 901-910.	1.3	94
87	Aging has a complex effect on a rat model of ischemic stroke. <i>Brain Research</i> , 2002, 925, 148-158.	1.1	90
88	Delayed treatment with nicotinamide (vitamin B3) reduces the infarct volume following focal cerebral ischemia in spontaneously hypertensive rats, diabetic and non-diabetic Fischer 344 rats. <i>Brain Research</i> , 2002, 931, 68-73.	1.1	43
89	Temporal effects of left versus right middle cerebral artery occlusion on spleen lymphocyte subsets and mitogenic response in Wistar rats. <i>Brain Research</i> , 2002, 955, 85-97.	1.1	86
90	Effects of metalloporphyrin catalytic antioxidants in experimental brain ischemia. <i>Free Radical Biology and Medicine</i> , 2002, 33, 947-961.	1.3	96
91	Acute administration of Ginkgo biloba extract (EGb 761) affords neuroprotection against permanent and transient focal cerebral ischemia in Sprague-Dawley rats. <i>Journal of Neuroscience Research</i> , 2002, 68, 636-645.	1.3	104
92	Filament size influences temperature changes and brain damage following middle cerebral artery occlusion in rats. <i>Experimental Brain Research</i> , 2002, 142, 131-138.	0.7	32

#	ARTICLE	IF	CITATIONS
93	Systemic fatty acid responses to transient focal cerebral ischemia: influence of neuroprotectant therapy with human albumin. <i>Journal of Neurochemistry</i> , 2002, 83, 515-524.	2.1	84
94	Automated registration of laser Doppler perfusion images by an adaptive correlation approach: application to focal cerebral ischemia in the rat. <i>Journal of Neuroscience Methods</i> , 2002, 122, 79-90.	1.3	10
95	Rapid Tolerance to Focal Cerebral Ischemia in Rats is Attenuated by Adenosine A1 Receptor Antagonist. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 161-170.	2.4	69
96	Effects of Tramadol on Rat Detrusor Overactivity Induced by Experimental Cerebral Infarction. <i>European Urology</i> , 2003, 44, 495-499.	0.9	37
97	The neuronal nitric oxide synthase inhibitor, TRIM, as a neuroprotective agent: effects in models of cerebral ischaemia using histological and magnetic resonance imaging techniques. <i>Brain Research</i> , 2003, 993, 42-53.	1.1	28
98	N-Acetyl cysteine protects against injury in a rat model of focal cerebral ischemia. <i>Brain Research</i> , 2003, 971, 1-8.	1.1	138
99	In vivo neuroprotective effects of ACEA 1021 confirmed by magnetic resonance imaging in ischemic stroke. <i>European Journal of Pharmacology</i> , 2003, 474, 53-62.	1.7	21
100	Stilbazulenyl nitron, a novel antioxidant, is highly neuroprotective in focal ischemia. <i>Annals of Neurology</i> , 2003, 54, 330-342.	2.8	67
101	The macrosphere model. <i>Journal of Neuroscience Methods</i> , 2003, 122, 201-211.	1.3	111
102	Evaluation of <i>Withania somnifera</i> in a middle cerebral artery occlusion model of stroke in rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 399-404.	0.9	62
103	Checkpoints and pitfalls in the experimental neuropathology of circulatory disturbance. <i>Neuropathology</i> , 2003, 23, 79-89.	0.7	6
104	Neuroprotective Effect of Postischemic Administration of Sodium Orthovanadate in Rats with Transient Middle Cerebral Artery Occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1040-1051.	2.4	45
105	Neuroprotective Effects of Insulin-Like Growth Factor-Binding Protein Ligand Inhibitors in Vitro and in Vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1160-1167.	2.4	54
106	Design and synthesis of poly(ADP-ribose) polymerase-1 (PARP-1) inhibitors. part 4: Biological evaluation of imidazobenzodiazepines as potent PARP-1 inhibitors for treatment of ischemic injuries. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 3695-3707.	1.4	56
107	Multi-unit activity suppression and sensorimotor deficits after endothelin-1-induced middle cerebral artery occlusion in conscious rats. <i>Journal of the Neurological Sciences</i> , 2003, 212, 59-67.	0.3	20
108	CNS Involvement in Overactive Bladder. <i>Drugs</i> , 2003, 63, 2595-2611.	4.9	89
109	Design and Synthesis of Poly ADP-ribose Polymerase-1 Inhibitors. 2. Biological Evaluation of Aza-5[H]-phenanthridin-6-ones as Potent, Aqueous-Soluble Compounds for the Treatment of Ischemic Injuries. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3138-3151.	2.9	51
110	Tramadol Inhibits Rat Detrusor Overactivity Caused by Dopamine Receptor Stimulation. <i>Journal of Urology</i> , 2003, 170, 272-275.	0.2	34

#	ARTICLE	IF	CITATIONS
111	Neuroprotective activity of tamoxifen in permanent focal ischemia. <i>Journal of Neurosurgery</i> , 2003, 99, 138-142.	0.9	79
112	HVJ-envelope vector for gene transfer into central nervous system. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 464-471.	1.0	45
113	Delayed treatment with 5-nitro-6,7-dichloro-1,4-dihydro-2,3-quinoxalinedione, a glycine site N-methyl-d-aspartate antagonist, protects against permanent middle cerebral artery occlusion in male rats. <i>Neuroscience Letters</i> , 2003, 347, 147-150.	1.0	11
114	Examination of sensorimotor performance following middle cerebral artery occlusion in rats. <i>Brain Research Bulletin</i> , 2003, 59, 459-466.	1.4	111
115	Reduction of infarct volume and apoptosis by grafting of encapsulated basic fibroblast growth factor- $\beta$ -secreting cells in a model of middle cerebral artery occlusion in rats. <i>Journal of Neurosurgery</i> , 2003, 99, 1053-1062.	0.9	28
116	High-dose ibuprofen for reduction of striatal infarcts during middle cerebral artery occlusion in rats. <i>Journal of Neurosurgery</i> , 2003, 98, 860-866.	0.9	44
117	Long-Lasting Functional Disabilities in Middle-Aged Rats with Small Cerebral Infarcts. <i>Journal of Neuroscience</i> , 2003, 23, 10913-10922.	1.7	111
118	Choice, Methodology, and Characterization of Focal Ischemic Stroke Models: The Search for Clinical Relevance. , 2005, 104, 019-048.		5
119	Inflammatory responses to ischemia and reperfusion in the cerebral microcirculation. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 1339.	3.0	108
120	Proximal Middle Cerebral Artery Occlusion Surgery for the Study of Ischemia- $\beta$ Reoxygenation Injury in the Brain. <i>Methods in Enzymology</i> , 2004, 381, 416-422.	0.4	0
121	Mechanisms of Disease: central nervous system involvement in overactive bladder syndrome. <i>Nature Reviews Urology</i> , 2004, 1, 103-108.	1.4	68
122	Isoflurane Preconditioning Induces Neuroprotection against Ischemia via Activation of P38 Mitogen-Activated Protein Kinases. <i>Molecular Pharmacology</i> , 2004, 65, 1172-1180.	1.0	187
123	Neuroprotective effect of combination of poly (ADP-ribose) polymerase inhibitor and antioxidant in middle cerebral artery occlusion induced focal ischemia in rats. <i>Neurological Research</i> , 2004, 26, 103-107.	0.6	33
124	Nogo Receptor Antagonism Promotes Stroke Recovery by Enhancing Axonal Plasticity. <i>Journal of Neuroscience</i> , 2004, 24, 6209-6217.	1.7	318
125	Apoptosis is not an invariable component of in vitro models of cortical cerebral ischaemia. <i>Cell Research</i> , 2004, 14, 241-250.	5.7	26
126	Adenosine A1 Receptor Antagonist and Mitochondrial ATP-Sensitive Potassium Channel Blocker Attenuate the Tolerance to Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 771-779.	2.4	48
127	Delayed post-ischemic albumin treatment neither improves nor worsens the outcome of transient focal cerebral ischemia in rats. <i>Brain Research</i> , 2004, 998, 243-246.	1.1	13
128	Caffeinol confers cortical but not subcortical neuroprotection after transient focal cerebral ischemia in rats. <i>Brain Research</i> , 2004, 1008, 278-283.	1.1	25



#	ARTICLE	IF	CITATIONS
129	The time course of ischemic damage and cerebral perfusion in a rat model of space-occupying cerebral infarction. <i>Brain Research</i> , 2004, 1013, 74-82.	1.1	24
130	Oxyresveratrol (trans-2,3,4,5-tetrahydroxystilbene) is neuroprotective and inhibits the apoptotic cell death in transient cerebral ischemia. <i>Brain Research</i> , 2004, 1017, 98-107.	1.1	118
131	Protective effect of epigallocatechin gallate on brain damage after transient middle cerebral artery occlusion in rats. <i>Brain Research</i> , 2004, 1019, 47-54.	1.1	129
132	Reduction of cerebral infarct size by non-competitive AMPA antagonists in rats subjected to permanent and transient focal ischemia. <i>Brain Research</i> , 2004, 1019, 210-216.	1.1	26
133	Inhibition of Caspase-3 Activation and Apoptosis Is Involved in 3-Nitropropionic Acid-Induced Ischemic Tolerance to Transient Focal Cerebral Ischemia in Rats. <i>Journal of Molecular Neuroscience</i> , 2004, 24, 299-306.	1.1	17
134	Some aspects of their <i>in vivo</i> neuroprotective capacity of flavonoids: Bioavailability and structure-activity relationship. <i>Neurotoxicity Research</i> , 2004, 6, 543-553.	1.3	61
135	Delayed treatment with melatonin enhances electrophysiological recovery following transient focal cerebral ischemia in rats. <i>Journal of Pineal Research</i> , 2004, 36, 33-42.	3.4	56
136	Melatonin suppresses cerebral edema caused by middle cerebral artery occlusion/reperfusion in rats assessed by magnetic resonance imaging. <i>Journal of Pineal Research</i> , 2004, 36, 18-24.	3.4	47
137	Administration of N-acetylcysteine after focal cerebral ischemia protects brain and reduces inflammation in a rat model of experimental stroke. <i>Journal of Neuroscience Research</i> , 2004, 76, 519-527.	1.3	218
138	Detection of chronic sensorimotor impairments in the ladder rung walking task in rats with endothelin-1-induced mild focal ischemia. <i>Journal of Neuroscience Methods</i> , 2004, 137, 227-233.	1.3	21
139	Direct inhibition of the mitochondrial permeability transition pore: a possible mechanism responsible for anti-apoptotic effects of melatonin. <i>FASEB Journal</i> , 2004, 18, 869-871.	0.2	278
140	Neuregulin-1 is neuroprotective and attenuates inflammatory responses induced by ischemic stroke. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 440-446.	1.0	95
141	Exercise pre-conditioning reduces brain damage in ischemic rats that may be associated with regional angiogenesis and cellular overexpression of neurotrophin. <i>Neuroscience</i> , 2004, 124, 583-591.	1.1	207
142	Hemodilution During Cardiopulmonary Bypass Increases Cerebral Infarct Volume After Middle Cerebral Artery Occlusion in Rats. <i>Anesthesia and Analgesia</i> , 2004, 99, 974-981.	1.1	28
143	Transfemoral selective intraluminal wiring technique for transient middle cerebral artery occlusion in rats. <i>Journal of Neuroscience Methods</i> , 2005, 149, 82-89.	1.3	11
144	Hypoxia-inducible Factor Prolyl 4-Hydroxylase Inhibition. <i>Journal of Biological Chemistry</i> , 2005, 280, 41732-41743.	1.6	265
145	Neuroprotective effect of paeoniflorin on cerebral ischemic rat by activating adenosine A1 receptor in a manner different from its classical agonists. <i>British Journal of Pharmacology</i> , 2005, 146, 604-611.	2.7	115
146	Activation of Cytokine Signaling through Leukemia Inhibitory Factor Receptor (LIFR)/gp130 Attenuates Ischemic Brain Injury in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 685-693.	2.4	46

#	ARTICLE	IF	CITATIONS
147	Effects of Status Epilepticus Early in Life on Susceptibility to Ischemic Injury in Adulthood. <i>Epilepsia</i> , 2005, 46, 490-498.	2.6	26
148	The acoustic startle reflex in Sprague-Dawley rats is altered by permanent middle cerebral artery occlusion. <i>Brain Research</i> , 2005, 1032, 44-49.	1.1	1
149	A selective endothelin ETA receptor antagonist, SB 234551, improves cerebral perfusion following permanent focal cerebral ischemia in rats. <i>Brain Research</i> , 2005, 1045, 150-156.	1.1	15
150	17 $\beta$ -estradiol potentiates ischemia-induced reperfusion injury in diabetic ovariectomized female rats. <i>Brain Research</i> , 2005, 1054, 192-199.	1.1	31
151	Comparison of perfusion MRI by flow-sensitive alternating inversion recovery and dynamic susceptibility contrast in rats with permanent middle cerebral artery occlusion. <i>NMR in Biomedicine</i> , 2005, 18, 390-394.	1.6	3
152	Accelerated cerebral ischemic injury by activated macrophages/microglia after lipopolysaccharide microinjection into rat corpus callosum. <i>Glia</i> , 2005, 50, 168-181.	2.5	54
153	Exercise preconditioning ameliorates inflammatory injury in ischemic rats during reperfusion. <i>Acta Neuropathologica</i> , 2005, 109, 237-246.	3.9	124
154	Neuroprotection: Where Are We Going?. , 2005, , 237-265.		0
155	Delayed treatment with magnesium: reduction of brain infarction and improvement of electrophysiological recovery following transient focal cerebral ischemia in rats. <i>Journal of Neurosurgery</i> , 2005, 102, 1085-1093.	0.9	30
156	Stilbazulenyl Nitron, a Second-Generation Azulenyl Nitron Antioxidant, Confers Enduring Neuroprotection in Experimental Focal Cerebral Ischemia in the Rat: Neurobehavior, Histopathology, and Pharmacokinetics. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 1090-1100.	1.3	30
157	Influence of age on stroke outcome following transient focal ischemia. <i>Journal of Neurosurgery</i> , 2005, 103, 687-694.	0.9	69
158	Neuroprotection by neuregulin-1 following focal stroke is associated with the attenuation of ischemia-induced pro-inflammatory and stress gene expression. <i>Neurobiology of Disease</i> , 2005, 19, 461-470.	2.1	101
159	Upregulation of erbB receptors in rat brain after middle cerebral arterial occlusion. <i>Neuroscience Letters</i> , 2005, 375, 181-186.	1.0	37
160	The administration of cobra venom factor reduces post-ischemic cerebral injury in adult and neonatal rats. <i>Neuroscience Letters</i> , 2005, 380, 48-53.	1.0	47
161	(-)-Epigallocatechin gallate as an intervention for the acute treatment of cerebral ischemia. <i>Neuroscience Letters</i> , 2005, 382, 227-230.	1.0	30
162	Skilled reaching impairments from the lateral frontal cortex component of middle cerebral artery stroke: a qualitative and quantitative comparison to focal motor cortex lesions in rats. <i>Behavioural Brain Research</i> , 2005, 156, 125-137.	1.2	75
163	A novel method of detecting rCBF with laser-Doppler flowmetry without cranial window through the skull for a MCAO rat model. <i>Brain Research Protocols</i> , 2005, 14, 165-170.	1.7	39
164	Ischemic preconditioning increases antioxidants in the brain and peripheral organs after cerebral ischemia. <i>Experimental Neurology</i> , 2005, 192, 117-124.	2.0	58

#	ARTICLE	IF	CITATIONS
165	Effects of the cyclooxygenase-2 inhibitor nimesulide on cerebral infarction and neurological deficits induced by permanent middle cerebral artery occlusion in the rat. <i>Journal of Neuroinflammation</i> , 2005, 2, 3.	3.1	50
166	Rodent models of focal stroke: Size, mechanism, and purpose. <i>NeuroRx</i> , 2005, 2, 396-409.	6.0	597
167	S-Allyl-L-cysteine attenuates cerebral ischemic injury by scavenging peroxynitrite and inhibiting the activity of extracellular signal-regulated kinase. <i>Free Radical Research</i> , 2006, 40, 827-835.	1.5	44
168	Design, Synthesis, and Biological Evaluation of Isoquinoline-1,3,4-trione Derivatives as Potent Caspase-3 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 1613-1623.	2.9	114
169	Inhibition of NF-kappaB activation by 5-lipoxygenase inhibitors protects brain against injury in a rat model of focal cerebral ischemia. <i>Journal of Neuroinflammation</i> , 2006, 3, 12.	3.1	82
170	Neuroprotective effect of <i>Acorus calamus</i> against middle cerebral artery occlusion-induced ischaemia in rat. <i>Human and Experimental Toxicology</i> , 2006, 25, 187-194.	1.1	66
171	Effect of dimethyl sulfoxide on blood-brain barrier integrity following middle cerebral artery occlusion in the rat. , 2006, 96, 258-262.		17
172	Use of an Optimized Transient Occlusion of the Middle Cerebral Artery Protocol for the Mouse Stroke Model. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2006, 15, 133-138.	0.7	41
173	Resveratrol reduces the elevated level of MMP-9 induced by cerebral ischemia-reperfusion in mice. <i>Life Sciences</i> , 2006, 78, 2564-2570.	2.0	120
174	Blood-brain barrier permeability to the neuroprotectant oxyresveratrol. <i>Neuroscience Letters</i> , 2006, 393, 113-118.	1.0	46
175	Focal brain ischemia models in rodents. , 0, , 311-328.		3
176	Estrogen dissociates Tau and alpha-amino-3-hydroxy-5-methylisoxazole-4-propionic acid receptor subunit in postischemic hippocampus. <i>NeuroReport</i> , 2006, 17, 1337-1341.	0.6	19
177	Extended Therapeutic Window and Functional Recovery after Intraarterial Administration of Neuregulin-1 after Focal Ischemic Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 527-535.	2.4	79
178	Delayed Multidose Treatment with Nicotinamide Extends the Degree and Duration of Neuroprotection by Reducing Infarction and Improving Behavioral Scores up to Two Weeks Following Transient Focal Cerebral Ischemia in Wistar Rats. <i>Annals of the New York Academy of Sciences</i> , 2001, 939, 416-424.	1.8	24
179	Modification of the method of thread manufacture improves stroke induction rate and reduces mortality after thread-occlusion of the middle cerebral artery in young or aged rats. <i>Journal of Neuroscience Methods</i> , 2006, 155, 285-290.	1.3	107
180	Selective, reversible occlusion of the middle cerebral artery in rats by an intraluminal approach. <i>Journal of Neuroscience Methods</i> , 2006, 156, 76-83.	1.3	39
181	Exercise preconditioning upregulates cerebral integrins and enhances cerebrovascular integrity in ischemic rats. <i>Acta Neuropathologica</i> , 2006, 112, 74-84.	3.9	55
182	Neuroprotective effects of neuregulin-1 in rat models of focal cerebral ischemia. <i>Brain Research</i> , 2006, 1087, 180-185.	1.1	53

#	ARTICLE	IF	CITATIONS
183	Therapeutic time window of neuroprotection by non-competitive AMPA antagonists in transient and permanent focal cerebral ischemia in rats. <i>Brain Research</i> , 2006, 1123, 60-67.	1.1	20
184	Different expression of low density lipoprotein receptor and ApoE between young adult and old rat brains after ischemia. <i>Neurological Research</i> , 2006, 28, 822-825.	0.6	7
185	Modulation of AQP4 expression by the protein kinase C activator, phorbol myristate acetate, decreases ischemia-induced brain edema. , 2006, 96, 393-397.		29
186	Sodium Orthovanadate Enhances Proliferation of Progenitor Cells in the Adult Rat Subventricular Zone after Focal Cerebral Ischemia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 982-991.	1.3	21
187	2-(1-Hydroxypentyl)-benzoate Increases Cerebral Blood Flow and Reduces Infarct Volume in Rats Model of Transient Focal Cerebral Ischemia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 973-979.	1.3	84
189	A new method for superselective middle cerebral artery infusion in the rat. <i>Journal of Neurosurgery</i> , 2007, 106, 872-878.	0.9	20
190	Photochemically induced cerebral ischemia in a mouse model. <i>World Neurosurgery</i> , 2007, 67, 620-625.	1.3	102
191	Phospho-Dependent Functional Modulation of GABAB Receptors by the Metabolic Sensor AMP-Dependent Protein Kinase. <i>Neuron</i> , 2007, 53, 233-247.	3.8	167
192	Serum S100B is a useful surrogate marker for long-term outcomes in photochemically-induced thrombotic stroke rat models. <i>Life Sciences</i> , 2007, 81, 657-663.	2.0	10
193	Comparison between coated vs. uncoated suture middle cerebral artery occlusion in the rat as assessed by perfusion/diffusion weighted imaging. <i>Neuroscience Letters</i> , 2007, 412, 185-190.	1.0	40
194	Tanshinone IIB, a primary active constituent from <i>Salvia miltiorrhiza</i> , exhibits neuro-protective activity in experimentally stroked rats. <i>Neuroscience Letters</i> , 2007, 417, 261-265.	1.0	43
195	Cardiovascular Activity. , 2007, , 47-391.		1
196	ENDOTHELIN-1-INDUCED CEREBRAL ISCHEMIA: EFFECTS OF KETANSERIN AND MK-801 ON LIMB PLACING IN RATS. <i>International Journal of Neuroscience</i> , 2007, 117, 1361-1381.	0.8	6
197	Poststroke DNA immunization against neurite growth inhibitors is beneficial to the recovery from local cerebral ischemia in rats. <i>Neural Regeneration Research</i> , 2007, 2, 65-69.	1.6	1
198	Intranasal administration of a PARG inhibitor profoundly decreases ischemic brain injury. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 4986.	3.0	32
199	The Mitochondrial KATP Channel Opener BMS-191095 Reduces Neuronal Damage after Transient Focal Cerebral Ischemia in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 348-355.	2.4	59
200	Caffeic acid phenethyl ester reduces neurovascular inflammation and protects rat brain following transient focal cerebral ischemia. <i>Journal of Neurochemistry</i> , 2007, 102, 365-377.	2.1	97
201	Quantitative measurement of neurological deficit after mild (30 min) transient middle cerebral artery occlusion in rats. <i>Brain Research</i> , 2007, 1130, 181-187.	1.1	13

#	ARTICLE	IF	CITATIONS
202	Serum S100B indicates brain edema formation and predicts long-term neurological outcomes in rat transient middle cerebral artery occlusion model. <i>Brain Research</i> , 2007, 1137, 140-145.	1.1	32
203	Multi-modal characterisation of the neocortical clip model of focal cerebral ischaemia by MRI, behaviour and immunohistochemistry. <i>Brain Research</i> , 2007, 1145, 177-189.	1.1	32
204	Experimental intracerebral hematoma in the rat: Characterization by sequential magnetic resonance imaging, behavior, and histopathology. Effect of albumin therapy. <i>Brain Research</i> , 2007, 1157, 146-155.	1.1	60
205	Neuroprotective effect of STAZN, a novel azulenyl nitron antioxidant, in focal cerebral ischemia in rats: Dose response and therapeutic window. <i>Brain Research</i> , 2007, 1180, 101-110.	1.1	14
206	Systemic administration of diazoxide induces delayed preconditioning against transient focal cerebral ischemia in rats. <i>Brain Research</i> , 2007, 1168, 106-111.	1.1	29
207	Blood micromolar concentrations of kaempferol afford protection against ischemia/reperfusion-induced damage in rat brain. <i>Brain Research</i> , 2007, 1182, 123-137.	1.1	75
208	Brazilein protects the brain against focal cerebral ischemia reperfusion injury correlating to inflammatory response suppression. <i>European Journal of Pharmacology</i> , 2007, 558, 88-95.	1.7	56
209	Neuroprotective effects of the novel polyethylene glycol-hemoglobin conjugate SB1 on experimental cerebral thromboembolism in rats. <i>European Journal of Pharmacology</i> , 2007, 566, 83-87.	1.7	7
210	Acute ischemic stroke: Overview of major experimental rodent models, pathophysiology, and therapy of focal cerebral ischemia. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 87, 179-197.	1.3	611
211	Inhibition of Nitric Oxide Synthase with 7-Nitroindazole does not Modify Early Metabolic Recovery Following Focal Cerebral Ischemia in Rats. <i>Neurochemical Research</i> , 2007, 32, 663-670.	1.6	9
212	Reduction of ischemic brain damage and increase of glutathione by a liposomal preparation of quercetin in permanent focal ischemia in rats. <i>Neurotoxicity Research</i> , 2008, 13, 105-114.	1.3	50
213	Forced, not voluntary, exercise effectively induces neuroprotection in stroke. <i>Acta Neuropathologica</i> , 2008, 115, 289-296.	3.9	128
214	Intraluminal suture occlusion and ligation of the distal branch of internal carotid artery: An improved rat model of focal cerebral ischemia-reperfusion. <i>Journal of Neuroscience Methods</i> , 2008, 168, 1-7.	1.3	13
215	Effectiveness of a new modified intraluminal suture for temporary middle cerebral artery occlusion in rats of various weight. <i>Journal of Neuroscience Methods</i> , 2008, 173, 225-234.	1.3	38
216	Antioxidative and thrombolytic TMP nitron for treatment of ischemic stroke. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8868-8874.	1.4	67
217	Small Molecule Activation of Adaptive Gene Expression. <i>Annals of the New York Academy of Sciences</i> , 2008, 1147, 383-394.	1.8	48
218	Preischemic Induction of TNF- $\alpha$ by Physical Exercise Reduces Blood-Brain Barrier Dysfunction in Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1422-1430.	2.4	68
219	A Modified Mini-Stroke Model with Region-Directed Reperfusion in Rat Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 973-983.	2.4	20

#	ARTICLE	IF	CITATIONS
220	Alpha-chloralose is a suitable anesthetic for chronic focal cerebral ischemia studies in the rat: A comparative study. <i>Brain Research</i> , 2008, 1191, 157-167.	1.1	28
221	A modified suture technique produces consistent cerebral infarction in rats. <i>Brain Research</i> , 2008, 1246, 158-166.	1.1	31
222	Transient middle cerebral artery occlusion induces microglial priming in the lumbar spinal cord: a novel model of neuroinflammation. <i>Journal of Neuroinflammation</i> , 2008, 5, 29.	3.1	27
223	Focal cerebral ischemia in the TNFalpha-transgenic rat. <i>Journal of Neuroinflammation</i> , 2008, 5, 47.	3.1	53
224	In vitro and in vivo neuroprotective effect and mechanisms of glabridin, a major active isoflavan from <i>Glycyrrhiza glabra</i> (licorice). <i>Life Sciences</i> , 2008, 82, 68-78.	2.0	118
225	Cerebral ischemia: Models, methods and outcomes. <i>Neuropharmacology</i> , 2008, 55, 257-270.	2.0	151
226	Pre-ischemic exercise reduces matrix metalloproteinase-9 expression and ameliorates blood-brain barrier dysfunction in stroke. <i>Neuroscience</i> , 2008, 151, 340-351.	1.1	91
227	LAU-0901, a novel platelet-activating factor antagonist, is highly neuroprotective in cerebral ischemia. <i>Experimental Neurology</i> , 2008, 214, 253-258.	2.0	36
228	Minimally invasive neuroradiologic model of preclinical transient middle cerebral artery occlusion in canines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14100-14105.	3.3	45
229	Dual-Modality Monitoring of Targeted Intraarterial Delivery of Mesenchymal Stem Cells After Transient Ischemia. <i>Stroke</i> , 2008, 39, 1569-1574.	1.0	371
230	Cerebrovascular Thromboprophylaxis in Mice by Erythrocyte-Coupled Tissue-Type Plasminogen Activator. <i>Circulation</i> , 2008, 118, 1442-1449.	1.6	77
231	Uridine Protects Cortical Neurons from Glucose Deprivation-Induced Death: Possible Role of Uridine Phosphorylase. <i>Journal of Neurotrauma</i> , 2008, 25, 695-707.	1.7	35
232	Neuroprotective Effect of <i>Sanguisorbae Radix</i> against Oxidative Stress-Induced Brain Damage: in Vitro and in Vivo. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 2028-2035.	0.6	55
233	Rationale for Using Ischemic Stroke Models. , 2008, , 3-4.		0
234	Protective effect of chuanxiongzine-puerarin in a rat model of transient middle cerebral artery occlusion-induced focal cerebral ischemia. <i>Nuclear Medicine Communications</i> , 2008, 29, 1113-1122.	0.5	23
235	Hyperthermia induced after recirculation triggers chronic neurodegeneration in the penumbra zone of focal ischemia in the rat brain. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 1029-1036.	0.7	4
236	Electro-stimulation of cerebellar fastigial nucleus (FNS) improves axonal regeneration. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 6999.	3.0	8
237	Intranasal Deferoxamine Provides Increased Brain Exposure and Significant Protection in Rat Ischemic Stroke. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 679-686.	1.3	188

#	ARTICLE	IF	CITATIONS
238	PET of Glial Metabolism Using 2- <sup>18</sup> F-Fluoroacetate. <i>Journal of Nuclear Medicine</i> , 2009, 50, 982-990.	2.8	42
239	Robust Docosahexaenoic Acid-Mediated Neuroprotection in a Rat Model of Transient, Focal Cerebral Ischemia. <i>Stroke</i> , 2009, 40, 3121-3126.	1.0	156
240	LAU-0901, a novel platelet-activating factor receptor antagonist, confers enduring neuroprotection in experimental focal cerebral ischemia in the rat. <i>Brain Research</i> , 2009, 1253, 184-190.	1.1	15
241	Hydrogen gas is ineffective in moderate and severe neonatal hypoxia-ischemia rat models. <i>Brain Research</i> , 2009, 1259, 90-97.	1.1	51
242	A novel neurotrophic therapeutic strategy for experimental stroke. <i>Brain Research</i> , 2009, 1280, 117-123.	1.1	38
243	The role of phosphoinositide-3-kinase/Akt pathway in propofol-induced postconditioning against focal cerebral ischemia-reperfusion injury in rats. <i>Brain Research</i> , 2009, 1297, 177-184.	1.1	94
244	Protective effects of mutant of acidic fibroblast growth factor against cerebral ischaemia-reperfusion injury in rats. <i>Injury</i> , 2009, 40, 963-967.	0.7	10
245	Sodium mapping in focal cerebral ischemia in the rat by quantitative <sup>23</sup> Na MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 962-966.	1.9	19
246	Inhomogeneous sodium accumulation in the ischemic core in rat focal cerebral ischemia by <sup>23</sup> Na MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 18-24.	1.9	13
247	COG1410, a novel apolipoprotein-E mimetic, improves functional and morphological recovery in a rat model of focal brain ischemia. <i>Journal of Neuroscience Research</i> , 2009, 87, 677-682.	1.3	44
248	Characterization of periinfarct flow transients with laser speckle and Doppler after middle cerebral artery occlusion in the rat. <i>Journal of Neuroscience Research</i> , 2009, 87, 1219-1229.	1.3	33
249	Delayed Treatment with Carboxy-PTIO Permits a 4-h Therapeutic Window of Opportunity and Prevents Against Ischemia-Induced Energy Depletion Following Permanent Focal Cerebral Ischemia in Mice. <i>Neurochemical Research</i> , 2009, 34, 1157-1166.	1.6	7
250	Protective effect of effective composite of Chinese medicine prescription Naodesheng (è„ä¼—ç”) against focal cerebral ischemia in rats. <i>Chinese Journal of Integrative Medicine</i> , 2009, 15, 377-383.	0.7	10
253	Melatonin improves presynaptic protein, SNAP25, expression and dendritic spine density and enhances functional and electrophysiological recovery following transient focal cerebral ischemia in rats. <i>Journal of Pineal Research</i> , 2009, 47, 260-270.	3.4	41
254	Large-scale reorganization of corticofugal fibers after neonatal hemidecortication for functional restoration of forelimb movements. <i>European Journal of Neuroscience</i> , 2009, 30, 1878-1887.	1.2	32
255	Therapeutic window for cinnamophilin following oxygen-glucose deprivation and transient focal cerebral ischemia. <i>Experimental Neurology</i> , 2009, 217, 74-83.	2.0	37
256	CNS penetration of small molecules following local inflammation, widespread systemic inflammation or direct injury to the nervous system. <i>Life Sciences</i> , 2009, 85, 450-456.	2.0	26
257	Reduction of lipoxidative load by secretory phospholipase A2 inhibition protects against neurovascular injury following experimental stroke in rat. <i>Journal of Neuroinflammation</i> , 2009, 6, 21.	3.1	40

#	ARTICLE	IF	CITATIONS
258	Rodent models of focal cerebral ischemia: procedural pitfalls and translational problems. <i>Experimental &amp; Translational Stroke Medicine</i> , 2009, 1, 8.	3.2	104
259	Transient Middle Cerebral Artery Occlusion Model in Rodents. <i>Springer Protocols</i> , 2009, , 129-139.	0.1	1
260	Hyperacute Ischemic Stroke Management: Reperfusion and Evolving Therapies. <i>Critical Care Nursing Clinics of North America</i> , 2009, 21, 451-470.	0.4	2
261	Association Between Changes in Weight and Cerebral Arteries in Rats. <i>Translational Stroke Research</i> , 2010, 1, 122-126.	2.3	4
262	Cornel Iridoid Glycoside Inhibits Inflammation and Apoptosis in Brains of Rats with Focal Cerebral Ischemia. <i>Neurochemical Research</i> , 2010, 35, 773-781.	1.6	30
263	Microvessel changes after post-ischemic benign and malignant hyperemia: experimental study in rats. <i>BMC Neurology</i> , 2010, 10, 24.	0.8	8
264	Mitochondrial function and cerebral blood flow variable responses to middle cerebral artery occlusion. <i>Journal of Neuroscience Methods</i> , 2010, 188, 76-82.	1.3	11
265	Beneficial effect of agmatine on brain apoptosis, astrogliosis, and edema after rat transient cerebral ischemia. <i>BMC Pharmacology</i> , 2010, 10, 11.	0.4	55
266	Neuroprotective effect of parthenocissin A, a natural antioxidant and free radical scavenger, in focal cerebral ischemia of rats. <i>Phytotherapy Research</i> , 2010, 24, S63-70.	2.8	13
267	Direct profiling of phospholipids and lysophospholipids in rat brain sections after ischemic stroke. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2057-2064.	0.7	58
268	Different Strokes for Different Folks: The Rich Diversity of Animal Models of Focal Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 1412-1431.	2.4	262
269	Lysine and arginine reduce the effects of cerebral ischemic insults and inhibit glutamate-induced neuronal activity in rats. <i>Frontiers in Integrative Neuroscience</i> , 2010, 4, 18.	1.0	26
270	Transient middle cerebral artery occlusion in rats as an experimental model of brain ischemia. <i>Acta Cirurgica Brasileira</i> , 2010, 25, 428-433.	0.3	12
271	Aprotinin Improves Functional Outcome but Not Cerebral Infarct Size in an Experimental Model of Stroke During Cardiopulmonary Bypass. <i>Anesthesia and Analgesia</i> , 2010, 111, 38-45.	1.1	8
272	Preclinical Assessment of Stem Cell Therapies for Neurological Diseases. <i>ILAR Journal</i> , 2010, 51, 24-41.	1.8	28
273	Predictable ventricular shift after focal cerebral ischaemia in rats: practical considerations for intraventricular therapeutic interventions. <i>Laboratory Animals</i> , 2010, 44, 71-78.	0.5	6
274	Formation of Descending Pathways Mediating Cortical Command to Forelimb Motoneurons in Neonatally Hemidecorticated Rats. <i>Journal of Neurophysiology</i> , 2010, 104, 1707-1716.	0.9	29
275	Pre-ischemic exercise preserves cerebral blood flow during reperfusion in stroke. <i>Neurological Research</i> , 2010, 32, 523-529.	0.6	30



#	ARTICLE	IF	CITATIONS
276	Early reperfusion improves the recovery of contralateral electrophysiological diaschisis following focal cerebral ischemia in rats. <i>Neurological Research</i> , 2010, 32, 828-834.	0.6	9
277	Effect of electroacupuncture on the expression of Nav1.1 in rat after acute cerebral ischemia. <i>Neurological Research</i> , 2010, 32, 763-769.	0.6	3
278	Toll-like receptor-4 and cytokine cascade in stroke after exercise. <i>Neurological Research</i> , 2010, 32, 123-126.	0.6	42
279	Methyleugenol reduces cerebral ischemic injury by suppression of oxidative injury and inflammation. <i>Free Radical Research</i> , 2010, 44, 925-935.	1.5	60
280	The Protein Kinase C Activator Phorbol Myristate Acetate Decreases Brain Edema by Aquaporin 4 Downregulation after Middle Cerebral Artery Occlusion in the Rat. <i>Journal of Neurotrauma</i> , 2010, 27, 453-461.	1.7	48
281	Protective effect of albumin on VEGF and brain edema in acute ischemia in rats. <i>Neuroscience Letters</i> , 2010, 472, 179-183.	1.0	36
282	Neuroprotective effect of morroniside on focal cerebral ischemia in rats. <i>Brain Research Bulletin</i> , 2010, 83, 196-201.	1.4	104
283	Quantitative Neuroproteomics of an <i>In Vivo</i> Rodent Model of Focal Cerebral Ischemia/Reperfusion Injury Reveals a Temporal Regulation of Novel Pathophysiological Molecular Markers. <i>Journal of Proteome Research</i> , 2011, 10, 5199-5213.	1.8	57
284	Modeling Focal Cerebral Ischemia <i>In Vivo</i> . <i>Methods in Molecular Biology</i> , 2011, 793, 195-209.	0.4	49
285	A3 Adenosine Receptor Agonist Reduces Brain Ischemic Injury and Inhibits Inflammatory Cell Migration in Rats. <i>American Journal of Pathology</i> , 2011, 179, 2042-2052.	1.9	72
286	Pre-treatment of adrenomedullin suppresses cerebral edema caused by transient focal cerebral ischemia in rats detected by magnetic resonance imaging. <i>Brain Research Bulletin</i> , 2011, 84, 69-74.	1.4	11
287	Acute, post-ischemic sensorimotor deficits correlate positively with infarct size but fail to predict its occurrence and magnitude after middle cerebral artery occlusion in rats. <i>Behavioural Brain Research</i> , 2011, 216, 29-35.	1.2	17
288	Morphological and neuro-behavioral parallels in the rat model of stroke. <i>Behavioural Brain Research</i> , 2011, 223, 17-23.	1.2	33
289	Proteomic analysis of rat plasma following transient focal cerebral ischemia. <i>Biomarkers in Medicine</i> , 2011, 5, 837-846.	0.6	17
290	<i>Neanthes japonica</i> (Iznka) fibrinolytic enzyme reduced cerebral infarction, cerebral edema and increased antioxidation in rat models of focal cerebral ischemia. <i>Neuroscience Letters</i> , 2011, 489, 16-19.	1.0	9
291	Ginsenoside Rd attenuates redox imbalance and improves stroke outcome after focal cerebral ischemia in aged mice. <i>Neuropharmacology</i> , 2011, 61, 815-824.	2.0	116
292	Neuroprotective effects of pioglitazone in a rat model of permanent focal cerebral ischemia are associated with peroxisome proliferator-activated receptor gamma-mediated suppression of nuclear factor- $\kappa$ B signaling pathway. <i>Neuroscience</i> , 2011, 176, 381-395.	1.1	75
293	Ginsenoside Rd attenuates mitochondrial dysfunction and sequential apoptosis after transient focal ischemia. <i>Neuroscience</i> , 2011, 178, 169-180.	1.1	112

#	ARTICLE	IF	CITATIONS
294	Amelioration of cerebral infarction and improvement of neurological deficit by a Korean herbal medicine, modified Bo-Yang-Hwan-O-Tang. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 63, 695-706.	1.2	12
295	Time Point Expression of Apoptosis Regulatory Proteins in a Photochemically-Induced Focal Cerebral Ischemic Rat Brain. <i>Chonnam Medical Journal</i> , 2011, 47, 144.	0.5	14
296	Cinnamophilin offers prolonged neuroprotection against gray and white matter damage and improves functional and electrophysiological outcomes after transient focal cerebral ischemia*. <i>Critical Care Medicine</i> , 2011, 39, 1130-1137.	0.4	27
297	Ghrelin Suppresses Inflammation and Neuronal Nitric Oxide Synthase in Focal Cerebral Ischemia Via the Vagus Nerve. <i>Shock</i> , 2011, 35, 258-265.	1.0	90
298	Propofol post-conditioning induced long-term neuroprotection and reduced internalization of AMPAR GluR2 subunit in a rat model of focal cerebral ischemia/reperfusion. <i>Journal of Neurochemistry</i> , 2011, 119, 210-219.	2.1	57
299	Melatonin protects against transient focal cerebral ischemia in both reproductively active and estrogen-deficient female rats: the impact of circulating estrogen on its hormetic dose-response. <i>Journal of Pineal Research</i> , 2011, 50, 292-303.	3.4	40
300	Mutant Prourokinase with Adjunctive C1-Inhibitor Is an Effective and Safer Alternative to tPA in Rat Stroke. <i>PLoS ONE</i> , 2011, 6, e21999.	1.1	15
301	The protective effects and potential mechanism of Calpain inhibitor Calpeptin against focal cerebral ischemia-reperfusion injury in rats. <i>Molecular Biology Reports</i> , 2011, 38, 905-912.	1.0	24
302	Experimental approaches to study functional recovery following cerebral ischemia. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3007-3017.	2.4	43
303	Docosahexaenoic Acid Therapy of Experimental Ischemic Stroke. <i>Translational Stroke Research</i> , 2011, 2, 33-41.	2.3	142
304	Investigational Therapies for Ischemic Stroke: Neuroprotection and Neurorecovery. <i>Neurotherapeutics</i> , 2011, 8, 434-451.	2.1	125
305	Ginsenoside Rd in Experimental Stroke: Superior Neuroprotective Efficacy with a Wide Therapeutic Window. <i>Neurotherapeutics</i> , 2011, 8, 515-525.	2.1	71
306	Solulin reduces infarct volume and regulates gene-expression in transient middle cerebral artery occlusion in rats. <i>BMC Neuroscience</i> , 2011, 12, 113.	0.8	28
307	Cell-Free DNA-A Marker to Predict Ischemic Brain Damage in a Rat Stroke Experimental Model. <i>Journal of Neurosurgical Anesthesiology</i> , 2011, 23, 222-228.	0.6	37
308	Neuroprotection by local intra-arterial infusion of erythropoietin after focal cerebral ischemia in rats. <i>Neurological Research</i> , 2011, 33, 520-528.	0.6	29
309	Palmitoyl Acyltransferase zD17 Mediates Neuronal Responses in Acute Ischemic Brain Injury by Regulating JNK Activation in a Signaling Module. <i>Journal of Neuroscience</i> , 2011, 31, 11980-11991.	1.7	33
310	Biosensors for Brain Trauma and Dual Laser Doppler Flowmetry: Enoxaparin Simultaneously Reduces Stroke-Induced Dopamine and Blood Flow while Enhancing Serotonin and Blood Flow in Motor Neurons of Brain, In Vivo. <i>Sensors</i> , 2011, 11, 138-161.	2.1	6
311	Docosahexaenoic Acid Signaling Modulates Cell Survival in Experimental Ischemic Stroke Penumbra and Initiates Long-Term Repair in Young and Aged Rats. <i>PLoS ONE</i> , 2012, 7, e46151.	1.1	71

#	ARTICLE	IF	CITATIONS
312	The Albumin in Subarachnoid Hemorrhage (ALISAH) Multicenter Pilot Clinical Trial. <i>Stroke</i> , 2012, 43, 683-690.	1.0	80
313	Hypoxia-Inducible Factor 1- $\alpha$ -AA-Modified Bone Marrow Stem Cells Protect PC12 Cells from Hypoxia-Induced Apoptosis, Partially Through VEGF/PI3K/Akt/FoxO1 Pathway. <i>Stem Cells and Development</i> , 2012, 21, 2703-2717.	1.1	43
314	A model of cerebral ischemia induction in neonatal rabbits. <i>Journal of Applied Animal Research</i> , 2012, 40, 37-42.	0.4	6
315	Neuroprotective effect of fucoidin on lipopolysaccharide accelerated cerebral ischemic injury through inhibition of cytokine expression and neutrophil infiltration. <i>Journal of the Neurological Sciences</i> , 2012, 318, 25-30.	0.3	30
316	Single injection of ONO-1301-loaded PLGA microspheres directly after ischaemia reduces ischaemic damage in rats subjected to middle cerebral artery occlusion. <i>Journal of Pharmacy and Pharmacology</i> , 2012, 64, 353-359.	1.2	17
317	Protective Effects of Early Ischemic Preconditioning in Focal Cerebral Ischemia in Rats: The Role of Collateral Blood Circulation. <i>Neuroscience and Behavioral Physiology</i> , 2012, 42, 643-650.	0.2	7
318	Neuroprotective effects of Schisandrin B against transient focal cerebral ischemia in Sprague-Dawley rats. <i>Food and Chemical Toxicology</i> , 2012, 50, 4239-4245.	1.8	73
319	Therapeutic window of taurine against experimental stroke in rats. <i>Translational Research</i> , 2012, 160, 223-229.	2.2	17
320	Synergistic protective effect of astragaloside IV-tetramethylpyrazine against cerebral ischemic-reperfusion injury induced by transient focal ischemia. <i>Journal of Ethnopharmacology</i> , 2012, 140, 64-72.	2.0	47
321	Nylon filament coated with paraffin for intraluminal permanent middle cerebral artery occlusion in rats. <i>Neuroscience Letters</i> , 2012, 519, 42-46.	1.0	16
322	Electrical stimulation of cerebellar fastigial nucleus promotes the expression of growth arrest and DNA damage inducible gene 1 <sup>2</sup> and motor function recovery in cerebral ischemia/reperfusion rats. <i>Neuroscience Letters</i> , 2012, 520, 110-114.	1.0	27
323	Lipid peroxidation dysregulation in ischemic stroke: Plasma 4-HNE as a potential biomarker?. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 842-847.	1.0	92
324	Neurobehavioural deficits correlate with the cerebral infarction volume of stroke animals: A comparative study on ischaemia-reperfusion and photothrombosis models. <i>Environmental Toxicology and Pharmacology</i> , 2012, 33, 60-69.	2.0	21
325	Docosahexaenoic acid complexed to human albumin in experimental stroke: neuroprotective efficacy with a wide therapeutic window. <i>Experimental &amp; Translational Stroke Medicine</i> , 2012, 4, 19.	3.2	25
326	Focal Cerebral Ischemia. <i>Methods in Molecular Biology</i> , 2012, 788, 29-42.	0.4	17
327	<sc>AKT</sc>/<sc>GSK</sc>3 $\beta$ -Dependent Autophagy Contributes to the Neuroprotection of Limb Remote Ischemic Postconditioning in the Transient Cerebral Ischemic Rat Model. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 965-973.	1.9	70
328	Protective effect of Danhong injection on cerebral ischemia-reperfusion injury in rats. <i>Journal of Ethnopharmacology</i> , 2012, 144, 387-394.	2.0	102
329	Overexpression of CXCR4 in mesenchymal stem cells promotes migration, neuroprotection and angiogenesis in a rat model of stroke. <i>Journal of the Neurological Sciences</i> , 2012, 316, 141-149.	0.3	95

#	ARTICLE	IF	CITATIONS
330	Protective efficacy of an <i>Ecklonia cava</i> extract used to treat transient focal ischemia of the rat brain. <i>Anatomy and Cell Biology</i> , 2012, 45, 103.	0.5	14
331	Diffusion kurtosis imaging and log-normal distribution function imaging enhance the visualisation of lesions in animal stroke models. <i>NMR in Biomedicine</i> , 2012, 25, 1295-1304.	1.6	52
332	Temporal and regional changes of superoxide dismutase and glutathione peroxidase activities in rats exposed to focal cerebral ischemia. <i>Cell Biochemistry and Function</i> , 2012, 30, 597-603.	1.4	8
333	Superior Neuroprotective Efficacy of LAU-0901, a Novel Platelet-Activating Factor Antagonist, in Experimental Stroke. <i>Translational Stroke Research</i> , 2012, 3, 154-163.	2.3	16
334	Sevoflurane-induced delayed neuroprotection involves mitoKATP channel opening and PKC $\mu$ activation. <i>Molecular Biology Reports</i> , 2012, 39, 5049-5057.	1.0	23
335	Activation and crosstalk between the endoplasmic reticulum road and JNK pathway in ischemia-reperfusion brain injury. <i>Acta Neurochirurgica</i> , 2012, 154, 1197-1203.	0.9	17
336	Delayed neuroprotection induced by sevoflurane via opening mitochondrial ATP-sensitive potassium channels and p38 MAPK phosphorylation. <i>Neurological Sciences</i> , 2012, 33, 239-249.	0.9	29
337	Novel aspirin-triggered neuroprotectin D1 attenuates cerebral ischemic injury after experimental stroke. <i>Experimental Neurology</i> , 2012, 236, 122-130.	2.0	98
338	Chlorogenic acid ameliorates brain damage and edema by inhibiting matrix metalloproteinase-2 and 9 in a rat model of focal cerebral ischemia. <i>European Journal of Pharmacology</i> , 2012, 689, 89-95.	1.7	105
339	Acute ethanol treatment reduces blood-brain barrier dysfunction following ischemia/reperfusion injury. <i>Brain Research</i> , 2012, 1437, 127-133.	1.1	23
340	Application of albumin prior to delayed thrombolysis reduces brain edema and blood brain barrier permeability in an embolic stroke model. <i>Brain Research</i> , 2012, 1438, 75-84.	1.1	5
341	Direct protection of neurons and astrocytes by matrine via inhibition of the NF- $\kappa$ B signaling pathway contributes to neuroprotection against focal cerebral ischemia. <i>Brain Research</i> , 2012, 1454, 48-64.	1.1	56
342	Sevoflurane postconditioning involves an up-regulation of HIF-1 $\alpha$ and HO-1 expression via PI3K/Akt pathway in a rat model of focal cerebral ischemia. <i>Brain Research</i> , 2012, 1463, 63-74.	1.1	82
343	Anatomical location of arterial and venous lines significantly affects motor performance in rats. <i>Animal Science Journal</i> , 2012, 83, 656-662.	0.6	5
344	Does Acute Behavioral Testing Reflect Successful Ischemia in Rats with Transient Middle Cerebral Artery Occlusion?. <i>International Journal of Stroke</i> , 2012, 7, 465-472.	2.9	7
345	Intracranial transplantation of monocyte-derived multipotential cells enhances recovery after ischemic stroke in rats. <i>Journal of Neuroscience Research</i> , 2012, 90, 479-488.	1.3	11
346	Effect of vagus nerve stimulation during transient focal cerebral ischemia on chronic outcome in rats. <i>Journal of Neuroscience Research</i> , 2012, 90, 887-894.	1.3	37
347	Delayed Administration of Parecoxib, a Specific COX-2 Inhibitor, Attenuated Postischemic Neuronal Apoptosis by Phosphorylation Akt and GSK-3 $\beta$ . <i>Neurochemical Research</i> , 2012, 37, 321-329.	1.6	22

#	ARTICLE	IF	CITATIONS
348	Animal models of post-ischemic forced use rehabilitation: methods, considerations, and limitations. <i>Experimental &amp; Translational Stroke Medicine</i> , 2013, 5, 2.	3.2	14
349	The influence of aging on poststroke depression using a rat model via middle cerebral artery occlusion. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2013, 13, 847-859.	1.0	35
350	Effect of anesthesia and cerebral blood flow on neuronal injury in a rat middle cerebral artery occlusion (MCAO) model. <i>Experimental Brain Research</i> , 2013, 224, 155-164.	0.7	47
351	Concurrent middle cerebral artery occlusion and intra-arterial drug infusion via ipsilateral common carotid artery catheter in the rat. <i>Journal of Neuroscience Methods</i> , 2013, 213, 63-69.	1.3	21
352	Method parametersâ€™ impact on mortality and variability in rat stroke experiments: a meta-analysis. <i>BMC Neuroscience</i> , 2013, 14, 41.	0.8	48
353	Effect of Propofol Post-treatment on Bloodâ€™Brain Barrier Integrity and Cerebral Edema After Transient Cerebral Ischemia in Rats. <i>Neurochemical Research</i> , 2013, 38, 2276-2286.	1.6	39
354	Predicting the ischemic infarct volume at the first minute after occlusion in rodent stroke model by laser speckle imaging of cerebral blood flow. <i>Journal of Biomedical Optics</i> , 2013, 18, 076024.	1.4	33
355	HIF-1-modified BMSCs improve migration and reduce neuronal apoptosis after stroke in rats. <i>Science Bulletin</i> , 2013, 58, 3519-3528.	1.7	5
356	Comparison of infarct volume and behavioral deficit in Wistar Kyoto and spontaneously hypertensive rat after transient occlusion of the middle cerebral artery. <i>SpringerPlus</i> , 2013, 2, 414.	1.2	5
357	The role of vasopressin V1A receptors in cytotoxic brain edema formation following brain injury. <i>Acta Neurochirurgica</i> , 2013, 155, 151-164.	0.9	38
358	Assessing gait impairment after permanent middle cerebral artery occlusion in rats using an automated computer-aided control system. <i>Behavioural Brain Research</i> , 2013, 250, 174-191.	1.2	19
359	Neuroprotective effect of agmatine in rats with transient cerebral ischemia using MR imaging and histopathologic evaluation. <i>Magnetic Resonance Imaging</i> , 2013, 31, 1174-1181.	1.0	17
360	Correlated sodium and potassium imbalances within the ischemic core in experimental stroke: A <sup>23</sup> Na MRI and histochemical imaging study. <i>Brain Research</i> , 2013, 1527, 199-208.	1.1	14
361	Reduced apoptosis by combining normobaric oxygenation with ethanol in transient ischemic stroke. <i>Brain Research</i> , 2013, 1531, 17-24.	1.1	39
362	Postischemic Brain Infiltration of Leukocyte Subpopulations Differs among Murine Permanent and Transient Focal Cerebral Ischemia Models. <i>Brain Pathology</i> , 2013, 23, 34-44.	2.1	128
363	Microglial CD14 activated by iNOS contributes to neuroinflammation in cerebral ischemia. <i>Brain Research</i> , 2013, 1506, 105-114.	1.1	55
364	Acute administration of ethanol reduces apoptosis following ischemic stroke in rats. <i>Neuroscience Research</i> , 2013, 76, 93-97.	1.0	22
365	Soluble TNF Receptor 1-Secreting <i>ex Vivo</i> -Derived Dendritic Cells Reduce Injury After Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1376-1385.	2.4	22

#	ARTICLE	IF	CITATIONS
366	Protective Effect of Î²-Caryophyllene, a Natural Bicyclic Sesquiterpene, Against Cerebral Ischemic Injury. <i>Journal of Medicinal Food</i> , 2013, 16, 471-480.	0.8	72
367	Differential anti-ischemic efficacy and therapeutic time window of trans- and cis-hinokiresinols: Stereo-specific antioxidant and anti-inflammatory activities. <i>Neuropharmacology</i> , 2013, 67, 465-475.	2.0	7
368	Preischemic exercise reduces brain damage by ameliorating metabolic disorder in ischemia/reperfusion injury. <i>Journal of Neuroscience Research</i> , 2013, 91, 818-827.	1.3	38
369	Effects of Combination Therapy with Levamlodipine and Bisoprolol on Stroke in Rats. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 178-182.	1.9	10
370	Neuroprotection conferred by postischemia ethanol therapy in experimental stroke: an inhibitory effect on hyperglycolysis and NADPH oxidase activation. <i>Journal of Neurochemistry</i> , 2013, 126, 113-121.	2.1	47
371	In Vivo Animal Stroke Models. <i>Translational Stroke Research</i> , 2013, 4, 308-321.	2.3	64
372	Honokiol protects brain against ischemia-reperfusion injury in rats through disrupting PSD95-nNOS interaction. <i>Brain Research</i> , 2013, 1491, 204-212.	1.1	53
373	Spatiotemporal Uptake Characteristics of [18]F-2-Fluoro-2-Deoxy-D-Glucose in a Rat Middle Cerebral Artery Occlusion Model. <i>Stroke</i> , 2013, 44, 2292-2299.	1.0	20
374	Altered plasma and brain disposition of isopropylidene shikimic acid liposome in rats and the brain protection in cerebral ischemia-reperfusion. <i>Drug Development and Industrial Pharmacy</i> , 2013, 39, 1291-1295.	0.9	10
375	Long Course Hyperbaric Oxygen Stimulates Neurogenesis and Attenuates Inflammation after Ischemic Stroke. <i>Mediators of Inflammation</i> , 2013, 2013, 1-13.	1.4	64
376	Postischemic Long-Term Treatment with Qiangli Tianma Duzhong Capsule Improves Brain Functional Recovery via the Improvement of Hemorrheology and the Inhibition of Platelet Aggregation in a Rat Model of Focal Cerebral Ischemia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-12.	0.5	7
377	Effects of Pretreatment with a Combination of Melatonin and Electroacupuncture in a Rat Model of Transient Focal Cerebral Ischemia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-12.	0.5	12
378	Neuroprotection for Ischemic Stroke: Moving Past Shortcomings and Identifying Promising Directions. <i>International Journal of Molecular Sciences</i> , 2013, 14, 1890-1917.	1.8	33
379	The Expression of FOXJ1 in Neurogenesis after Transient Focal Cerebral Ischemia. <i>Canadian Journal of Neurological Sciences</i> , 2013, 40, 403-409.	0.3	3
380	Rat Forebrain Perfusion In Vivo by 1 Artery Like the Isolated Kidney Model. <i>Neurosurgery</i> , 2013, 72, 662-677.	0.6	0
381	Recombinant Human Sonic Hedgehog Protein Regulates the Expression of ZO-1 and Occludin by Activating Angiopoietin-1 in Stroke Damage. <i>PLoS ONE</i> , 2013, 8, e68891.	1.1	82
382	Acute Treatment with Docosahexaenoic Acid Complexed to Albumin Reduces Injury after a Permanent Focal Cerebral Ischemia in Rats. <i>PLoS ONE</i> , 2013, 8, e77237.	1.1	25
383	A Method for Generate a Mouse Model of Stroke: Evaluation of Parameters for Blood Flow, Behavior, and Survival. <i>Experimental Neurobiology</i> , 2014, 23, 104-114.	0.7	31

#	ARTICLE	IF	CITATIONS
384	Non-Gaussian Diffusion Imaging for Enhanced Contrast of Brain Tissue Affected by Ischemic Stroke. PLoS ONE, 2014, 9, e89225.	1.1	53
385	Protection of Ischemic Postconditioning against Neuronal Apoptosis Induced by Transient Focal Ischemia Is Associated with Attenuation of NF- $\kappa$ B/p65 Activation. PLoS ONE, 2014, 9, e96734.	1.1	32
386	Vagus Nerve Stimulation Attenuates Cerebral Ischemia and Reperfusion Injury via Endogenous Cholinergic Pathway in Rat. PLoS ONE, 2014, 9, e102342.	1.1	90
387	Neurotherapeutic activity of the recombinant heat shock protein Hsp70 in a model of focal cerebral ischemia in rats. Drug Design, Development and Therapy, 2014, 8, 639.	2.0	29
388	A forced running wheel system with a microcontroller that provides high-intensity exercise training in an animal ischemic stroke model. Brazilian Journal of Medical and Biological Research, 2014, 47, 858-868.	0.7	18
389	Polyinosinic-Polycytidylic Acid Has Therapeutic Effects against Cerebral Ischemia/Reperfusion Injury through the Downregulation of TLR4 Signaling via TLR3. Journal of Immunology, 2014, 192, 4783-4794.	0.4	65
390	Delayed treatment with NSC23766 in streptozotocin-induced diabetic rats ameliorates post-ischemic neuronal apoptosis through suppression of mitochondrial p53 translocation. Neuropharmacology, 2014, 85, 508-516.	2.0	25
391	Neuroprotection of posttreatment with risperidone, an atypical antipsychotic drug, in rat and gerbil models of ischemic stroke and the maintenance of antioxidants in a gerbil model of ischemic stroke. Journal of Neuroscience Research, 2014, 92, 795-807.	1.3	22
392	Enalapril attenuates ischaemic brain oedema and protects the blood-brain barrier in rats via an antioxidant action. Clinical and Experimental Pharmacology and Physiology, 2014, 41, 220-226.	0.9	23
393	A Novel Animal Model of Dysphagia Following Stroke. Dysphagia, 2014, 29, 61-67.	1.0	19
394	Ellagic acid-induced thrombotic focal cerebral ischemic model in rats. Journal of Pharmacological and Toxicological Methods, 2014, 69, 217-222.	0.3	14
395	Protection of ischemic post conditioning against transient focal ischemia-induced brain damage is associated with inhibition of neuroinflammation via modulation of TLR2 and TLR4 pathways. Journal of Neuroinflammation, 2014, 11, 15.	3.1	49
396	IL-1 $\beta$ prevents toxicity induced by delayed treatment of tPA in a rat model of focal cerebral ischemia involving PKA and PI3K-dependent Akt activation. European Journal of Neuroscience, 2014, 39, 2107-2118.	1.2	33
397	Docosahexaenoic acid complexed to albumin provides neuroprotection after experimental stroke in aged rats. Neurobiology of Disease, 2014, 62, 1-7.	2.1	42
398	Neuroprotective effects of Gualou Guizhi decoction in vivo and in vitro. Journal of Ethnopharmacology, 2014, 158, 76-84.	2.0	22
399	Hypoxic-State Estimation of Brain Cells by Using Wireless Near-Infrared Spectroscopy. IEEE Journal of Biomedical and Health Informatics, 2014, 18, 167-173.	3.9	18
400	Treadmill exercise promotes angiogenesis in the ischemic penumbra of rat brains through caveolin-1/VEGF signaling pathways. Brain Research, 2014, 1585, 83-90.	1.1	58
401	Mitochondria autophagy is induced after hypoxic/ischemic stress in a Drp1 dependent manner: The role of inhibition of Drp1 in ischemic brain damage. Neuropharmacology, 2014, 86, 103-115.	2.0	135

#	ARTICLE	IF	CITATIONS
402	A microsurgical procedure for middle cerebral artery occlusion by intraluminal monofilament insertion technique in the rat: a special emphasis on the methodology. <i>Experimental &amp; Translational Stroke Medicine</i> , 2014, 6, 6.	3.2	19
403	AKT-Related Autophagy Contributes to the Neuroprotective Efficacy of Hydroxysafflor Yellow A against Ischemic Stroke in Rats. <i>Translational Stroke Research</i> , 2014, 5, 501-509.	2.3	40
404	Anti-inflammatory cytokine interleukin-10 increases resistance to brain ischemia through modulation of ischemia-induced intracellular Ca <sup>2+</sup> response. <i>Neuroscience Letters</i> , 2014, 571, 55-60.	1.0	29
405	Docosahexaenoic acid confers enduring neuroprotection in experimental stroke. <i>Journal of the Neurological Sciences</i> , 2014, 338, 135-141.	0.3	57
406	Chinese herbal formula Qi-Lian-Gui-Shou Tang protects against acute ischemic cerebral injury in rats. <i>European Journal of Integrative Medicine</i> , 2014, 6, 286-293.	0.8	3
407	Cold-inducible RNA-binding protein mediates neuroinflammation in cerebral ischemia. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 2253-2261.	1.1	82
408	Promoting neurogenesis via Wnt/ $\beta$ -catenin signaling pathway accounts for the neurorestorative effects of morroniside against cerebral ischemia injury. <i>European Journal of Pharmacology</i> , 2014, 738, 214-221.	1.7	56
409	Repetitive hyperbaric oxygen therapy provides better effects on brain inflammation and oxidative damage in rats with focal cerebral ischemia. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 620-628.	0.8	34
410	The Model of PK/PD for Danhong Injection Analyzed by Least Square Method. , 2015, , .		2
411	Antioxidant and anti-excitotoxicity effect of Gualou Guizhi decoction on cerebral ischemia/reperfusion injury in rats. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 2121-2126.	0.8	13
412	Animal models of cerebral ischemia. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	4
413	Proteomic analysis of hypothalamic injury in heatstroke rats. <i>Proteomics</i> , 2015, 15, 1921-1934.	1.3	15
414	Feasibility of focal cerebral ischemia and reperfusion surgery combined with chronic unpredictable mild stress to simulate the post-stroke depressive state in rats. <i>Behavioral and Brain Functions</i> , 2015, 11, 39.	1.4	14
415	Caspase-3 inhibitor prevents the apoptosis of brain tissue in rats with acute cerebral infarction. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 133-138.	0.8	43
416	Limb remote ischemic per-conditioning in combination with post-conditioning reduces brain damage and promotes neuroglobin expression in the rat brain after ischemic stroke. <i>Restorative Neurology and Neuroscience</i> , 2015, 33, 369-379.	0.4	55
417	Neuroprotective effects of Bcl-2 overexpression on nerve cells of rats with acute cerebral infarction. <i>Genetics and Molecular Research</i> , 2015, 14, 7696-7703.	0.3	11
418	Ginseng: a promising neuroprotective strategy in stroke. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 457.	1.8	53
419	Amelioration of Cerebral Ischemic Injury by a Synthetic Seco-nucleoside LMT497. <i>Experimental Neurobiology</i> , 2015, 24, 31-40.	0.7	5



#	ARTICLE	IF	CITATIONS
420	Limb Ischemic Perconditioning Attenuates Blood-Brain Barrier Disruption by Inhibiting Activity of MMP-9 and Occludin Degradation after Focal Cerebral Ischemia. , 2015, 6, 406.		51
421	Herbal Formula Danggui-Shaoyao-San Promotes Neurogenesis and Angiogenesis in Rat Following Middle Cerebral Artery Occlusion. , 2015, 6, 245.		33
422	Gadd45b is a Novel Mediator of Neuronal Apoptosis in Ischemic Stroke. International Journal of Biological Sciences, 2015, 11, 353-360.	2.6	44
423	Alpha-Lipoic Acid Attenuates Cerebral Ischemia and Reperfusion Injury via Insulin Receptor and PI3K/Akt-Dependent Inhibition of NADPH Oxidase. International Journal of Endocrinology, 2015, 2015, 1-9.	0.6	19
424	Methylene Blue Reduces Acute Cerebral Ischemic Injury via the Induction of Mitophagy. Molecular Medicine, 2015, 21, 420-429.	1.9	70
425	Blocking a vicious cycle nNOS/peroxynitrite/AMPK by S-nitrosoglutathione: implication for stroke therapy. BMC Neuroscience, 2015, 16, 42.	0.8	32
426	Experimental animal models and inflammatory cellular changes in cerebral ischemic and hemorrhagic stroke. Neuroscience Bulletin, 2015, 31, 717-734.	1.5	47
427	Neuroprotection by peripheral nerve electrical stimulation and remote postconditioning against acute experimental ischaemic stroke. Neurological Research, 2015, 37, 447-453.	0.6	9
428	Enhanced beneficial effects of mild hypothermia by phenothiazine drugs in stroke therapy. Neurological Research, 2015, 37, 454-460.	0.6	31
429	Acute recanalization of carotid stenosis is not proper: an experimental ischaemic stroke study. Neurological Research, 2015, 37, 397-402.	0.6	2
430	Neuroprotective capabilities of TSA against cerebral ischemia/reperfusion injury via PI3K/Akt signaling pathway in rats. International Journal of Neuroscience, 2015, 125, 140-146.	0.8	22
431	Neuroprotective Activity of Creatylglycine Ethyl Ester Fumarate. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 591-600.	0.7	6
432	Docosahexaenoic acid improves behavior and attenuates blood-brain barrier injury induced by focal cerebral ischemia in rats. Experimental & Translational Stroke Medicine, 2015, 7, 3.	3.2	41
433	Ischemic lesions localized to the medial prefrontal cortex produce selective deficits in measures of executive function in rats. Behavioural Brain Research, 2015, 293, 54-61.	1.2	23
434	Hydrogen sulfide induces neuroprotection against experimental stroke in rats by down-regulation of AQP4 via activating PKC. Brain Research, 2015, 1622, 292-299.	1.1	34
435	Increased expression and colocalization of GAP43 and CASP3 after brain ischemic lesion in mouse. Neuroscience Letters, 2015, 597, 176-182.	1.0	56
436	Salidroside-Mediated Neuroprotection is Associated with Induction of Early Growth Response Genes (Egrs) Across a Wide Therapeutic Window. Neurotoxicity Research, 2015, 28, 108-121.	1.3	29
437	Exploring the role of MKK7 in excitotoxicity and cerebral ischemia: a novel pharmacological strategy against brain injury. Cell Death and Disease, 2015, 6, e1854-e1854.	2.7	29

#	ARTICLE	IF	CITATIONS
438	Nuclear-translocated Glyceraldehyde-3-phosphate Dehydrogenase Promotes Poly(ADP-ribose) Polymerase-1 Activation during Oxidative/Nitrosative Stress in Stroke. <i>Journal of Biological Chemistry</i> , 2015, 290, 14493-14503.	1.6	44
439	Diabetic Stroke Severity: Epigenetic Remodeling and Neuronal, Glial, and Vascular Dysfunction. <i>Diabetes</i> , 2015, 64, 4260-4271.	0.3	32
440	Inhibition of WNK3 Kinase Signaling Reduces Brain Damage and Accelerates Neurological Recovery After Stroke. <i>Stroke</i> , 2015, 46, 1956-1965.	1.0	78
441	A novel mouse model of thromboembolic stroke. <i>Journal of Neuroscience Methods</i> , 2015, 256, 203-211.	1.3	39
442	Normobaric Hyperoxia Slows Blood-Brain Barrier Damage and Expands the Therapeutic Time Window for Tissue-Type Plasminogen Activator Treatment in Cerebral Ischemia. <i>Stroke</i> , 2015, 46, 1344-1351.	1.0	70
443	Rac1 contributes to cerebral ischemia reperfusion-induced injury in mice by regulation of Notch2. <i>Neuroscience</i> , 2015, 306, 100-114.	1.1	25
444	Pharmacokinetic and pharmacodynamic analysis of ferulic acid-puerarin-astragaloside in combination with neuroprotective in cerebral ischemia/reperfusion injury in rats. <i>Asian Pacific Journal of Tropical Medicine</i> , 2015, 8, 299-304.	0.4	7
445	Neuroprotection induced by sevoflurane-delayed post-conditioning is attributable to increased phosphorylation of mitochondrial GSK-3 $\beta$ through the PI3K/Akt survival pathway. <i>Journal of the Neurological Sciences</i> , 2015, 348, 216-225.	0.3	29
446	Improving the translation of animal ischemic stroke studies to humans. <i>Metabolic Brain Disease</i> , 2015, 30, 461-467.	1.4	49
447	Gadd45b Mediates Axonal Plasticity and Subsequent Functional Recovery After Experimental Stroke in Rats. <i>Molecular Neurobiology</i> , 2015, 52, 1245-1256.	1.9	22
448	A systematic review and meta-analysis of Baihui (GV20)-based scalp acupuncture in experimental ischemic stroke. <i>Scientific Reports</i> , 2014, 4, 3981.	1.6	83
449	Intra-artery infusion of recombinant human erythropoietin reduces blood-brain barrier disruption in rats following cerebral ischemia and reperfusion. <i>International Journal of Neuroscience</i> , 2015, 125, 693-702.	0.8	27
450	The effects of intravenous immunoglobulin on cerebral ischemia in rats. <i>Toxicology and Industrial Health</i> , 2016, 32, 229-234.	0.6	6
451	The TNF $\alpha$ -Transgenic Rat: Hippocampal Synaptic Integrity, Cognition, Function, and Post-Ischemic Cell Loss. <i>PLoS ONE</i> , 2016, 11, e0154721.	1.1	20
452	Label-free CEST MRI Detection of Citicoline-Liposome Drug Delivery in Ischemic Stroke. <i>Theranostics</i> , 2016, 6, 1588-1600.	4.6	74
453	Remote Ischemic Preconditioning-Mediated Neuroprotection against Stroke is Associated with Significant Alterations in Peripheral Immune Responses. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 43-52.	1.9	86
454	Stroke, Vascular Dementia, and Alzheimer's Disease: Molecular Links. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 427-443.	1.2	209
455	Effects of high and low 17 $\beta$ -estradiol doses on focal cerebral ischemia in rats. <i>Scientific Reports</i> , 2016, 6, 20228.	1.6	6

#	ARTICLE	IF	CITATIONS
456	Post-ischemic treatment of WIB801C, standardized Cordyceps extract, reduces cerebral ischemic injury via inhibition of inflammatory cell migration. <i>Journal of Ethnopharmacology</i> , 2016, 186, 169-180.	2.0	18
457	Neuroprotective effect of resveratrol against brain ischemia reperfusion injury in rats entails reduction of DJ-1 protein expression and activation of PI3K/Akt/GSK3b survival pathway. <i>Archives of Physiology and Biochemistry</i> , 2016, 122, 200-213.	1.0	65
458	Pharmacological methods for the preclinical assessment of therapeutics for OAB: an up-to-date review. <i>International Urogynecology Journal</i> , 2016, 27, 1633-1644.	0.7	3
459	Animal Stroke Model: Ischemia Reperfusion and Intracerebral Hemorrhage. <i>Methods in Molecular Biology</i> , 2016, 1462, 373-390.	0.4	8
460	Curcumin-loaded embryonic stem cell exosomes restored neurovascular unit following ischemia-reperfusion injury. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 79, 360-369.	1.2	200
461	Hypothermia inhibits the propagation of acute ischemic injury by inhibiting HMGB1. <i>Molecular Brain</i> , 2016, 9, 81.	1.3	20
462	Focal Cerebral Ischemia in the Mouse and Rat by Intraluminal Suture. <i>Neuromethods</i> , 2016, , 31-43.	0.2	1
463	Transcutaneous auricular vagus nerve stimulation regulates expression of growth differentiation factor 11 and activin-like kinase 5 in cerebral ischemia/reperfusion rats. <i>Journal of the Neurological Sciences</i> , 2016, 369, 27-35.	0.3	50
464	Potential neuroprotection of protodioscin against cerebral ischemia-reperfusion injury in rats through intervening inflammation and apoptosis. <i>Steroids</i> , 2016, 113, 52-63.	0.8	36
465	A review on animal models of stroke: An update. <i>Brain Research Bulletin</i> , 2016, 122, 35-44.	1.4	78
466	The neuroprotective compound P7C3-A20 promotes neurogenesis and improves cognitive function after ischemic stroke. <i>Experimental Neurology</i> , 2017, 290, 63-73.	2.0	43
467	Neuroprotective effect of salvianolic acid B against cerebral ischemic injury in rats via the CD40/NF- $\kappa$ B pathway associated with suppression of platelets activation and neuroinflammation. <i>Brain Research</i> , 2017, 1661, 37-48.	1.1	42
468	Contrasting roles of immune cells in tissue injury and repair in stroke: The dark and bright side of immunity in the brain. <i>Neurochemistry International</i> , 2017, 107, 104-116.	1.9	24
469	Hypothermia revisited: Impact of ischaemic duration and between experiment variability. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3380-3390.	2.4	7
470	Neuroprotective Effect of 3-(Naphthalen-2-Yl(Propoxy)Methyl)Azetidine Hydrochloride on Brain Ischaemia/Reperfusion Injury. <i>Journal of NeuroImmune Pharmacology</i> , 2017, 12, 447-461.	2.1	7
471	Neuroprotection by Chlorpromazine and Promethazine in Severe Transient and Permanent Ischemic Stroke. <i>Molecular Neurobiology</i> , 2017, 54, 8140-8150.	1.9	31
472	L-PGDS Mediates Vagus Nerve Stimulation-Induced Neuroprotection in a Rat Model of Ischemic Stroke by Suppressing the Apoptotic Response. <i>Neurochemical Research</i> , 2017, 42, 644-655.	1.6	27
473	Stem cells and stroke how glowing neurons illuminate new paths. <i>Neurogenesis (Austin, Tex )</i> , 2017, 4, e1304847.	1.5	2

#	ARTICLE	IF	CITATIONS
474	Diabetic aggravation of stroke and animal models. <i>Experimental Neurology</i> , 2017, 292, 63-79.	2.0	21
475	Î±-Lipoic Acid Promotes Neurological Recovery After Ischemic Stroke by Activating the Nrf2/HO-1 Pathway to Attenuate Oxidative Damage. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 1273-1287.	1.1	53
476	Neuroprotective effect of total flavonoids from <i>Ilex pubescens</i> against focal cerebral ischemia/reperfusion injury in rats. <i>Molecular Medicine Reports</i> , 2017, 16, 7439-7449.	1.1	22
477	Elovanoids are a novel class of homeostatic lipid mediators that protect neural cell integrity upon injury. <i>Science Advances</i> , 2017, 3, e1700735.	4.7	43
478	The IMPROVE Guidelines (Ischaemia Models: Procedural Refinements Of in Vivo Experiments). <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3488-3517.	2.4	128
479	An engineered S1P chaperone attenuates hypertension and ischemic injury. <i>Science Signaling</i> , 2017, 10, .	1.6	89
480	Sodium hydrosulfide attenuates cerebral ischemia/reperfusion injury by suppressing overactivated autophagy in rats. <i>FEBS Open Bio</i> , 2017, 7, 1686-1695.	1.0	55
481	Decrease in Oxidative Stress Parameters after Postâ€šchaemic Recombinant Human Erythropoietin Administration in the Hippocampus of Rats Exposed to Focal Cerebral Ischaemia. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 453-464.	1.2	10
482	A general protocol of ultra-high resolution MR angiography to image the cerebro-vasculature in 6 different rats strains at high field. <i>Journal of Neuroscience Methods</i> , 2017, 289, 75-84.	1.3	13
483	Physical Exercise Improves Cognitive Outcomes in 2 Models of Transient Cerebral Ischemia. <i>Stroke</i> , 2017, 48, 2306-2309.	1.0	16
484	Coenzyme Q10 ameliorates cerebral ischemia reperfusion injury in hyperglycemic rats. <i>Pathology Research and Practice</i> , 2017, 213, 1191-1199.	1.0	28
485	Electrical stimulation of cerebellar fastigial nucleus protects against cerebral ischemic injury by PPARÎ³ upregulation. <i>Neurological Research</i> , 2017, 39, 23-29.	0.6	11
486	Electroacupuncture at GV20 and ST36 Exerts Neuroprotective Effects via the EPO-Mediated JAK2/STAT3 Pathway in Cerebral Ischemic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-11.	0.5	12
487	5,7-Dimethoxycoumarin inhibits neuronal apoptosis by targeting caspase-3 expression in rats with acute cerebral infarction. <i>Tropical Journal of Pharmaceutical Research</i> , 2017, 16, 877.	0.2	0
488	Roles of electro-acupuncture in glucose metabolism as assessed by 18F-FDG/PET imaging and AMPKÎ± phosphorylation in rats with ischemic stroke. <i>International Journal of Molecular Medicine</i> , 2017, 40, 875-882.	1.8	16
489	Sevoflurane preconditioning induced endogenous neurogenesis against ischemic brain injury by promoting microglial activation. <i>Oncotarget</i> , 2017, 8, 28544-28557.	0.8	15
490	Modeling Transient Focal Ischemic Stroke in Rodents by Intraluminal Filament Method of Middle Cerebral Artery Occlusion. <i>Methods in Molecular Biology</i> , 2018, 1717, 101-113.	0.4	32
491	Salidroside improves brain ischemic injury by activating PI3K/Akt pathway and reduces complications induced by delayed tPA treatment. <i>European Journal of Pharmacology</i> , 2018, 830, 128-138.	1.7	29

#	ARTICLE	IF	CITATIONS
492	Experimental models of focal and multifocal cerebral ischemia: a review. <i>Reviews in the Neurosciences</i> , 2018, 29, 661-674.	1.4	7
493	Growth differentiation factor 11 improves neurobehavioral recovery and stimulates angiogenesis in rats subjected to cerebral ischemia/reperfusion. <i>Brain Research Bulletin</i> , 2018, 139, 38-47.	1.4	45
494	Age-Related Upregulation of Carboxyl Terminal Modulator Protein Contributes to the Decreased Brain Ischemic Tolerance in Older Rats. <i>Molecular Neurobiology</i> , 2018, 55, 6145-6154.	1.9	11
495	Use of 2,3,5-triphenyltetrazolium chloride-stained brain tissues for immunofluorescence analyses after focal cerebral ischemia in rats. <i>Pathology Research and Practice</i> , 2018, 214, 174-179.	1.0	16
496	Neuroanatomical and electrophysiological recovery in the contralateral intact cortex following transient focal cerebral ischemia in rats. <i>Neurological Research</i> , 2018, 40, 130-138.	0.6	13
497	Polymerase delta-interacting protein 2 deficiency protects against blood-brain barrier permeability in the ischemic brain. <i>Journal of Neuroinflammation</i> , 2018, 15, 45.	3.1	23
498	Indole-3-carbinol improves neurobehavioral symptoms in a cerebral ischemic stroke model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 613-625.	1.4	28
499	Electroacupuncture brain protection during ischemic stroke: A role for the parasympathetic nervous system. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 479-491.	2.4	46
500	Inhibition of Complement Drives Increase in Early Growth Response Proteins and Neuroprotection Mediated by Salidroside After Cerebral Ischemia. <i>Inflammation</i> , 2018, 41, 449-463.	1.7	23
501	Executive dysfunction and blockage of brain microvessels in a rat model of vascular cognitive impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1727-1740.	2.4	9
502	Uric Acid Protects against Focal Cerebral Ischemia/Reperfusion-Induced Oxidative Stress via Activating Nrf2 and Regulating Neurotrophic Factor Expression. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 1-10.	1.9	85
503	Focal Malonate Injection Into the Internal Capsule of Rats as a Model of Lacunar Stroke. <i>Frontiers in Neurology</i> , 2018, 9, 1072.	1.1	8
504	Magnolol protects against ischemic-reperfusion brain damage following oxygen-glucose deprivation and transient focal cerebral ischemia. <i>International Journal of Molecular Medicine</i> , 2018, 41, 2252-2262.	1.8	14
505	Synergistic Interaction Between Zinc and Reactive Oxygen Species Amplifies Ischemic Brain Injury in Rats. <i>Stroke</i> , 2018, 49, 2200-2210.	1.0	39
506	Whole Body Vibration Therapy after Ischemia Reduces Brain Damage in Reproductively Senescent Female Rats. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2749.	1.8	31
507	The negative ultraslow potential, electrophysiological correlate of infarction in the human cortex. <i>Brain</i> , 2018, 141, 1734-1752.	3.7	81
508	Docosanoids Promote Neurogenesis and Angiogenesis, Blood-Brain Barrier Integrity, Penumbra Protection, and Neurobehavioral Recovery After Experimental Ischemic Stroke. <i>Molecular Neurobiology</i> , 2018, 55, 7090-7106.	1.9	70
509	Stroke infarct volume estimation in fixed tissue: Comparison of diffusion kurtosis imaging to diffusion weighted imaging and histology in a rodent MCAO model. <i>PLoS ONE</i> , 2018, 13, e0196161.	1.1	15

#	ARTICLE	IF	CITATIONS
510	The Role of Alpha-Lipoic Acid in the Pathomechanism of Acute Ischemic Stroke. Cellular Physiology and Biochemistry, 2018, 48, 42-53.	1.1	18
511	TGF- $\beta$ 2 Induces Gli1 in a Smad3-Dependent Manner Against Cerebral Ischemia/Reperfusion Injury After Isoflurane Post-conditioning in Rats. Frontiers in Neuroscience, 2019, 13, 636.	1.4	18
512	Sex-Dependent Differences in Physical Exercise-Mediated Cognitive Recovery Following Middle Cerebral Artery Occlusion in Aged Rats. Frontiers in Aging Neuroscience, 2019, 11, 261.	1.7	6
513	Neuroprotection by nicotinamide mononucleotide adenylyltransferase 1 with involvement of autophagy in an aged rat model of transient cerebral ischemia and reperfusion. Brain Research, 2019, 1723, 146391.	1.1	13
514	Models of poststroke depression and assessments of core depressive symptoms in rodents: How to choose?. Experimental Neurology, 2019, 322, 113060.	2.0	22
515	Neuroprotective Effects and Mechanisms of Zhenlong Xingnao Capsule in In Vivo and In Vitro Models of Hypoxia. Frontiers in Pharmacology, 2019, 10, 1096.	1.6	9
516	Neutrophil Membrane-Derived Nanovesicles Alleviate Inflammation To Protect Mouse Brain Injury from Ischemic Stroke. ACS Nano, 2019, 13, 1272-1283.	7.3	135
517	The Role of Autophagy in Ischaemic Stroke: Friend or Foe?. , 2019, , 59-71.		0
518	Establishment of novel technical methods for evaluating brain edema and lesion volume in stroked rats: A standardization of measurement procedures. Brain Research, 2019, 1718, 12-21.	1.1	10
519	Assessing the effects of Ang-(1-7) therapy following transient middle cerebral artery occlusion. Scientific Reports, 2019, 9, 3154.	1.6	11
520	Fastigial nucleus electrostimulation promotes axonal regeneration after experimental stroke via cAMP/PKA pathway. Neuroscience Letters, 2019, 699, 177-183.	1.0	16
521	NDRG4 prevents cerebral ischemia/reperfusion injury by inhibiting neuronal apoptosis. Genes and Diseases, 2019, 6, 448-454.	1.5	10
522	Therapeutic Target and Cell-signal Communication of Chlorpromazine and Promethazine in Attenuating Blood-Brain Barrier Disruption after Ischemic Stroke. Cell Transplantation, 2019, 28, 145-156.	1.2	31
523	Selective Brain Hypothermia Augmenting Neuroprotective Effects of Decompressive Craniectomy for Permanent Middle Cerebral Artery Infarction in a Rat Model. World Neurosurgery, 2019, 121, e181-e190.	0.7	2
524	Dexmedetomidine alleviates cerebral ischemia-reperfusion injury in rats via inhibition of hypoxia-inducible factor-1. Journal of Cellular Biochemistry, 2019, 120, 7834-7844.	1.2	20
525	Sexual dimorphism in inflammasome-containing extracellular vesicles and the regulation of innate immunity in the brain of reproductive senescent females. Neurochemistry International, 2019, 127, 29-37.	1.9	26
526	Transfemoral Approach to Induce Transient Middle Cerebral Artery Occlusion in Rats: The Use of Commercially Available Endovascular Wires. Neurocritical Care, 2020, 32, 575-585.	1.2	2
527	Preclinical models of disease and multimorbidity with focus upon cardiovascular disease and dementia. Mechanisms of Ageing and Development, 2020, 192, 111361.	2.2	7

#	ARTICLE	IF	CITATIONS
528	In Search of a Dose: The Functional and Molecular Effects of Exercise on Post-stroke Rehabilitation in Rats. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 186.	1.8	27
529	DHA modulates MANF and TREM2 abundance, enhances neurogenesis, reduces infarct size, and improves neurological function after experimental ischemic stroke. <i>CNS Neuroscience and Therapeutics</i> , 2020, 26, 1155-1167.	1.9	19
530	Curcumin-laden exosomes target ischemic brain tissue and alleviate cerebral ischemia-reperfusion injury by inhibiting ROS-mediated mitochondrial apoptosis. <i>Materials Science and Engineering C</i> , 2020, 117, 111314.	3.8	80
531	PPAR- $\gamma$ Mediates Ta-VNS-Induced Angiogenesis and Subsequent Functional Recovery after Experimental Stroke in Rats. <i>BioMed Research International</i> , 2020, 2020, 1-12.	0.9	25
532	miR-330 regulates Drp-1 mediated mitophagy by targeting PGAM5 in a rat model of permanent focal cerebral ischemia. <i>European Journal of Pharmacology</i> , 2020, 880, 173143.	1.7	14
533	Cerebellar Blood Flow and Gene Expression in Crossed Cerebellar Diaschisis after Transient Middle Cerebral Artery Occlusion in Rats. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4137.	1.8	8
534	Vascular Endothelial Cell-derived Exosomes Protect Neural Stem Cells Against Ischemia/reperfusion Injury. <i>Neuroscience</i> , 2020, 441, 184-196.	1.1	27
535	Protective mechanism of rhubarb anthraquinone glycosides in rats with cerebral ischaemia-reperfusion injury: interactions between medicine and intestinal flora. <i>Chinese Medicine</i> , 2020, 15, 60.	1.6	15
536	Neuroprotective Effect of Danhong Injection on Cerebral Ischemia-Reperfusion Injury in Rats by Activation of the PI3K-Akt Pathway. <i>Frontiers in Pharmacology</i> , 2020, 11, 298.	1.6	67
537	Activated Mesenchymal Stem Cells Induce Recovery Following Stroke Via Regulation of Inflammation and Oligodendrogenesis. <i>Journal of the American Heart Association</i> , 2020, 9, e013583.	1.6	50
538	Ethanol extracts from <i>Ilex pubescens</i> promotes cerebral ischemic tolerance via modulation of TLR4-MyD88/TRIF signaling pathway in rats. <i>Journal of Ethnopharmacology</i> , 2020, 256, 112680.	2.0	10
539	MicroRNA-30a regulates acute cerebral ischemia-induced blood-brain barrier damage through ZnT4/zinc pathway. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 641-655.	2.4	23
540	Rodent Stroke Model Guidelines: An Update. , 2021, , 1-39.		3
541	Phosphoenolpyruvate Carboxykinase (PCK) in the Brain Gluconeogenic Pathway Contributes to Oxidative and Lactic Injury After Stroke. <i>Molecular Neurobiology</i> , 2021, 58, 2309-2321.	1.9	17
542	Dynamic changes of inflammation and apoptosis in cerebral ischemia-reperfusion injury in mice investigated by ferumoxytol-enhanced magnetic resonance imaging. <i>Molecular Medicine Reports</i> , 2021, 23, .	1.1	6
543	Alteration of Gut Microbiome and Correlated Lipid Metabolism in Post-Stroke Depression. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 663967.	1.8	38
544	Marmoset angiography just by percutaneous puncture of the caudal ventral artery. <i>PLoS ONE</i> , 2021, 16, e0250576.	1.1	5
545	QKI 6 ameliorates CIRI through promoting synthesis of triglyceride in neuron and inhibiting neuronal apoptosis associated with SIRT1-PPAR $\gamma$ -PGC1 $\beta$ axis. <i>Brain and Behavior</i> , 2021, 11, e2271.	1.0	7

#	ARTICLE	IF	CITATIONS
546	Short-term lithium treatment protects the brain against ischemiaâ€“reperfusion injury by enhancing the neuroplasticity of cortical neurons. <i>Neurological Research</i> , 2022, 44, 128-138.	0.6	3
547	Scalp Acupuncture Protects Against Neuronal Ferroptosis by Activating The p62-Keap1-Nrf2 Pathway in Rat Models of Intracranial Haemorrhage. <i>Journal of Molecular Neuroscience</i> , 2022, 72, 82-96.	1.1	15
548	Delta Sleep-Inducing Peptide Recovers Motor Function in SD Rats after Focal Stroke. <i>Molecules</i> , 2021, 26, 5173.	1.7	1
549	Animal models of stroke. <i>Animal Models and Experimental Medicine</i> , 2021, 4, 204-219.	1.3	53
550	Post-acute delivery of Î±5-GABAA antagonist, S 44819, improves functional recovery in juvenile rats following stroke. <i>Experimental Neurology</i> , 2021, 347, 113881.	2.0	1
551	Tissue processing and optimal visualization of cerebral infarcts following sub-acute focal ischemia in rats. <i>Journal of Chemical Neuroanatomy</i> , 2021, 118, 102034.	1.0	3
552	Interruption of endolysosomal trafficking leads to stroke brain injury. <i>Experimental Neurology</i> , 2021, 345, 113827.	2.0	11
553	Peroxiredoxin 6 secreted by Schwann-like cells protects neuron against ischemic stroke in rats via PTEN/PI3K/AKT pathway. <i>Tissue and Cell</i> , 2021, 73, 101635.	1.0	3
554	Analysis of microRNA expression in cerebral ischemia/reperfusion after mild therapeutic hypothermia treatment in rats. <i>Annals of Translational Medicine</i> , 2021, 9, 168-168.	0.7	0
555	Normobaric oxygen therapy attenuates hyperglycolysis in ischemic stroke. <i>Neural Regeneration Research</i> , 2021, 16, 1017.	1.6	4
556	Rhubarb anthraquinone glycosides protect against cerebral ischemiaâ€“reperfusion injury in rats by regulating brainâ€“gut neurotransmitters. <i>Biomedical Chromatography</i> , 2021, 35, e5058.	0.8	15
557	Increased substance P immunoreactivity and edema formation following reversible ischemic stroke. , 2006, 96, 263-266.		41
558	Protective effect of the V1a receptor antagonist SR49059 on brain edema formation following middle cerebral artery occlusion in the rat. , 2006, 96, 303-306.		34
559	Overcoming Barriers to Translation from Experimental Stroke Models. , 2012, , 471-492.		7
560	Conditioning Studies in Focal Cerebral Ischemia: Model Selection, Physiological Monitoring, and Other Methodological Issues. , 2013, , 269-289.		1
561	Focal Cerebral Ischemia in the Mouse and Rat Using the Intraluminal Sutureâ€“Filament Model. <i>Neuromethods</i> , 2010, , 29-40.	0.2	1
562	The modulation of aquaporin-4 by using PKC-activator (phorbol myristate acetate) and V1a receptor antagonist (SR49059) following middle cerebral artery occlusion/reperfusion in the rat. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 431-436.	0.5	38
563	Animal Models in Overactive Bladder Research. <i>Handbook of Experimental Pharmacology</i> , 2011, , 15-43.	0.9	59



#	ARTICLE	IF	CITATIONS
564	Salidroside Inhibits Inflammation Through PI3K/Akt/HIF Signaling After Focal Cerebral Ischemia in Rats. <i>Inflammation</i> , 2017, 40, 1297-1309.	1.7	81
565	DP-b99: A Novel Membrane-Targeted Compound Active against Global and Focal Cerebral Ischemia. , 2001, , 347-352.		2
566	Î±7nAChR mediates transcutaneous auricular vagus nerve stimulation-induced neuroprotection in a rat model of ischemic stroke by enhancing axonal plasticity. <i>Neuroscience Letters</i> , 2020, 730, 135031.	1.0	33
567	Animal Models of Ischemic Stroke. , 2008, , 5-11.		3
568	PPARÎ³ Upregulation Induced by Vagus Nerve Stimulation Exerts Anti-Inflammatory Effect in Cerebral Ischemia/Reperfusion Rats. <i>Medical Science Monitor</i> , 2015, 21, 268-275.	0.5	39
569	Identification of Ischemic Regions in a Rat Model of Stroke. <i>PLoS ONE</i> , 2009, 4, e4764.	1.1	208
570	Derivation of Injury-Responsive Dendritic Cells for Acute Brain Targeting and Therapeutic Protein Delivery in the Stroke-Injured Rat. <i>PLoS ONE</i> , 2013, 8, e61789.	1.1	7
571	Improved Infrared-Sensing Running Wheel Systems with an Effective Exercise Activity Indicator. <i>PLoS ONE</i> , 2015, 10, e0122394.	1.1	12
572	A Comparative Study of Variables Influencing Ischemic Injury in the Longa and Koizumi Methods of Intraluminal Filament Middle Cerebral Artery Occlusion in Mice. <i>PLoS ONE</i> , 2016, 11, e0148503.	1.1	96
573	Impact of Stroke Therapy Academic Industry Roundtable (STAIR) Guidelines on Peri-Anesthesia Care for Rat Models of Stroke: A Meta-Analysis Comparing the Years 2005 and 2015. <i>PLoS ONE</i> , 2017, 12, e0170243.	1.1	22
574	Mechanisms of Stroke Induced Neuronal Death: Multiple Therapeutic Opportunities. <i>Advances in Animal and Veterinary Sciences</i> , 2014, 2, 438-446.	0.1	12
576	Preconditioning of bone marrow mesenchymal stem cells with hydrogen sulfide improves their therapeutic potential. <i>Oncotarget</i> , 2016, 7, 58089-58104.	0.8	25
577	Transplantation of bFGF-expressing neural stem cells promotes cell migration and functional recovery in rat brain after transient ischemic stroke. <i>Oncotarget</i> , 2017, 8, 102067-102077.	0.8	30
578	Artificial Hibernation by Phenothiazines: A Potential Neuroprotective Therapy Against Cerebral Inflammation in Stroke. <i>Current Neurovascular Research</i> , 2019, 16, 232-240.	0.4	9
579	Technical report: Simple method of animal stroke model of luminal occlusion of middle cerebral artery in Indonesia. , 2019, 10, 143.		2
580	Intranasal administration with NAD+ profoundly decreases brain injury in a rat model of transient focal ischemia. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 2728.	3.0	114
581	CPCGI confers neuroprotection by enhancing blood circulation and neurological function in cerebral ischemia/reperfusion rats. <i>Molecular Medicine Reports</i> , 2019, 20, 2365-2372.	1.1	4
582	Protective effects of remote ischemic preconditioning in rat hindlimb on ischemia- reperfusion injury. <i>Neural Regeneration Research</i> , 2012, 7, 583-7.	1.6	17

#	ARTICLE	IF	CITATIONS
583	The macrosphere model-an embolic stroke model for studying the pathophysiology of focal cerebral ischemia in a translational approach. <i>Annals of Translational Medicine</i> , 2015, 3, 123.	0.7	6
584	Intranasal Administration of Interleukin-1 Receptor Antagonist in a Transient Focal Cerebral Ischemia Rat Model. <i>Biomolecules and Therapeutics</i> , 2017, 25, 149-157.	1.1	18
585	Effect of isoflurane post-treatment on tPA-exaggerated brain injury in a rat ischemic stroke model. <i>Korean Journal of Anesthesiology</i> , 2015, 68, 281.	0.9	36
586	Baihui (DU20)-penetrating-Qubin (GB7) acupuncture inhibits apoptosis in the perihemorrhagic penumbra. <i>Neural Regeneration Research</i> , 2018, 13, 1602.	1.6	11
587	Neuroprotective effect of baicalin on focal cerebral ischemia in rats. <i>Neural Regeneration Research</i> , 2018, 13, 2129.	1.6	14
588	Effects of erythropoietin combined with tissue plasminogen activator on the rats following cerebral ischemia and reperfusion. <i>Brain Circulation</i> , 2016, 2, 54.	0.7	7
589	Mild therapeutic hypothermia protects against cerebral ischemia/reperfusion injury by inhibiting miR-15b expression in rats. <i>Brain Circulation</i> , 2017, 3, 219.	0.7	8
590	Enhanced oxidative stress response and neuroprotection of combined limb remote ischemic conditioning and atorvastatin after transient ischemic stroke in rats. <i>Brain Circulation</i> , 2017, 3, 204.	0.7	12
591	Blocking pro-inflammatory platelet-activating factor receptors and activating cell survival pathways: A novel therapeutic strategy in experimental ischemic stroke. <i>Brain Circulation</i> , 2020, 6, 260.	0.7	13
592	Role of corticotrophin releasing hormone in cerebral infarction-related gastrointestinal barrier dysfunction. <i>World Journal of Emergency Medicine</i> , 2011, 2, 59.	0.5	5
593	Rat Models for Ischemic Stroke. <i>Korean Journal of Stroke</i> , 2011, 13, 107.	0.1	5
594	RODENT STROKE MODEL GUIDELINES FOR PRECLINICAL STROKE TRIALS (1ST EDITION). <i>Journal of Experimental Stroke &amp; Translational Medicine</i> , 2009, 2, 2-27.	0.2	134
595	LncRNA <i>MIAT</i> enhances cerebral ischaemia/reperfusion injury in rat model via interacting with EGLN2 and reduces its ubiquitin-mediated degradation. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 10140-10151.	1.6	13
596	Cyclic AMP Response Element Binding Protein Phosphorylation May Be Closely Associated with Neuroprotective Mechanisms After Focal Ischemia in Rat Brain. , 2001, , 147-155.		0
597	Direct Repeated Measurements of PO <sub>2</sub> in the Brain During Ischemia and Reperfusion. , 2001, , 381-389.		2
598	Postischemic Hyperperfusion Does Not Necessarily Indicate Good Recovery of Brain Tissue. From the Viewpoint of PKA-Mediated Intracellular Signal Transduction. , 2001, , 168-177.		0
599	Neuroprotective effect of STAZN in focal cerebral ischemia: A therapeutic-window study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S41-S41.	2.4	0
600	Surgical Models of Stroke Induced by Intraluminal Filament Implantation. , 2008, , 107-126.		0

#	ARTICLE	IF	CITATIONS
601	Effect of Chungpaesagan-tang on ischemic damage induced by MCAO in spontaneously hypertensive rats. <i>Oriental Pharmacy and Experimental Medicine</i> , 2008, 8, 430-439.	1.2	0
603	Arachidonic Acid Metabolism and Lipid Peroxidation in Stroke: Alpha-Tocotrienol as a Unique Therapeutic Agent. , 2011, , 63-90.		1
604	Sodium and Potassium MRI in Cerebral Ischemia. , 2012, , 333-359.		0
605	High-Dose Albumin for Neuroprotection in Acute Ischemic Stroke: From Basic Investigations to Multicenter Clinical Trial. , 2012, , 691-719.		0
606	Effects on Blood Supply and on Arterial and Venous Tonus. , 2014, , 1-91.		0
608	The Acute Ischemic Penumbra: Topography, Life Span, and Therapeutic Response. , 1999, 73, 45-50.		16
609	Neural transmission pathways are involved in the neuroprotection induced by post- but not perischemic limb remote conditioning. <i>Brain Circulation</i> , 2015, 1, 159.	0.7	2
610	Effects on Blood Supply and on Arterial and Venous Tonus. , 2016, , 349-428.		0
611	Intraluminal Middle Cerebral Artery Occlusion Model in Mice. <i>Springer Series in Translational Stroke Research</i> , 2019, , 163-172.	0.1	0
612	Transient Middle Cerebral Artery Occlusion Model in Rodents. <i>Springer Series in Translational Stroke Research</i> , 2019, , 131-143.	0.1	0
614	Anti-inflammatory and modulatory effects of steroidal saponins and sapogenins on cytokines: A review of pre-clinical research. <i>Phytomedicine</i> , 2022, 96, 153842.	2.3	30
617	Stereotactic coordinates for intracerebroventricular infusion after permanent focal cerebral ischemia in Wistar rats. <i>Hippokratia</i> , 2012, 16, 51-6.	0.3	4
618	Role of corticotrophin releasing hormone in cerebral infarction-related gastrointestinal barrier dysfunction. <i>World Journal of Emergency Medicine</i> , 2011, 2, 59-65.	0.5	6
619	Evidence for a therapeutic effect of Braintone on ischemic brain damage. <i>Neural Regeneration Research</i> , 2013, 8, 1743-55.	1.6	1
620	Screen-imaging guidance using a modified portable video microscope for middle cerebral artery occlusion. <i>Neural Regeneration Research</i> , 2012, 7, 912-6.	1.6	2
621	Neuroprotective effect of lentivirus mediated VEGF on rat model with cerebral ischemic injury. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 4094-100.	1.3	5
622	Early changes of NLRP3 inflammasome activation after hypoxic-ischemic brain injury in neonatal rats. <i>International Journal of Clinical and Experimental Pathology</i> , 2021, 14, 209-220.	0.5	2
623	The search for neuroprotective strategies in stroke. <i>American Journal of Neuroradiology</i> , 2004, 25, 181-94.	1.2	45

#	ARTICLE	IF	CITATIONS
624	Physical exercise promotes integration of grafted cells and functional recovery in an acute stroke rat model. <i>Stem Cell Reports</i> , 2022, 17, 276-288.	2.3	7
625	Macrophage Nuclear Receptor Corepressor 1 Deficiency Protects Against Ischemic Stroke in Mice. <i>Journal of Cardiovascular Translational Research</i> , 2022, 15, 816-827.	1.1	5
626	Stellate ganglion block reduces inflammation and improves neurological function in diabetic rats during ischemic stroke. <i>Neural Regeneration Research</i> , 2022, 17, 1991.	1.6	17
627	Bloodâ€“Brain Barrier Transporters: Opportunities for Therapeutic Development in Ischemic Stroke. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1898.	1.8	26
628	Gallic acid attenuates cerebral ischemia/re-perfusion-induced bloodâ€“brain barrier injury by modifying polarization of microglia. <i>Journal of Immunotoxicology</i> , 2022, 19, 17-26.	0.9	15
629	Experimental Animal Models of Cerebral Ischemic Reperfusion Injury. , 0, , .		0
630	Transcutaneous Auricular Vagus Nerve Stimulation Promotes White Matter Repair and Improves Dysphagia Symptoms in Cerebral Ischemia Model Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2022, 16, 811419.	1.0	13
631	Long-term iTBS promotes neural structural and functional recovery by enhancing neurogenesis and migration via miR-551b-5p/BDNF/TrkB pathway in a rat model of cerebral ischemia-reperfusion injury. <i>Brain Research Bulletin</i> , 2022, 184, 46-55.	1.4	5
632	The combination of Ling Jiao Gou Teng decoction and ischemic preconditioning protect against cerebral ischemic reperfusion injury in rats by protecting the blood brain barrier. <i>Pharmacological Research Modern Chinese Medicine</i> , 2022, 3, 100073.	0.5	0
633	MIF promotes neurodegeneration and cell death via its nuclease activity following traumatic brain injury. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	2.4	9
659	Alteration of Glycerophospholipid Metabolism in Hippocampus of Post-stroke Depression Rats. <i>Neurochemical Research</i> , 2022, 47, 2052-2063.	1.6	11
662	Cerebroprotective properties of recombinant interleukin-1 receptor â€“ an experimental study. <i>Ceska A Slovenska Farmacie</i> , 2022, 71, 34-40.	0.3	0
663	Chronic Nicotine Exposure Increases Hematoma Expansion following Collagenase-Induced Intracerebral Hemorrhage in Rats. <i>Biomolecules</i> , 2022, 12, 621.	1.8	2
664	Pharmacokinetic and Pharmacodynamic Properties of Indole-3-carbinol in Experimental Focal Ischemic Injury. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2022, 47, 593-605.	0.6	5
665	Periodontitis Salivary Microbiota Aggravates Ischemic Stroke Through IL-17A. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	10
666	CXCL13 expressed on inflamed cerebral blood vessels recruit IL-21 producing TFH cells to damage neurons following stroke. <i>Journal of Neuroinflammation</i> , 2022, 19, .	3.1	16
667	Neuroprotective Effects of Pharmacological Hypothermia on Hyperglycolysis and Gluconeogenesis in Rats after Ischemic Stroke. <i>Biomolecules</i> , 2022, 12, 851.	1.8	7
668	Synergistic neuroprotection by a PAF antagonist plus a docosanoid in experimental ischemic stroke: Dose-response and therapeutic window. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106585.	0.7	1

#	ARTICLE	IF	CITATIONS
669	Target ischemic stroke model creation method using photoacoustic microscopy with simultaneous vessel monitoring and dynamic photothrombosis induction. <i>Photoacoustics</i> , 2022, 27, 100376.	4.4	8
670	Determination of significant parameters in remote ischemic postconditioning for ischemic stroke in experimental models: A systematic review and meta-analysis study. <i>CNS Neuroscience and Therapeutics</i> , 2022, 28, 1492-1508.	1.9	3
671	Molecular Hydrogen Mediates Neurorestorative Effects After Stroke in Diabetic Rats: the TLR4/NF- $\kappa$ B Inflammatory Pathway. <i>Journal of NeuroImmune Pharmacology</i> , 2023, 18, 90-99.	2.1	8
672	Limb Remote Ischemic Conditioning Promotes Neurogenesis after Cerebral Ischemia by Modulating miR-449b/Notch1 Pathway in Mice. <i>Biomolecules</i> , 2022, 12, 1137.	1.8	2
673	Red Blood Cell Microparticles Limit Hematoma Growth in Intracerebral Hemorrhage. <i>Stroke</i> , 2022, 53, 3182-3191.	1.0	6
674	Fingolimod protects against neurovascular unit injury in a rat model of focal cerebral ischemia/reperfusion injury. <i>Neural Regeneration Research</i> , 2023, 18, 869.	1.6	3
675	Brain Microvascular Endothelial Cell-Derived Exosomes Protect Neurons from Ischemia-Induced Reperfusion Injury in Mice. <i>Pharmaceuticals</i> , 2022, 15, 1287.	1.7	5
676	Inhibition of the JAK2/STAT3 pathway and cell cycle re-entry contribute to the protective effect of remote ischemic preconditioning of rat hindlimbs on cerebral ischemia/reperfusion injury. <i>CNS Neuroscience and Therapeutics</i> , 2023, 29, 866-877.	1.9	4
677	Experimental Modeling of Damaging and Protective Hypoxia of the Mammalian Brain. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2022, 58, 2021-2034.	0.2	1
678	Red Cell Microparticles Suppress Hematoma Growth Following Intracerebral Hemorrhage in Chronic Nicotine-Exposed Rats. <i>International Journal of Molecular Sciences</i> , 2022, 23, 15167.	1.8	1
679	Mouse Models of Ischemia. , 2011, , 251-273.		0
680	Measurement of Uninterrupted Cerebral Blood Flow by Laser Speckle Contrast Imaging (LSCI) During the Mouse Middle Cerebral Artery Occlusion Model by an Inverted LSCI Setup. <i>Methods in Molecular Biology</i> , 2023, , 83-96.	0.4	1