

# Traumatic Arthritis of the Hip after Dislocation and Ace

Journal of Bone and Joint Surgery - Series A  
51, 737-755

DOI: 10.2106/00004623-196951040-00012

Citation Report

#	ARTICLE	IF	CITATIONS
1	Surgical management of arthritis of the hip. <i>Seminars in Arthritis and Rheumatism</i> , 1971, 1, 35-57.	1.6	4
2	Management of Adult Hip Disease. <i>Postgraduate Medicine</i> , 1973, 54, 73-79.	0.9	2
4	Cup Arthroplasty in Patients with Rheumatoid Arthritis. <i>Acta Orthopaedica</i> , 1974, 45, 89-96.	1.4	2
5	Slipped capital femoral epiphysis long-term results. <i>Postgraduate Medicine</i> , 1976, 60, 135-141.	0.9	0
6	Total hip replacement arthroplasty in arthritic conditions of the hip joint. <i>Seminars in Arthritis and Rheumatism</i> , 1978, 7, 189-231.	1.6	5
7	Total hip replacement in children with arthritis. <i>Arthritis and Rheumatism</i> , 1978, 21, 401-406.	6.7	40
8	Dislocation requiring revision in total hip arthroplasty. <i>Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie</i> , 1979, 95, 265-266.	0.1	10
9	Biomechanical assessment of patients treated by joint surgery. <i>Journal of Biomedical Engineering</i> , 1981, 3, 297-304.	0.7	11
10	Revision Hip Arthroplasty:A Retrospective Survey. <i>Acta Orthopaedica</i> , 1982, 53, 923-928.	1.4	16
11	Widening of the teardrop distance in early stages of Legg-Calvÿ½-Perthes disease compared with the late fate. <i>Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie</i> , 1982, 100, 163-166.	0.1	2
12	Moore prosthesis in the treatment of fresh femoral neck fractures. <i>Injury</i> , 1983, 14, 531-540.	0.7	74
13	Factors Associated with Heterotopic Bone Formation in Cemented Total Hip Prostheses. <i>Acta Orthopaedica</i> , 1983, 54, 698-702.	1.4	77
14	Quantitative gait evaluation of hip diseases using principal component analysis. <i>Journal of Biomechanics</i> , 1983, 16, 717-726.	0.9	35
15	Mechanical factors in loosening of Christiansen and Charnley arthroplasties. <i>Acta Orthopaedica</i> , 1984, 55, 261-266.	1.4	25
16	Work Disability Before and After Total Hip Arthroplasty. <i>Arthritis and Rheumatism</i> , 1984, 27, 410-421.	6.7	37
17	A preliminary review of the Miÿ½ller acetabular and Burch-Schneider antiprotrusio support rings. <i>Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie</i> , 1984, 103, 5-12.	0.1	36
18	Conversion total hip replacement. <i>Journal of Arthroplasty</i> , 1986, 1, 261-269.	1.5	15
19	Total hip replacement comparison between the McKee-Farrar and Charnley prostheses in a 5-year follow-up study. <i>Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie</i> , 1986, 105, 158-162.	0.1	18

#	ARTICLE	IF	CITATIONS
20	Diagnosis (i) clinical. Orthopaedics and Trauma, 1986, 1, 7-14.	0.3	0
21	Fixed-head and bipolar hip endoprostheses. Journal of Arthroplasty, 1987, 2, 327-341.	1.5	62
22	Femoral revision total hip arthroplasty using a long-stem femoral component. Journal of Arthroplasty, 1987, 2, 247-258.	1.5	69
23	Use of TARA hemiarthroplasty in advanced osteonecrosis. Journal of Arthroplasty, 1987, 2, 225-232.	1.5	30
24	The transtrochanteric anterior rotational osteotomy of sugioka. Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie, 1987, 106, 161-167.	0.1	42
25	Piroxicam and naproxen in patients with osteoarthritis of the hip waiting for total hip replacement. Clinical Rheumatology, 1988, 7, 208-213.	1.0	5
26	Late results of Chiari's pelvic osteotomy. International Orthopaedics, 1988, 12, 149-154.	0.9	12
27	Evaluation of cruciate ligament injuries A review. Acta Orthopaedica, 1988, 59, 336-341.	1.4	89
28	Range of movement poor index of hip function. Acta Orthopaedica, 1988, 59, 14-15.	1.4	2
29	Subsidence of the femoral component in the noncemented total hip: A roentgen stereophotogrammetric analysis. Acta Orthopaedica, 1988, 59, 635-637.	1.4	25
30	Revision of nonseptic, loose, cemented femoral components using modern cementing techniques. Journal of Arthroplasty, 1988, 3, 241-248.	1.5	102
31	Revision total hip arthroplasty in patients younger than 55 years old. Journal of Arthroplasty, 1988, 3, 47-59.	1.5	54
32	Hook-pin fixation of subcapital fractures of the femur: an atraumatic procedure?. Injury, 1989, 20, 368-370.	0.7	7
33	Bilateral total hip and knee replacement in rheumatoid arthritis patients. Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie, 1989, 108, 291-295.	0.1	12
34	Intertrochanteric osteotomy for the treatment of coxarthrosis. Archives of Orthopaedic and Traumatic Surgery Archiv Für OrthopÄdische Und Unfall-Chirurgie, 1989, 108, 125-131.	0.1	7
35	Postural stability after total hip replacement. International Orthopaedics, 1989, 13, 235-238.	0.9	27
36	Nonoperative treatment of a postoperative fracture around an uncemented porous-coated femoral component. Journal of Arthroplasty, 1989, 4, 187-190.	1.5	20
37	Reimplantation of infected total hip arthroplasties in the absence of antibiotic cement. Journal of Arthroplasty, 1989, 4, 263-269.	1.5	47

#	ARTICLE	IF	CITATIONS
38	Flexible goniometer computer system for the assessment of hip function. <i>Clinical Biomechanics</i> , 1989, 4, 68-72.	0.5	37
39	Locomotion score in rheumatoid arthritis. <i>Acta Orthopaedica</i> , 1989, 60, 271-277.	1.4	14
40	Total Hip Replacement in Patients Aged 80 Years and Older. <i>Journal of the American Geriatrics Society</i> , 1989, 37, 219-222.	1.3	29
42	Core decompression for femoral head necrosis: Prospective study of 28 patients. <i>Acta Orthopaedica</i> , 1990, 61, 507-511.	1.4	45
43	Prognosis of total hip replacement. <i>Acta Orthopaedica</i> , 1990, 61, 2-26.	1.4	88
44	Functional outcome of hip fusion in the young patient. <i>Journal of Arthroplasty</i> , 1990, 5, 89-96.	1.5	54
45	The use of a hip score for evaluation of the results of total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1990, 5, 187-189.	1.5	15
46	A comparative study between McKee-Farrar and Charnley arthroplasty with long-term follow-up periods. <i>Journal of Arthroplasty</i> , 1990, 5, 9-14.	1.5	44
47	Threaded acetabular components for primary and revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1990, 5, 201-215.	1.5	29
48	Uncemented total hip arthroplasty with superior acetabular deficiency. <i>Journal of Arthroplasty</i> , 1990, 5, 159-167.	1.5	34
49	Use of the uncemented bipolar endoprosthesis for the treatment of steroid-induced osteonecrosis of the hip in renal transplantation patients. <i>Journal of Arthroplasty</i> , 1991, 6, 1-9.	1.5	29
50	Uncemented bipolar double-cup arthroplasty of the hip in inflammatory arthropathy. <i>Journal of Arthroplasty</i> , 1991, 6, 79-88.	1.5	4
51	Total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1991, 6, 19-29.	1.5	35
52	Exchange Arthroplasty Best for Infected Total Hip Replacement. <i>HIP International</i> , 1991, 1, 17-20.	0.9	5
53	Evaluation of ankle joint function: the use of a scoring scale. <i>Foot</i> , 1991, 1, 15-19.	0.4	199
54	Long-term results after implantation of McKee-Farrar total hip prostheses. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1991, 110, 230-237.	1.3	46
55	Heterotopic bone formation prevented by diclofenac: Prospective study of 100 hip arthroplasties. <i>Acta Orthopaedica</i> , 1991, 62, 419-421.	1.4	51
56	Risks, Benefits and Economic Consequences of Total Hip Arthroplasty in an Aged Population. <i>Scandinavian Journal of Public Health</i> , 1991, 19, 72-78.	0.6	22

#	ARTICLE	IF	CITATIONS
57	Failure of tibial bone grafting for femoral head necrosis. <i>Acta Orthopaedica</i> , 1991, 62, 230-231.	1.4	8
58	Individual quality of life in patients undergoing hip replacement. <i>Lancet, The</i> , 1992, 339, 1088-1091.	6.3	392
59	Total knee arthroplasty in patients with prior ipsilateral hip fusion. <i>Journal of Arthroplasty</i> , 1992, 7, 63-70.	1.5	24
60	Subsidence of porous coated noncemented femoral components in total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1992, 7, 197-200.	1.5	19
61	Cementless total hip arthroplasty using a porous-coated prosthesis for bone ingrowth fixation. <i>Journal of Arthroplasty</i> , 1992, 7, 381-388.	1.5	56
62	Clinical and radiographic analysis of the uncemented Isf total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1992, 7, 353-363.	1.5	20
63	Preoperative planning for total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1992, 7, 403-409.	1.5	153
64	A prospective study of 100 consecutive harris-galante porous total hip arthroplasties. <i>Journal of Arthroplasty</i> , 1992, 7, 519-526.	1.5	57
66	Migration of porous coated acetabular prostheses fixed with screws: Roentgen stereophotogrammetric analysis. <i>Journal of Orthopaedic Research</i> , 1992, 10, 826-835.	1.2	44
67	A clinical, radiological and biomechanical study of the TARA hip prosthesis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1993, 112, 220-225.	1.3	49
68	Place de l'arthroplastie totale dans le traitement des sÃ©quelles fonctionnelles des arthrites hÃ©matogÃ©nes de hanche de l'adulte. <i>Experimental and Toxicologic Pathology</i> , 1993, 3, 27-31.	2.1	0
69	Rapidly progressive femoral head osteolysis. <i>Journal of Arthroplasty</i> , 1993, 8, 541-547.	1.5	3
70	Anterior square-plate fixation of sacroiliac disruption: 8 years follow-up of 23 consecutive cases. <i>Acta Orthopaedica</i> , 1993, 64, 138-142.	1.4	53
71	Revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1993, 8, 361-370.	1.5	67
72	The role of total hip arthroplasty in acetabular fracture management. <i>Operative Techniques in Orthopaedics</i> , 1993, 3, 80-102.	0.2	30
73	High failure rate of bulk femoral head allografts in total hip acetabular reconstructions at 10 years. <i>Journal of Arthroplasty</i> , 1993, 8, 341-346.	1.5	179
74	Bipolar socket in protrusio acetabuli. <i>Journal of Arthroplasty</i> , 1993, 8, 405-411.	1.5	19
75	The contribution of the nonporous distal stem to the stability of proximally porous-coated canine femoral components. <i>Journal of Arthroplasty</i> , 1993, 8, 33-41.	1.5	42

#	ARTICLE	IF	CITATIONS
76	Cementless hemispheric acetabular components. <i>Journal of Arthroplasty</i> , 1993, 8, 573-580.	1.5	11
77	The 3-6-year results of a modular noncemented low-bending stiffness hip implant. <i>Journal of Arthroplasty</i> , 1993, 8, 239-243.	1.5	53
78	Prevention of heterotopic ossification (HO) after total hip replacement: randomized high versus low dose radiotherapy. <i>Radiotherapy and Oncology</i> , 1993, 26, 271-274.	0.3	37
79	Naproxen and paracetamol compared with naproxen only in coxarthrosis: Increased effect of the combination in 18 patients. <i>Acta Orthopaedica</i> , 1993, 64, 285-288.	1.4	30
80	Radiographs as medical documents: automating standard measurements. , 0, , .		0
81	The Porous-Coated Anatomic (PCA) Total Hip Prosthesis. <i>HIP International</i> , 1994, 4, 69-74.	0.9	0
82	Intertrochanteric Corrective Osteotomy as a Joint-Saving Surgical Treatment for Femoral Head Necrosis. <i>HIP International</i> , 1994, 4, 101-114.	0.9	0
83	Home care's role in clinical pathways. <i>Home Health Care Management and Practice</i> , 1994, 6, 63-69.	0.1	3
84	Effects of total hip replacement on quality of life in patients with osteoarthritis and in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 1994, 13, 45-50.	1.0	40
85	The Cenos hollow stem in total hip arthroplasty: first experiences in a prospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1994, 113, 117-120.	1.3	18
86	Ten-year results of cemented Weller-type total hip arthroplasties. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1994, 113, 57-60.	1.3	2
87	The effect of hydroxyapatite coating on the fixation of hip prostheses. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1994, 113, 72-77.	1.3	28
88	Lack of evidence for gender bias in the utilization of total HIP arthroplasty among olmsted county, minnesota residents with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1994, 37, 1171-1176.	6.7	13
89	Preoperative versus postoperative radiotherapy for prevention of heterotopic ossification (HO): First results of a randomized trial in high-risk patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 30, 63-73.	0.4	76
90	Implementation of continuous risk utility assessment: The total hip replacement decision. <i>Socio-Economic Planning Sciences</i> , 1994, 28, 251-276.	2.5	8
91	Bipolar revisions with bone-grafting for cavitory and segmental acetabular defects. <i>Journal of Arthroplasty</i> , 1994, 9, 263-268.	1.5	7
92	Constrained acetabular components. <i>Journal of Arthroplasty</i> , 1994, 9, 17-23.	1.5	163
93	Long-term results of Charnley arthroplasty. <i>Journal of Arthroplasty</i> , 1994, 9, 333-340.	1.5	49

#	ARTICLE	IF	CITATIONS
94	High placement of porous-coated acetabular components in complex total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1994, 9, 359-367.	1.5	118
95	Clinical and radiographic evaluation of long-stem femoral components following revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1994, 9, 399-408.	1.5	26
96	Autophor cementless total hip arthroplasty for osteoarthritis secondary to congenital hip dysplasia. <i>Journal of Arthroplasty</i> , 1994, 9, 427-433.	1.5	18
97	A comparison of gait symmetry and hip movements in the assessment of patients with monarticular hip arthritis. <i>Clinical Biomechanics</i> , 1994, 9, 162-166.	0.5	23
98	A preliminary scoring system for assessing the outcome of carpal tunnel release. <i>Journal of Hand Surgery</i> , 1994, 19, 531-538.	0.7	51
99	Cementless porous-coated anatomic medullary locking total hip prostheses. <i>Journal of Arthroplasty</i> , 1994, 9, 243-252.	1.5	48
100	Reliability and validity of the grading of heterotopic ossification. <i>Journal of Arthroplasty</i> , 1994, 9, 549-553.	1.5	48
101	Primary total hip arthroplasty using noncemented porous-coated femoral components in patients with osteonecrosis of the femoral head. <i>Journal of Arthroplasty</i> , 1994, 9, 457-468.	1.5	143
102	Hip arthroplasty using the cementless CLS stem. <i>Journal of Arthroplasty</i> , 1994, 9, 177-192.	1.5	47
103	The Harris-Galante porous acetabular component press-fit without screw fixation. <i>Journal of Arthroplasty</i> , 1994, 9, 235-242.	1.5	115
104	Porous-coated total hip arthroplasty in rheumatoid arthritis. <i>Journal of Arthroplasty</i> , 1994, 9, 9-15.	1.5	48
105	Hip joint arthrodesis utilizing anterior compression plate fixation. <i>Journal of Arthroplasty</i> , 1994, 9, 171-176.	1.5	22
106	High hip center in revision arthroplasty. <i>Journal of Arthroplasty</i> , 1994, 9, 503-510.	1.5	116
107	Quantitative bone scanning after asymptomatic Charnley arthroplasty. <i>Acta Orthopaedica</i> , 1994, 65, 276-280.	1.4	7
108	Cemented versus uncemented socket in hip arthroplasty: A radiostereometric study of 60 randomized hips followed for 2 years. <i>Acta Orthopaedica</i> , 1994, 65, 517-521.	1.4	21
109	The short form-36 is preferable to the SIP as a generic health status measure in patients undergoing elective total hip arthroplasty. <i>Arthritis and Rheumatism</i> , 1995, 8, 174-181.	6.7	82
110	Feasibility of Maximal Cardiopulmonary Exercise Testing in Patients With End-Stage Arthritis of the Hip and Knee Prior to Total Joint Arthroplasty. <i>Chest</i> , 1995, 108, 174-181.	0.4	25
111	Cardiovascular fitness and health in patients with end-stage osteoarthritis. <i>Arthritis and Rheumatism</i> , 1995, 38, 799-805.	6.7	84

#	ARTICLE	IF	CITATIONS
112	Evaluation of joint thickness in the hip before and after osteotomy using three-dimensional modelling. <i>International Orthopaedics</i> , 1995, 19, 234-237.	0.9	0
113	Total hip replacement with solid autologous femoral head graft for hip dysplasia. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1995, 114, 137-144.	1.3	39
114	Long-term results of intertrochanteric varus osteotomy for arthrosis of the dysplastic hip (over 10) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.3	8
115	Surgical treatment of both-column fractures by staged combined ilioinguinal and Kocher-Langenbeck approaches. <i>Injury</i> , 1995, 26, 219-224.	0.7	40
116	Short-Term Clinical Results with an Elliptical Femoral Prosthesis. <i>HIP International</i> , 1995, 5, 15-19.	0.9	2
117	Chiari Osteotomy of the Pelvis for Residual Hip Dysplasia in Adults. <i>HIP International</i> , 1995, 5, 108-112.	0.9	0
118	Stem loosening more common with ITH than Lubinus prosthesis: A 5-year clinical and radiographic follow-up of 142 patients. <i>Acta Orthopaedica</i> , 1995, 66, 425-431.	1.4	20
119	Migration of uncemented, long-stem femoral components in revision hip arthroplasty: A 2-8 year clinical follow-up of 45 cases and radiostereometric analysis of 13 cases. <i>Acta Orthopaedica</i> , 1995, 66, 220-224.	1.4	18
120	Total hip arthroplasty in patients who have chronic lymphocytic leukemia. <i>Journal of Arthroplasty</i> , 1995, 10, 758-763.	1.5	6
121	Total hip arthroplasty using the Zweymuller stem implanted without cement. <i>Journal of Arthroplasty</i> , 1995, 10, 793-799.	1.5	45
122	Avascular necrosis of the hip treated by hemiarthroplasty. <i>Journal of Arthroplasty</i> , 1995, 10, 205-211.	1.5	34
123	Increasing prevalence of femoral lysis in cementless total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1995, 10, 407-412.	1.5	62
124	Efficacy of intraoperative cultures obtained during revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1995, 10, 420-426.	1.5	61
125	Total hip arthroplasty for arthrodesed hips. <i>Journal of Arthroplasty</i> , 1995, 10, 529-531.	1.5	65
126	Effect of improved cementing techniques on the longevity of fixation in revision cemented femoral arthroplasties. <i>Journal of Arthroplasty</i> , 1995, 10, 581-591.	1.5	21
127	Failure of a proximally porous-coated femoral prosthesis in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1995, 10, S22-S28.	1.5	53
128	The synovial - like membrane at the bone interface in loose total hip replacements contains high levels of extracellular group II phospholipase A2. <i>Life Sciences</i> , 1996, 59, PL181-PL186.	2.0	0
129	Clinical and radiographic outcome of a cementless, titanium, plasma spray-coated total hip arthroplasty femoral component. <i>Journal of Arthroplasty</i> , 1996, 11, 653-660.	1.5	68



#	ARTICLE	IF	CITATIONS
130	Acetabular revision using a bone-ingrowth total hip component in patients who have acetabular bone stock deficiency. <i>Journal of Arthroplasty</i> , 1996, 11, 661-667.	1.5	25
131	Treatment of femoral osteolysis with cementless total hip revision. <i>Journal of Arthroplasty</i> , 1996, 11, 668-672.	1.5	13
132	Natural history of femoral focal osteolysis with proximal ingrowth smooth stem implant. <i>Journal of Arthroplasty</i> , 1996, 11, 718-725.	1.5	89
133	Comparative results of a distal modular sleeve, circumferential coating, and stiffness relief using the Anatomic Porous Replacement II. <i>Journal of Arthroplasty</i> , 1996, 11, 419-428.	1.5	62
134	Porous pad separation and loosening of Harrisâ€™Galante femoral hip components. <i>Journal of Arthroplasty</i> , 1996, 11, 474-477.	1.5	2
135	Uncemented press-fit total hip arthroplasty using the identifit custom-molding technique. <i>Journal of Arthroplasty</i> , 1996, 11, 247-254.	1.5	24
136	A modified direct lateral approach for primary and revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1996, 11, 255-266.	1.5	43
137	Uncemented total hip arthroplasty using the CLS stem: A titanium alloy implant with a corundum blast finish. <i>Journal of Arthroplasty</i> , 1996, 11, 286-292.	1.5	49
138	The fully hydroxyapatite-coated total hip implant. <i>Journal of Arthroplasty</i> , 1996, 11, 534-542.	1.5	29
139	High failure rate of soft-interface stem coating for fixation of femoral endoprostheses. <i>Journal of Arthroplasty</i> , 1996, 11, 548-552.	1.5	18
140	Correlation of measured range of hip motion following total hip arthroplasty and responses to a questionnaire. <i>Journal of Arthroplasty</i> , 1996, 11, 565-571.	1.5	50
141	Changes in femoral cortical dimensions after uncemented revision hip arthroplasty. <i>Journal of Arthroplasty</i> , 1996, 11, 572-581.	1.5	4
142	Influence of the crowe rating on the outcome of total hip arthroplasty in congenital hip dysplasia. <i>Journal of Arthroplasty</i> , 1996, 11, 582-587.	1.5	94
143	Early radiographic results comparing cemented and cementless total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1996, 11, 24-33.	1.5	40
144	Correlation of patient questionnaire responses and physician history in grading clinical outcome following hip and knee arthroplasty. <i>Journal of Arthroplasty</i> , 1996, 11, 47-57.	1.5	112
145	Treatment of type III acetabular deficiencies in revision total hip arthroplasty without structural boneâ€™graft. <i>Journal of Arthroplasty</i> , 1996, 11, 91-98.	1.5	47
146	Primary noncemented total hip arthroplasty in patients with ankylosing spondylitis. <i>Journal of Arthroplasty</i> , 1996, 11, 802-812.	1.5	66
147	Demographic biases found in scoring instruments of total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1996, 11, 820-830.	1.5	36

#	ARTICLE	IF	CITATIONS
148	Can the Western Ontario and McMaster Universities (WOMAC) osteoarthritis index be used to evaluate different hip joints in the same patient?. Journal of Arthroplasty, 1996, 11, 841-844.	1.5	43
149	Femoral shortening in total arthroplasty for completely dislocated hips: 7 year results in 25 cases. Acta Orthopaedica, 1996, 67, 33-36.	1.4	98
150	Two-stage cementless revision THR after infection: 5 recurrences in 40 cases followed 2.5-7 years. Acta Orthopaedica, 1996, 67, 325-328.	1.4	66
151	Femoral cortical sleeve in revision arthroplasty 24 patients followed 2-10 years. Acta Orthopaedica, 1996, 67, 424-430.	1.4	2
152	Cementless Revision for Failed Cemented total Hip Arthroplasty. HIP International, 1996, 6, 69-74.	0.9	1
153	Primary Cementless Hip Arthroplasty With a Titanium Plasma Sprayed Prosthesis. Clinical Orthopaedics and Related Research, 1996, 333, 217-225.	0.7	54
154	Contemporary Total Hip Replacement With Metal on Metal Articulation. Clinical Orthopaedics and Related Research, 1996, 329, S99-S105.	0.7	30
155	Twenty Years' Followup of Intertrochanteric Osteotomy for Treatment of the Dysplastic Hip. Clinical Orthopaedics and Related Research, 1996, 331, 245-255.	0.7	45
156	Experience With the Metasul Total Hip Bearing System. Clinical Orthopaedics and Related Research, 1996, 329, S69-S77.	0.7	177
157	Core Decompression Versus Nonoperative Management for Osteonecrosis of the Hip. Clinical Orthopaedics and Related Research, 1996, 324, 169-178.	0.7	444
158	The Nicolas Andry Award. Clinical Orthopaedics and Related Research, 1996, 325, 330-344.	0.7	51
159	Factors Correlating With Long Term Survival of McKee-Farrar Total Hip Prostheses. Clinical Orthopaedics and Related Research, 1996, 329, S48-S59.	0.7	63
160	20-Year Results of McKee-Farrar Versus Charnley Prosthesis. Clinical Orthopaedics and Related Research, 1996, 329, S60-S68.	0.7	136
161	Total Hip Arthroplasty With Femoral Osteotomy for Proximal Femoral Deformity. Clinical Orthopaedics and Related Research, 1996, 332, 151-162.	0.7	61
162	Hybrid Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 1996, 333, 147-154.	0.7	41
163	Preoperative Nutritional Status and Outcome of Elective Total Hip Replacement. Clinical Orthopaedics and Related Research, 1996, 326, 153-161.	0.7	78
164	Uncemented Revision Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 1996, 325, 156-162.	0.7	89
165	Functional improvement after hip and knee arthroplasty: 6-month follow-up with a new functional assessment system. Physiotherapy Theory and Practice, 1996, 12, 3-13.	0.6	3

#	ARTICLE	IF	CITATIONS
166	Hybrid Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1996, 333, 134-146.	0.7	58
167	Screw Fixation of Grade III Slipped Capital Femoral Epiphysis. <i>Clinical Orthopaedics and Related Research</i> , 1996, 322, 77-85.	0.7	55
168	Preliminary Results of Uncemented Metal on Metal Stemmed and Resurfacing Hip Replacement Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1996, 329, S78-S88.	0.7	122
169	Modern Metal on Metal Articulation for Total Hip Replacements. <i>Clinical Orthopaedics and Related Research</i> , 1996, 333, 108-117.	0.7	36
170	Prothèse totale de hanche non cimentée et sur mesure chez des patients de moins de 50 ans. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 1996, 6, 255-259.	0.6	3
171	Bipolar hip arthroplasty in ankylosing spondylitis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1996, 115, 94-99.	1.3	15
172	One stage surgical management of deep infection of total hip arthroplasty. <i>Irish Journal of Medical Science</i> , 1996, 165, 17-19.	0.8	17
173	The Biomet Total Toe System utilizing the koenig score: A five-year review. <i>Journal of Foot and Ankle Surgery</i> , 1996, 35, 23-26.	0.5	33
174	Altered load history affects periprosthetic bone loss following cementless total hip arthroplasty. <i>Journal of Orthopaedic Research</i> , 1996, 14, 762-768.	1.2	50
175	Migration of press-fit cups fixed with poly-L-lactic acid or titanium screws: A randomized study using radiostereometry. <i>Journal of Orthopaedic Research</i> , 1996, 14, 895-900.	1.2	13
176	The rationale for total hip replacement in over 60-year-old patients. <i>Archives of Gerontology and Geriatrics</i> , 1996, 22, 485-492.	1.4	1
177	Surgical Management of Refractory Trochanteric Bursitis. <i>American Journal of Sports Medicine</i> , 1997, 25, 86-89.	1.9	89
178	Modified Sugioka's Osteotomy; More Than 130 Posterior Rotation for Osteonecrosis of the Femoral Head With Large Lesion. <i>Clinical Orthopaedics and Related Research</i> , 1997, 334, 98-107.	0.7	32
179	Cost Effectiveness and Quality of Life in Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1997, 345, 134-139.	0.7	139
180	Failure Mechanisms of Anatomic Porous Replacement I Cementless Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1997, 334, 157-167.	0.7	83
181	Hydroxyapatite Coated Implants. <i>Clinical Orthopaedics and Related Research</i> , 1997, 344, 124-138.	0.7	31
182	Outcome of Hip and Knee Arthroplasty in Persons Aged 80 Years and Older. <i>Clinical Orthopaedics and Related Research</i> , 1997, 345, 67-78.	0.7	120
183	Orthopaedic Long Term Aspects of Bladder Extrophy. <i>Clinical Orthopaedics and Related Research</i> , 1997, 335, 240-245.	0.7	29

#	ARTICLE	IF	CITATIONS
184	Microscopic Studies of Human Press Fit Titanium Hip Prostheses. <i>Clinical Orthopaedics and Related Research</i> , 1997, 341, 143-150.	0.7	11
186	Primary Cementless Acetabular Reconstruction in Patients Younger Than 50 Years Old. <i>Clinical Orthopaedics and Related Research</i> , 1997, 344, 216-226.	0.7	70
187	Pelvic Lysis and Polyethylene Wear at 5-8 Years in an Uncemented Total Hip. <i>Clinical Orthopaedics and Related Research</i> , 1997, 335, 211-217.	0.7	77
188	Core Decompression for Osteonecrosis of the Femoral Head in Systemic Lupus Erythematosus. <i>Clinical Orthopaedics and Related Research</i> , 1997, 334, 91-97.	0.7	16
189	The Value of Maintaining Outcomes in an Individual Practice for 25 Years. <i>Clinical Orthopaedics and Related Research</i> , 1997, 344, 61-80.	0.7	11
190	Tapered Design for the Cementless Total Hip Arthroplasty Femoral Component. <i>Clinical Orthopaedics and Related Research</i> , 1997, 344, 172.	0.7	55
191	Core Decompression for Early Osteonecrosis of the Hip in High Risk Patients. <i>Clinical Orthopaedics and Related Research</i> , 1997, 335, 181-189.	0.7	41
192	Functional Results in Total Hip Replacement in Patients 65 Years and Older. <i>Clinical Orthopaedics and Related Research</i> , 1997, 336, 143-151.	0.7	45
193	Free Vascularized Fibula Grafting for the Treatment of Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 1997, 344, 243-256.	0.7	80
194	Acetabular Screw Rings and Surface Treatment. <i>Clinical Orthopaedics and Related Research</i> , 1997, 340, 130-141.	0.7	29
195	Intertrochanteric Osteotomy for Failed Internal Fixation of Femoral Neck Fracture. <i>Clinical Orthopaedics and Related Research</i> , 1997, 341, 175-182.	0.7	53
196	Short Term Prophylaxis Against Heterotopic Bone After Cementless Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1997, 334, 175-183.	0.7	23
197	Outcome after transphyseal hip fractures 4 children followed 34-48 years. <i>Acta Orthopaedica</i> , 1997, 68, 235-238.	1.4	19
198	TOTAL HIP REPLACEMENT AFTER ACETABULAR FRACTURE. <i>Orthopedic Clinics of North America</i> , 1997, 28, 435-446.	0.5	95
199	Dynamics of hip joint remodeling after Chiari osteotomy: 10 patients with neuromuscular disease followed for 8 years. <i>Acta Orthopaedica</i> , 1997, 68, 128-132.	1.4	7
200	Total hip arthroplasty after acetabular fracture treated initially with open reduction and internal fixation. <i>Operative Techniques in Orthopaedics</i> , 1997, 7, 250-255.	0.2	7
201	Experience with primary exeter total hip arthroplasty in patients with small femurs. <i>Journal of Arthroplasty</i> , 1997, 12, 267-272.	1.5	17
202	Comparison of collared and collarless femoral components in primary uncemented total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1997, 12, 273-280.	1.5	41

#	ARTICLE	IF	CITATIONS
203	Enhancement of the value of hip questionnaires by telephone follow-up evaluation. Journal of Arthroplasty, 1997, 12, 340-343.	1.5	45
204	Impaired quality of life 10 to 20 years after primary hip arthroplasty. Journal of Arthroplasty, 1997, 12, 21-24.	1.5	19
205	Femoral cortical remodeling after uncemented total hip arthroplasty. Journal of Arthroplasty, 1997, 12, 99-105.	1.5	4
206	Scandinavian multicenter porous coated anatomic total hip arthroplasty study. Journal of Arthroplasty, 1997, 12, 133-148.	1.5	61
207	Prospective study of 100 consecutive Harris-Galante porous total hip arthroplasties. Journal of Arthroplasty, 1997, 12, 185-193.	1.5	36
208	Cementless femoral revision arthroplasty. Journal of Arthroplasty, 1997, 12, 194-201.	1.5	41
209	The outcome of two-stage arthroplasty using a custom-made interval spacer to treat the infected hip. Journal of Arthroplasty, 1997, 12, 615-623.	1.5	189
210	Osteonecrosis of the femoral head treated with cementless total hip arthroplasty. Journal of Arthroplasty, 1997, 12, 683-688.	1.5	64
211	Migration of the uncemented Harris-Galante acetabular cup. Journal of Arthroplasty, 1997, 12, 889-895.	1.5	28
212	Cementless revision of total hip arthroplasty using the anatomic porous replacement revision prosthesis. Journal of Arthroplasty, 1997, 12, 403-415.	1.5	32
213	Visual analog scale for the assessment of total hip arthroplasty. Journal of Arthroplasty, 1997, 12, 416-419.	1.5	42
214	Results and complications of total hip arthroplasties in patients with sickle-cell hemoglobinopathies. Journal of Arthroplasty, 1997, 12, 420-425.	1.5	45
215	A comparison of different indices of responsiveness. Journal of Clinical Epidemiology, 1997, 50, 239-246.	2.4	426
216	Orthopaedic Consequences of Slipped Capital Femoral Epiphysis in Adults. HIP International, 1997, 7, 49-56.	0.9	0
217	Patterns of Osteolysis in Two Different Cementless Total Hip Arthroplasties. HIP International, 1997, 7, 65-69.	0.9	2
218	METAL-ON-METAL ARTICULATION IN TOTAL HIP ARTHROPLASTY: PRELIMINARY RESULTS IN 57 CASES. ANZ Journal of Surgery, 1997, 67, 634-636.	0.3	16
219	Prevention of heterotopic ossification about the hip: Final results of two randomized trials in 410 patients using either preoperative or postoperative radiation therapy. International Journal of Radiation Oncology Biology Physics, 1997, 39, 161-171.	0.4	125
220	Reliability and validity of clinical outcome measurements of osteoarthritis of the hip and knee – A review of the literature. Clinical Rheumatology, 1997, 16, 185-198.	1.0	93

#	ARTICLE	IF	CITATIONS
222	The role of primary total hip replacement for the treatment of the displaced femoral neck fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 1997, 7, 23-26.	0.6	4
223	Bone and muscle mass after femoral neck fracture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1997, 116, 470-474.	1.3	39
224	The subjective shoulder rating system. <i>Archives of Orthopaedic and Trauma Surgery</i> , 1997, 116, 324-328.	1.3	42
225	Gait compensations in patients with osteoarthritis of the hip and their relationship to pain and passive hip motion. <i>Journal of Orthopaedic Research</i> , 1997, 15, 629-635.	1.2	176
226	Hip motion and moments during gait relate directly to proximal femoral bone mineral density in patients with hip osteoarthritis. <i>Journal of Biomechanics</i> , 1998, 31, 919-925.	0.9	52
229	Total knee and hip arthroplasty in haemophilic patients. <i>Haemophilia</i> , 1998, 4, 747-751.	1.0	60
230	Self-assessment of general health status in patients with five common shoulder conditions. <i>Journal of Shoulder and Elbow Surgery</i> , 1998, 7, 228-237.	1.2	174
231	Conversion of hemiarthroplasty to total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1998, 13, 627-630.	1.5	26
232	Intraoperative type 1 proximal femoral fractures. <i>Journal of Arthroplasty</i> , 1998, 13, 653-659.	1.5	12
233	Rheumatoid arthritis and hydroxyapatite-coated hip prostheses. <i>Journal of Arthroplasty</i> , 1998, 13, 660-667.	1.5	47
234	Reconstruction of the deficient acetabulum with an oblong prosthesis. <i>Journal of Arthroplasty</i> , 1998, 13, 674-680.	1.5	71
235	Bilateral total hip arthroplasty comparing hydroxyapatite coating to porous-coated fixation. <i>Journal of Arthroplasty</i> , 1998, 13, 729-736.	1.5	70
236	A modified direct lateral approach in total hip arthroplasty A comprehensive review. <i>Journal of Arthroplasty</i> , 1998, 13, 737-747.	1.5	124
237	Predictive value of early radiographic findings in cementless total hip arthroplasty femoral components. <i>Journal of Arthroplasty</i> , 1998, 13, 768-773.	1.5	51
238	Intermediate clinical follow-up of a dual-radius acetabular component. <i>Journal of Arthroplasty</i> , 1998, 13, 804-811.	1.5	8
239	Clinical results of the midstem porous-coated anatomic uncemented femoral stem in primary total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1998, 13, 535-545.	1.5	14
240	2- to 10-year follow-up study of acetabular revisions using allograft bone to repair bone defects. <i>Journal of Arthroplasty</i> , 1998, 13, 61-69.	1.5	33
241	Drainage versus nondrainage in simultaneous bilateral total hip arthroplasties. <i>Journal of Arthroplasty</i> , 1998, 13, 156-161.	1.5	92

#	ARTICLE	IF	CITATIONS
242	Cemented total hip arthroplasty following previous femoral osteotomy. <i>Journal of Arthroplasty</i> , 1998, 13, 243-253.	1.5	48
243	Arthopor 2 acetabular component with screw fixation in primary hip arthroplasty. <i>Journal of Arthroplasty</i> , 1998, 13, 299-310.	1.5	12
244	Total hip arthroplasty in an adult with proximal femoral focal deficiency. <i>Journal of Arthroplasty</i> , 1998, 13, 356-360.	1.5	4
245	Total hip arthroplasty performed without cement in patients with femoral head osteonecrosis who are less than 50 years old. <i>Journal of Arthroplasty</i> , 1998, 13, 876-881.	1.5	66
246	Assessing activity in joint replacement patients. <i>Journal of Arthroplasty</i> , 1998, 13, 890-895.	1.5	735
247	Polyethylene wear debris presenting as a retroperitoneal tumor. <i>Surgery</i> , 1998, 123, 111-112.	1.0	7
248	Survivorship of rough-surfaced threaded acetabular cups 382: Consecutive primary Zweymüller cups followed for 0.2-12 years. <i>Acta Orthopaedica</i> , 1998, 69, 379-383.	1.4	41
249	Different cup migration in rheumatoid arthritis and arthrosis: A radiographic analysis of 127 uncemented acetabular cups. <i>Acta Orthopaedica</i> , 1998, 69, 455-462.	1.4	16
250	THA revision with extensively porous-coated stems: 32 hips followed 2-6.5 years. <i>Acta Orthopaedica</i> , 1998, 69, 11-13.	1.4	15
251	Life Expectancy and Cost Utility After Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1998, 346, 141-151.	0.7	66
252	Patient Satisfaction and Function After Primary and Revision Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1998, 351, 135-148.	0.7	66
253	Hemispheric Titanium Porous Coated Acetabular Component Without Screw Fixation. <i>Clinical Orthopaedics and Related Research</i> , 1998, 351, 158-168.	0.7	36
254	100 Cemented Versus 100 Noncemented Stems With Comparison of 25 Matched Pairs. <i>Clinical Orthopaedics and Related Research</i> , 1998, 348, 140-148.	0.7	9
255	A Critical Look at Cementless Stems. <i>Clinical Orthopaedics and Related Research</i> , 1998, 355, 212-223.	0.7	42
256	Radiographic Predictors of Outcome of Core Decompression for Hips With Osteonecrosis Stage III. <i>Clinical Orthopaedics and Related Research</i> , 1998, 354, 159-168.	0.7	76
257	Proximal Femur Fractures After Free Vascularized Fibular Grafting to the Hip. <i>Clinical Orthopaedics and Related Research</i> , 1998, 356, 192-201.	0.7	39
258	Effects of Design Changes on Cemented Tapered Femoral Stem Fixation. <i>Clinical Orthopaedics and Related Research</i> , 1998, 355, 47-56.	0.7	79
259	Cost-Utility Analysis of Total Hip Arthroplasties: Technology Assessment of Surgical Procedures by Mailed Questionnaires. <i>International Journal of Technology Assessment in Health Care</i> , 1998, 14, 735-742.	0.2	25

#	ARTICLE	IF	CITATIONS
260	Computer Assistance for Pelvic Osteotomies. <i>Clinical Orthopaedics and Related Research</i> , 1998, 354, 92-102.	0.7	98
261	Proximal and Distal Femoral Centralizers in Modern Cemented Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1998, 349, 163-173.	0.7	39
262	Hydroxyapatite in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1998, 355, 200-211.	0.7	124
263	Progressive Osteolysis after Porous-Coated Anatomic (PCA) Uncemented Total Hip Arthroplasty Ten-Year Results in 32 Consecutive Cases. <i>HIP International</i> , 1999, 9, 214-220.	0.9	3
264	Cemented versus uncemented Thompson's prostheses: a functional outcome study. <i>Injury</i> , 1999, 30, 671-675.	0.7	44
265	The systematic assessment of short-term functional recovery after major joint arthroplasty. <i>Journal of Quality in Clinical Practice</i> , 1999, 19, 165-171.	0.5	26
266	Immunohistochemical analysis of type X-collagen expression in osteoarthritis of the hip joint. <i>Journal of Orthopaedic Research</i> , 1999, 17, 495-502.	1.2	36
267	Total hip arthroplasty using bone cement containing tri-n-butylborane as the initiator. , 1999, 48, 759-763.		10
268	Structural bone grafting in arthroplasty for congenital hip dysplasia: 35 hips followed for 5-10 years. <i>Acta Orthopaedica</i> , 1999, 70, 430-434.	1.4	6
269	The Harris-Galante uncemented femoral component in primary total hip replacement at 10 years. <i>Journal of Arthroplasty</i> , 1999, 14, 915-917.	1.5	71
270	Catastrophic failure of cementless total hip arthroplasty using a femoral component without surface coating. <i>Journal of Arthroplasty</i> , 1999, 14, 918-924.	1.5	16
271	Clinical experience with a proximally porous-coated second-generation cementless total hip prosthesis: Minimum 5-year follow-up. <i>Journal of Arthroplasty</i> , 1999, 14, 930-939.	1.5	32
272	The value of clinical data scoring systems: Are traditional hip scoring systems adequate to use in evaluation after total hip surgery?. <i>Journal of Arthroplasty</i> , 1999, 14, 1024-1029.	1.5	19
273	Total hip replacements done without cement after acetabular fractures: A 4- to 8-year follow-up study. <i>Journal of Arthroplasty</i> , 1999, 14, 827-831.	1.5	44
274	Incomplete seating of an acetabular metal wire retaining ring during total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1999, 14, 869-871.	1.5	3
275	Primary total hip arthroplasty with a cementless porous-coated anatomic total hip prosthesis. <i>Journal of Arthroplasty</i> , 1999, 14, 538-548.	1.5	136
276	The charnley versus the spectron hip prosthesis. <i>Journal of Arthroplasty</i> , 1999, 14, 407-413.	1.5	39
277	A comparison of collared and collarless femoral components in primary cemented total hip arthroplasty. <i>Journal of Arthroplasty</i> , 1999, 14, 123-130.	1.5	19



#	ARTICLE	IF	CITATIONS
278	Uncemented total hip arthroplasty with subtrochanteric derotational osteotomy for severe femoral anteversion. <i>Journal of Arthroplasty</i> , 1999, 14, 682-688.	1.5	34
279	BONE GRAFTS AND BONE SUBSTITUTES IN HIP AND KNEE SURGERY. <i>Orthopedic Clinics of North America</i> , 1999, 30, 661-671.	0.5	28
280	Radiographic Evaluation of the "Conus" Uncemented Stem. <i>HIP International</i> , 1999, 9, 133-138.	0.9	9
281	The Treatment of the Infected Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1999, 369, 144-156.	0.7	73
282	Cementless Acetabular Revision. <i>Clinical Orthopaedics and Related Research</i> , 1999, 369, 179-186.	0.7	102
283	Structural Bone Grafting for Femoral Reconstruction. <i>Clinical Orthopaedics and Related Research</i> , 1999, 369, 223-229.	0.7	32
284	Does Lesion Size Affect the Outcome in Avascular Necrosis?. <i>Clinical Orthopaedics and Related Research</i> , 1999, 367, 262-271.	0.7	122
285	Acetabular Fractures. <i>Clinical Orthopaedics and Related Research</i> , 1999, 366, 205-216.	0.7	115
286	Acetabular Revision. <i>Clinical Orthopaedics and Related Research</i> , 1999, 369, 187-197.	0.7	68
287	Cementless Acetabular Revision for Aseptic Failure of Cemented Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1999, 361, 140-149.	0.7	43
288	Uncemented Total Hip Arthroplasty in Patients With Rheumatoid Arthritis. <i>Clinical Orthopaedics and Related Research</i> , 1999, 366, 31-38.	0.7	32
289	Primary Total Hip Arthroplasty With the AML Total Hip Prosthesis. <i>Clinical Orthopaedics and Related Research</i> , 1999, 360, 147-158.	0.7	63
290	A Randomized Trial of Hydroxyapatite Coated Prostheses in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1999, 366, 120-132.	0.7	70
291	Precoated Femoral Component in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1999, 364, 153-159.	0.7	19
292	Total Hip Arthroplasty After Failed Intertrochanteric Valgus Osteotomy for Advanced Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 1999, 364, 175-181.	0.7	30
293	Minimum 10-Year Results of a Tapered Cementless Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 1999, 362, 138-144.	0.7	72
294	Bernese Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 9-20.	0.7	239
295	Early Experience and Results With the Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 45-53.	0.7	107

#	ARTICLE	IF	CITATIONS
296	The Periacetabular Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 54-63.	0.7	100
297	Six-Year Results of a Cementless Stem With Prophylaxis Against Heterotopic Bone. <i>Clinical Orthopaedics and Related Research</i> , 1999, 361, 150-158.	0.7	46
298	Results of Periacetabular Osteotomy in Patients With Previous Surgery for Hip Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 73-80.	0.7	48
299	Omnifit-HA Stem in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 163-169.	0.7	10
300	Thin Cement Mantle and Osteolysis With a Precoated Stem. <i>Clinical Orthopaedics and Related Research</i> , 1999, 365, 124-129.	0.7	21
301	A Review of the Treatment of Hip Dislocations Associated With Acetabular Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2000, 377, 32-43.	0.7	76
302	Hip and Knee Replacement After Longstanding Hip Arthrodesis. <i>Clinical Orthopaedics and Related Research</i> , 2000, 371, 136-145.	0.7	43
303	Total Hip Arthroplasty in Patients Receiving Workers' Compensation. <i>Clinical Orthopaedics and Related Research</i> , 2000, 379, 161-168.	0.7	7
304	Radiographic Comparison of Diaphyseal Grit Blasted With Smooth Surface Stems by Matched Pair Analysis. <i>Clinical Orthopaedics and Related Research</i> , 2000, 381, 156-167.	0.7	10
305	Survival of Hip Replacements. <i>Clinical Orthopaedics and Related Research</i> , 2000, 375, 157-167.	0.7	70
306	Total Hip Arthroplasty in Young Patients. <i>Clinical Orthopaedics and Related Research</i> , 2000, 373, 153-163.	0.7	104
307	Is the Preoperative Radiograph Useful in Predicting the Outcome of a Total Hip Replacement?. <i>Clinical Orthopaedics and Related Research</i> , 2000, 376, 156-160.	0.7	15
308	Noncemented Acetabular Component Removal in the Presence of Osteolysis. <i>Clinical Orthopaedics and Related Research</i> , 2000, 381, 120-128.	0.7	32
309	Circumferential Allograft Replacement of the Proximal Femur. <i>Clinical Orthopaedics and Related Research</i> , 2000, 371, 98-107.	0.7	65
310	Bilobed Oblong Porous Coated Acetabular Components in Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2000, 371, 154-160.	0.7	86
311	Results of Onlay Allografts. <i>Clinical Orthopaedics and Related Research</i> , 2000, 371, 108-112.	0.7	46
312	Bipolar Hemiarthroplasty for Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2000, 374, 201-211.	0.7	72
313	Medium-Term Results of a Modern Metal-on-Metal System in Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2000, 379, 123-133.	0.7	117

#	ARTICLE	IF	CITATIONS
314	Acetabular Fractures in Children and Adolescents. <i>Clinical Orthopaedics and Related Research</i> , 2000, 376, 80-86.	0.7	55
315	Reliability of goniometric measurements and visual estimates of hip ROM in patients with osteoarthritis. <i>Physiotherapy Research International</i> , 2000, 5, 241-248.	0.7	129
316	Need-based waiting lists for hip and knee arthroplasty. <i>Irish Journal of Medical Science</i> , 2000, 169, 125-126.	0.8	10
317	Age and Surgical Management Determine Quality of Life after Trochanteric Fracture. <i>HIP International</i> , 2000, 10, 108-115.	0.9	3
318	Aseptic Loosening of Boneloc Cemented Exeter Total Hip Replacement. A 5 Year Follow-Up of the First 100 Hips. <i>HIP International</i> , 2000, 10, 102-107.	0.9	7
319	Changes in Bone Turnover and Bone Density after Total Hip Arthroplasty. <i>HIP International</i> , 2000, 10, 16-20.	0.9	6
320	Radionuclide Bone Scan Appearances in Asymptomatic Patients following Hip Hemiarthroplasty. <i>HIP International</i> , 2000, 10, 209-211.	0.9	0
321	Down-Hill Skiing after a Total Hip Replacement?. <i>HIP International</i> , 2000, 10, 77-82.	0.9	3
322	Acetabular Revision with Morsellized Allograft and the Harris Galante Porous Cup. Two to Ten Year Results. <i>HIP International</i> , 2000, 10, 43-48.	0.9	3
323	Validity and reliability of Swedish WOMAC osteoarthritis index: A self-administered disease-specific questionnaire (WOMAC) versus generic instruments (SF-36 and NHP). <i>Acta Orthopaedica</i> , 2000, 71, 39-46.	1.4	119
324	Fracture of the acetabulum complicated by a tear of the femoral vein--a case report after 5 years. <i>Acta Orthopaedica</i> , 2000, 71, 206-209.	1.4	4
325	Impaction bone-grafting of severely defective femora in revision total hip surgery: 21 hips followed for 41-85 months. <i>Acta Orthopaedica</i> , 2000, 71, 135-142.	1.4	91
326	Results of Conversion Total Hip Prosthesis Performed following Painful Hemiarthroplasty. <i>Journal of International Medical Research</i> , 2000, 28, 307-312.	0.4	16
327	The Burch-Schneider antiprotrusion cage in acetabular revision surgery. <i>Journal of Arthroplasty</i> , 2000, 15, 959-963.	1.5	79
328	Long-term survivorship of cemented all-polyethylene acetabular components in patients >75 years of age. <i>Journal of Arthroplasty</i> , 2000, 15, 461-467.	1.5	15
329	Cemented first-time revisions of the femoral component. <i>Journal of Arthroplasty</i> , 2000, 15, 551-561.	1.5	61
330	Results of an uncemented straight femoral shaft prosthesis after 9 years of follow-up. <i>Journal of Arthroplasty</i> , 2000, 15, 440-447.	1.5	46
331	Early failure of revision total hip arthroplasty with cemented precoated femoral components. <i>Journal of Arthroplasty</i> , 2000, 15, 718-729.	1.5	35

#	ARTICLE	IF	CITATIONS
332	Patients' perception of pain after total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2000, 15, 590-596.	1.5	69
333	Clinical experience with a modular noncemented femoral component in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2000, 15, 840-848.	1.5	79
334	Long-term survival of the T-28 versus the TR-28 cemented total hip arthroplasties. <i>Journal of Arthroplasty</i> , 2000, 15, 928-933.	1.5	21
335	Reconstruction of major column defects and pelvic discontinuity in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2000, 15, 849-857.	1.5	81
336	Quantitative assessment of gait deviation: contribution to the objective measurement of disability. <i>Gait and Posture</i> , 2000, 11, 191-198.	0.6	16
337	Primary total hip replacement with a noncemented acetabular component. <i>Journal of Arthroplasty</i> , 2000, 15, 146-152.	1.5	16
338	Collarless polished tapered impaction grafting of the femur during revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2000, 15, 159-165.	1.5	74
339	The accuracy of assessing total hip arthroplasty outcomes. <i>Journal of Arthroplasty</i> , 2000, 15, 200-204.	1.5	103
340	20-year experience with cemented primary and conversion total hip arthroplasty using so-called second-generation cementing techniques in patients aged 50 years or younger. <i>Journal of Arthroplasty</i> , 2000, 15, 263-273.	1.5	72
341	Acetabular revision arthroplasty using so-called jumbo cementless components. <i>Journal of Arthroplasty</i> , 2000, 15, 8-15.	1.5	125
342	Outcome of total hip arthroplasty in small-proportioned patients. <i>Journal of Arthroplasty</i> , 2000, 15, 27-34.	1.5	18
343	Primary total hip arthroplasty in patients with ankylosing spondylitis. <i>Journal of Arthroplasty</i> , 2000, 15, 52-58.	1.5	130
344	Partially hydroxyapatite-coated stemmed acetabular cup and nonstructural bone graft in the management of severe acetabular deficiency. <i>Journal of Arthroplasty</i> , 2000, 15, 63-68.	1.5	12
345	Nutritional status and functional capacity after femoral neck fractures: A prospective randomized one-year follow-up study. <i>Aging Clinical and Experimental Research</i> , 2000, 12, 366-374.	1.4	25
346	Acetabular augmentation using a glass-ceramic block: 3 patients followed 3-4 years. <i>Acta Orthopaedica</i> , 2000, 71, 580-584.	1.4	3
347	The Danish Hip Arthroplasty Register. <i>Acta Orthopaedica</i> , 2000, 71, 433-439.	1.4	146
348	Internal fixation versus total hip arthroplasty in the treatment of displaced femoral neck fractures: A prospective randomized study of 100 hips. <i>Acta Orthopaedica</i> , 2000, 71, 597-602.	1.4	196
349	MANAGEMENT OF OSTEONECROSIS IN SYSTEMIC LUPUS ERYTHEMATOSUS. <i>Rheumatic Disease Clinics of North America</i> , 2000, 26, 279-309.	0.8	19

#	ARTICLE	IF	CITATIONS
350	The expectations of patients undergoing revision hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 87-91.	1.5	46
351	Charnley total hip arthroplasty in Chinese patients less than 40 years old. <i>Journal of Arthroplasty</i> , 2001, 16, 92-101.	1.5	21
352	Impaction bone grafting using freeze-dried allograft in revision hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 201-206.	1.5	59
353	Early failure of a roughened surface, precoated femoral component in total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 141-148.	1.5	58
354	Cementless femoral fixation in the rheumatoid patient undergoing total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 415-421.	1.5	37
355	The Harris hip score. <i>Journal of Arthroplasty</i> , 2001, 16, 575-580.	1.5	203
356	Reconstruction of segmental defects during revision procedures of the acetabulum with the Burch-Schneider anti-protrusio cage. <i>Journal of Arthroplasty</i> , 2001, 16, 568-574.	1.5	118
357	Long-term results after cemented revision of the femoral component in total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 777-783.	1.5	33
358	Matched-pair analysis of cemented and cementless acetabular reconstruction in primary total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 697-705.	1.5	42
359	Dissociation of modular total hip arthroplasty at the femoral headâ€œneck interface after loosening of the acetabular shell following hip dislocation. <i>Journal of Arthroplasty</i> , 2001, 16, 806-809.	1.5	31
360	Hybrid revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2001, 16, 829-837.	1.5	2
361	Cementless total hip arthroplasty in young Chinese patients. <i>Journal of Arthroplasty</i> , 2001, 16, 863-870.	1.5	17
362	Revision total hip arthroplasty using impaction bone grafting with cemented nonpolished stems and Charnley cups. <i>Journal of Arthroplasty</i> , 2001, 16, 943-952.	1.5	73
363	Boneloc boneâ€œcement. <i>Journal of Arthroplasty</i> , 2001, 16, 811-819.	1.5	27
364	Hip function in patients >55 years old. <i>Journal of Arthroplasty</i> , 2001, 16, 901-904.	1.5	36
365	Technical factors for success with metal ring acetabular reconstruction. <i>Journal of Arthroplasty</i> , 2001, 16, 961-969.	1.5	85
366	My first 50 years of orthopaedic surgery. <i>Journal of Arthroplasty</i> , 2001, 16, 2-7.	1.5	6
367	An electronic database for outcome studies that includes digital radiographs. <i>Journal of Arthroplasty</i> , 2001, 16, 71-75.	1.5	6

#	ARTICLE	IF	CITATIONS
368	Total hip arthroplasty for Crowe type IV developmental hip dysplasia: A long-term follow-up study. <i>Journal of Arthroplasty</i> , 2001, 16, 170-176.	1.5	98
369	Primary uncemented total hip arthroplasty in patients <40 years old: 10- to 14-year results using first-generation proximally porous-coated implants. <i>Journal of Arthroplasty</i> , 2001, 16, 140-144.	1.5	108
370	Outcomes of limited femoral resurfacing arthroplasty compared with total hip arthroplasty for osteonecrosis of the femoral head. <i>Journal of Arthroplasty</i> , 2001, 16, 134-139.	1.5	94
371	Cemented total hip arthroplasty with impacted morcellized bone grafts to restore acetabular bone defects in congenital hip dysplasia. <i>Journal of Arthroplasty</i> , 2001, 16, 164-169.	1.5	22
372	Primary cementless total hip arthroplasty using a modular femoral component: A minimum 6-year follow-up. <i>Journal of Arthroplasty</i> , 2001, 16, 64-70.	1.5	40
373	Short-term results of the M2a-taper metal-on-metal articulation. <i>Journal of Arthroplasty</i> , 2001, 16, 122-128.	1.5	40
374	Recovery from hip and knee arthroplasty: Patients' perspective on pain, function, quality of life, and well-being up to 6 months postoperatively. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 360-366.	0.5	148
375	Technical aspects of limited open reduction and percutaneous screw fixation of fractures of the acetabulum. <i>Operative Techniques in Orthopaedics</i> , 2001, 11, 218-226.	0.2	18
376	HIP ARTHROSCOPY IN ATHLETES. <i>Clinics in Sports Medicine</i> , 2001, 20, 749-762.	0.9	112
377	Outcome after total hip arthroplasty: Part II. Disease-specific follow-up and the Swedish National Total Hip Arthroplasty Register. <i>Acta Orthopaedica</i> , 2001, 72, 113-119.	1.4	144
378	Knee joint kinematics, fixation and function related to joint area design in total knee arthroplasty. <i>Acta Orthopaedica</i> , 2001, 72, 1-52.	1.4	52
379	Charnley cups retained during revision of the femoral component: Repeated clinical and radiographic observations of 49 cups for 7-15 years. <i>Acta Orthopaedica</i> , 2001, 72, 457-466.	1.4	1
380	Five to Seven Years Survival Analysis of a Modular Titanium Alloy Stem Primary Total Hip Replacement. <i>HIP International</i> , 2001, 11, 143-151.	0.9	0
382	Core Decompression With Bone Grafting for Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2001, 386, 71-78.	0.7	184
383	Natural Progress of a Bone Scan After Cementless Hydroxyapatite-Coated Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2001, 389, 134-142.	0.7	8
384	Total Hip Arthroplasty Using Two Different Cementless Tapered Stems. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 121-127.	0.7	50
385	Optimizing Free Fibular Grafting in Femoral Head Osteonecrosis: The Ioannina Aiming Device. <i>Clinical Orthopaedics and Related Research</i> , 2001, 386, 64-70.	0.7	16
386	Prospective Randomized Controlled Trial of an Intramedullary Nail Versus Dynamic Screw and Plate for Intertrochanteric Fractures of the Femur. <i>Journal of Orthopaedic Trauma</i> , 2001, 15, 394-400.	0.7	298

#	ARTICLE	IF	CITATIONS
387	Effect of Acetabular Cup Position and Orientation in Cemented Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2001, 388, 135-142.	0.7	159
388	Supportive Strut Grafts for Diaphyseal Bone Defects in Revision Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2001, 387, 148-155.	0.7	34
389	Tapered Titanium Cementless Total Hip Replacements. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 112-120.	0.7	95
390	The Effect of Intramedullary Corticocancellous Bone Plug for Hip Hemiarthroplasty. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 51, 84-87.	1.1	4
391	Outcome of Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2001, 390, 163-172.	0.7	60
392	Hip Arthrodesis in Adolescents Using External Fixation. <i>Journal of Pediatric Orthopaedics</i> , 2001, 21, 194-197.	0.6	9
393	Treatment of Osteonecrosis in the Hip of Pediatric Patients by Free Vascularized Fibular Graft. <i>Clinical Orthopaedics and Related Research</i> , 2001, 386, 106-113.	0.7	41
394	A Low Stiffness Composite Biologically Fixed Prosthesis. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 128-136.	0.7	71
395	Instability in Primary Total Hip Arthroplasty With the Direct Lateral Approach. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 168-180.	0.7	77
396	Hydroxyapatite Femoral Stems for Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2001, 393, 101-111.	0.7	122
397	Internal fixation implants for intracapsular hip fractures in adults. <i>The Cochrane Library</i> , 2001, , CD001467.	1.5	62
398	High-Energy Shock Wave Treatment of Femoral Head Necrosis in Adults. <i>Clinical Orthopaedics and Related Research</i> , 2001, 387, 119-126.	0.7	129
399	Duration of Symptoms and Outcome of Hemiresurfacing for Hip Osteonecrosis. <i>Clinical Orthopaedics and Related Research</i> , 2001, 385, 104-117.	0.7	78
400	Treatment of Avascular Necrosis of the Femoral Head With Vascularized Fibular Transplant. <i>Clinical Orthopaedics and Related Research</i> , 2001, 386, 120-130.	0.7	98
401	Partridge Osteosynthesis: A Prospective Clinical Study on the Use of Nylon Cerclage Bands and Plates in the Treatment of Periprosthetic Femoral Shaft Fractures. <i>Journal of Orthopaedic Trauma</i> , 2001, 15, 61-65.	0.7	18
402	A Clinical Comparison of the Anterolateral and Posterolateral Approaches to the Hip. <i>Clinical Orthopaedics and Related Research</i> , 2001, 385, 95-99.	0.7	107
403	Is the Harris Hip Score System Useful to Study the Outcome of Total Hip Replacement?. <i>Clinical Orthopaedics and Related Research</i> , 2001, 384, 189-197.	0.7	397
404	Title is missing!. <i>Journal of Pediatric Orthopaedics</i> , 2001, 21, 194-197.	0.6	9

#	ARTICLE	IF	CITATIONS
405	Treatment of Femoral Head Necrosis With Vascularized Iliac Crest Transplants. <i>Clinical Orthopaedics and Related Research</i> , 2001, 386, 100-105.	0.7	64
406	Radiation prophylaxis for heterotopic ossification about the hip joint—a multicenter study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 756-765.	0.4	92
407	Gait analysis after total hip arthroplasty with leg-length equalization in women with unilateral congenital complete dislocation of the hip — comparison with untreated patients. <i>Journal of Orthopaedic Research</i> , 2001, 19, 1147-1152.	1.2	70
408	Material fundamentals and clinical performance of plasma-sprayed hydroxyapatite coatings: A review. <i>Journal of Biomedical Materials Research Part B</i> , 2001, 58, 570-592.	3.0	895
409	Effect of Pamidronate in Preventing Local Bone Loss After Total Hip Arthroplasty: A Randomized, Double-Blind, Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 556-564.	3.1	93
410	Knee joint kinematics, fixation and function related to joint area design in total knee arthroplasty. <i>Acta Orthopaedica</i> , 2001, 72, 1-52.	1.4	3
411	Osteolysis: A Disease of Access to Fixation Interfaces. <i>Clinical Orthopaedics and Related Research</i> , 2002, 405, 129-137.	0.7	73
412	Title is missing!. <i>Journal of Pediatric Orthopaedics</i> , 2002, 22, 464-470.	0.6	25
413	Hydroxyapatite Coated Stems in Younger and Older Patients With Hip Arthritis. <i>Clinical Orthopaedics and Related Research</i> , 2002, 405, 92-100.	0.7	21
414	Osteoconductive Coatings for Total Joint Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2002, 395, 53-65.	0.7	236
415	Periprosthetic Total Hip Infection. <i>Clinical Orthopaedics and Related Research</i> , 2002, 403, 8-15.	0.7	347
416	Outcome of Uncemented Hip Arthroplasty Components in Patients With Paget's Disease. <i>Clinical Orthopaedics and Related Research</i> , 2002, 403, 127-134.	0.7	39
417	Hip Implant Selection for Total Hip Arthroplasty in Elderly Patients. <i>Clinical Orthopaedics and Related Research</i> , 2002, 405, 54-64.	0.7	32
418	Revision Surgery in Pelvic Discontinuity. <i>Clinical Orthopaedics and Related Research</i> , 2002, 398, 136-145.	0.7	45
419	Cortical and Cancellous Morselized Allograft in Revision Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2002, 401, 139-148.	0.7	20
420	Ceramic-on-Ceramic Bearings in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2002, 405, 158-163.	0.7	169
421	Computer-Assisted Pelvic Surgery. <i>Clinical Orthopaedics and Related Research</i> , 2002, 405, 287-293.	0.7	14
422	Functional Outcome After Isolated Acetabular Fractures. <i>Journal of Orthopaedic Trauma</i> , 2002, 16, 73-81.	0.7	67



#	ARTICLE	IF	CITATIONS
423	Free Vascularized Fibular Bone Grafting in the Management of Femoral Neck Nonunion in Patients Younger Than Fifty Years. <i>Journal of Orthopaedic Trauma</i> , 2002, 16, 464-472.	0.7	88
424	Complications Following the "Extensile" Approach: A Modified Extensile Approach for Acetabular Fracture Surgery—Report of Forty-three Patients. <i>Journal of Orthopaedic Trauma</i> , 2002, 16, 535-542.	0.7	48
425	Displaced Intracapsular Hip Fractures: Hemiarthroplasty or Total Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2002, 399, 72-77.	0.7	49
427	The Fate of Revised Uncemented Acetabular Components in Patients With Rheumatoid Arthritis. <i>Clinical Orthopaedics and Related Research</i> , 2002, 400, 140-148.	0.7	14
428	Treatment of Complex Acetabular Fractures Through a Modified Extended Iliofemoral Approach. <i>Journal of Orthopaedic Trauma</i> , 2002, 16, 220-230.	0.7	49
429	Interlocking Triple Pelvic Osteotomy in Severe Legg-Calvé-Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 2002, 22, 464-470.	0.6	48
430	Effect of long-term steroid use on prognosis for patients with surgically treated avascular necrosis of the hip. <i>Transplantation Proceedings</i> , 2002, 34, 2114-2118.	0.3	13
431	Medium-term results of the ABG total hip arthroplasty in young patients. <i>Journal of Arthroplasty</i> , 2002, 17, 184-188.	1.5	58
432	Hydroxyapatite coating improves 8- to 10-year performance of the link RS cementless femoral stem. <i>Journal of Arthroplasty</i> , 2002, 17, 172-175.	1.5	45
433	Early failure of a press-fit carbon fiber hip prosthesis with a smooth surface. <i>Journal of Arthroplasty</i> , 2002, 17, 217-223.	1.5	53
434	Bilateral cemented and cementless total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 434-440.	1.5	33
435	Does Chiari osteotomy compromise subsequent total hip arthroplasty?. <i>Journal of Arthroplasty</i> , 2002, 17, 731-739.	1.5	44
436	Results of a tapered cementless femoral stem implanted in varus. <i>Journal of Arthroplasty</i> , 2002, 17, 463-466.	1.5	130
437	New experience with alumina-on-alumina ceramic bearings for total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 390-397.	1.5	150
438	The long-term success of modular proximal fixation stems in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 138-141.	1.5	81
439	Press-fit hip arthroplasty: A European alternative. <i>Journal of Arthroplasty</i> , 2002, 17, 108-112.	1.5	23
440	Cementless total hip arthroplasty with a close proximal fit and short tapered distal stem (third-generation) prosthesis. <i>Journal of Arthroplasty</i> , 2002, 17, 841-850.	1.5	23
441	The uncemented Bi-Contact total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 896-901.	1.5	19

#	ARTICLE	IF	CITATIONS
442	Factors associated with excessive migration in bone impaction hip revision surgery. <i>Journal of Arthroplasty</i> , 2002, 17, 826-833.	1.5	31
443	The effect of partial or full weight bearing ambulation after cementless total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 820-825.	1.5	44
444	Prátesis dolorosa de cadera y de rodilla: movilizaci3n e infecci3n prot3sica. Valoraci3n de los distintos máctodos de imagen. <i>Rehabilitacion</i> , 2002, 36, 93-102.	0.2	2
445	Cementless Mallory Head Ha-Coated Femoral Prosthesis in Primary Total Hip Arthroplasty: Clinical and Radiological Results of a Four to Nine Year Prospective Study. <i>HIP International</i> , 2002, 12, 345-356.	0.9	1
446	Early Resection of Heterotopic Ossification after Total Hip Arthroplasty: A Review of the Literature. <i>HIP International</i> , 2002, 12, 383-387.	0.9	7
447	Failure of an Uncemented Press-Fit Acetabular Cup in Primary Total Hip Arthroplasty. <i>HIP International</i> , 2002, 12, 371-377.	0.9	1
448	Transverse femoral osteotomy for revision surgery â€” an alternative to the transfemoral approach. <i>Orthopedics and Traumatology</i> , 2002, 10, 83-91.	0.0	2
449	Incidence of heterotopic bone formation after major hip surgery. <i>ANZ Journal of Surgery</i> , 2002, 72, 808-821.	0.3	118
450	The uncemented Bicontact total hip arthroplasty in octogenarians. Medium-term results. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2002, 12, 192-197.	0.6	2
451	Hip arthroscopy in the treatment of osteoarthritis. <i>Operative Techniques in Sports Medicine</i> , 2002, 10, 219-223.	0.2	8
452	Uncemented acetabular components with polyethylene or alumina liners. <i>International Orthopaedics</i> , 2003, 27, 85-89.	0.9	3
453	Periprosthetic fractures with extensive bone loss treated with onlay strut allografts. <i>International Orthopaedics</i> , 2003, 27, 164-167.	0.9	22
454	Three-dimensional gait analysis of adults with hip dysplasia after rotational acetabular osteotomy. <i>Journal of Orthopaedic Science</i> , 2003, 8, 762-771.	0.5	23
455	Quality of life after several treatments for osteoarthritis of the hip. <i>Journal of Orthopaedic Science</i> , 2003, 8, 32-35.	0.5	19
456	What's new in orthopaedic surgery. <i>Journal of the American College of Surgeons</i> , 2003, 197, 985-989.	0.2	2
457	Long-term outcome of patients with avascular necrosis, after internal fixation of femoral neck fractures. <i>Injury</i> , 2003, 34, 525-528.	0.7	113
458	Association of hospital and surgeon volume of total hip replacement with functional status and satisfaction three years following surgery. <i>Arthritis and Rheumatism</i> , 2003, 48, 560-568.	6.7	192
459	Four-year study of cobalt and chromium blood levels in patients managed with two different metal-on-metal total hip replacements. <i>Journal of Orthopaedic Research</i> , 2003, 21, 189-195.	1.2	209

#	ARTICLE	IF	CITATIONS
460	Use of volumetric computerized tomography as a primary outcome measure to evaluate drug efficacy in the prevention of peri-prosthetic osteolysis: A 1-year clinical pilot of etanercept vs. placebo. <i>Journal of Orthopaedic Research</i> , 2003, 21, 1049-1055.	1.2	76
461	Gradient of contact stress in normal and dysplastic human hips. <i>Medical Engineering and Physics</i> , 2003, 25, 379-385.	0.8	40
462	Minimal invasive surgery for hip replacement: a new technique using the NILNAV hip system. <i>ANZ Journal of Surgery</i> , 2003, 73, 157-161.	0.3	38
463	Primary and Revision Total Hip Arthroplasty for Patients 90 Years of Age and Older. <i>Mayo Clinic Proceedings</i> , 2003, 78, 285-288.	1.4	58
464	Treadmill training with partial body-weight support after total hip arthroplasty: a randomized controlled trial11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1767-1773.	0.5	96
465	Heterotopic ossification after treatment of femoral head osteonecrosis with free vascularized fibular graft. <i>Journal of Arthroplasty</i> , 2003, 18, 83-88.	1.5	19
466	Precoated femoral component in primary hybrid total hip arthroplasty: Results at a mean 10-year follow-up. <i>Journal of Arthroplasty</i> , 2003, 18, 1-5.	1.5	17
467	Total hip arthroplasty in patients with deficient bone stock and small femoral canals. <i>Journal of Arthroplasty</i> , 2003, 18, 35-40.	1.5	16
468	Mini-incision technique for total hip arthroplasty with navigation. <i>Journal of Arthroplasty</i> , 2003, 18, 123-128.	1.5	283
469	Acetabular components without bulk bone graft in revision surgery:. <i>Journal of Arthroplasty</i> , 2003, 18, 134-139.	1.5	24
470	The fate of cementless jumbo cups in revision hip arthroplasty. <i>Journal of Arthroplasty</i> , 2003, 18, 129-133.	1.5	86
471	A 10-year minimum follow-up of hydroxyapatite-coated threaded cups. <i>Journal of Arthroplasty</i> , 2003, 18, 140-148.	1.5	54
472	Long-term results with the cementless alloclassic brand hip arthroplasty system. <i>Journal of Arthroplasty</i> , 2003, 18, 321-328.	1.5	60
473	Knee range of motion after total knee arthroplasty: How important is this as an outcome measure?. <i>Journal of Arthroplasty</i> , 2003, 18, 286-294.	1.5	218
474	Extra-large press-fit cups without screws for acetabular revision. <i>Journal of Arthroplasty</i> , 2003, 18, 271-277.	1.5	17
475	Orthopaedic crossfire™ Stem modularity is unnecessary in revision total hip arthroplasty: In opposition. <i>Journal of Arthroplasty</i> , 2003, 18, 101-103.	1.5	15
476	Acetabular revision without cement. <i>Journal of Arthroplasty</i> , 2003, 18, 435-441.	1.5	19
477	Cementless Mallory-Head HA-coated hip arthroplasty for osteoarthritis in hip dysplasia. <i>Journal of Arthroplasty</i> , 2003, 18, 401-410.	1.5	24

#	ARTICLE	IF	CITATIONS
478	Second- and third-generation omniflex modular femoral stem. <i>Journal of Arthroplasty</i> , 2003, 18, 600-604.	1.5	4
479	Ten-year patient and prosthesis survival after unipolar hip hemiarthroplasty in female patients over 70 years old. <i>Journal of Arthroplasty</i> , 2003, 18, 587-591.	1.5	37
480	The efficacy of 500 centigray radiation in the prevention of heterotopic ossification after total hip arthroplasty: a prospective, randomized, pilot study. <i>Journal of Arthroplasty</i> , 2003, 18, 677-686.	1.5	55
481	Clinical outcome and incidence of pregnancy after bipolar and total hip arthroplasty in young women. <i>Journal of Arthroplasty</i> , 2003, 18, 879-885.	1.5	25
482	Impaction bone grafting in revision hip surgery. <i>Journal of Arthroplasty</i> , 2003, 18, 852-859.	1.5	31
483	Total joint arthroplasty in the extremely elderly. <i>Journal of Arthroplasty</i> , 2003, 18, 817-821.	1.5	74
484	Cemented first-time revision using charnley cups. <i>Journal of Arthroplasty</i> , 2003, 18, 999-1004.	1.5	5
485	Is the health utilities index responsive in total hip arthroplasty patients?. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1046-1054.	2.4	31
486	Acetabular Construction Using a Glass-Ceramic Artificial Bone Graft. <i>Key Engineering Materials</i> , 2003, 254-256, 169-172.	0.4	0
487	Strut allografts for failed treatment of periprosthetic femoral fractures: Good outcome in 13 patients. <i>Acta Orthopaedica</i> , 2003, 74, 146-153.	1.4	16
488	Quality of life and femoral neck fractures. <i>Acta Orthopaedica</i> , 2003, 74, 1-62.	1.4	69
489	Salter's innominate osteotomy for hip dysplasia in adolescents and young adults. <i>Acta Orthopaedica</i> , 2003, 74, 277-286.	1.4	10
490	Cementless Spotorno tapered titanium stems. <i>Acta Orthopaedica</i> , 2003, 74, 253-258.	1.4	85
491	Comparison of hydroxyapatite- and porous-coated stems in total hip replacement. <i>Acta Orthopaedica</i> , 2003, 74, 259-263.	1.4	20
492	PERIOPERATIVE EXERCISE IMPROVES FUNCTION FOLLOWING TOTAL HIP ARTHROPLASTY: A RANDOMIZED CONTROLLED TRIAL. <i>Journal of Musculoskeletal Research</i> , 2003, 07, 111-123.	0.1	10
493	Two-incision technique for rotational acetabular osteotomy: Good outcome in 35 hips. <i>Acta Orthopaedica</i> , 2003, 74, 133-139.	1.4	18
494	Total Hip Arthroplasty for the Treatment of Osseous Ankylosed Hips. <i>Clinical Orthopaedics and Related Research</i> , 2003, 414, 136-148.	0.7	48
495	Categorization Diminishes the Reliability of Hip Scores. <i>Clinical Orthopaedics and Related Research</i> , 2003, 411, 166-173.	0.7	6

#	ARTICLE	IF	CITATIONS
496	Displaced Acetabular Fractures Managed Operatively: Indicators of Outcome. <i>Clinical Orthopaedics and Related Research</i> , 2003, 407, 173-186.	0.7	290
497	Complications Associated With Reimplantation After Girdlestone Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2003, 407, 119-126.	0.7	78
498	Primary Total Hip Arthroplasty with a Burch-Schneider Antiprotusion Cage and Autologous Bone Grafting for Acetabular Fractures in Elderly Patients. <i>Journal of Orthopaedic Trauma</i> , 2003, 17, 193-197.	0.7	116
499	Pinning in slipped capital femoral epiphysis: long-term follow-up study. <i>Journal of Pediatric Orthopaedics Part B</i> , 2003, 12, 372-379.	0.3	0
500	Valgus Intertrochanteric Osteotomy for Malunion and Nonunion of Trochanteric Fractures. <i>Journal of Orthopaedic Trauma</i> , 2003, 17, 606-612.	0.7	56
501	The Nonarthritic Hip Score: Reliable and Validated. <i>Clinical Orthopaedics and Related Research</i> , 2003, 406, 75-83.	0.7	390
502	Exercise Improves Early Functional Recovery After Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2003, 408, 193-200.	0.7	126
503	Metal-on-Metal Versus Polyethylene in Hip Arthroplasty: A Randomized Clinical Trial. <i>Clinical Orthopaedics and Related Research</i> , 2003, 406, 282-296.	0.7	207
504	Radiologic Change Around Bilateral Femoral Stems in NonHodgkin's Lymphoma. <i>Clinical Orthopaedics and Related Research</i> , 2003, 409, 218-222.	0.7	0
505	Cementation for Femoral Head Osteonecrosis: A Preliminary Clinic Study. <i>Clinical Orthopaedics and Related Research</i> , 2003, 412, 94-102.	0.7	15
506	A Comparison of the Long-Term Morbidity following Deep Circumflex Iliac and Fibula Free Flaps for Reconstruction following Head and Neck Cancer. <i>Plastic and Reconstructive Surgery</i> , 2003, 112, 1517-1525.	0.7	135
507	Posterior versus lateral surgical approach for total hip arthroplasty in adults with osteoarthritis. , 2003, , CD003828.		14
509	Fractured Neck of Femur in the Mobile Independent Elderly Patient: Should We Treat with Total Hip Replacement?. <i>Journal of Orthopaedic Surgery</i> , 2003, 11, 123-128.	0.4	3
510	Total hip arthroplasty in skeletal dysplasia. <i>HIP International</i> , 2003, 13, 177-183.	0.9	3
511	The Wagner SL-Revision Stem for Aseptic Loosening: Clinical and Radiological Results 5 to 7 Years after Femoral Revision. <i>HIP International</i> , 2003, 13, 94-100.	0.9	0
512	Bone mineral density 10 years after a Zweymüller uncemented stem prosthesis. <i>HIP International</i> , 2003, 13, 205-214.	0.9	8
513	Results of Impaction Grafting in Revision Hip Arthroplasty at Two to Seven Years using Fresh and Irradiated Allograft Bone. <i>HIP International</i> , 2003, 13, 1-11.	0.9	13
514	Long-term quality of life evaluation of patients with total hip arthroplasty. <i>HIP International</i> , 2003, 13, 167-176.	0.9	2

#	ARTICLE	IF	CITATIONS
515	The Uncemented CLS Expansion Cup as a Component of a Hybrid System in Primary Total Hip Arthroplasty: A Prospective Study. <i>HIP International</i> , 2004, 14, 223-228.	0.9	3
516	Short-Term Results of Hemi-Resurfacing for Osteonecrosis of the Femoral Head. <i>HIP International</i> , 2004, 14, 174-181.	0.9	3
517	Comparison of two different rehabilitation programmes for thrust plate prosthesis: a randomized controlled study. <i>Clinical Rehabilitation</i> , 2004, 18, 84-91.	1.0	23
518	No benefits with computer assistance in triple pelvic osteotomy. <i>Acta Orthopaedica</i> , 2004, 75, 265-268.	1.4	6
519	Anatomically adapted, HA coated SBG stem "Ten years of successful implantation / Anatomisch adaptierte, HA beschichtete SBG Prothese " 10 Jahre erfolgreiche Anwendung. <i>Biomedizinische Technik</i> , 2004, 49, 290-294.	0.9	5
520	Total hip replacement in younger patients Survival rate after avascular necrosis of the femoral head. <i>Acta Orthopaedica</i> , 2004, 75, 142-146.	1.4	47
521	Compensation for rotational malalignment after intramedullary nailing for femoral shaft fractures. <i>Injury</i> , 2004, 35, 1270-1278.	0.7	75
522	Clinical and radiological results of hydroxyapatite-coated acetabular cups. <i>International Orthopaedics</i> , 2004, 28, 362-365.	0.9	3
524	Imaging of traumatic dislocation of the hip in childhood. <i>Pediatric Radiology</i> , 2004, 34, 970-979.	1.1	37
525	Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2004, 51, 722-729.	6.7	235
526	Utilization of low-volume hospitals for total hip replacement. <i>Arthritis and Rheumatism</i> , 2004, 51, 836-842.	6.7	38
527	The effect of preoperative physiotherapy and education on the outcome of total hip replacement: a prospective randomized controlled trial. <i>Clinical Rehabilitation</i> , 2004, 18, 353-358.	1.0	77
531	Results of free vascularized fibular grafting for femoral head osteonecrosis in patients with systemic lupus erythematosus. <i>Orthopedic Clinics of North America</i> , 2004, 35, 353-357.	0.5	22
532	The research nurse in orthopaedics. <i>Journal of Orthopaedic Nursing</i> , 2004, 8, 20-24.	0.2	1
533	Chiropractic Management of Hip Pain After Conservative Hip Arthroplasty. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004, 27, 479.	0.4	4
534	Measuring activity limitations in climbing stairs: development of a hierarchical scale for patients with lower-extremity disorders living at home11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 867-871.	0.5	44
535	Experiences with the BiCONTACT revision stems with distal interlocking. <i>Journal of Arthroplasty</i> , 2004, 19, 27-34.	1.5	20
536	Efforts to improve cementless femoral stems in THR. <i>Journal of Arthroplasty</i> , 2004, 19, 61-67.	1.5	34

#	ARTICLE	IF	CITATIONS
537	Primary total hip arthroplasty with an uncemented femoral component. <i>Journal of Arthroplasty</i> , 2004, 19, 151-156.	1.5	139
538	Hip arthroplasty for failed internal fixation of intertrochanteric fractures. <i>Journal of Arthroplasty</i> , 2004, 19, 329-333.	1.5	109
539	Cementless revision hip arthroplasty using strut allografts and primary cementless proximal porous-coated prosthesis. <i>Journal of Arthroplasty</i> , 2004, 19, 573-581.	1.5	13
540	Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. <i>Journal of Arthroplasty</i> , 2004, 19, 464-468.	1.5	95
541	The long-term clinical relevance of calcar atrophy caused by stress shielding in total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 469-475.	1.5	139
542	The porous-coated anatomic total hip prosthesis. <i>Journal of Arthroplasty</i> , 2004, 19, 837-844.	1.5	11
543	Fifteen-year clinical survivorship of Harris-Galante total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 672-677.	1.5	62
544	Isolated liner exchange in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 414-423.	1.5	57
545	The use of bilobed porous-coated acetabular components without structural bone graft for type III acetabular defects in revision total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 867-873.	1.5	14
546	Cemented revision hip arthroplasty using strut and impacted cancellous allografts. <i>Journal of Arthroplasty</i> , 2004, 19, 726-732.	1.5	14
547	Fixation and osteolysis with Metasul metal-on-metal articulation. <i>Journal of Arthroplasty</i> , 2004, 19, 951-955.	1.5	19
548	Single-incision, minimally invasive total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 945-950.	1.5	62
549	Mid-term results of a polyethylene-free metal-on-metal articulation. <i>Journal of Arthroplasty</i> , 2004, 19, 42-47.	1.5	54
550	Three- to six-year results with the ultima metal-on-metal hip articulation for primary total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 48-53.	1.5	43
551	Effect of augmented cup fixation on stability, wear, and osteolysis. <i>Journal of Arthroplasty</i> , 2004, 19, 962-971.	1.5	42
552	Clinical and radiologic outcome of total hip arthroplasty performed by trainee compared with consultant orthopedic surgeons. <i>Journal of Arthroplasty</i> , 2004, 19, 853-857.	1.5	43
553	Two- to 12-year evaluation of cementless Buechel-Pappas total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2004, 19, 1017-1027.	1.5	23
554	Cementless metal-on-metal hip arthroplasty in patients less than 50 years of age. <i>Journal of Arthroplasty</i> , 2004, 19, 23-28.	1.5	42

#	ARTICLE	IF	CITATIONS
555	Surface arthroplasty for osteonecrosis of the hip. <i>Journal of Arthroplasty</i> , 2004, 19, 54-58.	1.5	37
556	An American experience with metal-on-metal total hip arthroplasties. <i>Journal of Arthroplasty</i> , 2004, 19, 29-34.	1.5	28
557	Evaluation of an ambulatory system for gait analysis in hip osteoarthritis and after total hip replacement. <i>Gait and Posture</i> , 2004, 20, 102-107.	0.6	156
558	Ultralok uncemented femoral prostheses. <i>Journal of Arthroplasty</i> , 2004, 19, 274-280.	1.5	13
559	Total hip arthroplasty in skeletal dysplasias. <i>Journal of Arthroplasty</i> , 2004, 19, 1-7.	1.5	31
560	Effects of a home program on strength, walking speed, and function after total hip replacement. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1943-1951.	0.5	110
561	Computer-Aided Multimedia Training in Orthopedic Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004, 83, 670-680.	0.7	22
562	Horizontal Platform Supported Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2004, 423, 123-128.	0.7	2
563	Outcome of Hemiresurfacing in Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2004, 429, 146-150.	0.7	51
564	The Argument for the Use of Metasul as an Articulation Surface in Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2004, 429, 80-85.	0.7	34
565	Two-Stage Revision Hip Arthroplasty for Infection with a Custom-Made, Antibiotic-Loaded, Cement Prosthesis as an Interim Spacer. <i>Journal of Trauma</i> , 2004, 56, 1247-1252.	2.3	89
566	Total Femoral Arthroplasty for Salvage of End-stage Prosthetic Disease. <i>Clinical Orthopaedics and Related Research</i> , 2004, 427, 162-170.	0.7	63
567	Gait Abnormalities Following Slipped Capital Femoral Epiphysis. <i>Journal of Pediatric Orthopaedics</i> , 2004, 24, 148-155.	0.6	15
568	HA-coated Screws Decrease the Incidence of Fixation Failure in Osteoporotic Trochanteric Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2004, 425, 87-92.	0.7	58
569	Titanium and Cobalt-Chrome Cementless Femoral Stems of Identical Shape Produce Equal Results. <i>Clinical Orthopaedics and Related Research</i> , 2004, 427, 148-156.	0.7	21
570	Core Decompression of the Femoral Head for Osteonecrosis Using Percutaneous Multiple Small-Diameter Drilling. <i>Clinical Orthopaedics and Related Research</i> , 2004, 429, 131-138.	0.7	171
571	Cementless Acetabular Reconstruction in Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2004, 420, 96-100.	0.7	119
572	Does Pain Predict Outcome in Hips with Osteonecrosis?. <i>Clinical Orthopaedics and Related Research</i> , 2004, 425, 158-162.	0.7	16



#	ARTICLE	IF	CITATIONS
573	Proximal Ingrowth Components. <i>Clinical Orthopaedics and Related Research</i> , 2004, 420, 130-134.	0.7	8
574	A Posterior Approach to Primary Total Hip Arthroplasty With Soft Tissue Repair. <i>Clinical Orthopaedics and Related Research</i> , 2004, 418, 162-167.	0.7	111
575	Weber Rotation Total Hip Replacement. <i>Clinical Orthopaedics and Related Research</i> , 2004, 419, 107-114.	0.7	9
576	Total Hip Arthroplasty Using an Omniflex Modular System. <i>Clinical Orthopaedics and Related Research</i> , 2004, 419, 98-106.	0.7	13
577	Late Loosening of Press-Fit Cementless Acetabular Components. <i>Clinical Orthopaedics and Related Research</i> , 2004, 418, 172-178.	0.7	12
578	Rotational Malalignment After Intramedullary Nailing of Femoral Fractures. <i>Journal of Orthopaedic Trauma</i> , 2004, 18, 403-409.	0.7	213
579	Gait Abnormalities Following Slipped Capital Femoral Epiphysis. <i>Journal of Pediatric Orthopaedics</i> , 2004, 24, 148-155.	0.6	34
580	Pharmacological interventions for treating acute heterotopic ossification. , 2004, , CD003321.		49
581	The Effect of Adjuvant Calcium Phosphate Coating on a Porous-Coated Femoral Stem. <i>Clinical Orthopaedics and Related Research</i> , 2004, 424, 153-160.	0.7	19
582	Optimizing Patient Selection and Outcomes with Total Hip Resurfacing. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 200-204.	0.7	85
583	Operative and Patient Care Techniques for Posterior Mini-incision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 104-114.	0.7	78
584	Alumina Ceramic Bearings for Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005, &NA;, 164-171.	0.7	136
585	Intertrochanteric Varus Osteotomy for Osteoarthritis in Patients with Hip Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2005, &NA;, 124-128.	0.7	24
586	Bilateral Core Decompression for Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 285-290.	0.7	61
587	Three-dimensional Computed Cementless Custom Femoral Stems in Young Patients. <i>Clinical Orthopaedics and Related Research</i> , 2005, &NA;, 169-175.	0.7	27
588	Outcome of an Acetabular Design with Hydroxyapatite Coating on a Rough Substrate. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 298-304.	0.7	5
589	Current Status of Trochanteric Reattachment in Complex Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 237-242.	0.7	48
590	A Titanium-encased Alumina Ceramic Bearing for Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 151-158.	0.7	59

#	ARTICLE	IF	CITATIONS
591	Comparison of Scars from Total Hip Replacements Done with a Standard or a Mini-incision. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 80-85.	0.7	57
592	Arc-deposited Hydroxyapatite-coated Cups. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 305-312.	0.7	14
593	Resurfacing Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005, 441, 125-131.	0.7	30
594	Femoral Fit Predicts Radiologic Changes, But Not Clinical Results, in Mallory-Head Total Hip Arthroplasties. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 138-147.	0.7	9
595	Treatment of Complex Subtrochanteric Fracture with the Long Gamma AP Locking Nail: A Prospective Evaluation of 64 Cases. <i>Journal of Trauma</i> , 2005, 58, 304-311.	2.3	11
596	The surgical treatment of teratologic dislocation of the hip. <i>Journal of Pediatric Orthopaedics Part B</i> , 2005, 14, 331-336.	0.3	18
597	Treatment of Unstable Peritrochanteric Femoral Fractures Using a 95?? Angled Blade Plate. <i>Journal of Orthopaedic Trauma</i> , 2005, 19, 687-692.	0.7	44
598	Traumatic Hip Dislocation in Childhood. <i>Journal of Pediatric Orthopaedics</i> , 2005, 25, 138-144.	0.6	83
599	Optimizing functional exercise capacity in the elderly surgical population. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005, 8, 23-32.	1.3	308
600	Differences in stability and bone remodeling between a customized uncemented hydroxyapatite coated and a standard cemented femoral stem A randomized study with use of radiostereometry and bone densitometry. <i>Journal of Orthopaedic Research</i> , 2005, 23, 1280-1285.	1.2	32
601	Case studies: orthopaedic surgery in adult patients with haemophilia A with inhibitors. <i>Haemophilia</i> , 2005, 11, 32-37.	1.0	17
602	Osteosynthesis and primary valgus intertrochanteric osteotomy in displaced intracapsular fracture neck of femur with osteoporosis in adults. <i>Injury</i> , 2005, 36, 110-122.	0.7	34
603	Operative management of acetabular fractures. <i>Injury</i> , 2005, 36, 605-612.	0.7	79
604	Perceived self-efficacy gained from, and health effects of, a rehabilitation program after hip joint replacement. <i>Arthritis and Rheumatism</i> , 2005, 53, 585-592.	6.7	64
605	Update on hip and knee arthroplasty: Current state of evidence. <i>Arthritis and Rheumatism</i> , 2005, 53, 772-780.	6.7	72
606	Imaging findings of femoroacetabular impingement syndrome. <i>Skeletal Radiology</i> , 2005, 34, 691-701.	1.2	169
607	Elevated levels of serum type I collagen C-telopeptide in patients with rapidly destructive osteoarthritis of the hip. <i>International Orthopaedics</i> , 2005, 29, 1-5.	0.9	29
608	Prosthetic replacement in secondary Girdlestone arthroplasty has an unpredictable outcome. <i>International Orthopaedics</i> , 2005, 29, 145-148.	0.9	28

#	ARTICLE	IF	CITATIONS
609	Sugioka's osteotomy for femoral-head necrosis in young Caucasians. <i>International Orthopaedics</i> , 2005, 29, 140-144.	0.9	43
610	Clinical and radiological outcome of hydroxyapatite-coated femoral stem in revision hip arthroplasty. <i>International Orthopaedics</i> , 2005, 29, 219-223.	0.9	8
611	Use of hip and knee clinical scoring systems in prosthesis surgery in Norwegian hospitals. <i>International Orthopaedics</i> , 2005, 29, 301-304.	0.9	4
612	Isolated acetabular revision after total hip arthroplasty: results at 5-9 years of follow-up. <i>International Orthopaedics</i> , 2005, 29, 277-280.	0.9	26
617	The Nottingham health profile's experiences after hip revision arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2005, 125, 521-525.	1.3	2
618	Ten-year results of uncemented hip stems for failed intertrochanteric osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2005, 125, 304-309.	1.3	27
619	Surgical treatment of developmental dysplasia of the hip in the periadolescent period. <i>Journal of Orthopaedic Science</i> , 2005, 10, 15-21.	0.5	10
620	Advantages of the bimodular neck for THR: results of the first 100 HÃ©lianthe femoral stems to at least 5-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2005, 15, 90-100.	0.6	3
621	The ESOP-HA modular cementless femoral stem: a study of the results of 165 hip arthroplasties with a minimum of 10-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2005, 15, 275-285.	0.6	4
622	Use of a cementless modular implant for arthroplasty in developmental dysplasia of the hip: Early results. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2005, 15, 105-108.	0.6	1
624	Intracapsular fractures of the femoral neck in younger patients. <i>Irish Journal of Medical Science</i> , 2005, 174, 42-45.	0.8	16
625	Early Follow-up for a Hybrid Total Hip Arthroplasty Using a Metal-Backed Acetabular Component Designed to Reduce the Backside Polyethylene Wear. <i>HSS Journal</i> , 2005, 1, 31-34.	0.7	5
626	Ceramic-on-ceramic versus ceramic-on-polyethylene bearings in total hip arthroplasty: Results of a multicenter prospective randomized study and update of modern ceramic total hip trials in the United States. <i>HIP International</i> , 2005, 15, 129-135.	0.9	10
627	Intertrochanteric osteotomy combined with acetabular shelfplasty in young patients with severe deformity of the femoral head and secondary osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 25-31.	3.4	19
628	Modulare Schaftimplantate. , 2005, , 271-281.		1
629	Rehabilitation an HÃ¼ft- und Kniegelenk. , 2005, , 138-164.		2
630	The hydroxyapatite-coated JRI-Furlong hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 12-15.	3.4	24
631	Surgical Approach Influences Periprosthetic Femoral Bone Density. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 153-159.	0.7	26

#	ARTICLE	IF	CITATIONS
632	Radiographic evaluation of the hip rotation centre after total joint replacement in hip dysplasia. HIP International, 2005, 15, 92-97.	0.9	1
633	Clinical and radiological results of impaction bone allograft technique in acetabular revisions associated with massive bone stock deficiencies: Four to seven years follow-up study. HIP International, 2005, 15, 46-51.	0.9	9
634	The Zweymüller Cementless Total HIP Prosthesis in Patients Aged 50 Years and Younger. HIP International, 2005, 15, 1-11.	0.9	2
635	Acetabular Augmentation Ring for Recurrent Dislocations in Revision Arthroplasty. Clinical Orthopaedics and Related Research, 2005, &NA;, 151-157.	0.7	10
636	The Zweymüller cementless total hip prosthesis in patients aged 50 years and younger. HIP International, 2005, 15, 1-11.	0.9	6
637	Excellent results from proximally HA-coated femoral stems with a minimum of 6 years follow-up. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 190-197.	1.2	22
638	A Minimal-Incision Technique in Total Hip Arthroplasty Does Not Improve Early Postoperative Outcomes. Journal of Bone and Joint Surgery - Series A, 2005, 87, 701-710.	1.4	318
639	The "Oxford Heup Score" Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 204-211.	1.2	79
640	Cementless total hip arthroplasty using a threaded cup and a rectangular tapered stem. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1210-1215.	3.4	53
641	Uncemented Harris-Galante total hip arthroplasty in patients with osteonecrosis of the femoral head. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 42-48.	1.2	31
642	Surgical Treatment of Fractures of the Greater Trochanter Associated with Osteolytic Lesions. Journal of Bone and Joint Surgery - Series A, 2005, 87, 2724-2728.	1.4	15
643	Poor results from the isoelastic total hip replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 169-176.	1.2	45
644	Outcome of periacetabular osteotomy. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 303-313.	1.2	50
645	Osteonecrosis of the Femoral Head. Journal of Bone and Joint Surgery - Series A, 2005, 87, 742-747.	1.4	70
646	Total Hip Replacement with the CLS Expansion Shell and a Structural Femoral Head Autograft for Patients with Congenital Hip Disease. Journal of Bone and Joint Surgery - Series A, 2005, 87, 801-807.	1.4	26
647	Periacetabular Osteotomy for the Treatment of Severe Acetabular Dysplasia. Journal of Bone and Joint Surgery - Series A, 2005, 87, 254-259.	1.4	161
648	Complex Total Hip Replacement in a Patient with Epidermolytic Hyperkeratosis. Journal of Bone and Joint Surgery - Series A, 2005, 87, 2775-2779.	1.4	1
649	Fixation of the cemented acetabular component in hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 1-30.	1.2	9

#	ARTICLE	IF	CITATIONS
650	Dynamic Hip Screw Compared with External Fixation for Treatment of Osteoporotic Pertrochanteric Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 753-759.	1.4	68
651	Hydroxyapatite-Coated Femoral Stem Survivorship at 10 Years. <i>Key Engineering Materials</i> , 2005, 284-286, 1069-0.	0.4	2
652	Iliizarov Hip Reconstruction for the Late Sequelae of Infantile Hip Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1007-1018.	1.4	67
653	Long-term results of the cementless porous-coated anatomic total hip prosthesis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 623-627.	3.4	77
654	Iliofemoral distraction and hip reconstruction for the sequelae of a septic dislocated hip with chronic femoral osteomyelitis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 863-866.	3.4	7
655	The Oxford hip and knee outcome questionnaires for arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 241-248.	3.4	70
656	A stemmed acetabular component in the management of severe acetabular deficiency. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1611-1616.	3.4	11
657	The management of avascular necrosis after slipped capital femoral epiphysis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1669-1674.	3.4	24
658	Internal fixation versus hemiarthroplasty for displaced fractures of the femoral neck in elderly patients with severe cognitive impairment. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 523-529.	3.4	100
659	Triple osteotomy of the pelvis for acetabular dysplasia. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1622-1626.	3.4	39
660	Incomplete triple pelvic osteotomy for the surgical treatment of dysplasia of the hip in adolescents and adults. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 790-795.	3.4	11
661	Mid-term wear characteristics of an uncemented acetabular component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1475-1479.	3.4	15
662	Revision of cemented hip arthroplasty using a hydroxyapatite-ceramic-coated femoral component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1061-1067.	3.4	29
663	Internal fixation for displaced fractures of the femoral neck. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 367-373.	3.4	38
664	Outcome of revision hip arthroplasty in patients with a previous total hip replacement for developmental dysplasia of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1068-1072.	3.4	32
665	Operative treatment of displaced fractures of the acetabulum. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 2-9.	3.4	474
666	Improvements in balance after total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1337-1343.	3.4	61
667	Extra-Articular Resection of the Hip with a Posterior Column-Preserving Technique for Treatment of an Intra-Articular Malignant Lesion. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2768-2774.	1.4	9

#	ARTICLE	IF	CITATIONS
668	Alumina-on-Alumina Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2005, 87, 530-535.	1.4	129
669	Assessing the results of thrust plate prosthesis: a comparison of four different rating systems. Clinical Rehabilitation, 2005, 19, 654-658.	1.0	8
670	The management of necrosis-associated and idiopathic bone-marrow oedema of the proximal femur by intravenous iloprost. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 560-564.	3.4	98
671	Total hip arthroplasty with a sliding iliac graft for acetabular dysplasia. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 635-639.	3.4	10
672	A prospective, randomised, controlled trial of the use of drains in total hip arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1397-1401.	3.4	99
673	Total hip replacement with a zirconium oxide ceramic femoral head. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1631-1635.	3.4	32
674	Movement patterns of the C-stem femoral component. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1352-1356.	3.4	28
675	Early results of primary Birmingham hip resurfacings. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 324-329.	3.4	230
676	Hydroxyapatite-ceramic-coated femoral stems in revision hip surgery. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1055-1060.	3.4	41
677	Higher failure rate and stem migration of an uncemented femoral component in patients with femoral head osteonecrosis than in patients with osteoarthritis. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 49-55.	1.2	61
678	Infection in hip arthroplasty after previous injection of steroid. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 454-457.	3.4	95
679	Ten-year survival of the MS-30 matt-surfaced cemented stem. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 928-933.	3.4	23
680	The use of cementless expansion acetabular component and an alumina-polyethylene bearing in total hip arthroplasty for osteonecrosis. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 776-780.	3.4	22
681	Total Hip Replacement in Avascular Necrosis of Femoral Head. Medical Journal Armed Forces India, 2005, 61, 33-35.	0.3	17
682	Validez de la escala de cadera de Harris en la rehabilitaci3n tras artroplastia de cadera. Rehabilitacion, 2005, 39, 147-154.	0.2	7
683	Arthroscopic Partial Limbectomy in Hip Joints With Acetabular Hypoplasia. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2005, 21, 586-591.	1.3	42
684	Hip Arthroscopy and Outcome Assessment. Operative Techniques in Orthopaedics, 2005, 15, 290-296.	0.2	19
685	Prospective Evaluation of Total Hip Arthroplasty With a Cementless, Anatomically Designed, Porous-Coated Femoral Implant: Mean 11-Year Follow-up. Journal of Arthroplasty, 2005, 20, 709-716.	1.5	21

#	ARTICLE	IF	CITATIONS
686	Metal-on-Metal Resurfacing Versus Total Hip Replacementâ€”the Value of a Randomized Clinical Trial. <i>Orthopedic Clinics of North America</i> , 2005, 36, 195-201.	0.5	42
688	New polymer materials in total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 4-82.	1.2	15
689	Comparison of distribution, agreement and correlation between the original and modified Merle d'Aubign�-Postel Score and the Harris Hip Score after acetabular fracture treatment: Moderate agreement, high ceiling effect and excellent correlation in 450 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 796-802.	1.2	53
690	Poor results after augmenting autograft with xenograft (Surgibone) in hip revision surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 544-549.	1.2	38
691	Short hospital stay augmented with education and home-based rehabilitation improves function and quality of life after hip replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 555-562.	1.2	76
692	The use of uncemented extensively porous-coated femoral components in the management of Vancouver B2 and B3 periprosthetic femoral fractures. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1617-1621.	3.4	58
693	Hip resurfacing: Past, present and future. <i>Journal of Orthopaedic Nursing</i> , 2005, 9, 87-94.	0.2	9
694	Free vascularised iliac crest graft: an audit of 26 consecutive cases. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2005, 43, 210-214.	0.4	20
695	Clinical Evaluation of Avascular Necrosis in Patients With Sickle Cell Disease: Childrenâ€™s Hospital Oakland Hip Evaluation Scaleâ€”A Modification of the Harris Hip Score. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1369-1375.	0.5	41
696	Altering Asymmetric Limb Loading After Hip Arthroplasty Using Real-Time Dynamic Feedback When Walking. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1958-1963.	0.5	62
697	Effects on Function and Quality of Life of Postoperative Home-Based Physical Therapy for Patients With Hip Fracture. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1953-1957.	0.5	90
698	Measuring Activity Limitations in Walking: Development of a Hierarchical Scale for Patients With Lower-Extremity Disorders Who Live at Home. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2277-2283.	0.5	50
699	Reconstructed Hip Joint Position and Abductor Muscle Strength After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2005, 20, 414-420.	1.5	269
700	Total Hip Arthroplasty in Adult Patients Who Had Developmental Dysplasia of the Hip. <i>Journal of Arthroplasty</i> , 2005, 20, 1029-1036.	1.5	58
701	The Nonoperative Management of Periprosthetic Fractures Associated With the Birmingham Hip Resurfacing Procedure. <i>Journal of Arthroplasty</i> , 2005, 20, 358-361.	1.5	69
702	Comparison Between Triple-Tapered and Double-Tapered Cemented Femoral Stems in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2005, 20, 94-100.	1.5	33
703	Cementless Porous-Coated Sockets Without Holes Implanted With Pure Press-Fit Technique. <i>Journal of Arthroplasty</i> , 2005, 20, 4-10.	1.5	11
704	Limb Salvage and Abductor Reattachment Using a Custom Prosthesis With Porous Tantalum Components. <i>Journal of Arthroplasty</i> , 2005, 20, 127-130.	1.5	26

#	ARTICLE	IF	CITATIONS
705	Acetabular Revision With a 7-mm Lateral Offset Component Inserted Without Cement in Patients Who Have Acetabular Deficiency. <i>Journal of Arthroplasty</i> , 2005, 20, 443-453.	1.5	9
706	Influence of Cement Viscosity and Cement Mantle Thickness on Migration of the Exeter Total Hip Prosthesis. <i>Journal of Arthroplasty</i> , 2005, 20, 521-528.	1.5	31
707	Radiological Findings and Clinical Results of 102 Thrust-Plate Femoral Hip Prostheses. <i>Journal of Arthroplasty</i> , 2005, 20, 108-117.	1.5	30
708	Survival of Cementless Femoral Components After Osteonecrosis of the Femoral Head With Different Etiologies. <i>Journal of Arthroplasty</i> , 2005, 20, 509-515.	1.5	16
709	Revision Hip Arthroplasty Using Strut Allografts and Fully Porous-Coated Stems. <i>Journal of Arthroplasty</i> , 2005, 20, 454-459.	1.5	24
710	Early Failure of Smooth Hydroxyapatite-Coated Press-Fit Acetabular Cup—7 Years of Follow-up. <i>Journal of Arthroplasty</i> , 2005, 20, 627-631.	1.5	22
711	Polyethylene Liner Failure in Second-Generation Harris-Galante Acetabular Components. <i>Journal of Arthroplasty</i> , 2005, 20, 717-722.	1.5	26
712	Ten to Twelve-Year Results With the Zweymüller Cementless Total Hip Prosthesis. <i>Journal of Arthroplasty</i> , 2005, 20, 362-368.	1.5	45
713	Management of Types B2 and B3 Femoral Periprosthetic Fractures by a Tapered, Fluted, and Distally Fixed Stem. <i>Journal of Arthroplasty</i> , 2005, 20, 751-756.	1.5	88
714	Total Hip Arthroplasty After Failed Transtrochanteric Rotational Osteotomy for Avascular Necrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2005, 20, 574-579.	1.5	63
715	Cementation of a Metal-Inlay Polyethylene Liner Into a Stable Metal Shell in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2005, 20, 652-657.	1.5	31
716	Evaluation of a Porous Tantalum Uncemented Acetabular Cup in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2005, 20, 1002-1009.	1.5	186
717	Does Body Mass Index Affect The Early Outcome of Primary Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2005, 20, 866-869.	1.5	77
718	Prognostic Factors Influencing the Functional Outcome of Total Hip Arthroplasty for Hip Infection Sequelae. <i>Journal of Arthroplasty</i> , 2005, 20, 608-613.	1.5	23
719	Health Outcome Measures in the Evaluation of Total Hip Arthroplasties—A Comparison Between the Harris Hip Score and the Oxford Hip Score. <i>Journal of Arthroplasty</i> , 2005, 20, 1037-1041.	1.5	186
720	Hydroxyapatite-Coated Femoral Stem Survivorship at 10 Years. <i>Journal of Arthroplasty</i> , 2005, 20, 57-62.	1.5	22
721	Early Results of 1000 Consecutive, Posterior, Single-Incision Minimally Invasive Surgery Total Hip Arthroplasties. <i>Journal of Arthroplasty</i> , 2005, 20, 26-32.	1.5	41
722	The Oxford hip score: the patient's perspective. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 66.	1.0	73



#	ARTICLE	IF	CITATIONS
723	Weight change following total hip replacement: A comparison of obese and non-obese patients. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2005, 3, 269-272.	0.8	35
724	Use of quality-adjusted life years for the estimation of effectiveness of health care: A systematic literature review. <i>International Journal of Technology Assessment in Health Care</i> , 2006, 22, 235-241.	0.2	230
725	Posterior versus lateral surgical approach for total hip arthroplasty in adults with osteoarthritis. <i>The Cochrane Library</i> , 2006, , CD003828.	1.5	92
726	Mueller reinforcement rings in acetabular revision Outcome in 164 hips followed for 2â€“17 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 234-241.	1.2	51
727	Revision total hip arthroplasty in juvenile chronic arthritis: 17 revisions in 11 patients followed for 4â€“12 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 242-250.	1.2	23
728	Socket wall addition device in the treatment of recurrent hip prosthesis dislocation : Good outcome in 12 patients followed for 4.5 (1â€“9) years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 87-91.	1.2	7
729	Autologous chondrocyte implantation with bone grafting for osteochondral defect due to posttraumatic osteonecrosis of the hipâ€”a case report. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 333-336.	1.2	73
730	Palamed G compared with Palacos R with gentamicin in Charnley total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 1143-1148.	3.4	16
731	Cementless Total Hip Arthroplasty in Patients 50 Years or Younger. <i>Journal of Arthroplasty</i> , 2006, 21, 476-483.	1.5	40
733	Evidence of Validity for the Hip Outcome Score. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2006, 22, 1304-1311.	1.3	311
736	Scoring Systems for Evaluating Ankle Function. <i>Foot and Ankle Clinics</i> , 2006, 11, 509-519.	0.5	12
737	Clinical Outcomes Following Manual Physical Therapy and Exercise for Hip Osteoarthritis: A Case Series. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006, 36, 588-599.	1.7	83
738	Total hip replacement with a superolateral bone graft for osteoarthritis secondary to dysplasia. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 173-178.	3.4	37
739	Gait Performance in an Original Biologic Reconstruction of Proximal Femur in a Skeletally Immature Child: A Case Report. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1534-1541.	0.5	2
740	The Use of a Hydroxyapatite-Coated Primary Stem in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 64-71.	1.5	30
741	Reconstruction of Severe Acetabular Bone-Deficiency. <i>Journal of Arthroplasty</i> , 2006, 21, 489-496.	1.5	56
742	Acetabular Revision Surgery With the LOR Cup. <i>Journal of Arthroplasty</i> , 2006, 21, 114-121.	1.5	19
743	Clinical and Radiographic Assessment of a Modular Cementless Ingrowth Femoral Stem System for Revision Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 172-178.	1.5	30

#	ARTICLE	IF	CITATIONS
744	Total Hip Arthroplasty with the Porous-Coated Anatomic Hip Prosthesis. <i>Journal of Arthroplasty</i> , 2006, 21, 338-343.	1.5	13
745	Impaction Allografting for Massive Femoral Defects in Revision Hip Arthroplasty Using Collared Textured Stems. <i>Journal of Arthroplasty</i> , 2006, 21, 362-371.	1.5	18
746	The Zweymüller Threaded Cup. <i>Journal of Arthroplasty</i> , 2006, 21, 497-502.	1.5	12
747	Total Hip Arthroplasty in Patients With Renal Failure. <i>Journal of Arthroplasty</i> , 2006, 21, 324-329.	1.5	68
748	Short-Term Outcomes of Total Hip Arthroplasty After Complications of Open Reduction Internal Fixation for Hip Fracture. <i>Journal of Arthroplasty</i> , 2006, 21, 682-688.	1.5	51
749	Cementless Total Hip Arthroplasty Using the Modular S-ROM Prosthesis Combined with Corrective Proximal Femoral Osteotomy. <i>Journal of Arthroplasty</i> , 2006, 21, 664-669.	1.5	42
750	The Diagnostic and Predictive Value of Hip Anesthetic Arthrograms in Selected Patients Before Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 724-730.	1.5	28
751	Long-term Results of the Cementless ALLOCLASSIC Hip Arthroplasty System Using a 28-mm Ceramic Head. <i>Journal of Arthroplasty</i> , 2006, 21, 967-974.	1.5	36
752	The Value of Patient Activity Level in the Outcome of Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 547-552.	1.5	92
753	Early Clinical and Radiographic Analysis of the Fitmore Cup. <i>Journal of Arthroplasty</i> , 2006, 21, 846-851.	1.5	9
754	Two-Year Experience Using a Limited-Incision Direct Lateral Approach in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 1083-1091.	1.5	30
755	Smith-Petersen Mould Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 916-917.	1.5	12
756	Durability of Implant Fixation After Less-Invasive Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 783-790.	1.5	23
757	Extracorporeal Shockwave Treatment of Osteonecrosis of the Femoral Head in Systemic Lupus Erythematosus. <i>Journal of Arthroplasty</i> , 2006, 21, 911-915.	1.5	28
758	Midterm Results of Metasul Metal-on-Metal Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 1105-1110.	1.5	41
759	Simultaneous Primary Total Hip Arthroplasty and Contralateral Revision Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 527-532.	1.5	2
760	Comparison Between Hand Rasping and Robotic Milling for Stem Implantation in Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 957-966.	1.5	88
761	Comparison of Primary Total Hip Arthroplasties Performed with a Minimally Invasive Technique or a Standard Technique. <i>Journal of Arthroplasty</i> , 2006, 21, 1092-1098.	1.5	70

#	ARTICLE	IF	CITATIONS
762	Total Hip Arthroplasty for Acute Femoral Neck Fractures Using a Cementless Tapered Femoral Stem. Journal of Arthroplasty, 2006, 21, 1134-1140.	1.5	23
763	The Role of Modularity in Primary Total Hip Arthroplasty. Journal of Arthroplasty, 2006, 21, 89-92.	1.5	46
764	Long-Term Outcome and Risk Factors of Proximal Femoral Fracture in Uncemented and Cemented Total Hip Arthroplasty in 2551 Hips. Journal of Arthroplasty, 2006, 21, 53-59.	1.5	104
765	Ultra-Short Stems with Proximal Load Transfer: Clinical and Radiographic Results at Five-Year Follow-Up. HIP International, 2006, 16, 31-39.	0.9	38
766	Early Clinical Experience with a Metaphyseal Loading Implant: Why have a Stem?. HIP International, 2006, 16, 3-8.	0.9	8
767	Early Outcomes following Minimally Invasive Total Hip Arthroplasty Using a two-Incision Approach versus a Mini-Posterior Approach. HIP International, 2006, 16, 17-22.	0.9	16
768	A Modified Two-Incision Minimally Invasive Total Hip Arthroplasty: Technique and Short-Term Results. HIP International, 2006, 16, 28-34.	0.9	20
769	Long-Term Results of an Uncemented Straight Femoral Shaft Prosthesis. HIP International, 2006, 16, 23-32.	0.9	16
770	Revision Hip Surgery Using the Cls Expansion Shell. HIP International, 2006, 16, 260-267.	0.9	0
771	Total Hip Replacement Using Hemi-Circumferential Interposition Acetabuloplasty for Acetabular Deficiency in Post-Perthes Deformities: Technique and Long-Term Results. HIP International, 2006, 16, 253-259.	0.9	0
772	Hydroxyapatite-coated Femoral Components. Clinical Orthopaedics and Related Research, 2006, 453, 75-80.	0.7	81
773	Ambulatory Activities Maintain Cortical Bone after Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2006, 450, 129-137.	0.7	17
774	Acetabular Revision with the Contour Antiprotrusion Cage. Clinical Orthopaedics and Related Research, 2006, 453, 188-194.	0.7	41
775	Two-Incision Total Hip Replacement: Intra-Operative Fluoroscopy versus Imageless Navigation for Cup Placement. HIP International, 2006, 16, 35-41.	0.9	7
776	Muscle Strength Improves after Abductor-sparing Periacetabular Osteotomy. Clinical Orthopaedics and Related Research, 2006, 444, 161-168.	0.7	23
777	Iliac Graft Vascularization for Femoral Head Osteonecrosis. Clinical Orthopaedics and Related Research, 2006, 442, 171-179.	0.7	58
778	The Custom Femoral Component is an Effective Option for Congenital Hip Dysplasia. Clinical Orthopaedics and Related Research, 2006, 451, 146-153.	0.7	18
779	Muscle Strength Recovery and its Effects on Outcome After Open Reduction and Internal Fixation of Acetabular Fractures. Journal of Orthopaedic Trauma, 2006, 20, 388-395.	0.7	31

#	ARTICLE	IF	CITATIONS
780	Cephalomedullary Nails in the Treatment of High-energy Proximal Femur Fractures in Young Patients: A Prospective, Randomized Comparison of Trochanteric Versus Piriformis Fossa Entry Portal. <i>Journal of Orthopaedic Trauma</i> , 2006, 20, 240-246.	0.7	86
782	Osteotomy does not improve early outcome after slipped capital femoral epiphysis. <i>Journal of Pediatric Orthopaedics Part B</i> , 2006, 15, 87-92.	0.3	22
783	Metal-on-Metal Hip Resurfacing Compares Favorably with THA at 2 Years Followup. <i>Clinical Orthopaedics and Related Research</i> , 2006, 453, 123-131.	0.7	137
784	What Affects the Recurrence and Clinical Outcome of Pigmented Villonodular Synovitis?. <i>Clinical Orthopaedics and Related Research</i> , 2006, 450, 172-178.	0.7	60
785	Factors Affecting Survival of Uncemented Total Hip Arthroplasty in Patients 50 Years or Younger. <i>Clinical Orthopaedics and Related Research</i> , 2006, 453, 103-109.	0.7	41
786	Surgical treatment for advanced stage of avascular necrosis of the femoral head in adults. <i>The Cochrane Library</i> , 2006, , .	1.5	0
787	Is Removal of Subchondral Bone Plate Advantageous in Cemented Cup Fixation?. <i>Clinical Orthopaedics and Related Research</i> , 2006, 448, 164-172.	0.7	20
788	Bilateral Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2006, 453, 137-141.	0.7	68
789	Utility of Four-Dimensional Analysis of the Acetabular Labrum Applying Motion-Gated Multislice Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 991-1000.	0.5	4
790	Favorable Midterm Results of Total Hip Arthroplasties with a Lateral Flare Uncemented Stem. <i>Clinical Orthopaedics and Related Research</i> , 2006, 450, 138-144.	0.7	10
791	Role of Capsular Repair on Dislocation in Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2006, 453, 147-152.	0.7	39
792	Assessment of clinical outcome after acetabular fracture. <i>Current Opinion in Orthopaedics</i> , 2006, 17, 6-9.	0.3	4
793	Differences in ion release after ceramic-on-ceramic and metal-on-metal total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 472-476.	3.4	59
794	INCIDENCE AND OUTCOMES OF KNEE AND HIP JOINT REPLACEMENT IN VETERANS AND CIVILIANS. <i>ANZ Journal of Surgery</i> , 2006, 76, 295-299.	0.3	16
795	COMPUTED TOMOGRAPHY ASSISTED OSTEODENSITOMETRY IN TOTAL HIP ARTHROPLASTY. <i>ANZ Journal of Surgery</i> , 2006, 76, 778-781.	0.3	6
796	Développement et validité d'un questionnaire de qualité de vie spécifique de l'arthrose de hanche et de genou: l'AMIQUAL (Arthrose des Membres Inférieurs et Qualité de Vie). <i>Revue Du Rhumatisme (Edition Française)</i> , 2006, 73, 1364-1372.	0.0	1
797	Reliability, validity and responsiveness of the German Short Musculoskeletal Function Assessment Questionnaire in patients undergoing surgical or conservative inpatient treatment. <i>Quality of Life Research</i> , 2006, 15, 1233-1241.	1.5	13
798	Long-term results of the metal-cancellous cementless 1/4beck total hip arthroplasty: a critical review at 12.8 years. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2006, 126, 28-35.	1.3	22

#	ARTICLE	IF	CITATIONS
799	Antero-lateral minimal invasive (ALMI) approach for total hip arthroplasty technique and early results. Archives of Orthopaedic and Trauma Surgery, 2006, 126, 164-173.	1.3	52
800	Reinforcement of deficient femur with inlay strut grafts in revision hip arthroplasty: a small series. Archives of Orthopaedic and Trauma Surgery, 2006, 126, 649-653.	1.3	9
801	Total hip arthroplasty with an uncemented hydroxyapatite-coated tapered titanium stem: results at a minimum of 10yearsâ€™ follow-up in 104 hips. Journal of Orthopaedic Science, 2006, 11, 175-179.	0.5	27
802	Middle-term results of simultaneous bilateral femoral osteotomies for advanced bilateral coxarthrosis. Journal of Orthopaedic Science, 2006, 11, 485-490.	0.5	1
807	Early polyethylene wear and osteolysis with ABC acetabular cups (7- to 12-year follow-up). International Orthopaedics, 2006, 30, 31-34.	0.9	11
808	Behavior of Hylamer polyethylene in hip arthroplasty: comparison of two gamma sterilization techniques. International Orthopaedics, 2006, 30, 35-38.	0.9	14
809	Staged arthroplasty as salvage procedure for deep hip infection following intertrochanteric fracture. International Orthopaedics, 2006, 30, 228-232.	0.9	22
810	Eleven-year results of the ABC I hip replacement. International Orthopaedics, 2006, 30, 182-184.	0.9	12
814	Early Polyethylene Wear and Excessive Acetabular Granuloma in an Uncemented HA-Coated Total Hip Arthroplastyâ€™ Midterm Results of a Prospective Study. HSS Journal, 2006, 2, 114-120.	0.7	12
815	Valgus intertrochanteric osteotomy for non-union of femoral neck fracture. Injury, 2006, 37, 786-790.	0.7	38
816	Microsurgical Fibular Flap for Treatment of Avascular Necrosis of the Femoral Head. Journal of the American College of Surgeons, 2006, 202, 324-334.	0.2	9
817	Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (OsteoArthritis of Knee Hip Quality Of Life). Joint Bone Spine, 2006, 73, 697-704.	0.8	50
818	Bioceramics in Total Hip Arthroplasty: Hydroxyapatite Coating. Seminars in Arthroplasty, 2006, 17, 153-160.	0.3	2
819	Estimation and Visualization of Sagittal Kinematics of Lower Limbs Orientation Using Body-Fixed Sensors. IEEE Transactions on Biomedical Engineering, 2006, 53, 1385-1393.	2.5	160
820	Associations among preoperative MRI features and functional status following arthroscopic partial meniscectomy. Osteoarthritis and Cartilage, 2006, 14, 418-422.	0.6	20
821	Contemporary alumina-on-alumina total hip arthroplasty performed in patients younger than forty years: A 5-year minimum follow-up study. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2006, 78B, 70-75.	1.6	37
822	Orthopaedic Implant Retrieval: An Interdisciplinary Approach. Journal of Histotechnology, 2006, 29, 277-285.	0.2	2
823	Minimum Ten-Year Results of Primary Bipolar Hip Arthroplasty for Degenerative Arthritis of the Hip. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1817-1825.	1.4	29

#	ARTICLE	IF	CITATIONS
824	Clinical Presentation of Patients with Tears of the Acetabular Labrum. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1448-1457.	1.4	286
825	Long-term outcome of undisplaced fatigue fractures of the femoral neck in young male adults. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1574-1579.	3.4	62
826	Revision Total Hip Arthroplasty with a Custom Cementless Stem with Distal Cross-Locking Screws. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1079-1084.	1.4	27
827	Primary Cementless Acetabular Components in Hips with Severe Developmental Dysplasia or Total Dislocation. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1549-1552.	1.4	35
828	Operative Treatment of Primary Synovial Osteochondromatosis of the Hip. Journal of Bone and Joint Surgery - Series A, 2006, 88, 2456-2464.	1.4	75
829	Radiological evaluation of the metal-bone interface of a porous tantalum monoblock acetabular component. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 304-309.	3.4	88
830	Physical Therapy Alone Compared with Core Decompression and Physical Therapy for Femoral Head Osteonecrosis in Sickle Cell Disease. Journal of Bone and Joint Surgery - Series A, 2006, 88, 2573-2582.	1.4	88
831	Porous-Ingrowth Revision Acetabular Implants Secured with Peripheral Screws. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1266-1271.	1.4	47
832	Clinical and Histologic Results Related to a Low-Modulus Composite Total Hip Replacement Stem. Journal of Bone and Joint Surgery - Series A, 2006, 88, 1308-1314.	1.4	52
833	Use of Metal-on-Metal Total Hip Resurfacing for the Treatment of Osteonecrosis of the Femoral Head. Journal of Bone and Joint Surgery - Series A, 2006, 88, 90-97.	1.4	102
834	Acetabular revision with morsellised allogenic bone graft and a cemented metal-backed component. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 586-591.	3.4	17
835	Developmental Dysplasia of the Hip 2: Adult. , 2006, , 125-140.		1
836	Revision Total Hip Arthroplasty Performed with a Contemporary Alumina-on-Alumina Bearing Surface; Minimum 5-Year Follow-Up Study. Key Engineering Materials, 2006, 309-311, 1353-1356.	0.4	1
837	Clinical and radiological outcome of total hip replacement five years after pamidronate therapy. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1309-1315.	3.4	25
838	Resurfacing arthroplasty of the hip in osteopetrosis. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 818-821.	3.4	21
839	The association between metal ions from hip resurfacing and reduced T-cell counts. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 449-454.	3.4	122
840	Serum aluminium and cobalt levels after ceramic-on-ceramic and metal-on-metal total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1003-1005.	3.4	28
841	Management of arthritis of the hip in the young adult. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1279-1285.	3.4	23

#	ARTICLE	IF	CITATIONS
842	In-cement technique for revision hip arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 730-733.	3.4	64
843	A constrained acetabular component for recurrent dislocation. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 870-876.	3.4	57
844	Long-term survival of a cemented titanium-aluminium-vanadium alloy straight-stem femoral component. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1567-1573.	3.4	14
845	The outcome of total hip replacement in obese and non-obese patients at 10- to 18-years. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1286-1292.	3.4	146
846	Outcomes of subcapital cuneiform osteotomy for the treatment of severe slipped capital femoral epiphysis after skeletal maturity. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 1379-1384.	3.4	31
847	Do clinical presentation and pre-operative quality of life predict satisfaction with care after total hip or knee replacement?. Journal of Bone and Joint Surgery: British Volume, 2006, 88-B, 366-373.	3.4	38
848	Cementless Acetabular Reconstruction and Structural Bone-Grafting in Dysplastic Hips. Journal of Bone and Joint Surgery - Series A, 2006, 88, 387-394.	1.4	53
849	Relationship Between Bone Marrow Edema and Development of Symptoms in Patients With Osteonecrosis of the Femoral Head. American Journal of Roentgenology, 2006, 186, 1761-1770.	1.0	87
850	Arthroscopic Treatment of the Painful "Internal" Snapping Hip. American Journal of Sports Medicine, 2007, 35, 770-779.	1.9	110
851	Iliopsoas impingement after total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 1031-1035.	3.4	168
852	Failure Analysis of a Ceramic Bearing Acetabular Component. Journal of Bone and Joint Surgery - Series A, 2007, 89, 367-375.	1.4	70
853	Progression of Acetabular Periprosthetic Osteolytic Lesions Measured with Computed Tomography. Journal of Bone and Joint Surgery - Series A, 2007, 89, 1818-1825.	1.4	48
854	Three-dimensional custom-designed cementless femoral stem for osteoarthritis secondary to congenital dislocation of the hip. Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 1586-1591.	3.4	30
855	Contributions of authors. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 78, 616-621.	1.2	47
856	Results of Metal-on-Metal Hybrid Hip Resurfacing for Crowe Type-I and II Developmental Dysplasia. Journal of Bone and Joint Surgery - Series A, 2007, 89, 339-346.	1.4	49
857	Intravenous Bisphosphonate Therapy for Traumatic Osteonecrosis of the Femoral Head in Adolescents. Journal of Bone and Joint Surgery - Series A, 2007, 89, 1727-1734.	1.4	85
858	Early Pain Relief and Function After Posterior Minimally Invasive and Conventional Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2007, 89, 1153-1160.	1.4	168
859	The results of primary Birmingham hip resurfacings at a mean of five years. Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 1431-1438.	3.4	127

#	ARTICLE	IF	CITATIONS
860	Metal-on-Metal Hip Resurfacing for Obese Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 2705-2711.	1.4	57
861	A randomised controlled trial comparing bipolar hemiarthroplasty with total hip replacement for displaced intracapsular fractures of the femoral neck in elderly patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 160-165.	3.4	314
862	Circumferential osteotomy of the medial acetabular wall in total hip replacement for the late sequelae of childhood septic arthritis of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1149-1154.	3.4	11
863	Changes in the bone mineral density in the acetabulum and proximal femur after cementless total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 174-179.	3.4	44
864	Leg-length discrepancy after transtrochanteric curved varus osteotomy for osteonecrosis of the femoral head. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 725-729.	3.4	38
865	Sequelae of the Hip Joint Infection Treated with a Modern Alumina-on-Alumina THA. <i>Key Engineering Materials</i> , 2007, 330-332, 1247-1250.	0.4	1
866	The use of a posterior lip augmentation device for a revision of recurrent dislocation after primary cemented Charnley/Charnley Elite total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1581-1585.	3.4	25
867	Health-related quality of life in patients with systemic lupus erythematosus after medium to long-term follow-up of hip arthroplasty. <i>Lupus</i> , 2007, 16, 318-323.	0.8	26
868	Osteolysis Associated with Polythene Liners in Hydroxyapatite Hip Arthroplasty. <i>Key Engineering Materials</i> , 2007, 330-332, 1259-1262.	0.4	0
869	Long-term survivorship of the Charnley Elite Plus femoral component in young patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 449-454.	3.4	26
870	The management of ununited fractures of the femoral neck using internal fixation and muscle pedicle periosteal grafting. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1482-1487.	3.4	20
871	Design aspects and clinical performance of the thrust plate hip prosthesis. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2007, 221, 29-37.	1.0	12
872	Medial Placement of a Cementless Acetabular Component in a Modern Alumina-on-Alumina THA. <i>Key Engineering Materials</i> , 2007, 330-332, 1243-1246.	0.4	0
873	Narrowing of the neck in resurfacing arthroplasty of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1019-1024.	3.4	111
874	The use of the Oxford hip and knee scores. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1010-1014.	3.4	1,015
875	Revision total hip replacement using cemented collarless double-taper femoral components. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 879-886.	3.4	32
876	Cementless total hip replacement after previous intertrochanteric valgus osteotomy for advanced osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1155-1157.	3.4	27
877	Proximal Femoral Replacement in Patients with Non-Neoplastic Conditions. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1036-1043.	1.4	93



#	ARTICLE	IF	CITATIONS
878	Quality of life and functional outcome after primary total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 868-873.	3.4	113
879	Use of a Hydroxyapatite-coated Stem in Patients with Dorr Type C Femoral Bone. Clinical Orthopaedics and Related Research, 2007, 465, 112-116.	0.7	40
880	The Emotional State of the Patient after Total Hip and Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2007, 463, 7-12.	0.7	75
881	The Importance of Range of Motion after Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2007, 465, 180-184.	0.7	58
882	Uncemented Primary Press-Fit Total Hip Arthroplasty: A 3 to 6 Years of Experience. Journal of Orthopaedic Surgery, 2007, 15, 50-55.	0.4	10
883	Acetabular Cysts Heal after Successful Periacetabular Osteotomy. Clinical Orthopaedics and Related Research, 2007, 454, 120-126.	0.7	15
884	Periprosthetic Femoral Fractures Treated with a Modular Distally Cemented Stem. Journal of Orthopaedic Surgery, 2007, 15, 163-166.	0.4	9
885	Factors Leading to Osteoarthritis after Eccentric Rotational Acetabular Osteotomy. Clinical Orthopaedics and Related Research, 2007, 459, 207-215.	0.7	26
886	Hip-Spine Syndrome. Spine, 2007, 32, 2099-2102.	1.0	186
887	Physical Activity After Total Joint Replacement: A Cross-Sectional Survey. Clinical Journal of Sport Medicine, 2007, 17, 104-108.	0.9	96
888	Childbirth and Sexual Activity after Eccentric Rotational Acetabular Osteotomy. Clinical Orthopaedics and Related Research, 2007, 459, 195-199.	0.7	5
889	Rotational Acetabular Osteotomy Through an Ollier Lateral U Approach. Clinical Orthopaedics and Related Research, 2007, 459, 200-206.	0.7	18
890	Long-Term Results in Surgically Treated Acetabular Fractures Through the Posterior Approaches. Journal of Trauma, 2007, 62, 378-382.	2.3	26
891	A Predictive Method for Subsequent Avascular Necrosis of the Femoral Head (AVNFB) by Observation of Bleeding From the Cannulated Screw Used for Fixation of Intracapsular Femoral Neck Fractures. Journal of Orthopaedic Trauma, 2007, 21, 158-164.	0.7	32
892	Tight Fit Technique in Primary Hybrid Total Hip Arthroplasty for Patients with Hip Dysplasia. Journal of Arthroplasty, 2007, 22, 57-64.	1.5	9
893	Cementless Two-Stage Exchange Arthroplasty for Infection after Total Hip Arthroplasty. Journal of Arthroplasty, 2007, 22, 72-78.	1.5	167
894	Cementless Alumina-on-Alumina Total Hip Arthroplasty in Patients Younger Than 50 Years: A 5-year Minimum Follow-Up Study. Journal of Arthroplasty, 2007, 22, 184-188.	1.5	41
895	Porous Tantalum Implant in Early Osteonecrosis of the Hip. Journal of Arthroplasty, 2007, 22, 26-31.	1.5	128

#	ARTICLE	IF	CITATIONS
896	Gait Analysis of Patients with Resurfacing Hip Arthroplasty Compared with Hip Osteoarthritis and Standard Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 100-108.	1.5	163
897	Clinical Outcome of Total Hip Arthroplasty Using the Normalized and Proportionalized Femoral Stem With a Minimum 20-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2007, 22, 356-362.	1.5	9
898	Ten-year Survivorship of the Anatomique Benoist Girard I Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 363-368.	1.5	24
899	Iliopsoas Tendonitis. <i>Journal of Arthroplasty</i> , 2007, 22, 166-170.	1.5	89
900	A Second-Generation Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 204-209.	1.5	14
901	A Randomized Clinical Trial of Cementless Femoral Stems With and Without Hydroxyapatite/Tricalcium-Phosphate Coating. <i>Journal of Arthroplasty</i> , 2007, 22, 504-508.	1.5	29
902	Original Cementless Femoral Stem for Dysplastic Hip. <i>Journal of Arthroplasty</i> , 2007, 22, 553-559.	1.5	7
903	The Effects of Technique Changes on Aseptic Loosening of the Femoral Component in Hip Resurfacing. Results of 600 Conserve Plus With a 3 to 9 Year Follow-up. <i>Journal of Arthroplasty</i> , 2007, 22, 481-489.	1.5	97
904	Cementless Hip Arthroplasty in Paget's Disease at Medium-Term Follow-Up (Average of 6.7 Years). <i>Journal of Arthroplasty</i> , 2007, 22, 692-696.	1.5	32
905	Comparison of the 2-Incision and Mini-Incision Posterior Total Hip Arthroplasty Technique. <i>Journal of Arthroplasty</i> , 2007, 22, 48-56.	1.5	51
906	The Biomet Bi-Metric Total Hip Arthroplasty and Universal Acetabular Cup. <i>Journal of Arthroplasty</i> , 2007, 22, 697-700.	1.5	11
907	Acetabular Revision With Extensive Allograft Impaction and Uncemented Hydroxyapatite-Coated Implants. Results After 9 (7-11) Years Follow-Up. <i>Journal of Arthroplasty</i> , 2007, 22, 1083-1091.	1.5	44
908	Fatigue Failure of the GAP Ring. <i>Journal of Arthroplasty</i> , 2007, 22, 711-714.	1.5	20
909	Revision Total Hip Arthroplasty Using a Fluted and Tapered Modular Distal Fixation Stem With and Without Extended Trochanteric Osteotomy. <i>Journal of Arthroplasty</i> , 2007, 22, 993-999.	1.5	104
910	Total Hip Arthroplasty for Bilaterally Ankylosed Hips. <i>Journal of Arthroplasty</i> , 2007, 22, 1037-1041.	1.5	37
911	Reduction in Early Dislocation Rate With Large-Diameter Femoral Heads in Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 140-144.	1.5	111
912	The Use of Tantalum Porous Metal Implants for Paprosky 3A and 3B Defects. <i>Journal of Arthroplasty</i> , 2007, 22, 151-155.	1.5	197
913	Functional Problems and Treatment Solutions After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 116-124.	1.5	43

#	ARTICLE	IF	CITATIONS
914	Transverse Subtrochanteric Shortening Osteotomy in Primary Total Hip Arthroplasty for Patients With Severe Hip Developmental Dysplasia. <i>Journal of Arthroplasty</i> , 2007, 22, 1031-1036.	1.5	99
915	Cement-Within-Cement Stem Exchange Using the Collarless Polished Double-Taper Stem. <i>Journal of Arthroplasty</i> , 2007, 22, 1000-1006.	1.5	59
916	Osteonecrosis in children and adolescents with cancer – An adverse effect of systemic therapy. <i>European Journal of Cancer</i> , 2007, 43, 683-689.	1.3	70
917	The incidence of osteopenia and osteoporosis in women with hip osteoarthritis scheduled for cementless total joint replacement. <i>Bone</i> , 2007, 40, 1041-1047.	1.4	130
918	Evidence of Validity for the Hip Outcome Score in Hip Arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2007, 23, 822-826.	1.3	280
919	Arthroscopic Bursectomy for Recalcitrant Trochanteric Bursitis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2007, 23, 827-832.	1.3	123
920	The operation of the century: total hip replacement. <i>Lancet, The</i> , 2007, 370, 1508-1519.	6.3	1,907
922	La artroplastia total de cadera porosa en pacientes mayores de 70 años. <i>Revista De Ortopedia Y Traumatologia</i> , 2007, 51, 198-204.	0.1	2
923	Effectiveness of hip or knee replacement surgery in terms of quality-adjusted life years and costs. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 108-115.	1.2	321
924	Knee injury rating scales. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 445-453.	1.2	89
929	Theoretical framework and methodological development of common subjective health outcome measures in osteoarthritis: a critical review. <i>Health and Quality of Life Outcomes</i> , 2007, 5, 14.	1.0	23
930	Editorial Comment: Why do MIS THR?. <i>Seminars in Arthroplasty</i> , 2007, 18, 222-225.	0.3	0
931	Treatment of Non-septic Femoral Head Necrosis with a Vascularized Iliac Crest Graft. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2007, 51, 136-143.	0.1	1
932	Total Hip Arthroplasty in Patients over 70 Years of Age. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2007, 51, 198-204.	0.1	0
933	Analysis of Clinical Data in Patients with Girdlestone Arthroplasty: A New Score. <i>HIP International</i> , 2007, 17, 170-175.	0.9	7
934	A Lateral Minimal-Incision Technique in Total Hip Replacement: A Prospective, Randomized, Controlled Trial. <i>HIP International</i> , 2007, 17, 4-8.	0.9	9
935	PROSPECTIVE STUDY OF THE TREATMENT OF INFECTED HIP ARTHROPLASTIES WITH OR WITHOUT THE USE OF AN ANTIBIOTIC-LOADED CEMENT SPACER. <i>Clinics</i> , 2007, 62, 99-108.	0.6	81
936	Avaliação da função e qualidade de vida em pacientes submetidos a artroplastia de ressecção tipo Girdlestone. <i>Acta Ortopedica Brasileira</i> , 2007, 15, 214-217.	0.2	12

#	ARTICLE	IF	CITATIONS
937	A Comparison of the Results of Total Hip and Knee Arthroplasty Performed on a Teaching Service or a Private Practice Service. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 601-607.	1.4	62
938	Effect of Changing Indications and Techniques on Total Hip Resurfacing. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 63-70.	0.7	108
939	The Impact of Resident Teaching on Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 196-201.	0.7	15
940	Does the Number or Quality of Pluripotent Bone Marrow Stem Cells Decrease with Age?. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 202-207.	0.7	43
941	Minimum 6-year Followup of Highly Cross-linked Polyethylene in THA. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 122-127.	0.7	79
942	An ABJS Best Paper.. <i>Clinical Orthopaedics and Related Research</i> , 2007, 463, 213-220.	0.7	21
943	Good Stability and Minimal Osteolysis with a Biconical Threaded Cup at 10 Years. <i>Clinical Orthopaedics and Related Research</i> , 2007, 463, 128-137.	0.7	24
944	Acetabular Outcome after Hip Hemiarthroplasty in Patients with Tumors. <i>Clinical Orthopaedics and Related Research</i> , 2007, 457, 183-187.	0.7	9
945	Clinical Outcome of a Fibermetal Taper Stem. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 106-111.	0.7	8
946	Resurfacing for Perthes Disease. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 80-85.	0.7	33
947	The Cemented Custom Femoral Stem - a 10 Year Review. <i>HIP International</i> , 2007, 17, 194-204.	0.9	4
948	Femoral Neck Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2007, 461, 203-212.	0.7	19
949	â€œConusâ€•Uncemented Stem in Developmental Hip Dysplasia. <i>HIP International</i> , 2007, 17, 134-137.	0.9	0
950	Differences in outcomes of obese women and men undergoing primary total hip arthroplasty. <i>Arthritis and Rheumatism</i> , 2007, 57, 327-334.	6.7	133
951	Long-term follow-up of metal-on-metal total hip replacement. <i>Journal of Orthopaedic Research</i> , 2007, 25, 841-848.	1.2	133
952	Preoperative gait adaptations persist one year after surgery in clinically well-functioning total hip replacement patients. <i>Journal of Biomechanics</i> , 2007, 40, 3432-3437.	0.9	153
953	A systematic review of empirical studies between 1966 and 2005 of patient outcomes of total hip arthroplasty and related factors. <i>Journal of Clinical Nursing</i> , 2008, 17, 40-45.	1.4	61
954	Reliability and validity of the Baecke physical activity questionnaire in adult women with hip disorders. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 61.	0.8	71

#	ARTICLE	IF	CITATIONS
955	Indications for free vascularized fibular grafting for the treatment of osteonecrosis of the femoral head. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 78.	0.8	49
956	Modification of the Harris Hip Score in acetabular fracture treatment. <i>Injury</i> , 2007, 38, 344-349.	0.7	28
957	One and two femoral neck screws with intramedullary nails for unstable trochanteric fractures of femur in the elderlyâ€”Randomised clinical trial. <i>Injury</i> , 2007, 38, 806-814.	0.7	41
958	Screw augmentation in displaced femoral neck fractures. <i>Injury</i> , 2007, 38, 797-805.	0.7	20
959	Physiotherapy management of osteoarthritis of the hip: a survey of current practice in acute hospitals and private practice in the Republic of Ireland. <i>Physiotherapy</i> , 2007, 93, 253-260.	0.2	30
960	Two-Incision Total Hip Arthroplasty: The Hackensack Experience. <i>Seminars in Arthroplasty</i> , 2007, 18, 251-256.	0.3	0
961	Effect of proximal femoral osteoporosis on cementless hip arthroplasty: A short-term clinical analysis. <i>Journal of Zhejiang University: Science B</i> , 2007, 8, 76-80.	1.3	7
962	Functional Outcome after Operative Treatment of Displaced Fractures of the Acetabulum: A 12-month to 5-year Follow-up Investigation. <i>European Journal of Trauma and Emergency Surgery</i> , 2007, 33, 520-527.	0.8	9
964	Total hip replacement in patients with severe bleeding disorders. <i>International Orthopaedics</i> , 2007, 31, 17-21.	0.9	43
965	Cavitary acetabular defects treated with morselized cancellous bone graft and cementless cups. <i>International Orthopaedics</i> , 2007, 31, 445-450.	0.9	21
966	Partially hydroxyapatite coated bipolar hemiarthroplasty: a prospective study of 107 patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2007, 17, 147-152.	0.6	1
967	Femoral head resurfacing in the treatment of osteonecrosis: 3 to 5-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2007, 17, 157-163.	0.6	1
968	Excellent results of a femoral press-fit stem cemented with a thin mantle: 116 hips followed for 11â€“18 years. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2007, 17, 279-284.	0.6	3
969	Results of a cemented straight titanium alloy femoral stem after mean follow-up of 13Â½years. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2007, 17, 587-593.	0.6	4
970	Two-stage operative strategy without local antibiotic treatment for infected hip arthroplasty: clinical and radiological outcome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2007, 127, 691-697.	1.3	36
971	Acetabular cortical and cancellous bone density and radiolucent lines after cemented total hip arthroplasty: a prospective study using computed tomography and plain radiography. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2007, 127, 909-917.	1.3	15
972	Anatomically designed prosthesis without cement for the treatment of osteoarthritis due to developmental dysplasia of the hip: 6- to 13-year follow-up study. <i>Journal of Orthopaedic Science</i> , 2007, 12, 127-133.	0.5	23
973	Treatment of severe late-onset Perthesâ€™ disease with soft tissue release and articulated hip distraction: Revisited at skeletal maturity. <i>Journal of Children's Orthopaedics</i> , 2007, 1, 229-235.	0.4	28

#	ARTICLE	IF	CITATIONS
974	Second generation of metal-on-metal cemented total hip replacements: 12 years of clinical and biological follow-up. <i>Interactive Surgery</i> , 2007, 2, 178-185.	0.2	6
975	Total joint replacement in HIV positive patients. <i>Journal of Infection</i> , 2008, 57, 41-46.	1.7	63
978	Changes of bone mineral density after cementless total hip arthroplasty with two different stems. <i>International Orthopaedics</i> , 2008, 32, 167-172.	0.9	19
979	Acetabular revisions using a cementless oblong cup: five to ten year results. <i>International Orthopaedics</i> , 2008, 32, 189-193.	0.9	36
980	Hip resurfacing: why does it fail? Early results and critical analysis of our first 60 cases. <i>International Orthopaedics</i> , 2008, 32, 209-216.	0.9	26
981	Peroperative fractures in uncemented total hip arthrography: results with a single design of stem implant. <i>International Orthopaedics</i> , 2008, 32, 307-313.	0.9	17
982	The four-year functional result after a displaced subcapital hip fracture treated with three different surgical options. <i>International Orthopaedics</i> , 2008, 32, 367-373.	0.9	84
983	Fifteen- to 20-year results of uncemented tapered fully porous-coated cobalt-chrome stems. <i>International Orthopaedics</i> , 2008, 32, 317-323.	0.9	32
984	Long-term results of cementless primary total hip arthroplasty with a threaded cup and a tapered, rectangular titanium stem in rheumatoid arthritis and osteoarthritis. <i>International Orthopaedics</i> , 2008, 32, 581-587.	0.9	36
985	Migration of the Duraloc cup after 5 years. <i>International Orthopaedics</i> , 2008, 32, 791-794.	0.9	13
986	Effect of a modified S-form hip brace, WISH type, for patients with painful osteoarthritis of the hip: a role in daily walking as a hip muscle exercise. <i>Rheumatology International</i> , 2008, 28, 419-428.	1.5	18
987	Total Hip Arthroplasty is Less Painful at 12 Months Compared with Hemiarthroplasty in Treatment of Displaced Femoral Neck Fracture. <i>HSS Journal</i> , 2008, 4, 48-54.	0.7	58
988	The treatment of stable and unstable proximal femoral fractures with a new trochanteric nail: results of a multicentre study with the Veronail. <i>Strategies in Trauma and Limb Reconstruction</i> , 2008, 3, 15-22.	0.2	20
989	Uncemented femoral revision arthroplasty using the modular revision prosthesis MRP-TITAN revision stem. <i>Interactive Surgery</i> , 2008, 3, 98-108.	0.2	0
990	Revision arthroplasty with impaction bone grafting and Charnley-Kerboull cemented stem. Surgical technique and results. <i>Interactive Surgery</i> , 2008, 3, 72-80.	0.2	0
991	Survivorship of Monoblock Trabecular Metal Cups in Primary THA. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 159-166.	0.7	57
992	Favorable Survival of Acetabular Reconstruction With Bone Impaction Grafting in Dysplastic Hips. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 359-365.	0.7	27
993	The Exeterâ„¢ Universal Hip in Patients 50 Years or Younger at 10-17 Years' Followup. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 324-331.	0.7	71

#	ARTICLE	IF	CITATIONS
994	Modified Posterior Approach to Total Hip Arthroplasty to Enhance Joint Stability. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 294-299.	0.7	61
995	Pelvic Support Osteotomy in the Treatment of Patients With Excision Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 708-713.	0.7	15
996	Does Ion Release Differ Between Hip Resurfacing and Metal-on-metal THA?. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 700-707.	0.7	54
997	No Detectable Major Changes in Gait Analysis After Soft Tissue Release in DDH. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 856-861.	0.7	7
998	Curved-stem Hip Resurfacing. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1177-1185.	0.7	19
999	Metal-on-Metal Hip Arthroplasty Does Equally Well in Osteonecrosis and Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1148-1153.	0.7	31
1000	Acetabular Cage Survival and Analysis of Factors Related to Failure. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1657-1665.	0.7	56
1001	Do Modern Techniques Improve Core Decompression Outcomes for Hip Osteonecrosis?. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1093-1103.	0.7	162
1002	Modified Transtrochanteric Rotational Osteotomy for Femoral Head Osteonecrosis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1110-1116.	0.7	17
1003	Small Stem Total Hip Arthroplasty in Hypoplasia of the Femur. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1429-1437.	0.7	8
1004	Untreated Asymptomatic Hips in Patients With Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1087-1092.	0.7	93
1005	Transtrochanteric Posterior Rotational Osteotomy for Osteonecrosis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1104-1109.	0.7	64
1006	THA Using an Anatomic Stem in Patients With Femoral Head Osteonecrosis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1141-1147.	0.7	13
1007	Long-term Followup of Vascularized Fibular Grafting for Femoral Head Necrosis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1133-1140.	0.7	98
1008	Nonvascularized Bone Grafting Defers Joint Arthroplasty in Hip Osteonecrosis. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 1125-1132.	0.7	102
1009	Statistics in Brief: The Importance of Sample Size in the Planning and Interpretation of Medical Research. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 2282-2288.	0.7	263
1010	Short-term Recovery of Balance Control after Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2008, 466, 3051-3058.	0.7	23
1011	Two-stage hip revision arthroplasty: the role of the excision arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2008, 18, 223-228.	0.6	3

#	ARTICLE	IF	CITATIONS
1012	Revision total hip arthroplasty using the Zweymuller femoral stem. Journal of Orthopaedics and Traumatology, 2008, 9, 57-62.	1.0	6
1013	Femoral revision using long hydroxyapatite-coated interlocking stem. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 355-362.	1.3	11
1014	Good survival of uncemented tapered stems for failed intertrochanteric osteotomy: a mean 16-year follow-up study in 45 patients. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 1081-1085.	1.3	16
1015	What is the evidence for viscosupplementation in the treatment of patients with hip osteoarthritis? Systematic review of the literature. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 815-823.	1.3	68
1016	Comparison of periprosthetic bone remodelling after implantation of anatomic and straight stem prostheses in total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 383-392.	1.3	30
1017	Treatment of osteonecrosis of the hip: comparison of extracorporeal shockwave with shockwave and alendronate. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 901-908.	1.3	78
1018	Primary total hip arthroplasty with a flattened press-fit acetabular component in osteoarthritis and inflammatory arthritis: a prospective study on 416 hips with 6-10 years follow-up. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 1379-1386.	1.3	15
1019	Failure of dual radius hydroxyapatite-coated acetabular cups. Journal of Orthopaedic Surgery and Research, 2008, 3, 35.	0.9	8
1020	Osteonecrosis in children and adolescents with cancer. Pediatric Blood and Cancer, 2008, 50, 483-485.	0.8	36
1021	The relationship between femoral periprosthetic cortical bone geometry and porosity after total hip arthroplasty. Journal of Biomedical Materials Research - Part A, 2008, 87A, 107-115.	2.1	10
1022	Wear particle analysis of highly crosslinked polyethylene isolated from a failed total hip arthroplasty. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2008, 86B, 501-505.	1.6	26
1023	Outcomes of obese and nonobese patients undergoing revision total hip arthroplasty. Arthritis and Rheumatism, 2008, 59, 738-745.	6.7	86
1025	Large head metal-on-metal cementless total hip arthroplasty versus 28mm metal-on-polyethylene cementless total hip arthroplasty: design of a randomized controlled trial. BMC Musculoskeletal Disorders, 2008, 9, 136.	0.8	11
1026	Maintenance of bone mineral density after implantation of a femoral neck hip prosthesis. BMC Musculoskeletal Disorders, 2008, 9, 17.	0.8	28
1027	Effect of Anesthesia Type on Limb Length Discrepancy After Total Hip Arthroplasty. Journal of Arthroplasty, 2008, 23, 203-209.	1.5	47
1028	The Effect of Preoperative Planning and Impaction Grafting Surgical Technique on Intraoperative and Postoperative Complication Rate for Femoral Revision Patients with Moderate to Severe Bone Loss. Journal of Arthroplasty, 2008, 23, 383-394.	1.5	17
1029	Diaphyseal Locking Hip Arthroplasty for Treatment of Failed Fixation of Intertrochanteric Hip Fractures. Journal of Arthroplasty, 2008, 23, 241-246.	1.5	18
1030	The Effect of Stem Alignment on Results of Total Hip Arthroplasty with a Cementless Tapered-Wedge Femoral Component. Journal of Arthroplasty, 2008, 23, 418-423.	1.5	84



#	ARTICLE	IF	CITATIONS
1031	Total Hip Arthroplasty Using the S-ROM Modular Stem After Joint-Preserving Procedures for Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2008, 23, 495-501.	1.5	26
1032	Total Hip Arthroplasty with the Secur-Fit and Secur-Fit Plus Femoral Stem Design. <i>Journal of Arthroplasty</i> , 2008, 23, 670-676.	1.5	19
1033	Analysis and Results of Dissociation of the Polyethylene Liner in the Harris-Galante I Acetabular Component. <i>Journal of Arthroplasty</i> , 2008, 23, 522-526.	1.5	28
1034	Two-Stage Reconstruction of Infected Hip Joints. <i>Journal of Arthroplasty</i> , 2008, 23, 656-661.	1.5	55
1035	Long-Term Results of Anti-Protrusio Cage and Massive Allografts for the Management of Periprosthetic Acetabular Bone Loss. <i>Journal of Arthroplasty</i> , 2008, 23, 826-832.	1.5	57
1036	Primary Cementless Total Hip Arthroplasty for Bony Ankylosis in Patients with Ankylosing Spondylitis. <i>Journal of Arthroplasty</i> , 2008, 23, 859-866.	1.5	91
1037	Second-Generation Cementless Total Hip Arthroplasty in Patients With Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2008, 23, 902-910.	1.5	27
1038	Posterior Approach With Posterior Soft Tissue Repair in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 1197-1203.	1.5	20
1039	Results of Surgical Repair of Abductor Avulsion After Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 694-698.	1.5	69
1040	Clinical Results of Conversion Total Hip Arthroplasty After Failed Bipolar Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 1009-1015.	1.5	39
1041	Primary Total Hip Arthroplasty Using a Dual-Geometry Cup to Treat Protrusio Acetabuli. <i>Journal of Arthroplasty</i> , 2008, 23, 1128-1131.	1.5	11
1042	Metal-on-Metal Hip Resurfacing. <i>Journal of Arthroplasty</i> , 2008, 23, 1099-1104.	1.5	15
1043	Fluoroscopy Cannot Recognize Intraoperative Fracture in Patients Receiving 2-Incision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 1031-1036.	1.5	3
1044	Results of a Hydroxyapatite-Coated Modular Femoral Stem in Primary Total Hip Arthroplasty. A Minimum 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2008, 23, 1132-1139.	1.5	13
1045	Eleven Years of Experience With Metal-on-Metal Hybrid Hip Resurfacing. <i>Journal of Arthroplasty</i> , 2008, 23, 36-43.	1.5	121
1046	Prospective Randomized Clinical Trial Comparing Hemiarthroplasty to Total Hip Arthroplasty in the Treatment of Displaced Femoral Neck Fractures. <i>Journal of Arthroplasty</i> , 2008, 23, 2-8.	1.5	163
1047	Causes of Early Failure in a Multicenter Clinical Trial of Hip Resurfacing. <i>Journal of Arthroplasty</i> , 2008, 23, 44-49.	1.5	54
1048	Less invasive stabilisation system (LISS) for the treatment of periprosthetic femoral fractures: A 3-year follow-up. <i>Injury</i> , 2008, 39, 472-479.	0.7	50

#	ARTICLE	IF	CITATIONS
1049	Acetabular fracture displacement, roof arc angles and 2 years outcome. Injury, 2008, 39, 922-931.	0.7	19
1050	Outcome after femoral neck fractures: A comparison of Harris Hip Score, Eq-5d and Barthel Index. Injury, 2008, 39, 1147-1156.	0.7	81
1051	Sexual function before and after primary total hip arthroplasty. Joint Bone Spine, 2008, 75, 189-194.	0.8	66
1052	Cemented Femoral Fixation: Thin Mantles, The French Paradox. Seminars in Arthroplasty, 2008, 19, 144-147.	0.3	4
1053	Cost Effectiveness of Minimally Invasive Total Hip Arthroplasty. Seminars in Arthroplasty, 2008, 19, 186-193.	0.3	4
1054	A pain assessment scale for population-based studies: Development and validation of the Pain Module of the Standard Evaluation Questionnaire. Pain, 2008, 136, 62-74.	2.0	28
1055	Gene Therapy and Cement Injection for Restabilization of Loosened Hip Prostheses. Human Gene Therapy, 2008, 19, 83-96.	1.4	25
1056	HIP DISLOCATION IN CEREBRAL PALSY: SELECTION FOR TREATMENT. Developmental Medicine and Child Neurology, 1983, 25, 738-746.	1.1	27
1057	Do gait adaptations during stair climbing result in changes in implant forces in subjects with total hip replacements compared to normal subjects?. Clinical Biomechanics, 2008, 23, 754-761.	0.5	37
1058	Evidence of Reliability and Responsiveness for the Hip Outcome Score. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2008, 24, 676-682.	1.3	246
1059	Slotted Acetabular Augmentation in the Treatment of Painful Residual Dysplastic Hips in Adolescents and Young Adults. Journal of the Formosan Medical Association, 2008, 107, 720-727.	0.8	8
1062	Results of the Evora dual-mobility socket after a minimum follow-up of five years. Revue De Chirurgie Orthopedique Et Reparatrice De L'appareil Moteur, 2008, 94, e17-e22.	0.2	32
1063	Reductions in blood loss with a bipolar sealer in total hip arthroplasty. Expert Review of Medical Devices, 2008, 5, 125-131.	1.4	45
1064	Results of Arthroscopic Iliopsoas Tendon Release in Competitive and Recreational Athletes. American Journal of Sports Medicine, 2008, 36, 2363-2371.	1.9	121
1065	Birmingham hip resurfacing arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1137-1142.	3.4	108
1066	The five-year results of the Birmingham Hip Resurfacing arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 436-441.	3.4	174
1067	The results of a proximally-coated cementless femoral component in total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 299-305.	3.4	51
1068	Effect of pre-operative physiotherapy in patients with end-stage osteoarthritis undergoing hip arthroplasty. Clinical Rehabilitation, 2008, 22, 977-986.	1.0	71

#	ARTICLE	IF	CITATIONS
1069	Obesity in total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 424-429.	3.4	158
1070	The relationship between osteonecrosis of the proximal femur identified by MRI and lesions proven by histological examination. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 154-158.	3.4	10
1071	MOBILE and the provision of total joint replacement. <i>Journal of Health Services Research and Policy</i> , 2008, 13, 47-56.	0.8	13
1072	Delayed, transient sciatic nerve palsy after primary cementless hip arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 674-676.	3.4	14
1073	Evaluation of Bernese periacetabular osteotomy. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 1-43.	1.2	13
1074	Excellent long-term survival of an uncemented press-fit stem and screw cup in young patients: Follow-up of 75 hips for 15-18 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 194-202.	1.2	60
1075	Metal-on-Metal Total Hip Resurfacing Arthroplasty in the Presence of Extra-Articular Deformities or Implants. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 45-51.	1.4	22
1076	Acetabular bone reconstruction in revision arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1164-1171.	3.4	49
1077	Treatment of Early Stage Osteonecrosis of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 175-187.	1.4	115
1078	Collarless polished tapered stem. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 16-22.	3.4	48
1079	Outcome measures for orthopaedic interventions on the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 545-549.	3.4	49
1080	The anatomically difficult primary total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 430-435.	3.4	35
1081	A clinical and radiographic 13-year follow-up study of 138 Charnley hip arthroplasties in patients 50-70 years old: Comparison of university hospital data and registry data. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 609-617.	1.2	26
1082	Elevated intraosseous pressure in the intertrochanteric region is associated with poorer results in osteonecrosis of the femoral head treated by multiple drilling. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 852-857.	3.4	32
1083	The medium-term results of the cemented Exeter femoral component in patients under 40 years of age. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1417-1421.	3.4	15
1084	A total hip replacement infected with mycobacterium bovis after intravesicular treatment with Bacille-Calmette-Guérin for bladder cancer. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 225-227.	3.4	12
1085	Understanding pain in osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 280-287.	3.4	48
1086	The Harris-Galante porous-coated, hemispherical, polyethylene-lined acetabular component in patients under 50 years of age. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1422-1427.	3.4	35

#	ARTICLE	IF	CITATIONS
1087	Revision of metal-on-metal resurfacing arthroplasty of the hip. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1158-1163.	3.4	202
1088	Femoral impaction bone allografting with an Exeter cemented collarless, polished, tapered stem in revision hip replacement. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1000-1004.	3.4	56
1089	Dislocation Rate After Conversion from Hip Hemiarthroplasty to Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2008, 90, 506-516.	1.4	54
1090	Total Hip Arthroplasty with an Uncemented Tapered Femoral Component. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1290-1296.	1.4	108
1091	Improved Survivorship of Hybrid Metal-on-Metal Hip Resurfacing with Second-Generation Techniques for Crowe-I and II Developmental Dysplasia of the Hip. Journal of Bone and Joint Surgery - Series A, 2008, 90, 12-20.	1.4	30
1092	Proximal Femoral Fracture After Hip Resurfacing Managed with Blade-Plate Fixation. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1345-1347.	1.4	23
1093	Anatomic Diameter Femoral Heads in Total Hip Arthroplasty: A Preliminary Report. Journal of Bone and Joint Surgery - Series A, 2008, 90, 52-56.	1.4	139
1094	Results and Lessons Learned from a United States Hip Resurfacing Investigational Device Exemption Trial. Journal of Bone and Joint Surgery - Series A, 2008, 90, 21-26.	1.4	42
1095	Cementless Total Hip Arthroplasty with Alumina Bearings in Patients Younger Than Fifty with Femoral Head Osteonecrosis. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1314-1320.	1.4	96
1096	Isolated Fracture of the Ceramic Head After Third-Generation Alumina-on-Alumina Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2008, 90, 329-336.	1.4	131
1097	Total Hip Resurfacing in Patients Who Are Sixty Years of Age or Older. Journal of Bone and Joint Surgery - Series A, 2008, 90, 27-31.	1.4	29
1098	Characterization of the Running-in Period in Total Hip Resurfacing Arthroplasty: An in Vivo and in Vitro Metal Ion Analysis. Journal of Bone and Joint Surgery - Series A, 2008, 90, 125-133.	1.4	93
1099	Patient Compliance with Clinical Follow-up After Total Joint Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1848-1854.	1.4	38
1100	The results of the titanium-coated RM acetabular component at 20 years. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1284-1290.	3.4	58
1101	Femoral Shortening After Surgical Treatment of Trochanteric Fractures in Nongeriatric Patients. Journal of Trauma, 2008, 64, 982-989.	2.3	39
1102	Developing and Implementing an Orthopaedic Outcomes Program. Orthopaedic Nursing, 2008, 27, 94-100.	0.2	3
1103	Harris-Galante II Acetabular Cup: A Survival Analysis. Journal of Orthopaedic Surgery, 2008, 16, 201-205.	0.4	9
1104	Composite femoral stem for total hip arthroplasty. Current Orthopaedic Practice, 2008, 19, 110-113.	0.1	3

#	ARTICLE	IF	CITATIONS
1105	Long-Term Results of Proximal Femoral Osteotomy in Legg-Calvé-Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 2008, 28, 819-824.	0.6	48
1106	Composite femoral stem for total hip arthroplasty. <i>Current Opinion in Orthopaedics</i> , 2008, 19, 6-10.	0.3	3
1107	Results of hip resurfacing for developmental dysplasia of the hip of Crowe type I and II. <i>Chinese Medical Journal</i> , 2008, 121, 1379-1383.	0.9	8
1108	Ten-year results of a bone-preserving low-modulus composite total hip replacement stem. <i>HIP International</i> , 2008, 18, 81-87.	0.9	7
1109	Varus Proximal Femoral Osteotomy for hip Dysplasia in Adults. <i>HIP International</i> , 2008, 18, 200-206.	0.9	14
1110	Contemporary Alumina-on-Alumina THA in Patients with Sequelae of the Hip Joint Infection. <i>The Journal of the Korean Orthopaedic Association</i> , 2008, 43, 308.	0.0	0
1111	Bipolar Hemiarthroplasty for the Femoral Neck Fractures in Elderly Patients. <i>Journal of the Korean Fracture Society</i> , 2008, 21, 8.	0.1	0
1112	The Thrust Plate Prosthesis in the Treatment of Osteoarthritis of the Hip. Clinical and Radiological Outcome with Minimum 5-year follow-up. <i>HIP International</i> , 2008, 18, 88-94.	0.9	12
1113	Metal Ion Levels in the Blood of Patients After Hip Resurfacing: A Comparison Between Twenty-eight and Thirty-six-Millimeter-Head Metal-on-Metal Prostheses. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 142-148.	1.4	129
1114	Primary Total Hip Arthroplasty in Systemic Lupus Erythematosus. <i>The Journal of the Korean Rheumatism Association</i> , 2008, 15, 237.	0.1	0
1115	Total Hip Arthroplasty in a Patient Affected by Post-Traumatic Acetabular Non-Union: Case Report and Review of the Literature. <i>HIP International</i> , 2008, 18, 324-328.	0.9	4
1116	Cowden syndrome. Managing multiple skeletal metastases of different origin: a case report. <i>Cases Journal</i> , 2008, 1, 265.	0.4	0
1117	Uncemented stems in hip replacement - hydroxyapatite or plain porous: Does it matter? Based on a prospective study of HA Omnifit stems at 15-years minimum follow-up. <i>HIP International</i> , 2008, 18, 69-74.	0.9	51
1118	Metal-on-Metal Hip Resurfacing with an Uncemented Femoral Component. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 32-37.	1.4	41
1119	Survival of Polished Compared with Precoated Roughened Cemented Femoral Components. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 1457-1463.	1.4	17
1120	Midterm Results of Cementless Total Hip Replacement in Rapidly Destructive Arthropathy and a Review of the Literature. <i>HIP International</i> , 2009, 19, 352-358.	0.9	16
1121	Medium-term Analysis of Modern Ceramic-On-Ceramic Bearing in THA. <i>HIP International</i> , 2009, 19, 36-40.	0.9	20
1122	Second-look Hip Arthroscopy after Arthroscopic Labrectomy of the Hip - Preliminary Report -. <i>The Journal of the Korean Orthopaedic Association</i> , 2009, 44, 480.	0.0	4

#	ARTICLE	IF	CITATIONS
1123	Large Diameter Metal-On-Metal Total Hip Arthroplasty for Crowe IV Developmental Dysplasia of the Hip. HIP International, 2009, 19, 309-314.	0.9	6
1124	The DePuy Proxima <sup>®</sup> Hip: A Short Stem for Total Hip Arthroplasty. Early Experience and Technical Considerations. HIP International, 2009, 19, 215-220.	0.9	69
1125	Minimally Invasive Management of Unstable Proximal Femoral Extracapsular Fractures using Reverse LISS Femoral Locking Plates. HIP International, 2009, 19, 141-147.	0.9	16
1126	Primary Total Hip Arthroplasty with a Porous-Coated Acetabular Component. Journal of Bone and Joint Surgery - Series A, 2009, 91, 1130-1135.	1.4	99
1127	Mid-term Results of Hydroxyapatite-Coated Threaded Cup Implanted without Supplementary Supporting Screws. HIP International, 2009, 19, 102-108.	0.9	3
1128	Assessment of Acetabular Retroversion following Long Term Review of Salter's Osteotomy. HIP International, 2009, 19, 8-12.	0.9	23
1129	Early Results and Patient Satisfaction after Total Hip Arthroplasty using a Minimally Invasive Anterolateral Approach. HIP International, 2009, 19, 367-371.	0.9	9
1130	Enhanced Early Outcomes with the Anterior Supine Intermuscular Approach in Primary Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2009, 91, 107-120.	1.4	167
1131	Use of medications and risk of revision after primary total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 1-36.	1.2	3
1132	Local Cancellous Bone Grafting for Osteonecrosis of the Femoral Head. Surgical Innovation, 2009, 16, 63-67.	0.4	23
1133	Total hip replacement in active advanced tuberculous arthritis. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 1301-1304.	3.4	36
1134	Blood metal ion concentrations after hip resurfacing arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 1287-1295.	3.4	207
1135	Extracorporeal irradiation for pelvic reconstruction in Ewing's sarcoma. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 395-400.	3.4	35
1136	Acetabular revision with impacted morsellised cancellous bone grafting and a cemented acetabular component. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 1148-1153.	3.4	100
1137	Revision of the cemented femoral stem using a cement-in-cement technique. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 577-582.	3.4	96
1138	On the diagnosis and treatment of femoral neck fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 1-26.	1.2	1
1139	The Exeter Universal cemented femoral component at 15 to 17 years. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 730-737.	3.4	81
1140	Extracorporeal shockwave for hip necrosis in systemic lupus erythematosus. Lupus, 2009, 18, 1082-1086.	0.8	27

#	ARTICLE	IF	CITATIONS
1141	Three-dimensional mechanical evaluation of joint contact pressure in 12 periacetabular osteotomy patients with 10-year follow-up. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 155-161.	1.2	73
1142	Early clinical failure of the Birmingham metal-on-metal hip resurfacing is associated with metallosis and soft-tissue necrosis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1025-1030.	3.4	158
1143	Uncemented Grit-Blasted Straight Tapered Titanium Stems in Patients Younger than Fifty-five Years of Age. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 1432-1439.	1.4	74
1144	The effect of obesity on the mid-term survival and clinical outcome of cementless total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1296-1300.	3.4	70
1145	Painful hemiarthroplasty due to acetabular erosion. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 530-532.	3.4	11
1146	Persisting muscle atrophy two years after replacement of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 583-588.	3.4	115
1147	Joint replacement in Malawi. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 341-343.	3.4	46
1148	Vascularized Iliac Bone-Grafting for Osteonecrosis with Segmental Collapse of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 2390-2394.	1.4	60
1149	The use of the cemented Exeter Universal femoral stem in a District General Hospital. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 170-175.	3.4	28
1150	Total femoral endoprosthetic replacement following excision of bone tumours. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1513-1520.	3.4	53
1151	The long-term outcome of the cemented Weber acetabular component in total hip replacement using a second-generation cementing technique. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 31-36.	3.4	6
1152	Two-stage revision of infected hip arthroplasty using an antibiotic-loaded spacer: retrospective comparison between short-term and prolonged antibiotic therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 392-397.	1.3	101
1153	Factors determining quality of life and level of sporting activity after internal fixation of an isolated acetabular fracture. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1354-1359.	3.4	29
1154	Fixation and loosening of the cemented Müller straight stem. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1158-1163.	3.4	29
1155	Ten-year follow-up of the non-porous Allofit cementless acetabular component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1443-1447.	3.4	23
1156	Is one-stage bilateral sequential total hip replacement as safe as unilateral total hip replacement?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 316-320.	3.4	67
1157	The Long Oblique Revision component in revision arthroplasty of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 24-30.	3.4	12
1158	The management of severe acetabular bone defects in revision hip arthroplasty using modular porous metal components. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1555-1560.	3.4	55

#	ARTICLE	IF	CITATIONS
1159	Intracapsular fracture of the proximal femur after hip resurfacing treated by cannulated screws. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 1100-1102.	3.4	11
1160	The effect of waiting time on health and quality of life outcomes and costs of medication in hip replacement patients: a randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1144-1150.	0.6	11
1161	Satisfaction with care after total hip or knee replacement predicts self-perceived health status after surgery. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 150.	0.8	38
1162	Articular cartilage mineralization in osteoarthritis of the hip. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 166.	0.8	65
1163	Clinical result of structural augmentation with cannulated bone screws for the treatment of osteonecrosis of the femoral head. <i>Orthopaedic Surgery</i> , 2009, 1, 42-46.	0.7	6
1164	Treatment of aseptic nonunion after intramedullary nailing fixation with locking plate. <i>Orthopaedic Surgery</i> , 2009, 1, 258-263.	0.7	2
1165	Modular Cementless Total Hip Arthroplasty for Multiple Epiphyseal Dysplasia. <i>Journal of Arthroplasty</i> , 2009, 24, 77-82.	1.5	21
1166	Minimum Ten-Year Results of a Porous Acetabular Component for Crowe I to III Hip Dysplasia Using an Elevated Hip Center. <i>Journal of Arthroplasty</i> , 2009, 24, 187-194.	1.5	85
1167	Claw Plate Fixation of the Greater Trochanter in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 272-280.	1.5	26
1168	Acetabular Revision With Bone Graft and Cementless Cup. <i>Journal of Arthroplasty</i> , 2009, 24, 432-443.	1.5	9
1169	Patient-Reported Outcomes After Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 210-216.	1.5	148
1170	Conservative Femoral Stem Revision. <i>Journal of Arthroplasty</i> , 2009, 24, 365-373.	1.5	26
1171	Primary Total Hip Arthroplasty in Severe Developmental Dysplasia of the Hip. Ten-Year Results Using a Cementless Modular Stem. <i>Journal of Arthroplasty</i> , 2009, 24, 27-32.	1.5	100
1172	Computed Tomography-Based Custom-Made Stem for Dysplastic Hips in Japanese Patients. <i>Journal of Arthroplasty</i> , 2009, 24, 65-70.	1.5	17
1173	A Randomized Trial of Hydroxyapatite-Coated Femoral Stems in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 33-37.	1.5	33
1174	A Double-Blind, Prospective, Randomized Controlled Trial Comparing Highly Cross-Linked and Conventional Polyethylene in Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 505-510.	1.5	66
1175	Comparison of Clinical Outcome in Primary Total Hip Arthroplasty by Conventional Anterolateral Transgluteal or 2-Incision Approach. <i>Journal of Arthroplasty</i> , 2009, 24, 528-532.	1.5	29
1176	Total Hip Arthroplasty for Posttraumatic Arthritis after Acetabular Fracture. <i>Journal of Arthroplasty</i> , 2009, 24, 759-767.	1.5	129



#	ARTICLE	IF	CITATIONS
1177	Total Hip Arthroplasty with a Collarless, Tapered, Fiber Metal Proximally Coated Femoral Stem. Journal of Arthroplasty, 2009, 24, 579-585.	1.5	18
1178	Variability in Hip Range of Motion on Clinical Examination. Journal of Arthroplasty, 2009, 24, 693-697.	1.5	22
1179	Intermediate Results of Simultaneous Alumina-on-Alumina Bearing and Alumina-on-Highly Cross-Linked Polyethylene Bearing Total Hip Arthroplasties. Journal of Arthroplasty, 2009, 24, 885-891.	1.5	35
1180	Eight- to Ten-Year Clinical and Radiographic Outcome of a Porous Tantalum Monoblock Acetabular Component. Journal of Arthroplasty, 2009, 24, 705-709.	1.5	57
1181	Superelastic Cage Implantation. Journal of Arthroplasty, 2009, 24, 1006-1014.	1.5	16
1182	Birmingham Hip Arthroplasty. Journal of Arthroplasty, 2009, 24, 1044-1050.	1.5	73
1183	Elevated Serum Concentrations of Cobalt, Chromium, Nickel, and Manganese After Metal-On-Metal Alloarthroplasty of the Hip: A Prospective Randomized Study. Journal of Arthroplasty, 2009, 24, 837-845.	1.5	45
1184	Cemented Hip Revision Surgery in Severe Acetabular Defects Using a Semirigid Acetabular Reinforcement Ring—a 5- to 25-Year Follow-Up Study. Journal of Arthroplasty, 2009, 24, 246-255.	1.5	7
1185	Primary Total Hip Arthroplasty With Duraloc Cup in Patients Younger Than 50 Years. Journal of Arthroplasty, 2009, 24, 1184-1187.	1.5	9
1186	Revision of the Acetabulum With a Contemporary Cementless Component. Journal of Arthroplasty, 2009, 24, 58-63.	1.5	8
1187	Short-Term Results of the S-ROM-A Femoral Prosthesis. Journal of Arthroplasty, 2009, 24, 1193-1199.	1.5	32
1188	Clinical Experience of Ganz Surgical Dislocation Approach for Metal-on-Metal Hip Resurfacing. Journal of Arthroplasty, 2009, 24, 127-131.	1.5	25
1189	Total Hip Arthroplasty After Previous Transtrochanteric Anterior Rotational Osteotomy for Femoral Head Osteonecrosis. Journal of Arthroplasty, 2009, 24, 1205-1209.	1.5	25
1190	First Series of Exeter Small Stem Primary Total Hip Arthroplasty Minimum 5 Years of Follow-Up. Journal of Arthroplasty, 2009, 24, 1200-1204.	1.5	17
1191	Hip Resurfacing Arthroplasty for Ankylosing Spondylitis. Journal of Arthroplasty, 2009, 24, 1285-1291.	1.5	28
1192	A double-blind, prospective, randomised, controlled clinical trial of minimally invasive dynamic hip screw fixation of intertrochanteric fractures. Injury, 2009, 40, 422-427.	0.7	32
1193	Modes of periacetabular load transfer to cortical and cancellous bone after cemented versus uncemented total hip arthroplasty: A prospective study using computed tomography-assisted osteodensitometry. Journal of Orthopaedic Research, 2009, 27, 176-182.	1.2	32
1194	Influence of preoperative patient education on the risk of dislocation after primary total hip arthroplasty. Arthritis and Rheumatism, 2009, 61, 552-558.	6.7	53

#	ARTICLE	IF	CITATIONS
1195	Learning curve in tissue sparing total hip replacement: comparison between different approaches. Journal of Orthopaedics and Traumatology, 2009, 10, 47-54.	1.0	94
1196	Modified two-incision minimally invasive total hip replacement for ankylosed hips. Journal of Orthopaedic Science, 2009, 14, 107-113.	0.5	1
1197	New two-incision minimally invasive total hip arthroplasty: comparison with the one-incision method. Journal of Orthopaedic Science, 2009, 14, 155-160.	0.5	17
1198	Biomechanical analysis of gait in patients with painful osteoarthritis of the hip treated with WISH-type hip brace. Journal of Orthopaedic Science, 2009, 14, 423-430.	0.5	10
1199	Bilateral simultaneous two-incision minimally invasive total hip arthroplasty. Journal of Orthopaedic Science, 2009, 14, 517-524.	0.5	11
1200	Hip osteonecrosis in Cushing's disease treated with bone-preserving procedures. Journal of Orthopaedic Science, 2009, 14, 662-665.	0.5	5
1201	The use of structural periacetabular allografts in acetabular revision surgery: 2.5-5 years follow-up. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 455-461.	1.3	17
1202	Is there a need of custom-made prostheses for total hip arthroplasty? Gait analysis, clinical and radiographic analysis of customized femoral components. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 267-274.	1.3	16
1203	Arthroplasty using a custom-made cemented total hip prosthesis for an extensive giant cell tumor of the proximal femur: report of a patient followed up for over 30 years. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 1171-1175.	1.3	3
1204	Porous-coated femoral components with or without hydroxyapatite in primary uncemented total hip arthroplasty: a systematic review of randomized controlled trials. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 1165-1169.	1.3	45
1205	In vivo wear reduction of argon compared to air sterilized UHMW-polyethylene liners. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 879-885.	1.3	5
1206	Predictive factors influencing fast track rehabilitation following primary total hip and knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 1585-1591.	1.3	79
1207	Minimally invasive total hip arthroplasty: a randomized controlled prospective trial. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 1633-1639.	1.3	32
1208	Which is the Best Activity Rating Scale for Patients Undergoing Total Joint Arthroplasty?. Clinical Orthopaedics and Related Research, 2009, 467, 958-965.	0.7	260
1209	One-stage Hip Arthroplasty and Bone Grafting for Bilateral Femoral Head Osteonecrosis. Clinical Orthopaedics and Related Research, 2009, 467, 1522-1528.	0.7	11
1210	Resurfacing is Comparable to Total Hip Arthroplasty at Short-term Followup. Clinical Orthopaedics and Related Research, 2009, 467, 66-71.	0.7	86
1211	Surface Replacement is Comparable to Primary Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2009, 467, 94-100.	0.7	37
1212	Midterm to Long-term Followup of Staged Reimplantation for Infected Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2009, 467, 219-224.	0.7	104

#	ARTICLE	IF	CITATIONS
1213	Femoral Osteolysis Around the Unrevised Stem During Isolated Acetabular Revision. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1501-1506.	0.7	14
1214	Hip Resurfacing Arthroplasty: Risk Factors for Failure Over 25 Years. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 992-999.	0.7	24
1215	Survivorship of 2000 Tapered Titanium Porous Plasma-sprayed Femoral Components. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 146-154.	0.7	104
1216	Cementing the Metaphyseal Stem in Metal-on-Metal Resurfacing: When and Why. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 79-83.	0.7	35
1217	Robert Merle d'Aubign�, 1900��1989. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2-6.	0.7	13
1218	The Influence of a Suction Device on Fixation of a Cemented Cup using RSA. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 792-798.	0.7	11
1219	Two-stage Cementless Revision of Infected Hip Endoprostheses. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1848-1858.	0.7	89
1220	Cross-linked Compared with Historical Polyethylene in THA: An 8-year Clinical Study. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 979-984.	0.7	79
1221	Outcomes after THA in Patients with High Hip Dislocation after Childhood Sepsis. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2371-2378.	0.7	30
1222	Cemented versus Uncemented Hemiarthroplasty for Displaced Femoral Neck Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2426-2435.	0.7	198
1223	Clinical Presentation of Patients with Symptomatic Anterior Hip Impingement. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 638-644.	0.7	388
1224	Capital Realignment for Moderate and Severe SCFE Using a Modified Dunn Procedure. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 704-716.	0.7	245
1225	Modified Pauwels�� Intertrochanteric Osteotomy in Neglected Femoral Neck Fracture. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1064-1073.	0.7	35
1226	Transtrochanteric Rotational Osteotomy for Nontraumatic Osteonecrosis of the Femoral Head in Young Adults. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1529-1537.	0.7	26
1227	Early Discharge and Recovery with Three Minimally Invasive Total Hip Arthroplasty Approaches: A Preliminary Study. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1431-1437.	0.7	36
1228	Perioperative Dexamethasone Does Not Affect Functional Outcome in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1463-1467.	0.7	58
1229	Newer Anesthesia and Rehabilitation Protocols Enable Outpatient Hip Replacement in Selected Patients. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1424-1430.	0.7	234
1230	High Medium-term Survival of Zweym��ller SLR-Plus�� Stem Used in Femoral Revision. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2032-2040.	0.7	24

#	ARTICLE	IF	CITATIONS
1231	Gait and Stair Function in Total and Resurfacing Hip Arthroplasty: A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1476-1484.	0.7	55
1232	Oral Antibiotics are Effective for Highly Resistant Hip Arthroplasty Infections. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2335-2342.	0.7	31
1233	The Relationship Between Skeletal Muscle Serum Markers and Primary THA: A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1747-1752.	0.7	30
1234	Second-generation Extensively Porous-coated THA Stems at Minimum 10-year Followup. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2290-2296.	0.7	44
1235	Cemented Polyethylene Cups in Patients Younger Than 40 Years. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1753-1764.	0.7	19
1236	Similar Survival of Eccentric Rotational Acetabular Osteotomy in Patients Younger and Older Than 50 Years. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2630-2637.	0.7	17
1237	Survival of the Cementless Spotorno® Stem in the Second Decade. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2297-2304.	0.7	92
1238	Long-term Experience with Chiari's Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2215-2220.	0.7	35
1239	50 Years Ago in CORR: End-result Study of Vitallium Cup Arthroplasties of the Hip Harry E. Emmel MD, John F. LeCocq MD, Edward A. LeCocq MD, Darrell G. Leavitt MD, Harry L. Leavitt MD, Kirk J. Anderson MD, Henry H. Nash MD, J. Garth Mooney MD <i>CORR</i> 1958;11:41-50. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2479-2481.	0.7	0
1240	Femoral Head Size and Wear of Highly Cross-linked Polyethylene at 5 to 8 Years. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 3290-3296.	0.7	147
1241	The results of downgrading moderate and severe slipped capital femoral epiphysis by an early Imhauser femur osteotomy. <i>Journal of Children's Orthopaedics</i> , 2009, 3, 405-410.	0.4	36
1242	Total hip arthroplasty revision in elderly people with cement and Burchâ€“Schneider anti-protrusio cage. <i>Musculoskeletal Surgery</i> , 2009, 93, 15-19.	0.7	15
1243	Long-term results of cementless anatomic total hip replacement in dysplastic hips. <i>Musculoskeletal Surgery</i> , 2009, 93, 131-136.	0.7	8
1244	Three-dimensional computed tomography analysis of non-osteoarthritic adult acetabular dysplasia. <i>Skeletal Radiology</i> , 2009, 38, 131-139.	1.2	67
1245	Computer-assisted placement technique in hip resurfacing arthroplasty: improvement in accuracy?. <i>International Orthopaedics</i> , 2009, 33, 27-33.	0.9	32
1246	Results of operative treatment of acetabular fractures from the Third Worldâ€“how local factors affect the outcome. <i>International Orthopaedics</i> , 2009, 33, 347-352.	0.9	38
1247	Periacetabular osteotomy for the treatment of dysplastic hip with Perthes-like deformities. <i>International Orthopaedics</i> , 2009, 33, 71-75.	0.9	14
1248	Prevalence and functional impact of patient-perceived leg length discrepancy after hip replacement. <i>International Orthopaedics</i> , 2009, 33, 905-909.	0.9	123

#	ARTICLE	IF	CITATIONS
1249	One-stage cementless revision arthroplasty for infected hip replacements. <i>International Orthopaedics</i> , 2009, 33, 1195-1201.	0.9	59
1250	Outcome of hybrid stem fixation in osteoporotic female patients. A minimum five-year follow-up study. <i>International Orthopaedics</i> , 2009, 33, 1489-1494.	0.9	1
1251	Osteolysis with a cementless second generation metal-on-metal cup in total hip replacement. <i>International Orthopaedics</i> , 2009, 33, 1537-1542.	0.9	42
1252	The influence of the centre of rotation on implant survival using a modular stem hip prosthesis. <i>International Orthopaedics</i> , 2009, 33, 1513-1518.	0.9	65
1253	Avulsion of the Hamstring Muscle Group: A Follow-up of 6 Adult Non-Athletes with Early Operative Treatment: A Brief Report. <i>World Journal of Surgery</i> , 2009, 33, 1605-1610.	0.8	42
1254	Botulinum toxin type A injections for the management of muscle tightness following total hip arthroplasty: a case series. <i>Journal of Orthopaedic Surgery and Research</i> , 2009, 4, 34.	0.9	12
1255	The outcome of cementless total hip arthroplasty in haemophilic hip arthropathy. <i>Haemophilia</i> , 2009, 15, 766-773.	1.0	26
1256	The Manitoba arthroplasty waiting list: impact on health-related quality of life and initiatives to remedy the problem. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 208-211.	0.9	15
1257	Long-term clinical outcomes following the use of synthetic hydroxyapatite and bone graft in impaction in revision hip arthroplasty. <i>Biomaterials</i> , 2009, 30, 1732-1738.	5.7	44
1258	Repeated measures proportional odds logistic regression analysis of ordinal score data in the statistical software package R. <i>Computational Statistics and Data Analysis</i> , 2009, 53, 632-641.	0.7	33
1259	Acetabular revision using an anti-protrusion (ilio-ischial) cage and trabecular metal acetabular component for severe acetabular bone loss associated with pelvic discontinuity. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 870-876.	3.4	151
1260	The influence of pre-operative factors on the length of in-patient stay following primary total hip replacement for osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2009, 91-B, 434-440.	3.4	58
1261	Outcome Measures for Evaluation of Treatments for Osteonecrosis. <i>Orthopedic Clinics of North America</i> , 2009, 40, 179-191.	0.5	11
1262	Outcome evaluation of total hip arthroplasty by means of statistical gait analysis. <i>Gait and Posture</i> , 2009, 30, S13-S14.	0.6	0
1263	A newly designed locked intramedullary nail for trochanteric hip fractures fixation: Results of the first 100 Trochanteric implants. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2009, 95, 139-144.	0.9	12
1264	Cross-cultural adaptations of the Oxford-12 HIP score to the French speaking population. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2009, 95, 89-99.	0.9	139
1265	Primary aseptic revision of the femoral component of a cemented total hip arthroplasty using a cemented technique without bone graft. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2009, 95, 243-248.	0.9	15
1266	Long-term results of the ABC-1 hydroxyapatite coated total hip arthroplasty: Analysis of 111 cases with a minimum follow-up of 10 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2009, 95, 579-587.	0.9	30

#	ARTICLE	IF	CITATIONS
1267	Inter-rater Reliability of Three Musculoskeletal Physical Examination Techniques Used to Assess Motion in Three Planes While Standing. <i>PM and R</i> , 2009, 1, 629-635.	0.9	5
1268	(vi) Hip outcome measures. <i>Orthopaedics and Trauma</i> , 2009, 23, 40-45.	0.2	2
1269	Survivorship of uncemented PE/metal acetabular components in young patients. Prospective study with an 8-13 year follow-up. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2009, 53, 83-89.	0.1	0
1270	Femoroacetabular impingement caused by an osteochondroma of the pubic ramus. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2009, 53, 329-331.	0.1	0
1271	Measuring the ICF components of impairment, activity limitation and participation restriction: an item analysis using classical test theory and item response theory. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 41.	1.0	53
1272	Treatment of femoral head osteonecrosis in patients with systemic lupus erythematosus by free vascularised fibular grafting. <i>Lupus</i> , 2009, 18, 1061-1065.	0.8	20
1273	Outcome after tantalum rod implantation for treatment of femoral head osteonecrosis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 20-25.	1.2	54
1274	Distal femoral stem-bone anchorage of a cementless revision total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 298-302.	1.2	11
1275	Low-Energy Extracorporeal Shock Wave Therapy as a Treatment for Greater Trochanteric Pain Syndrome. <i>American Journal of Sports Medicine</i> , 2009, 37, 1806-1813.	1.9	98
1276	Management of Periprosthetic Femur Fractures Treated With Distal Fixation Using a Modular Femoral Stem Using an Anterolateral Approach. <i>Journal of Arthroplasty</i> , 2009, 24, 1270-1276.	1.5	57
1277	Pyrolytic Carbon Endoprosthetic Replacement for Osteonecrosis and Femoral Fracture of the Hip: A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 1826-1832.	0.7	10
1278	Atrapamiento femoroacetabular por osteocondroma de rama iliopubiana. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2009, 53, 329-331.	0.1	0
1279	Preoperative Planning and Surgical Technique in the Management of Periprosthetic Femoral Fractures Using a Tapered Modular Fluted Prosthesis With Distal Fixation. <i>Operative Techniques in Orthopaedics</i> , 2009, 19, 137-142.	0.2	4
1280	BMI and Severity of Clinical and Radiographic Signs of Hip Osteoarthritis. <i>Obesity</i> , 2009, 17, 1414-1419.	1.5	27
1281	Total Hip Arthroplasty After Failed Treatment for Osteonecrosis of the Femoral Head. <i>Orthopedic Clinics of North America</i> , 2009, 40, 291-298.	0.5	30
1283	Résultats à long terme des arthroplasties totales de hanche par implants ABG de première génération revêtus de <sup>TM</sup> hydroxyapatite: à propos de 111 implantations au recul moyen de 13ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2009, 95, 712-720.	0.0	2
1284	Collapsed Subchondral Fatigue Fracture of the Femoral Head. <i>Orthopedic Clinics of North America</i> , 2009, 40, 259-265.	0.5	20
1285	Ostéosynthèse des fractures péri-trochantériennes par clou métaphysaire verrouillé: revue des 100 premières implantations du clou Trochanteric <sup>®</sup> . <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2009, 95, 158-164.	0.0	0

#	ARTICLE	IF	CITATIONS
1286	Prothèses totales de hanche avec couple de frottement métal/métal à haute teneur en carbone. Résultats à 12 ans minimum d'une série continue. Revue De Chirurgie Orthopedique Et Traumatologique, 2009, 95, 85-91.	0.0	3
1287	Anterior-Supine Minimally Invasive Total Hip Arthroplasty: Defining the Learning Curve. Orthopedic Clinics of North America, 2009, 40, 343-350.	0.5	132
1288	Validation de la version française du score de hanche Oxford-12. Revue De Chirurgie Orthopedique Et Traumatologique, 2009, 95, 107-116.	0.0	4
1289	The Morscher Press Fit acetabular component. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 859-864.	3.4	19
1290	Selection of Outcome Measures for Patients With Hip Fracture. Journal of Orthopaedic Trauma, 2009, 23, 434-441.	0.7	44
1291	An Analysis of Gait Changes and Functional Outcome in Patients Surgically Treated for Displaced Acetabular Fractures. Journal of Orthopaedic Trauma, 2009, 23, 346-353.	0.7	23
1292	Open Reduction Internal Fixation and Primary Total Hip Arthroplasty of Selected Acetabular Fractures. Journal of Orthopaedic Trauma, 2009, 23, 243-248.	0.7	110
1293	The Treatment of Intertrochanteric Fractures: Results Using an Intramedullary Nail With Integrated Cephalocervical Screws and Linear Compression. Journal of Orthopaedic Trauma, 2009, 23, 22-30.	0.7	122
1294	Wear Rate of Highly Cross-Linked Polyethylene in Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2009, 91, 773-782.	1.4	182
1295	Revision of the Acetabular Component without Cement. Journal of Bone and Joint Surgery - Series A, 2009, 91, 350-355.	1.4	50
1296	Long Term Results of Cementless Total Hip Replacement for Reversal of hip Ankylosis. HIP International, 2009, 19, 120-127.	0.9	7
1297	Assessment of Outcomes after hip Arthroplasty. HIP International, 2009, 19, 1-7.	0.9	19
1298	Hydroxyapatite-ceramic-coated femoral components in young patients followed-up for 16 to 19 years. Journal of Bone and Joint Surgery: British Volume, 2009, 91-B, 865-869.	3.4	25
1299	Outcome Instruments: Rationale for Their Use. Journal of Bone and Joint Surgery - Series A, 2009, 91, 41-49.	1.4	106
1300	Surgical Hip Dislocation for Osteochondral Transplantation as a Salvage Procedure for a Femoral Head Impaction Fracture. Journal of Orthopaedic Trauma, 2010, 24, e113-e118.	0.7	33
1301	USE OF CORTICAL STRUCTURAL HOMOLOGOUS BONE GRAFT IN FEMORAL RECONSTRUCTIVE SURGERY. Revista Brasileira De Ortopedia, 2010, 45, 483-489.	0.6	1
1302	REVISION TOTAL HIP ARTHROPLASTY USING A MODULAR CEMENTLESS DISTAL FIXATION PROSTHESIS: THE ZMR® HIP SYSTEM. CLINICAL AND RADIOGRAPHIC ANALYSIS OF 30 CASES. Revista Brasileira De Ortopedia, 2010, 45, 279-285.	0.6	2
1303	Radiographic review of limb-length discrepancy after total hip arthroplasty. Current Orthopaedic Practice, 2010, 21, 504-507.	0.1	0

#	ARTICLE	IF	CITATIONS
1304	The Combined Hip Procedure: Open Reduction Internal Fixation Combined With Total Hip Arthroplasty for the Management of Acetabular Fractures in the Elderly. <i>Journal of Orthopaedic Trauma</i> , 2010, 24, 291-296.	0.7	138
1305	Delayed Gadolinium-enhanced Magnetic Resonance Imaging of Cartilage in the Long-term Follow-up After Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 2010, 30, 147-153.	0.6	38
1306	Steel Syndrome: Dislocated Hips and Radial Heads, Carpal Coalition, Scoliosis, Short Stature, and Characteristic Facial Features. <i>Journal of Pediatric Orthopaedics</i> , 2010, 30, 282-288.	0.6	18
1307	Avascular Necrosis Most Common Indication for Hip Arthroplasty in Patients With Slipped Capital Femoral Epiphysis. <i>Journal of Pediatric Orthopaedics</i> , 2010, 30, 767-773.	0.6	53
1308	Can we accurately predict outcome after hip and knee replacement?. <i>Current Orthopaedic Practice</i> , 2010, 21, 138-143.	0.1	0
1309	Influence of administration setting on SF-36 sub-scores after total joint arthroplasty. <i>Current Orthopaedic Practice</i> , 2010, 21, 591-594.	0.1	0
1310	Triple pelvic osteotomy in Leggâ€“Calveâ€“Perthes disease using a single anterolateral incision: a 4-year review. <i>Journal of Pediatric Orthopaedics Part B</i> , 2010, 19, 323-326.	0.3	15
1311	Quality of life after joint replacement for osteoarthritis. <i>Aging Health</i> , 2010, 6, 481-494.	0.3	0
1312	Mid- to Long-Term Outcome of Cementless Total Hip Arthroplasty in Younger Patients. <i>Journal of Orthopaedic Surgery</i> , 2010, 18, 172-178.	0.4	12
1313	Pharmacological interventions for treating acute heterotopic ossification. <i>The Cochrane Library</i> , 2010, 2010, CD003321.	1.5	9
1314	The use of a Constrained Cementless Acetabular Component for Instability in Total Hip Replacement. <i>HIP International</i> , 2010, 20, 434-439.	0.9	16
1315	Acetabular Reconstruction Using Fresh Frozen Bone Allograft. <i>HIP International</i> , 2010, 20, 143-149.	0.9	17
1316	Seven to Twelve Year Results with Versys ET Cementless Stem. A Retrospective Study of 225 Cases. <i>HIP International</i> , 2010, 20, 81-86.	0.9	12
1317	The Birmingham Hip Resurfacing: 5-year clinical and radiographic results from a District General Hospital. <i>International Orthopaedics</i> , 2010, 34, 631-634.	0.9	31
1318	Long-term results of the threaded Mecron cup in primary total hip arthroplasty. <i>International Orthopaedics</i> , 2010, 34, 1093-1098.	0.9	14
1319	Long-term results of the threaded Weill cup in primary total hip arthroplasty. <i>International Orthopaedics</i> , 2010, 34, 943-948.	0.9	4
1320	Cementless total hip arthroplasty with ceramic-on-ceramic bearing in patients younger than 45Âyears with femoral-head osteonecrosis. <i>International Orthopaedics</i> , 2010, 34, 1123-1127.	0.9	115
1321	Alumina-on-alumina ceramic versus metal-on-highly cross-linked polyethylene bearings in total hip arthroplasty: a comparative study. <i>International Orthopaedics</i> , 2010, 34, 1129-1135.	0.9	58



#	ARTICLE	IF	CITATIONS
1322	The Modular Universal Tumour And Revision System (MUTARSÂ®) in endoprosthetic revision surgery. <i>International Orthopaedics</i> , 2010, 34, 1261-1265.	0.9	38
1326	Cementless total hip replacement: a prospective clinical study of the early functional and radiological outcomes of three different hip stems. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 125-133.	1.3	18
1327	Hip resurfacing and osteonecrosis: results from an independent hip resurfacing register. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 841-845.	1.3	29
1328	Cementless total hip arthroplasty for the management of tuberculosis coxitis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 197-203.	1.3	28
1329	Seventeen-year survival of the cementless CLS Spotorno stem. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 269-275.	1.3	54
1331	Transtrochanteric rotational osteotomy for hip arthritis in a young woman. <i>Journal of Orthopaedic Science</i> , 2010, 15, 425-429.	0.5	0
1332	Reliability and validity of the Japanese Orthopaedic Association hip score. <i>Journal of Orthopaedic Science</i> , 2010, 15, 452-458.	0.5	96
1333	Joint space wider than 2 mm is essential for an eccentric rotational acetabular osteotomy for adult hip dysplasia. <i>Journal of Orthopaedic Science</i> , 2010, 15, 620-625.	0.5	27
1334	No differences in outcomes between cemented and uncemented acetabular components after 12-14 years: results from a randomized controlled trial comparing Duraloc with Charnley cups. <i>Journal of Orthopaedics and Traumatology</i> , 2010, 11, 37-45.	1.0	28
1335	La pseudoartrosi cotiloidea: una complicanza di difficile soluzione chirurgica. Descrizione di un caso clinico. <i>Archivio Di Ortopedia E Reumatologia</i> , 2010, 121, 15-16.	0.0	0
1336	Surprisingly poor correlation among pain scores prior to total hip arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2010, 20, 619-621.	0.6	0
1337	Choice of implant in total hip arthroplasty for sickle cell disease patients. <i>European Orthopaedics and Traumatology</i> , 2010, 1, 25-29.	0.1	7
1338	Prospective Analysis of Hip Arthroscopy with 10-year Followup. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 741-746.	0.7	280
1339	Salvage of Failed Acetabular Cages by Nonbuttressed Trabecular Metal Cups. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 466-471.	0.7	27
1340	Revision Total Hip Arthroplasty with a Porous-coated Modular Stem: 5 to 10 Years Followup. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1310-1315.	0.7	64
1341	Tantalum Components in Difficult Acetabular Revisions. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 454-458.	0.7	55
1342	Case Report: Fresh-Stored Osteochondral Allograft for Treatment of Osteochondritis Dissecans the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 613-618.	0.7	50
1343	High Survival of Uncemented Proximally Porous-coated Titanium Alloy Femoral Stems in Osteoporotic Bone. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 441-447.	0.7	54

#	ARTICLE	IF	CITATIONS
1344	Custom Cementless Stem Improves Hip Function in Young Patients at 15-year Followup. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 747-755.	0.7	53
1345	Durability of Second-generation Extensively Porous-coated Stems in Patients Age 50 and Younger. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 448-453.	0.7	13
1346	Failure of the Durom Metasul <sup>®</sup> Acetabular Component. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 400-405.	0.7	95
1347	Is There Faster Recovery With an Anterior or Anterolateral THA? A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 533-541.	0.7	66
1348	Hip Resurfacing Results for Osteonecrosis Are as Good as for Other Etiologies at 2 to 12 Years. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 375-381.	0.7	46
1349	Case Report: Cementless Stem Stabilization after Intraoperative Fracture. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 898-901.	0.7	2
1350	Proximally Versus Fully Porous-coated Femoral Stems: A Multicenter Randomized Trial. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 424-432.	0.7	42
1351	Osseous Remodeling After Femoral Head-neck Junction Osteochondroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 511-518.	0.7	23
1352	Outcomes of Isolated Acetabular Revision. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 472-479.	0.7	27
1353	Incidence of Groin Pain After Metal-on-Metal Hip Resurfacing. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 392-399.	0.7	70
1354	Cerebral Microembolization during Primary Total Hip Arthroplasty and Neuropsychologic Outcome: A Pilot Study. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1621-1629.	0.7	15
1355	Delta Ceramic-on-Alumina Ceramic Articulation in Primary THA: Prospective, Randomized FDA-IDE Study and Retrieval Analysis. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 367-374.	0.7	92
1356	50 Years Ago in Corr: Technic of the Resection-Angulation Operation for Hip-Joint Disabilities Henry Milch MD <i>CORR</i> ;13:265-270. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 628-630.	0.7	2
1357	Will a Vascularized Greater Trochanter Graft Preserve the Necrotic Femoral Head?. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1316-1324.	0.7	39
1358	Femoral Shortening in Total Hip Arthroplasty for High Developmental Dysplasia of the Hip. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1949-1955.	0.7	59
1359	Natural History of Squeaking after Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 2340-2345.	0.7	72
1360	Back Pain and Total Hip Arthroplasty: A Prospective Natural History Study. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1325-1330.	0.7	140
1361	Cemented Hip Designs are a Reasonable Option in Young Patients. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3214-3220.	0.7	26

#	ARTICLE	IF	CITATIONS
1362	Transtrochanteric Rotational Osteotomy for a Subchondral Insufficiency Fracture of the Femoral Head in Young Adults. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3181-3185.	0.7	19
1363	The Repair Process of Osteonecrosis After a Transtrochanteric Rotational Osteotomy. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3186-3191.	0.7	21
1364	The Fate of Grafting Acetabular Defects During Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3286-3294.	0.7	21
1365	What is the Midterm Survivorship and Function After Hip Resurfacing?. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3221-3227.	0.7	27
1366	A Prospective Randomized Trial of Mini-incision Posterior and Two-incision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 3348-3354.	0.7	32
1367	Efficacy of patient education and supervised exercise vs patient education alone in patients with hip osteoarthritis: a single blind randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 1237-1243.	0.6	73
1368	Results of the cementless Plasmacup in revision total hip arthroplasty: a retrospective study of 72 cases with an average follow-up of eight years. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 101.	0.8	8
1369	Simultaneous bilateral hip replacement reveals superior outcome and fewer complications than two-stage procedures: a prospective study including 1819 patients and 5801 follow-ups from a total joint replacement registry. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 245.	0.8	74
1370	Comparison of intra-articular injections of Hyaluronic Acid and Corticosteroid in the treatment of Osteoarthritis of the hip in comparison with intra-articular injections of Bupivacaine. Design of a prospective, randomized, controlled study with blinding of the patients and outcome assessors. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 264.	0.8	24
1371	Patient relevant outcome 7 years after total hip replacement for OA - a prospective study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 47.	0.8	64
1372	A randomised controlled trial of total hip arthroplasty versus resurfacing arthroplasty in the treatment of young patients with arthritis of the hip joint. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 8.	0.8	35
1373	Infection or Allergy in the Painful Metal-on-Metal Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2010, 25, 334.e11-334.e16.	1.5	33
1374	Use of a New High-Activity Arthroplasty Score to Assess Function of Young Patients With Total Hip or Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 268-273.	1.5	65
1375	Minimum 5-Year Results in 96 Consecutive Hips Treated With a Tapered Titanium Stem System. <i>Journal of Arthroplasty</i> , 2010, 25, 104-107.	1.5	11
1376	Migration of the Trabecular Metal Monoblock Acetabular Cup System. <i>Journal of Arthroplasty</i> , 2010, 25, 35-40.	1.5	21
1377	Accurate Acetabular Component Orientation After Total Hip Arthroplasty Using an Acetabular Alignment Guide. <i>Journal of Arthroplasty</i> , 2010, 25, 81-86.	1.5	17
1378	Interprosthetic Fractures of the Femur. <i>Journal of Arthroplasty</i> , 2010, 25, 280-286.	1.5	61
1379	Furlong Hydroxyapatite-Coated Hip Prosthesis vs the Charnley Cemented Hip Prosthesis. <i>Journal of Arthroplasty</i> , 2010, 25, 52-57.	1.5	25

#	ARTICLE	IF	CITATIONS
1380	Do Commonly Reported Outcome Measures Reflect Patient Satisfaction After Revision Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2010, 25, 41-45.	1.5	20
1381	Revision Total Hip Arthroplasty Using a Modular Tapered Stem With Distal Fixation. <i>Journal of Arthroplasty</i> , 2010, 25, 348-354.	1.5	64
1382	Cementation of Cross-linked Polyethylene Liner Into Well-Fixed Acetabular Shells. <i>Journal of Arthroplasty</i> , 2010, 25, 420-424.	1.5	16
1383	Clinical and Radiographic Results for the Richards Modular Hip System Prosthesis in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 369-374.	1.5	4
1384	The Daily Activity Questionnaire. <i>Journal of Arthroplasty</i> , 2010, 25, 475-480.e3.	1.5	16
1385	Randomized Comparison Between 3 Surface Treatments of a Single Anteverted Stem Design. <i>Journal of Arthroplasty</i> , 2010, 25, 437-444.e1.	1.5	14
1386	Cementless Total Hip Arthroplasty Performed in Patients With Pigmented Villonodular Synovitis. <i>Journal of Arthroplasty</i> , 2010, 25, 552-557.	1.5	27
1387	Cementless Acetabular Socket Revisions Using Metasul Metal-on-Metal Bearings. <i>Journal of Arthroplasty</i> , 2010, 25, 533-537.	1.5	6
1388	Long-Term Survival and Reason for Revision of Wagner Resurfacing Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 522-528.	1.5	10
1389	Distal Interlocking Screws With a Modular Revision Stem for Revision Total Hip Arthroplasty in Severe Bone Defects. <i>Journal of Arthroplasty</i> , 2010, 25, 759-765.	1.5	38
1390	Early Return to Function After Hip Resurfacing. <i>Journal of Arthroplasty</i> , 2010, 25, 748-753.	1.5	27
1391	Factors Influencing the Improvement of Gait Ability After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 982-985.	1.5	47
1392	Hip and Knee Arthroplasty in Hypophosphatemic Rickets. <i>Journal of Arthroplasty</i> , 2010, 25, 1099-1103.	1.5	12
1393	Cementless Total Hip Arthroplasty Specifically Designed for Asians: Clinical and Radiologic Results at a Mean of 10 Years. <i>Journal of Arthroplasty</i> , 2010, 25, 873-879.	1.5	12
1394	A Distal Fluted, Proximal Modular Femoral Prosthesis in Revision Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 932-938.	1.5	36
1395	Revision of Failed Total Hip Arthroplasty Acetabular Cups to Porous Tantalum Components. <i>Journal of Arthroplasty</i> , 2010, 25, 865-872.	1.5	64
1396	Constrained Acetabular Liners Cemented Into Cages During Total Hip Revision Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 901-905.	1.5	19
1397	Structural Augmentation with Biomaterial-Loaded Allograft Threaded Cage for the Treatment of Femoral Head Osteonecrosis. <i>Journal of Arthroplasty</i> , 2010, 25, 1223-1230.	1.5	25

#	ARTICLE	IF	CITATIONS
1398	Periprosthetic Bone Remodeling Using a Triple-Taper Polished Cemented Stem in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 1083-1090.	1.5	19
1399	Porous-Coated Cementless Acetabular Components Without Bulk Bone Graft in Revision Surgery. <i>Journal of Arthroplasty</i> , 2010, 25, 1307-1310.	1.5	4
1400	Results of Isolated Femoral Component Revision With Well-Fixed Acetabular Implant Retention. <i>Journal of Arthroplasty</i> , 2010, 25, 1188-1195.	1.5	8
1401	Prospective Randomized Study of Two Surgical Approaches for Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 671-679.e1.	1.5	247
1402	Accuracy of Diagnostic Injection in Differentiating Source of Atypical Hip Pain. <i>Journal of Arthroplasty</i> , 2010, 25, 129-133.	1.5	42
1403	Revision Hip Arthroplasty for Ceramic-on-Ceramic Squeaking Hips Does Not Compromise the Results. <i>Journal of Arthroplasty</i> , 2010, 25, 81-86.	1.5	38
1404	A randomised clinical trial comparing minimally invasive surgery to conventional approach for endoprosthesis in elderly patients with hip fractures. <i>Injury</i> , 2010, 41, 365-369.	0.7	27
1405	Mid-term outcomes after intramedullary fixation of peritrochanteric femoral fractures using the new proximal femoral nail antirotation (PFNA). <i>Injury</i> , 2010, 41, 810-817.	0.7	93
1406	Changes in the treatment of acetabular fractures over 15 years: Analysis of 1266 cases treated by the German Pelvic Multicentre Study Group (DAO/DGU). <i>Injury</i> , 2010, 41, 839-851.	0.7	155
1407	Total hip or knee replacement for osteoarthritis: Mid- and long-term quality of life. <i>Arthritis Care and Research</i> , 2010, 62, 54-62.	1.5	85
1408	The effect of increasing age on nocturnal joint pain in patients about to undergo hip or knee joint arthroplasty. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 34-35.	1.4	21
1409	Does commitment to rehabilitation influence the clinical outcome of total hip resurfacing arthroplasty?. <i>Journal of Orthopaedic Surgery and Research</i> , 2010, 5, 20.	0.9	6
1410	Metal on metal hip resurfacing versus uncemented custom total hip replacement - early results. <i>Journal of Orthopaedic Surgery and Research</i> , 2010, 5, 8.	0.9	16
1411	Metaphyseal Loading Anterolaterally Flared Femoral Stem in Cementless Total Hip Arthroplasty: Five- to Eleven-Year Follow-Up Evaluation. <i>Artificial Organs</i> , 2010, 34, 377-383.	1.0	7
1412	Total hip arthroplasty for fractures of the proximal femur in older patients. <i>HIP International</i> , 2010, 20, 215-220.	0.9	7
1413	The impact of obesity on weight change and outcomes at 12 months in patients undergoing total hip arthroplasty. <i>Medical Journal of Australia</i> , 2010, 193, 17-21.	0.8	55
1414	Long-Stem versus Short-Stem Preformed Antibiotic-Loaded Cement Spacers for Two-Stage Revision of Infected Total Hip Arthroplasty. <i>HIP International</i> , 2010, 20, 26-33.	0.9	41
1415	Cementless Bipolar Hemiarthroplasty for Unstable Intertrochanteric Fractures in Elderly Patients. <i>Clinics in Orthopedic Surgery</i> , 2010, 2, 221.	0.8	39

#	ARTICLE	IF	CITATIONS
1416	Learning curve and short-term results with a short-stem CFP system. <i>HIP International</i> , 2010, 20, 52-57.	0.9	21
1417	Long-term comparison of porous and hydroxyapatite sleeves in femoral revision using the S-ROM modular stem. <i>HIP International</i> , 2010, 20, 179-186.	0.9	9
1418	A Comparison of Harris and Oxford Hip Scores for Assessing Outcome after Resurfacing Arthroplasty of the Hip: Can the Patient Tell us Everything we Need to Know?. <i>HIP International</i> , 2010, 20, 453-459.	0.9	7
1419	Analysis of Failure Cause of Acetabular Components Among Total Hip Replacement Arthroplasties Using RB Wagner Acetabular Cup. <i>The Journal of the Korean Hip Society</i> , 2010, 22, 143-150.	0.2	0
1420	Cementless Total Hip Arthroplasty Using VerSys Fiber Metal Midcoat Stem: a Minimum 3-Years Follow-up. <i>The Journal of the Korean Hip Society</i> , 2010, 22, 45-51.	0.2	2
1421	Arthroscopic Repair of Acetabular Chondral Delamination with Fibrin Adhesive. <i>HIP International</i> , 2010, 20, 115-119.	0.9	96
1422	Impact of Preoperative Function on Early Postoperative Outcome after Total Hip Arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2010, 18, 6-10.	0.4	25
1423	Multicentric and prospective study of the Summit cementless stem. <i>HIP International</i> , 2010, 20, 63-69.	0.9	12
1424	Tradu�o e adapta�o transcultural do instrumento de avalia�o do quadril "Harris Hip Score". <i>Acta Ortopedica Brasileira</i> , 2010, 18, 142-147.	0.2	34
1425	Long-Term Results of Total Hip Arthroplasty with an Extensively Porous Coated Stem in Patients Younger than 45 Years Old. <i>Yonsei Medical Journal</i> , 2010, 51, 100.	0.9	5
1426	The Influence of Aetiology of Hip Instability on the Results of Pelvic Support Osteotomy. <i>HIP International</i> , 2010, 20, 518-523.	0.9	4
1427	Cotyloplasty in Cementless Total Hip Arthroplasty for an Insufficient Acetabulum. <i>Clinics in Orthopedic Surgery</i> , 2010, 2, 148.	0.8	22
1428	Fully hydroxyapatite-coated total hip replacement: ten-year results. <i>HIP International</i> , 2010, 20, 79-85.	0.9	7
1429	Cementless Bipolar Hemiarthroplasty for Treating Intertrochanteric Fracture in Elderly Patients. <i>Journal of the Korean Fracture Society</i> , 2010, 23, 276.	0.1	1
1430	Eleven-Year follow-up of Second-Generation Metal-on-Metal Total Hip Arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2010, 18, 15-21.	0.4	3
1431	Impact of Preoperative Variables on the Functional and Radiological Outcome of an Uncemented Femoral Stem: A Prospective Two-Year Follow-Up. <i>HIP International</i> , 2010, 20, 187-197.	0.9	12
1432	Treatment for Acetabular Dysplasia using the Uncemented RM Acetabular Component â€“ a 20 Year Follow-Up. <i>HIP International</i> , 2010, 20, 94-101.	0.9	6
1433	The use of a biodegradable mesh plate to augment grafting of an acetabular defect. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 179-185.	3.4	2

#	ARTICLE	IF	CITATIONS
1434	Radiological outcome analysis of transtrochanteric curved varus osteotomy for osteonecrosis of the femoral head at a mean follow-up of 12.4 years. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 781-786.	3.4	57
1435	The histology around the cemented MÃ¼ller straight stem. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1515-1521.	3.4	16
1436	The Trabecular Metal Monoblock acetabular component in patients with high congenital hip dislocation. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 624-628.	3.4	36
1437	Articular Surface Replacement of the hip: a prospective single-surgeon series. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 28-37.	3.4	60
1438	Effect of a porous tantalum rod on early and intermediate stages of necrosis of the femoral head. <i>Biomedical Materials (Bristol)</i> , 2010, 5, 065003.	1.7	44
1439	Arthroscopic femoral osteochondroplasty for cam lesions with isolated acetabular chondral damage. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 629-633.	3.4	100
1440	Real-Time Kinematic, Temporospacial, and Kinetic Biofeedback During Gait Retraining in Patients: A Systematic Review. <i>Physical Therapy</i> , 2010, 90, 1123-1134.	1.1	112
1441	Impaction grafting of the acetabulum with a mixture of frozen, ground irradiated bone graft and porous synthetic bone substitute (Apapore 60). <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 617-623.	3.4	35
1442	Grafting with hydroxyapatite granules for defects of acetabular bone at revision total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1215-1221.	3.4	7
1443	Total hip replacement in patients with multiple epiphyseal dysplasia with a mean follow-up of 15 years and survival analysis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 489-495.	3.4	14
1444	Uncemented custom computer-assisted design and manufacture of hydroxyapatite-coated femoral components. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1079-1084.	3.4	33
1445	Outcomes of revision total hip replacement for infection after grading according to a standard protocol. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1222-1226.	3.4	112
1446	Proximal femoral allograft-prosthesis composites in revision hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 349-355.	3.4	65
1447	Vastus lateralis muscle flap for infected hips after resection arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1654-1658.	3.4	22
1448	The 100 classic papers of orthopaedic surgery. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1338-1343.	3.4	199
1449	Transient subluxation of the femoral head after total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1522-1526.	3.4	7
1450	Early failure of metal-on-metal bearings in hip resurfacing and large-diameter total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 38-46.	3.4	648
1451	Total hip replacement in morbidly obese patients with osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1066-1071.	3.4	114

#	ARTICLE	IF	CITATIONS
1452	Surgical dislocation of the hip for a locked traumatic posterior dislocation with associated femoral neck and acetabular fractures. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 442-446.	3.4	19
1453	A comparison of hemiarthroplasty with total hip replacement for displaced intracapsular fracture of the femoral neck. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1422-1428.	3.4	177
1454	Vitamin D deficiency in patients with osteoarthritis undergoing total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 496-499.	3.4	80
1455	Treatment of Slipped Capital Femoral Epiphysis with a Modified Dunn Procedure. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 2898-2908.	1.4	151
1456	The Freeman femoral component with hydroxyapatite coating and retention of the neck. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 480-485.	3.4	14
1457	Quantifying Self-Report Measures' Overestimation of Mobility Scores Postarthroplasty. <i>Physical Therapy</i> , 2010, 90, 1288-1296.	1.1	67
1458	Cementless total hip replacement using second-generation components. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1636-1641.	3.4	39
1459	Primary cemented total hip arthroplasty: 10 years follow-up. <i>Indian Journal of Orthopaedics</i> , 2010, 44, 283.	0.5	5
1460	Alumina-on-Alumina Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1715-1719.	1.4	100
1461	Influence of Obesity on Femoral Osteolysis Five and Ten Years Following Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1964-1972.	1.4	30
1462	Periacetabular Osteotomy for Containment of the Nonarthritic Dysplastic Hip Secondary to Poliomyelitis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 2917-2923.	1.4	15
1463	Periacetabular Osteotomy in Patients Fifty Years of Age or Older. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 31-41.	1.4	46
1464	Repair of a Deficient Abductor Mechanism with Achilles Tendon Allograft After Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 2305-2311.	1.4	68
1465	Functional Results of Isolated Femoral Revision of Hip Resurfacing Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1600-1604.	1.4	26
1466	A stature-specific concept for uncemented, primary total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 126-133.	1.2	23
1467	Mid-term results of a custom-made short proximal loading femoral component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1231-1237.	3.4	95
1468	The concentric all-polyethylene Exeter acetabular component in primary total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1351-1355.	3.4	8
1469	Clinical and Radiographic Results of Metal-on-Metal Hip Resurfacing with a Minimum Ten-Year Follow-up. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 2663-2671.	1.4	95



#	ARTICLE	IF	CITATIONS
1470	The Durom Large Diameter Head acetabular component. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 202-208.	3.4	74
1471	Randomised controlled trial comparing early migration of two collarless polished cemented stems using radiostereometric analysis. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 935-940.	3.4	23
1472	A modular femoral neck and head system works well in cementless total hip replacement for patients with developmental dysplasia of the hip. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 770-776.	3.4	26
1473	Uncemented computer-assisted design-computer-assisted manufacture femoral components in revision total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 1370-1375.	3.4	9
1474	Progressive femoral cortical and cancellous bone density loss after uncemented tapered-design stem fixation. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 171-177.	1.2	26
1475	Good results with cemented total hip arthroplasty in patients between 40 and 50 years of age. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 165-170.	1.2	17
1476	Short-Term Bisphosphonate Therapy Could Ameliorate Osteonecrosis: A Complication in Childhood Hematologic Malignancies. Case Reports in Medicine, 2010, 2010, 1-5.	0.3	12
1477	Rehabilitation After Arthroscopic Decompression for Femoroacetabular Impingement. Clinics in Sports Medicine, 2010, 29, 247-255.	0.9	60
1478	Fractures cervicales vraies Garden I chez le sujet âgé: le traitement fonctionnel est-il une solution valable?. Revue De Chirurgie Orthopedique Et Traumatologique, 2010, 96, 277-284.	0.0	0
1480	Arthroplastie totale de hanche à couple de frottement métal-métal en grand diamètre. Résultats préliminaires d'une série continue de 106 implants Durom, au recul moyen de 30 mois. Revue De Chirurgie Orthopedique Et Traumatologique, 2010, 96, 15-22.	0.0	5
1481	Large diameter head metal-on-metal bearings total hip arthroplasty: Preliminary results. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 14-20.	0.9	20
1482	Importance of screw position in intertrochanteric femoral fractures treated by dynamic hip screw. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 21-27.	0.9	41
1483	The Charnley stem: Clinical, radiological and survival data after 11-14 years. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 97-103.	0.9	11
1484	Cemented total Hip stem design influence on adaptative cortical thickness and femoral morphology. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 104-110.	0.9	10
1485	Garden I femoral neck fractures in patients 65years old and older: Is conservative functional treatment a viable option?. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 228-234.	0.9	23
1486	Radiographic preoperative templating of extra-offset cemented THA implants: How reliable is it and how does it affect survival?. Orthopaedics and Traumatology: Surgery and Research, 2010, 96, 760-768.	0.9	38
1487	Reliability and Agreement of Hip Range of Motion and Provocative Physical Examination Tests in Asymptomatic Volunteers. PM and R, 2010, 2, 888-895.	0.9	81
1488	A Single-Group Pretest Posttest Design Using Full Kinetic Chain Manipulative Therapy With Rehabilitation in the Treatment of 18 Patients With Hip Osteoarthritis. Journal of Manipulative and Physiological Therapeutics, 2010, 33, 445-457.	0.4	10

#	ARTICLE	IF	CITATIONS
1489	Results of Selective Hip Arthroplasty Revision in Isolated Acetabular Failure. Journal of Surgical Research, 2010, 164, 228-233.	0.8	21
1490	Altered inter-joint coordination during walking in patients with total hip arthroplasty. Gait and Posture, 2010, 32, 656-660.	0.6	42
1491	Differences in Preferred Walking Speeds in a Gait Laboratory Compared With the Real World After Total Hip Replacement. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1390-1395.	0.5	26
1492	Total hip arthroplasty in patients with chronic autoimmune inflammatory arthroplasties. International Journal of Rheumatic Diseases, 2010, 13, 235-239.	0.9	13
1493	Incidence and Factors Associated with Squeaking in Alumina-on-Alumina THA. Clinical Orthopaedics and Related Research, 2010, 468, 3234-3239.	0.7	42
1494	Hip Arthroscopy Assessment Tools and Outcomes. Operative Techniques in Orthopaedics, 2010, 20, 264-277.	0.2	51
1495	Modifications osseuses fmorales selon la tige cimente utilise. Revue De Chirurgie Orthopedique Et Traumatologique, 2010, 96, 146-153.	0.0	8
1496	An Alternative Solution to Achieve Primary Stability in Cementless Revision Hip Arthroplasty for Femur Ectasia. Journal of the Formosan Medical Association, 2010, 109, 901-906.	0.8	0
1497	The Harris hip score: Do ceiling effects limit its usefulness in orthopedics?. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 703-707.	1.2	200
1498	Rehabilitation following anterior approach total hip arthroplasty in a 49-year-old female: A case report. Physiotherapy Theory and Practice, 2010, 26, 334-341.	0.6	4
1499	The clinical and radiological outcomes of hip resurfacing versus total hip arthroplasty: a meta-analysis and systematic review. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 684-695.	1.2	48
1500	A prospective randomized study comparing electrochemically deposited hydroxyapatite and plasma-sprayed hydroxyapatite on titanium stems. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 13-19.	1.2	43
1501	Adolescent slipped capital femoral epiphysis treated by a modified Dunn osteotomy with surgical hip dislocation. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 833-838.	3.4	90
1502	Sensitivity and specificity of blood cobalt and chromium metal ions for predicting failure of metal-on-metal hip replacement. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1308-1313.	3.4	226
1503	Cross-linked<i> versus</i>conventional polyethylene for total hip replacement. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 593-600.	3.4	99
1504	Survival of metal-on-metal hip resurfacing arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 298-306.	3.4	39
1505	Intramedullary and total femur replacement in revision arthroplasty as a last limb-saving option. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1545-1549.	3.4	19
1506	Comparison of Bipolar Hemiarthroplasty with Total Hip Arthroplasty for Displaced Femoral Neck Fractures. Journal of Bone and Joint Surgery - Series A, 2011, 93, 445-450.	1.4	189

#	ARTICLE	IF	CITATIONS
1507	AOFAS Position Statement Regarding the Future of the AOFAS Clinical Rating Systems. Foot and Ankle International, 2011, 32, 841-842.	1.1	161
1508	A Prospective Metal Ion Study of Large-Head Metal-on-Metal Bearing: A Matched-Pair Analysis of Hip Resurfacing Versus Total Hip Replacement. Orthopedic Clinics of North America, 2011, 42, 251-257.	0.5	57
1509	Taux de fracture des inserts de cÃ©ramique Â«ÂsandwichÂ» dans un cotyle ATLAS IIIâ,,çÂ: Ã©tude de 144Ã©prothÃ©ses totales de hanche de premiÃ©re intention Ã 74Ã©mois de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2011, 97, 485-492.	0.0	1
1510	Luxation rÃ©cidivante sur prothÃ©se totale de hancheÂ: Ã©tude Ã huit ans de suivi dâ€™une sÃ©rie de 59Ã©cas traitÃ©s par implant Ã double mobilitÃ©. Revue De Chirurgie Orthopedique Et Traumatologique, 2011, 97, 8-14.	0.0	0
1511	The Effect of Patient Selection and Surgical Technique on the Results of ConserveÂ® Plus Hip Resurfacingâ€™3.5- to 14-Year Follow-up. Orthopedic Clinics of North America, 2011, 42, 133-142.	0.5	23
1514	Prognostic Factors and Outcome Measures in Perthes Disease. Orthopedic Clinics of North America, 2011, 42, 303-315.	0.5	14
1517	Long-term clinical-radiological evaluation of the CLS Spotorno stem. Revista EspaÃ±ola De CirugÃ­a OrtopÃ©dica Y TraumatologÃ­a, 2011, 55, 85-90.	0.1	0
1518	Influence of preoperative variables on total hip arthroplasty results. Revista EspaÃ±ola De CirugÃ­a OrtopÃ©dica Y TraumatologÃ­a, 2011, 55, 91-97.	0.1	1
1519	Cementless acetabular component in coxarthrosis due to a acetabular fracture. Revista EspaÃ±ola De CirugÃ­a OrtopÃ©dica Y TraumatologÃ­a, 2011, 55, 204-209.	0.1	0
1520	Effect of surgical approach for total hip replacement on hip function using Harris Hip scores and Trendelenburgâ€™s test. A retrospective analysis. Journal of the Royal College of Surgeons of Edinburgh, 2011, 9, 124-129.	0.8	37
1521	Component positioning in primary total hip replacement: A prospective comparative study of two anterolateral approaches, minimally invasive versus gluteus medius hemimytomy. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 14-21.	0.9	30
1522	Treatment of recurrent THR dislocation using of a cementless dual-mobility cup: A 59 cases series with a mean 8 yearsâ€™ follow-up. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 8-13.	0.9	125
1523	Stem subsidence after total hip revision: 183 cases at 5.9 years follow-up. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 121-126.	0.9	30
1524	Is a hip distractor useful in the arthroscopic treatment of femoroacetabular impingement?. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 381-388.	0.9	32
1525	Sandwich type ceramic liner fracture rate with the Atlas IIIâ,,ç socket: A study of 144 primary total hip replacements at a mean 74monthsâ€™ follow-up. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 494-500.	0.9	17
1526	Periacetabular cement extrusion in the course of total hip replacement: Incidence and consequences. An analysis from 269 consecutive cemented total hips. Orthopaedics and Traumatology: Surgery and Research, 2011, 97, 608-614.	0.9	4
1527	Minimally invasive computer-navigated total hip arthroplasty, following the concept of femur first and combined anteversion: design of a blinded randomized controlled trial. BMC Musculoskeletal Disorders, 2011, 12, 192.	0.8	45
1528	Intermediate-Term Radiographic and Patient Outcomes in Revision Hip Arthroplasty With a Modular Calcar Design and Porous Plasma Coating. Journal of Arthroplasty, 2011, 26, 1451-1454.	1.5	3

#	ARTICLE	IF	CITATIONS
1530	Revisions of Metal-on-Metal Hip Resurfacing: Lessons Learned and Improved Outcome. Orthopedic Clinics of North America, 2011, 42, 259-269.	0.5	85
1531	Relevance of orthostatic posturography for clinical evaluation of hip and knee joint arthroplasty patients. Gait and Posture, 2011, 34, 49-54.	0.6	23
1532	Delayed gadolinium-enhanced magnetic resonance imaging of cartilage (dGEMRIC), after slipped capital femoral epiphysis. European Journal of Radiology, 2011, 79, 400-406.	1.2	50
1533	Comparison of total hip replacement with and without cement in patients younger than 50 years of age. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 449-455.	3.4	50
1534	Smith-Petersen Vitallium mould arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1285-1286.	3.4	7
1536	Influencia de variables preoperatorias en los resultados de la artroplastia total de cadera. Revista Espa±ola De CirugÁa OrtopÁdica Y TraumatologÁa, 2011, 55, 91-97.	0.1	2
1537	Componente acetabular no cementado en coxartrosis por fractura de cotilo. Revista Espa±ola De CirugÁa OrtopÁdica Y TraumatologÁa, 2011, 55, 204-209.	0.1	0
1539	Uncemented Meridian femoral stem results: A prospective study of 109 cases. Revista Espa±ola De CirugÁa OrtopÁdica Y TraumatologÁa, 2011, 55, 346-351.	0.1	3
1541	Function and Survival after Revision of Hip Resurfacing. HIP International, 2011, 21, 610-615.	0.9	6
1542	The Results of Cementless Total Hip Arthroplasty for Primary Osteoarthritis Compared with Avascular Necrosis of the Femoral Head. The Journal of the Korean Hip Society, 2011, 23, 192-199.	0.2	0
1543	Total Hip Arthroplasty Using S-ROM Prosthesis for Dysplastic Hip. Yonsei Medical Journal, 2011, 52, 655.	0.9	8
1544	Osteochondral Mosaicplasty of the Femoral Head. HIP International, 2011, 21, 542-548.	0.9	87
1545	Assessing Outcomes After Hip Surgery. , 2011, , 74-85.		2
1546	Assessing the Outcomes of Spine Surgery Using Global Positioning Systems. Spine, 2011, 36, E263-E267.	1.0	18
1547	External Fixation for Stable and Unstable Intertrochanteric Fractures in Patients Older Than 75 Years of Age: A Prospective Comparative Study. Journal of Orthopaedic Trauma, 2011, 25, 218-223.	0.7	20
1548	Drehmann Sign and Femoro-acetabular Impingement in SCFE. Journal of Pediatric Orthopaedics, 2011, 31, 853-857.	0.6	32
1549	Compensatory Trunk Movements in Patients with Hip Osteoarthritis. American Journal of Physical Medicine and Rehabilitation, 2011, 90, 681-687.	0.7	17
1550	Functional Outcome After Antegrade Femoral Nailing: A Comparison of Trochanteric Fossa Versus Tip of Greater Trochanter Entry Point. Journal of Orthopaedic Trauma, 2011, 25, 196-201.	0.7	22

#	ARTICLE	IF	CITATIONS
1551	Does the Choice of Approach for Hip Hemiarthroplasty in Geriatric Patients Significantly Influence Early Postoperative Outcomes? A Randomized-Controlled Trial Comparing the Modified Smith-Petersen and Hardinge Approaches. <i>Journal of Trauma</i> , 2011, 70, 1257-1262.	2.3	20
1552	PROSPECTIVE STUDY ON SEVENTY-SIX CASES OF FRACTURED ACETABULUM WITH SURGICAL TREATMENT. <i>Revista Brasileira De Ortopedia</i> , 2011, 46, 520-525.	0.6	3
1553	Trabecular Metal Cup without Augments for Acetabular Revision in Case of Extensive Bone Loss and Low Bone-Prosthesis Contact. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 133-137.	1.0	15
1554	Conservative Treatment for Mild Femoroacetabular Impingement. <i>Journal of Orthopaedic Surgery</i> , 2011, 19, 41-45.	0.4	136
1555	Cobalt and Chromium Levels in Blood and Urine Following Hip Resurfacing Arthroplasty with the Conserve Plus Implant. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 107-117.	1.4	31
1556	Cementless Total Hip Arthroplasty Using Titanium, Plasma-Sprayed Implants: A Study with 10 to 15 Years of Follow-up. <i>Journal of Orthopaedic Surgery</i> , 2011, 19, 169-173.	0.4	10
1557	Clinical Presentation of Symptomatic Acetabular Dysplasia in Skeletally Mature Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 17-21.	1.4	176
1558	Co and Cr accumulation in hair after metal-on-metal hip resurfacing arthroplasty. <i>ANZ Journal of Surgery</i> , 2011, 81, 436-439.	0.3	6
1559	A five-year clinical and radiographic follow-up of bipolar hip arthroplasty with insertion of a porous-coated anatomic femoral component without cement. <i>Orthopaedic Surgery</i> , 2011, 3, 88-94.	0.7	3
1560	Ceramic Versus Metal Femoral Heads in Combination With Polyethylene Cups. <i>Seminars in Arthroplasty</i> , 2011, 22, 218-224.	0.3	6
1561	Ten-Year Follow-Up of Patients Younger Than 50 Years With Modern Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Seminars in Arthroplasty</i> , 2011, 22, 229-233.	0.3	9
1562	Early Results of Revision Hip Arthroplasty Using a Ceramic Revision Ball Head. <i>Seminars in Arthroplasty</i> , 2011, 22, 284-289.	0.3	8
1563	Management and outcome of interprosthetic femoral fractures. <i>Injury</i> , 2011, 42, 1219-1225.	0.7	60
1564	Re: Cement augmentation of intertrochanteric fractures stabilised with intramedullary [Injury, in press, doi:10.1016/j.injury.2010.09.026]. <i>Injury</i> , 2011, 42, 1510-1511.	0.7	0
1565	Measuring hip outcomes: Common scales and checklists. <i>Injury</i> , 2011, 42, 259-264.	0.7	59
1566	Internal fixation of osteopenic acetabular fractures involving the quadrilateral plate. <i>Injury</i> , 2011, 42, 1130-1134.	0.7	141
1567	Proximal femoral fractures in the elderly: How are we measuring outcome?. <i>Injury</i> , 2011, 42, 1205-1213.	0.7	59
1568	Traumatic damage to the cartilage influences outcome of anatomically reduced acetabular fractures: A medium-term retrospective analysis. <i>Injury</i> , 2011, 42, 1043-1048.	0.7	37

#	ARTICLE	IF	CITATIONS
1569	Subchondral insufficiency fracture of the femoral head in young adults. <i>Clinical Imaging</i> , 2011, 35, 208-213.	0.8	28
1570	Incidence of early postoperative cognitive dysfunction and other adverse events in elderly patients undergoing elective total hip replacement (THR). <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, 328-333.	1.4	36
1571	Metal-on-Metal Cups Cemented Into Reinforcement Rings: A Possible New Acetabular Reconstruction Procedure for Young and Active Patients. <i>Journal of Arthroplasty</i> , 2011, 26, 103-109.	1.5	18
1572	The Birmingham Hip Resurfacing Prosthesis. <i>Journal of Arthroplasty</i> , 2011, 26, 1-8.	1.5	29
1573	Whole Blood Metal Ion Concentrations in Correlation With Activity Level in Three Different Metal-On-Metal Bearings. <i>Journal of Arthroplasty</i> , 2011, 26, 58-64.	1.5	36
1574	Minimum 5-Year Follow-Up of a Cementless, Modular, Tapered Stem in Hip Revision Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 16-23.	1.5	91
1575	Patients With Bilateral Procedures Can Be Included in Total Hip Arthroplasty Research Without Biasing Results. <i>Journal of Arthroplasty</i> , 2011, 26, 120-123.	1.5	5
1576	Total Hip Arthroplasty With an Uncemented Tapered Femoral Component in Patients Younger than 50 Years. <i>Journal of Arthroplasty</i> , 2011, 26, 9-15.	1.5	37
1577	Long-Term Survivorship Analysis of the Cementless Spotorno Femoral Component in Patients Less Than 50 Years of Age. <i>Journal of Arthroplasty</i> , 2011, 26, 386-390.	1.5	15
1578	Results After Total Hip Arthroplasty With a Large Head and Bipolar Arthroplasty in Patients With Displaced Femoral Neck Fractures. <i>Journal of Arthroplasty</i> , 2011, 26, 893-896.	1.5	13
1579	Management of Failed Trochanteric Fracture Fixation With Cementless Modular Hip Arthroplasty Using a Distally Fixing Stem. <i>Journal of Arthroplasty</i> , 2011, 26, 398-403.	1.5	44
1580	Does Greater Knee Flexion Increase Patient Function and Satisfaction After Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2011, 26, 178-186.	1.5	161
1581	Cementless Total Hip Arthroplasty With Alumina-on-Highly Cross-Linked Polyethylene Bearing in Young Patients With Femoral Head Osteonecrosis. <i>Journal of Arthroplasty</i> , 2011, 26, 218-223.	1.5	48
1582	Locking Compression Plate and Cerclage Band for Type B1 Periprosthetic Femoral Fractures. <i>Journal of Arthroplasty</i> , 2011, 26, 467-471.e1.	1.5	38
1583	Primary Hip Arthroplasty With 28-mm Metasul Articulation. <i>Journal of Arthroplasty</i> , 2011, 26, 662-664.	1.5	35
1584	Limitations of Imageless Computer-Assisted Navigation for Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 596-605.	1.5	50
1585	Cementless Femoral Reconstruction in Patients With Proximal Femoral Deformity. <i>Journal of Arthroplasty</i> , 2011, 26, 354-359.	1.5	25
1586	Comparison of Bone Mineral Density Changes Around Short, Metaphyseal-Fitting, and Conventional Cementless Anatomical Femoral Components. <i>Journal of Arthroplasty</i> , 2011, 26, 931-940.e1.	1.5	61

#	ARTICLE	IF	CITATIONS
1587	Outcome of Primary Total Hip Arthroplasty in Charnley Class C Patients with Juvenile Idiopathic Arthritis. <i>Journal of Arthroplasty</i> , 2011, 26, 1182-1188.	1.5	13
1588	Femoral Revision in Hip Resurfacing Compared With Large-Bearing Metal-on-Metal Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1214-1218.	1.5	9
1589	Serum Metal Ion Concentration: Comparison Between Small and Large Head Metal-on-Metal Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1176-1181.	1.5	15
1590	Straight Tapered Titanium Stem With Alumina Bearing in Cementless Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1310-1317.	1.5	9
1591	An Analysis of Stably Fixed Femoral Components Retained During Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1239-1244.	1.5	15
1592	Total Hip Arthroplasty for Failed Treatment of Acetabular Fractures. <i>Journal of Arthroplasty</i> , 2011, 26, 1189-1193.	1.5	54
1593	Midterm Results of Uncemented Acetabular Reconstruction for Posttraumatic Arthritis Secondary to Acetabular Fracture. <i>Journal of Arthroplasty</i> , 2011, 26, 1008-1013.	1.5	40
1594	Is Extended Trochanteric Osteotomy Safe for Use in 2-Stage Revision of Periprosthetic Hip Infection?. <i>Journal of Arthroplasty</i> , 2011, 26, 1067-1071.	1.5	32
1595	Midterm Results of Primary Total Hip Arthroplasty Using Highly Cross-Linked Polyethylene. <i>Journal of Arthroplasty</i> , 2011, 26, 1014-1019.	1.5	62
1596	Femoral Impaction Grafting in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1154-1160.	1.5	57
1597	Serum Metal Ion Concentrations After Unilateral vs Bilateral Large-Head Metal-on-Metal Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 1494-1500.	1.5	17
1598	Patterns of Osseointegration and Remodeling in Femoral Revision With Bone Loss Using Modular, Tapered, Fluted, Titanium Stems. <i>Journal of Arthroplasty</i> , 2011, 26, 1409-1417.e1.	1.5	33
1599	Responsiveness of the short musculoskeletal function assessment (SMFA) in patients with femoral neck fractures. <i>Quality of Life Research</i> , 2011, 20, 513-521.	1.5	12
1600	Importance of patient satisfaction with care in predicting osteoarthritis-specific health-related quality of life one year after total joint arthroplasty. <i>Quality of Life Research</i> , 2011, 20, 1581-1588.	1.5	38
1601	Should the well-fixed, uncemented femoral components be revised during isolated acetabular revision?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 481-485.	1.3	20
1602	Amyloid deposition in osteoarthritis of the hip. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 637-643.	1.3	13
1603	Prospective study of a cementless total hip arthroplasty with a collum femoris preserving stem and a trabeculae oriented pressfit cup: minimum 6-year follow-up. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 549-555.	1.3	36
1604	Differences in muscle trauma quantifiable in the laboratory between the minimally invasive anterolateral and transgluteal approach. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011, 131, 651-655.	1.3	20

#	ARTICLE	IF	CITATIONS
1605	Initial promising results of the dynamic locking blade plate, a new implant for the fixation of intracapsular hip fractures: results of a pilot study. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 519-524.	1.3	6
1606	17-year follow-up of the rough-blasted threaded Weill cup in uncemented total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 557-561.	1.3	1
1607	A comparative study of the posterolateral and anterolateral approaches for isolated acetabular revision. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1021-1026.	1.3	12
1608	Valgus intertrochanteric osteotomy for coxa vara of Bucholz's Ogden Types II and III in patients older than 30 years. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1211-1217.	1.3	18
1609	Long-term outcome after traumatic anterior dislocation of the hip. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1273-1278.	1.3	26
1610	Cross-linked ultra-high-molecular weight polyethylene liner and ceramic femoral head in total hip arthroplasty: a prospective study at 5 years follow-up. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1711-1716.	1.3	15
1611	Outcome assessment in hip fracture: evaluation of the practicality of commonly-used outcomes in hip fracture studies. Archives of Orthopaedic and Trauma Surgery, 2011, 131, 1687-1695.	1.3	15
1612	Total hip arthroplasty with an HPF stem: the radiological findings around the cementless anatomical-shape stem for developmental dysplasia of the hip. Journal of Orthopaedic Science, 2011, 16, 364-368.	0.5	2
1613	Changes in pelvic tilt following total hip arthroplasty. Journal of Orthopaedic Science, 2011, 16, 682-688.	0.5	57
1614	Hip arthroplasty patient-reported outcome unaffected by back pain in women. European Journal of Orthopaedic Surgery and Traumatology, 2011, 21, 269-273.	0.6	1
1615	Congenital hip dysplasia treated by total hip arthroplasty using cementless tapered stem in patients younger than 50 years old: results after 12-years follow-up. Journal of Orthopaedics and Traumatology, 2011, 12, 213-218.	1.0	43
1616	Numerical studies on alternative therapies for femoral head necrosis. Biomechanics and Modeling in Mechanobiology, 2011, 10, 627-640.	1.4	16
1617	Cementless total hip arthroplasty in patients with rheumatoid arthritis using a tapered designed titanium hip stem minimum: 10-year results. Rheumatology International, 2011, 31, 353-359.	1.5	9
1618	Long-term results of intertrochanteric varus osteotomy for dysplastic osteoarthritis of the hip. International Orthopaedics, 2011, 35, 9-12.	0.9	20
1619	Early migration characteristics of a hydroxyapatite-coated femoral stem: an RSA study. International Orthopaedics, 2011, 35, 483-488.	0.9	94
1620	Are abductor muscle quality and previous revision surgery predictors of constrained liner failure in hip arthroplasty?. International Orthopaedics, 2011, 35, 797-802.	0.9	25
1621	Hip resurfacing for rheumatoid arthritis: independent assessment of 11-year results from an international register. International Orthopaedics, 2011, 35, 803-808.	0.9	17
1622	Concentrated autologous bone marrow aspirate transplantation treatment for corticosteroid-induced osteonecrosis of the femoral head in systemic lupus erythematosus. International Orthopaedics, 2011, 35, 823-829.	0.9	63



#	ARTICLE	IF	CITATIONS
1623	Ten-year results with the Morscher press-fit cup: an uncemented, non-modular, porous-coated cup inserted without screws. <i>International Orthopaedics</i> , 2011, 35, 957-963.	0.9	16
1624	Prevalence of radiographic primary hip and knee osteoarthritis in a representative Central European population. <i>International Orthopaedics</i> , 2011, 35, 971-975.	0.9	21
1625	Minimally invasive versus conventional exposure for total hip arthroplasty: a systematic review and meta-analysis of clinical and radiological outcomes. <i>International Orthopaedics</i> , 2011, 35, 173-184.	0.9	91
1626	Hybrid total hip arthroplasty using specifically-designed stems for patients with developmental dysplasia of the hip. A minimum five-year follow-up study. <i>International Orthopaedics</i> , 2011, 35, 1289-1294.	0.9	16
1627	Significance of clinical and radiographic findings in young adults after slipped capital femoral epiphysis. <i>International Orthopaedics</i> , 2011, 35, 1295-1301.	0.9	23
1628	Chiari pelvic osteotomy in the treatment of adolescent hip disorders: possibilities, limitations and complications. <i>International Orthopaedics</i> , 2011, 35, 1203-1208.	0.9	11
1629	Relationship between the pelvic osteolytic volume on computed tomography and clinical outcome in patients with cementless acetabular components. <i>International Orthopaedics</i> , 2011, 35, 1453-1459.	0.9	8
1630	Results of hip resurfacing. <i>International Orthopaedics</i> , 2011, 35, 239-243.	0.9	9
1631	Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in the most elderly patients with displaced femoral neck fractures: a randomised, controlled trial. <i>International Orthopaedics</i> , 2011, 35, 1703-1711.	0.9	86
1632	No clinical difference between large metal-on-metal total hip arthroplasty and 28-mm-head total hip arthroplasty?. <i>International Orthopaedics</i> , 2011, 35, 1771-1776.	0.9	20
1634	Arthroscopic debridement of the isolated Ligamentum Teres rupture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 1510-1513.	2.3	73
1635	Bone remodeling around stable uncemented titanium stems during the second decade after total hip arthroplasty: a DXA study at 12 and 17 years. <i>Osteoporosis International</i> , 2011, 22, 2879-2886.	1.3	42
1636	Radiology of the resurfaced hip. <i>Skeletal Radiology</i> , 2011, 40, 819-830.	1.2	11
1637	Effect of Prior Salter or Chiari Osteotomy on THA with Developmental Hip Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 237-243.	0.7	29
1638	Do Ion Levels In Hip Resurfacing Differ From Metal-on-metal THA at Midterm?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 180-187.	0.7	43
1639	Patient Perceived Outcomes After Primary Hip Arthroplasty: Does Gender Matter?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 348-354.	0.7	43
1640	The Incidence of Acetabular Osteolysis in Young Patients With Conventional versus Highly Crosslinked Polyethylene. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 372-381.	0.7	96
1641	The Frank Stinchfield Award: The Impact of Socioeconomic Factors on Outcome After THA: A Prospective, Randomized Study. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 339-347.	0.7	79

#	ARTICLE	IF	CITATIONS
1642	Modular Femoral Sleeve and Stem Implant Provides Long-term Total Hip Survivorship. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 508-513.	0.7	33
1643	Hip Offset in Total Hip Arthroplasty: Quantitative Measurement with Navigation. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 429-436.	0.7	193
1644	Modular Femoral Stems for Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 476-482.	0.7	86
1645	Large Acetabular Defects Can be Managed with Cementless Revision Components. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 483-493.	0.7	13
1646	Ceramic-on-Ceramic Total Hip Arthroplasty: Incidence of Instability and Noise. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 437-442.	0.7	58
1647	Do Large Heads Enhance Stability and Restore Native Anatomy in Primary Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1547-1553.	0.7	94
1648	A Periacetabular Osteotomy for the Treatment of Severe Dysplastic Hips. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1436-1441.	0.7	21
1649	Revisions of Extensive Acetabular Defects with Impaction Grafting and a Cement Cup. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 562-573.	0.7	48
1650	Are There Benefits to One- versus Two-stage Procedures in Bilateral Hip Resurfacing?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1627-1634.	0.7	9
1651	Hip Resurfacing in Patients Who Have Osteonecrosis and are 25 Years or Under. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1582-1588.	0.7	29
1652	Femoral Head Size Does Not Affect Ion Values in Metal-on-Metal Total Hips. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1642-1650.	0.7	34
1653	Surgical Variables Influence Metal Ion Levels After Hip Resurfacing. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1635-1641.	0.7	48
1654	Custom Cementless THA in Patients with Skeletal Dysplasia Results in Lower Apparent Revision Rates than Other Types of Femoral Fixation. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1406-1412.	0.7	15
1655	Does Trochanteric Transfer Eliminate the Trendelenburg Sign in Adults?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1984-1990.	0.7	14
1656	Is Total Hip Arthroplasty after Hip Arthrodesis as Good as Primary Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1971-1983.	0.7	36
1657	Ethnic and Racial Factors Influencing Well-being, Perceived Pain, and Physical Function After Primary Total Joint Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 1838-1845.	0.7	76
1658	Systemic lupus erythematosus complicated with femoral head ischemic necrosis treated by Chinese medicine therapy for activating blood and dredging collaterals method. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 105-110.	0.7	9
1659	Arthroplasty versus internal fixation for femoral neck fractures in the elderly. <i>Strategies in Trauma and Limb Reconstruction</i> , 2011, 6, 7-12.	0.2	20

#	ARTICLE	IF	CITATIONS
1660	Long-term outcome of slipped capital femoral epiphysis: A 38-year follow-up of 66 patients. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 75-82.	0.4	61
1661	Treatment outcome in the most severely affected Legg-Perthes patients, comparing prolonged traction in abduction with femoral varus derotation treatment. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 89-95.	0.4	5
1662	Treatment of late-presenting developmental dislocation of the hip by progressive orthopaedic reduction and innominate osteotomy. Our results with more than 30 years of follow up. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 251-260.	0.4	26
1663	Two-stage revision surgery with preformed spacers and cementless implants for septic hip arthritis: a prospective, non-randomized cohort study. <i>BMC Infectious Diseases</i> , 2011, 11, 129.	1.3	61
1664	Quality of life and functionality after total hip arthroplasty: a long-term follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 222.	0.8	109
1665	Alumina-on-alumina total hip replacement for femoral neck fracture in healthy patients. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 32.	0.8	26
1666	Exploring the relationships between International Classification of Functioning, Disability and Health (ICF) constructs of Impairment, Activity Limitation and Participation Restriction in people with osteoarthritis prior to joint replacement. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 97.	0.8	32
1667	Preliminary application of computer-aided patient-specific acetabular navigational template for total hip arthroplasty in adult single development dysplasia of the hip. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2011, 7, 469-474.	1.2	60
1668	Measures of hip function and symptoms: Harris Hip Score (HHS), Hip Disability and Osteoarthritis Outcome Score (HOOS), Oxford Hip Score (OHS), Lequesne Index of Severity for Osteoarthritis of the Hip (LISOH), and American Academy of Orthopedic Surgeons (AAOS) Hip and Knee Questionnaire. <i>Arthritis Care and Research</i> , 2011, 63, S200-7.	1.5	366
1669	Assessment of pain-related fear in patients with the thrust plate prosthesis (TPP): Due to hip fracture and hip osteoarthritis. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, e249-e252.	1.4	6
1670	Time course and extent of functional recovery during the first postoperative year after minimally invasive total hip arthroplasty with two different surgical approaches—a randomized controlled trial. <i>Journal of Biomechanics</i> , 2011, 44, 372-378.	0.9	57
1671	Preoperative and Postoperative Lower-Extremity Joint and Pelvic Kinematics During Maximal Squatting of Patients with Cam Femoro-Acetabular Impingement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 40-45.	1.4	63
1672	Comparison of Minimally Invasive Direct Anterior Versus Posterior Total Hip Arthroplasty Based on Inflammation and Muscle Damage Markers. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1392-1398.	1.4	275
1673	Influence of Self-reported Limb Length Discrepancy on Function and Satisfaction 6 Years After Total Hip Replacement. <i>Journal of Geriatric Physical Therapy</i> , 2011, 34, 148-152.	0.6	42
1674	Accelerating failure rate of the ASR total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1011-1016.	3.4	339
1675	Total hip replacement for high dislocated hips without femoral shortening osteotomy. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1189-1193.	3.4	21
1676	Lumbo-Pelvic-Hip Complex Pain in a Competitive Basketball Player. <i>Sports Health</i> , 2011, 3, 70-72.	1.3	4
1677	Cementless Metal-on-Metal Versus Ceramic-on-Polyethylene Hip Arthroplasty in Patients Less Than Fifty Years of Age. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 137-142.	1.4	71

#	ARTICLE	IF	CITATIONS
1678	A randomised study of peri-prosthetic bone density after cemented versus trabecular fixation of a polyethylene acetabular component. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1033-1044.	3.4	12
1679	Cementless revision for infected total hip replacements. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 19-26.	3.4	29
1680	Oral dabigatran versus enoxaparin for thromboprophylaxis after primary total hip arthroplasty (RE-NOVATE II). <i>Thrombosis and Haemostasis</i> , 2011, 105, 721-729.	1.8	374
1681	What advantage is there to be gained using large modular metal-on-metal bearings in routine primary hip replacement?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1602-1609.	3.4	40
1682	Free vascularised fibular graft for post-traumatic osteonecrosis of the femoral head in teenage patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1314-1319.	3.4	23
1683	Effect of Osteoporosis on Clinical Outcomes in Intertrochanteric Hip Fractures Treated with a Proximal Femoral Nail. <i>Journal of International Medical Research</i> , 2011, 39, 857-865.	0.4	24
1684	Does morbid obesity affect the outcome of total hip replacement?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 321-325.	3.4	103
1685	Comparison of cortical and cancellous bone remodeling of the pelvis after press-fit cup total hip arthroplasty dependent on patient and prosthesis-specific characteristics: a computed tomography-assisted osteodensitometry study in vivo. <i>Biomedizinische Technik</i> , 2011, 56, 267-275.	0.9	3
1686	Arthroscopic Treatment for Acetabular Labral Tears of the Hip without Bony Dysmorphism. <i>American Journal of Sports Medicine</i> , 2011, 39, 79-84.	1.9	47
1687	The Chiari pelvic osteotomy for patients with dysplastic hips and poor joint congruency. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 726-731.	3.4	26
1688	Damage of an Oxinium femoral head and polyethylene liner following "routine" total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 409-413.	3.4	33
1689	Does body mass index affect clinical outcome post-operatively and at five years after primary unilateral total hip replacement performed for osteoarthritis?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1178-1182.	3.4	123
1690	The Effect of Weekly Risedronate on Periprosthetic Bone Resorption Following Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1857-1864.	1.4	71
1691	Femoral revision with the Wagner tapered stem. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1320-1326.	3.4	73
1692	Sushi: The Super Simple Hip Score for Younger Patients. <i>HIP International</i> , 2011, 21, 361-366.	0.9	4
1693	The Nanos Short Stem in Total Hip Arthroplasty: A Mid Term Follow-Up. <i>HIP International</i> , 2011, 21, 583-586.	0.9	65
1694	Adverse reaction to metal debris following hip resurfacing. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 164-171.	3.4	357
1695	Comparison of Paper and Computer-Based Questionnaire Modes for Measuring Health Outcomes in Patients Undergoing Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 285-293.	1.4	35

#	ARTICLE	IF	CITATIONS
1696	Intermediate to Long-Term Results of Periacetabular Osteotomy in Patients Younger and Older Than Forty Years of Age. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1347-1354.	1.4	59
1697	Quantitative Computed Tomography-Assisted Osteodensitometry of the Pelvis After Press-Fit Cup Fixation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1152-1157.	1.4	18
1698	Peri-acetabular rotational osteotomy with concomitant hip arthroscopy for treatment of hip dysplasia. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 732-737.	3.4	81
1699	10 years results of an uncemented metaphyseal fit modular stem in elderly patients. <i>Indian Journal of Orthopaedics</i> , 2011, 45, 351.	0.5	3
1700	Effect of Kampo Medicine on Pain and Range of Motion of Osteoarthritis of the Hip Accompanied by Acetabular Dysplasia: Case Report and Literature Review. <i>Integrative Medicine Insights</i> , 2011, 6, IMI.S7884.	4.2	6
1701	The Birmingham Mid-Head Resection Arthroplasty - Minimum Two Year Clinical and Radiological Follow-Up: An Independent Single Surgeon Series. <i>HIP International</i> , 2011, 21, 356-360.	0.9	20
1702	A new uncemented hydroxyapatite-coated femoral component for the treatment of femoral neck fractures. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 665-677.	3.4	19
1703	Impacted Autograft and Cementless Components in Acetabular Revision: A Retrospective Series. <i>HIP International</i> , 2011, 21, 136-140.	0.9	0
1704	Long-Term Results of Total Hip Replacement in Patients with Legg-Calv�-Perthes Disease. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, e25.	1.4	24
1705	Treatment of Osteonecrosis of the Femoral Head with Core Decompression and Bone Grafting. <i>HIP International</i> , 2011, 21, 206-210.	0.9	39
1706	Metal-on-Metal Hip Resurfacing in Rheumatoid Patients. A Report on Thirteen Hips with Minimum 3 Year Follow-Up. <i>HIP International</i> , 2011, 21, 059-065.	0.9	5
1707	No improvement in long-term wear and revision rates with the second-generation Biomet cup (RingLoc) in young patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 664-668.	1.2	6
1708	Femoral Neck Fracture After Arthroscopic Management of Femoroacetabular Impingement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, e47.	1.4	59
1709	Contemporary Total Hip Arthroplasty with and without Cement in Patients with Osteonecrosis of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1806-1810.	1.4	59
1710	Primary nonunion of intertrochanteric fractures of femur: An analysis of results of valgization and bone grafting. <i>Indian Journal of Orthopaedics</i> , 2011, 45, 514-519.	0.5	14
1711	Birmingham Hip Resurfacing in Patients who are Seventy Years of Age or Older. <i>HIP International</i> , 2011, 21, 217-224.	0.9	14
1712	Functional and Radiological Evaluation of a Simple Intra Operative Technique to Avoid Limb Length Discrepancy in Total Hip Arthroplasty. <i>HIP International</i> , 2011, 21, 192-198.	0.9	18
1713	Influence of patient activity on femoral osteolysis at five and ten years following hybrid total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 456-463.	3.4	44

#	ARTICLE	IF	CITATIONS
1714	Total Hip Arthroplasty in Developmental Hip Dysplasia Using Cementless Tapered Stem. Results after a Minimum 10-Year Follow-Up. <i>HIP International</i> , 2011, 21, 415-420.	0.9	37
1715	Acetabular Impaction Grafting in Total Hip Replacement. <i>HIP International</i> , 2011, 21, 399-408.	0.9	22
1716	Cementless Total Hip Arthroplasty Using the Spongiosa-I Fully Coated Cancellous Metal Surface. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1039-1044.	1.4	15
1717	High complication rate in reconstruction of Paprosky type IIIa acetabular defects using an oblong implant with modular side plates and a hook. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1592-1596.	3.4	19
1718	Total hip replacement with a short metaphyseal-fitting anatomical cementless femoral component in patients aged 70 years or older. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 587-592.	3.4	48
1719	The surgical treatment of anterior column and anterior wall acetabular fractures. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 970-974.	3.4	18
1720	Cemented impaction grafting with moulded intramedullary mesh for femoral stem revision – long-term results. <i>HIP International</i> , 2011, 21, 014-020.	0.9	1
1721	Assessment of early cartilage degeneration after slipped capital femoral epiphysis using T2 and T2* mapping. <i>Acta Radiologica</i> , 2011, 52, 106-110.	0.5	44
1722	Prevalence and Clinical Relevance of Radiographic Signs of Impingement in Metal-on-Metal Hybrid Hip Resurfacing. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1519-1526.	1.4	16
1723	Hip Resurfacing Arthroplasty: A Series of 140 Consecutive Hips with A Minimum Five Year Follow-Up. A Clinical, Radiological and Histological Analysis. <i>HIP International</i> , 2011, 21, 052-058.	0.9	13
1724	Medium Term Follow up of the Biodynamic Neck Sparing Prosthesis. <i>HIP International</i> , 2011, 21, 076-080.	0.9	9
1725	Revision Hip Arthroplasty Using An Extensively Porous Coated Stem: Medium Term Results. <i>HIP International</i> , 2011, 21, 129-135.	0.9	10
1726	A customised collared polished stem may reduce the complication rate of impaction grafting in revision hip surgery. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 609-614.	3.4	6
1727	High incidence of pseudotumour formation after large-diameter metal-on-metal total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 755-761.	3.4	178
1728	Sports Activity After Short-Stem Hip Arthroplasty. <i>American Journal of Sports Medicine</i> , 2012, 40, 425-432.	1.9	64
1729	Comparison of the outcome following the fixation of osteotomies or fractures associated with total hip replacement using cables or wires. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1475-1481.	3.4	10
1730	Three-Year Prospective Clinical and Radiological Results of a New Flexible Horseshoe Acetabular Cup. <i>HIP International</i> , 2012, 22, 598-606.	0.9	20
1731	Risk Factors for Ceramic Liner Fracture after Total Hip Arthroplasty. <i>HIP International</i> , 2012, 22, 607-614.	0.9	52

#	ARTICLE	IF	CITATIONS
1732	The Effect of Femoral Head Size on Functional Outcome in Primary Total Hip Arthroplasty: A Single-Blinded Randomised Controlled Trial. <i>HIP International</i> , 2012, 22, 592-597.	0.9	9
1733	Comparing Alumina-Reduced and Conventional Surface Grit-Blasted Acetabular Cups in Primary Tha: Early Results from a Randomised Clinical Trial. <i>HIP International</i> , 2012, 22, 296-301.	0.9	5
1734	Cementless Metaphyseal Fitting Anatomic Total Hip Arthroplasty with a Ceramic-on-Ceramic Bearing in Patients Thirty Years of Age or Younger. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 1570-1575.	1.4	58
1735	Long-Term Results of Intertrochanteric Varus Osteotomy for the Dysplastic Hip. <i>HIP International</i> , 2012, 22, 628-632.	0.9	3
1736	Ten-year clinical, radiological and metal ion analysis of the Birmingham Hip Resurfacing. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 471-476.	3.4	72
1737	Peri-Prosthetic Femoral Fractures Treated with the Uncemented Wagner Revision Stem. <i>HIP International</i> , 2012, 22, 286-291.	0.9	13
1738	Survival of Short Hip Stems with A "Modern" Trochanter-Sparing Design - A Systematic Literature Review. <i>HIP International</i> , 2012, 22, 344-354.	0.9	44
1739	Cemented polyethylene and cementless porous-coated acetabular components have similar outcomes at a mean of seven years after total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1604-1610.	3.4	12
1740	Total Hip Arthroplasty in Teenagers: An Alternative to Hip Arthrodesis. <i>HIP International</i> , 2012, 22, 621-627.	0.9	4
1741	Revision with Cementless Acetabular Components. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 2001-2004.	1.4	19
1742	Total Hip Replacement Versus Open Reduction and Internal Fixation of Displaced Femoral Neck Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 1921-1928.	1.4	120
1743	Modified minimally invasive two-incision total hip arthroplasty using large diameter femoral head. <i>Indian Journal of Orthopaedics</i> , 2012, 46, 29.	0.5	4
1744	A Comparison of Two Resurfacing Arthroplasty Implants: Medium-Term Clinical and Radiographic Results. <i>HIP International</i> , 2012, 22, 566-573.	0.9	4
1745	The Safety and Efficacy of One-Stage Bilateral Metal-On-Metal Hip Resurfacing Arthroplasty. <i>HIP International</i> , 2012, 22, 100-106.	0.9	3
1746	Custom rotating-hinge primary total knee arthroplasty in patients with skeletal dysplasia. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 339-343.	3.4	12
1747	Results of Conserve Plus® Metal-On-Metal Hip Resurfacing for Post-Traumatic Arthritis and Osteonecrosis. <i>HIP International</i> , 2012, 22, 195-202.	0.9	14
1748	Influence of Surgical Approach on Postoperative Femoral Bone Remodelling after Cementless Total Hip Arthroplasty. <i>HIP International</i> , 2012, 22, 545-554.	0.9	9
1749	Surgical Hip Dislocation for Anatomic Reorientation of Slipped Capital Femoral Epiphysis: Preliminary Results. <i>HIP International</i> , 2012, 22, 137-144.	0.9	57

#	ARTICLE	IF	CITATIONS
1750	Efficacy of Core Decompression as Treatment for Osteonecrosis of the Hip: A Systematic Review. <i>HIP International</i> , 2012, 22, 489-493.	0.9	91
1751	Early results of a novel technique using multiple small tantalum pegs for the treatment of osteonecrosis of the femoral head. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 173-178.	3.4	18
1752	Lower Extremity-Specific Measures of Disability and Outcomes in Orthopaedic Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 468-477.	1.4	90
1753	Running Activity After Hip Resurfacing Arthroplasty. <i>American Journal of Sports Medicine</i> , 2012, 40, 889-894.	1.9	62
1754	A comparison of a conventional versus a short, anatomical metaphyseal-fitting cementless femoral stem in the treatment of patients with a fracture of the femoral neck. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 774-781.	3.4	56
1755	Femoroacetabular impingement after slipped upper femoral epiphysis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1487-1493.	3.4	48
1756	Ilizarov hip reconstruction for the management of advanced osteonecrosis in an adolescent with leukemia. <i>Journal of Pediatric Orthopaedics Part B</i> , 2012, 21, 252-259.	0.3	5
1757	Traumatic hip dislocation in children. <i>Journal of Pediatric Orthopaedics Part B</i> , 2012, 21, 542-551.	0.3	28
1758	Inpatient versus home-based rehabilitation for older adults with musculoskeletal disorders: a systematic review. <i>Clinical Rehabilitation</i> , 2012, 26, 387-402.	1.0	39
1759	Porous metal revision shells for management of contained acetabular bone defects at a mean follow-up of six years. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 158-162.	3.4	44
1760	Arthroscopy of the hip for paediatric and adolescent disorders. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 290-296.	3.4	54
1761	Ultrasound-guided platelet-rich plasma injections for the treatment of osteoarthritis of the hip. <i>Rheumatology</i> , 2012, 51, 144-150.	0.9	168
1762	Preservation of the original femoral cement mantle during the management of infected cemented total hip replacement by two-stage revision. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 322-327.	3.4	40
1763	Sensory innervation and inflammatory cytokines in hypertrophic synovia associated with pain transmission in osteoarthritis of the hip: a case-control study. <i>Rheumatology</i> , 2012, 51, 1790-1795.	0.9	28
1764	Clinical and radiological results of the collarless polished tapered stem at 15 years follow-up. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 889-894.	3.4	24
1765	Metal-on-Metal Total Hip Arthroplasty: Do Symptoms Correlate with MR Imaging Findings?. <i>Radiology</i> , 2012, 265, 848-857.	3.6	83
1766	A prospective randomised controlled trial comparing three alternative bearing surfaces in primary total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 459-465.	3.4	53
1767	Cementless Total Hip Arthroplasty in Patients Fifty Years of Age or Younger: A Minimum Ten-Year Follow-up. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 2153-2159.	1.4	65



#	ARTICLE	IF	CITATIONS
1768	Segmental proximal femoral bone loss and revision total hip replacement in patients with developmental dysplasia of the hip. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 762-767.	3.4	13
1769	Impaction femoral allografting at revision hip arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 51-55.	3.4	14
1770	Treatment of Trochanteric Fractures with Proximal Femoral Nail Antirotation or Dynamic Hip Screw Systems: A Meta-Analysis. <i>Journal of International Medical Research</i> , 2012, 40, 839-851.	0.4	28
1771	Clinical and Magnetic Resonance Imaging Outcomes After Surgical Repair of Complete Proximal Hamstring Ruptures. <i>American Journal of Sports Medicine</i> , 2012, 40, 2325-2330.	1.9	78
1772	Analysis of Tantalum Implants used for Avascular Necrosis of the Femoral Head: A Review of Five Retrieved Specimens. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2012, 10, 29-36.	0.7	19
1773	Twenty-one Years Clinical Experience of 461 Femoral Revision Total Hip Arthroplasties with a Calcar Replacement Prosthesis. <i>The Duke Orthopaedic Journal</i> , 2012, 2, 1-4.	0.0	1
1774	Long-term results of conventional varus half-wedge proximal femoral osteotomy for the treatment of osteonecrosis of the femoral head. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 308-314.	3.4	42
1775	Management of Neglected Femoral Neck Fractures and Nonunions using a Novel Triple Surgery Combination. <i>International Journal of Lower Extremity Wounds</i> , 2012, 11, 49-58.	0.6	8
1776	Questionnaire to Assess Treatment Outcomes of Acetabular Fractures. <i>Journal of Orthopaedic Surgery</i> , 2012, 20, 55-60.	0.4	8
1777	Mid-Term Results of Third-Generation Alumina-on-Alumina Ceramic Bearings in Cementless Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 138-144.	1.4	47
1778	CIRCUMFERENTIAL PROXIMAL FEMORAL ALLOGRAFTS IN REVISION SURGERY ON TOTAL HIP ARTHROPLASTY: CASE REPORTS WITH A MINIMUM FOLLOW-UP OF 20 YEARS. <i>Revista Brasileira De Ortopedia</i> , 2012, 47, 384-388.	0.6	1
1779	Influence of Surgical Experience in the Learning Curve of a New Approach in Hip Replacement: Anterior Mini-Invasive Vs. Standard Lateral. <i>HIP International</i> , 2012, 22, 555-561.	0.9	37
1780	Percutaneous Radiofrequency Denervation in Patients With Contraindications for Total Hip Arthroplasty. <i>Orthopedics</i> , 2012, 35, e302-5.	0.5	40
1781	Hip Revision Arthroplasty in Periprosthetic Fractures of Vancouver Type B2 and B3. <i>Journal of Orthopaedic Trauma</i> , 2012, 26, 206-211.	0.7	60
1782	Iliac Flap Versus Fibula Flap in Mandibular Reconstruction. <i>Journal of Craniofacial Surgery</i> , 2012, 23, 774-779.	0.3	33
1783	Less Invasive Stabilization System (LISS) Versus Proximal Femoral Nail Anti-rotation (PFNA) in Treating Proximal Femoral Fractures. <i>Journal of Orthopaedic Trauma</i> , 2012, 26, 155-162.	0.7	32
1784	Functional Outcomes in Elderly Patients With Acetabular Fractures Treated With Minimally Invasive Reduction and Percutaneous Fixation. <i>Journal of Orthopaedic Trauma</i> , 2012, 26, 278-283.	0.7	77
1785	Outcomes of Slipped Capital Femoral Epiphysis Treated With In Situ Pinning. <i>Journal of Pediatric Orthopaedics</i> , 2012, 32, 125-130.	0.6	89

#	ARTICLE	IF	CITATIONS
1786	Femoroacetabular Impingement. Journal of Pediatric Orthopaedics, 2012, 32, S166-S171.	0.6	13
1787	Selection of Appropriate Outcomes Instruments. Journal of Pediatric Orthopaedics, 2012, 32, S104-S110.	0.6	3
1788	Cementless acetabular reconstruction after acetabular fracture. Journal of Trauma and Acute Care Surgery, 2012, 73, 232-238.	1.1	33
1789	Primary Cementless Acetabular Fixation at a Minimum of Twenty Years of Follow-up. Journal of Bone and Joint Surgery - Series A, 2012, 94, 234-239.	1.4	22
1790	Large-diameter Delta Ceramic-on-ceramic Versus Common-sized Ceramic-on-polyethylene Bearings in THA. Orthopedics, 2012, 35, e1307-13.	0.5	41
1791	CIRCUMFERENTIAL PROXIMAL FEMORAL ALLOGRAFTS IN TOTAL HIP ARTHROPLASTY REVISION SURGERY. Revista Brasileira De Ortopedia, 2012, 47, 754-759.	0.6	0
1792	Good Diagnostic Performance of Early Migration as a Predictor of Late Aseptic Loosening of Acetabular Cups. Journal of Bone and Joint Surgery - Series A, 2012, 94, 874-880.	1.4	65
1793	Upper Extremity-Specific Measures of Disability and Outcomes in Orthopaedic Surgery. Journal of Bone and Joint Surgery - Series A, 2012, 94, 277-285.	1.4	235
1794	PROXIMAL FEMORAL EPIPHYSIOLYSIS AND SUBCLINICAL HYPOTHYROIDISM: CASE REPORT. Revista Brasileira De Ortopedia, 2012, 47, 662-664.	0.6	0
1795	Twenty-three-Year Outcome of the Porous Coated Anatomic Total Hip Replacement. Journal of Bone and Joint Surgery - Series A, 2012, 94, 151-155.	1.4	17
1796	Chinese Experts' Consensus on the Diagnosis and Treatment of Osteonecrosis of the Femoral Head in Adults. Orthopaedic Surgery, 2012, 4, 125-130.	0.7	46
1797	Corrosion at the neck-stem junction as a cause of metal ion release and pseudotumour formation. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 895-900.	3.4	216
1798	Bipolar hemiarthroplasty compared with internal fixation for unstable intertrochanteric fractures in elderly patients. Journal of Orthopaedic Science, 2012, 17, 722-729.	0.5	22
1799	New surgical algorithm for femoral head split fractures with anatomical study. Journal of Orthopaedic Science, 2012, 17, 710-716.	0.5	1
1801	Recurrence of Dislocation Following Total Hip Arthroplasty Revision Using Dual Mobility Cups Was Rare in 180 Hips Followed Over 7 Years. HSS Journal, 2012, 8, 251-256.	0.7	83
1802	Acute Delirium and Poor Compliance in Total Hip Arthroplasty Patients With Substance Abuse Disorders. Journal of Arthroplasty, 2012, 27, 1526-1529.	1.5	18
1803	Dynamic Measurements of Hip Movement in Deep Bending Activities After Total Hip Arthroplasty Using a 4-Dimensional Motion Analysis System. Journal of Arthroplasty, 2012, 27, 1562-1568.	1.5	68
1804	Juvenile Arthritis Patients Report Favorable Subjective Outcomes of Hip Arthroplasty Despite Poor Standard Outcome Scores. Journal of Arthroplasty, 2012, 27, 1622-1628.	1.5	9

#	ARTICLE	IF	CITATIONS
1805	Total Hip Arthroplasty for Crowe Type â...£ Developmental Dysplasia. Journal of Arthroplasty, 2012, 27, 1629-1635.	1.5	62
1806	Clinical Outcomes of Primary Total Joint Arthroplasty Among Nonagenarian Patients. Journal of Arthroplasty, 2012, 27, 1599-1603.	1.5	28
1807	Pseudarthrosis of femoral neck stress fracture treated with open reduction, sliding hip screw and bone morphogenic protein. International Journal of Surgery Case Reports, 2012, 3, 529-532.	0.2	2
1808	The KHOALA cohort of knee and hip osteoarthritis in France. Joint Bone Spine, 2012, 79, 597-603.	0.8	48
1810	Acetabular fractures: Short-term results. Revista Espa±ola De CirugÃa OrtopÃ©dica Y TraumatologÃa, 2012, 56, 17-23.	0.1	6
1811	Muscle Mass and Composition of the Hip, Thigh and Abdominal Muscles in Women With and Without Hip Osteoarthritis. Ultrasound in Medicine and Biology, 2012, 38, 1540-1545.	0.7	48
1813	RÃ©sultats des dÃ©sescalades de tiges fÃ©morales verrouillÃ©es descellÃ©es par une tige standard dÃ©™arthroplastie primaire: complications, fixation et reconstruction osseuse dans 15Ã©cas. Revue De Chirurgie Orthopedique Et Traumatologique, 2012, 98, 134-139.	0.0	0
1814	Patient-Reported Outcomes for Total Hip and Knee Arthroplasty. Clinics in Geriatric Medicine, 2012, 28, 367-394.	1.0	121
1815	Reconstructions acÃ©tabulaires au moyen dÃ©™allogreffes fragmentÃ©es et dÃ©™un anneau de renforcement dans les reprises de prothÃ©se totale de hanche avec perte de substance osseuse Paprosky type II ou III. Analyse de survie de 95Ã©hanches Ã© un terme de cinqÃ© 13Ã©ans. Revue De Chirurgie Orthopedique Et Traumatologique, 2012, 98, 125-133.	0.0	0
1817	Mid-term results of large diameter heads on cross-linked polyethylene liners in total hip replacement. Journal of Clinical Orthopaedics and Trauma, 2012, 3, 94-97.	0.6	3
1818	Une tige fÃ©morale stable en face dÃ©™un cotyle descellÃ©; reprise ou non de cette tige? Une Ã©tude entre cinq et 15Ã©ans de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2012, 98, 24-30.	0.0	0
1819	Effect of the WISH-type hip brace on functional mobility in patients with osteoarthritis of the hip. Prosthetics and Orthotics International, 2012, 36, 25-32.	0.5	10
1820	Impact of arthroscopy of the hip for femoroacetabular impingement on quality of life at a mean follow-up of 3.2 years. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 466-470.	3.4	76
1821	Femoral revision surgery with impaction bone grafting. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 615-618.	3.4	34
1822	Resurfacing arthroplasty for hip dysplasia. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 768-773.	3.4	13
1823	Impact of coexistent lumbar spine disorders on clinical outcomes and physician charges associated with total hip arthroplasty. Spine Journal, 2012, 12, 363-369.	0.6	52
1824	The 25 Most Cited Articles in Arthroscopic Orthopaedic Surgery. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 548-564.	1.3	89
1825	The Development and Validation of a Self-Administered Quality-of-Life Outcome Measure for Young, Active Patients With Symptomatic Hip Disease: The International Hip Outcome Tool (iHOT-33). Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 595-610.e1.	1.3	387

#	ARTICLE	IF	CITATIONS
1826	Sagittal plane hip motion reversals during walking are associated with disease severity and poorer function in subjects with hip osteoarthritis. <i>Journal of Biomechanics</i> , 2012, 45, 1360-1365.	0.9	49
1827	Treatment of early stage osteonecrosis of the femoral head with autologous implantation of bone marrow-derived and cultured mesenchymal stem cells. <i>Bone</i> , 2012, 50, 325-330.	1.4	301
1828	Femoral head to neck offset after hip resurfacing is critical for range of motion. <i>Clinical Biomechanics</i> , 2012, 27, 165-169.	0.5	22
1829	Early functional results after Hemiarthroplasty for femoral neck fracture: a randomized comparison between a minimal invasive and a conventional approach. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 141.	0.8	34
1830	Wear, bone density, functional outcome and survival in vitamin E-incorporated polyethylene cups in reversed hybrid total hip arthroplasty: design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 178.	0.8	6
1831	No red cell alloimmunization or change of clinical outcome after using fresh frozen cancellous allograft bone for acetabular reconstruction in revision hip arthroplasty: a follow up study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 187.	0.8	0
1832	Quality of life after pertrochanteric femoral fractures treated with a gamma nail: a single center study of 62 patients. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 214.	0.8	17
1833	Assessing function in patients undergoing joint replacement: a study protocol for a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 220.	0.8	15
1834	Hip resurfacing in a district general hospital: 6-year clinical results using the ReCap hip resurfacing system. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 247.	0.8	10
1835	Is the lag screw sliding effective in the intramedullary nailing in A1 and A2 AO-OTA intertrochanteric fractures? A prospective study of Sliding and None-sliding lag screw in Gamma-III nail. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012, 20, 60.	1.1	11
1837	CT Fluoroscopy-guided Percutaneous Osteoplasty for the Treatment of Osteolytic Lung Cancer Bone Metastases to the Spine and Pelvis. <i>Journal of Vascular and Interventional Radiology</i> , 2012, 23, 1135-1142.	0.2	28
1838	Hip Conversion: Don't Promise Too Much. <i>Seminars in Arthroplasty</i> , 2012, 23, 176-178.	0.3	1
1839	A well-fixed femoral stem facing a failed acetabular component: To exchange or not? A 5- to 15-year follow-up study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 24-29.	0.9	25
1840	De-escalation exchange of loosened locked revision stems to a primary stem design: Complications, stem fixation and bone reconstruction in 15 cases. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 138-143.	0.9	16
1841	Functional recovery, complications and CT positioning of total hip replacement performed through a Rattlinger anterolateral mini-incision. Review of a continuous series of 103 cases. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 8-16.	0.9	22
1842	Functional performance after hip resurfacing or total hip replacement: A comparative assessment with non-operated subjects. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 1-7.	0.9	51
1843	Acetabular reconstruction using morselized allograft and a reinforcement ring for revision arthroplasty with Paprosky type II and III bone loss: Survival analysis of 95 hips after 5 to 13 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2012, 98, 129-137.	0.9	27
1844	Clinical Outcomes Analysis of Conservative and Surgical Treatment of Patients With Clinical Indications of Prearthritic, Intra-articular Hip Disorders. <i>PM and R</i> , 2012, 4, 479-487.	0.9	121

#	ARTICLE	IF	CITATIONS
1845	Development of a simplified Chinese version of the hip disability and osteoarthritis outcome score (HOOS): cross-cultural adaptation and psychometric evaluation. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1563-1567.	0.6	31
1846	Comparative prospective study of proximal femoral nail and dynamic hip screw in treatment of intertrochanteric fracture femur. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2012, 3, 28-36.	0.6	48
1847	Do Survival Rate and Serum Ion Concentrations 10 Years After Metal-on-Metal Hip Resurfacing Provide Evidence for Continued Use?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3118-3126.	0.7	30
1848	Does Impact Sport Activity Influence Total Hip Arthroplasty Durability?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3060-3066.	0.7	84
1849	Cementing Acetabular Liners Into Secure Cementless Shells for Polyethylene Wear Provides Durable Mid-term Fixation. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3142-3147.	0.7	34
1850	Highly Crosslinked Polyethylene Does Not Reduce Aseptic Loosening in Cemented THA 10-year Findings of a Randomized Study. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3083-3093.	0.7	92
1851	Do Concomitant Fractures With Hip Fractures Influence Complication Rate and Functional Outcome?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3596-3606.	0.7	30
1852	A Dual-mobility Cup Reduces Risk of Dislocation in Isolated Acetabular Revisions. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3542-3548.	0.7	92
1853	Does PFNA II Avoid Lateral Cortex Impingement for Unstable Peritrochanteric Fractures?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3067-3076.	0.7	28
1854	Acetabular Component Positioning Using Anatomic Landmarks of the Acetabulum. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3515-3523.	0.7	51
1855	Surgical Technique: Second-generation Bone Marrow Stimulation via Surgical Dislocation to Treat Hip Cartilage Lesions. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3421-3431.	0.7	29
1856	Alumina-on-alumina THA Performed in Patients Younger Than 30 Years: A 10-year Minimum Followup Study. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3530-3536.	0.7	29
1857	Early Experience With a Comprehensive Hip Preservation Service Intended to Improve Clinical Care, Education, and Academic Productivity. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3446-3452.	0.7	5
1858	Bosworth hip shelf arthroplasty in adult dysplastic hips: ten to twenty three year results. <i>International Orthopaedics</i> , 2012, 36, 2425-2431.	0.9	15
1859	Intertrochanteric fractures: comparison between two different locking nails. <i>International Orthopaedics</i> , 2012, 36, 2545-2551.	0.9	30
1860	Postoperative autologous blood transfusion drain or no drain in primary total hip arthroplasty? A randomised controlled trial. <i>International Orthopaedics</i> , 2012, 36, 2033-2039.	0.9	20
1861	The direct anterior approach in hemiarthroplasty for displaced femoral neck fractures. <i>International Orthopaedics</i> , 2012, 36, 1773-1781.	0.9	37
1862	Amyloid deposition in rheumatoid arthritis of the hip. <i>Rheumatology International</i> , 2012, 32, 2645-2651.	1.5	6

#	ARTICLE	IF	CITATIONS
1863	Proximal Femoral Nail Antirotation versus Gamma3 nail for intramedullary nailing of unstable trochanteric fractures. A randomised comparative study. <i>Injury</i> , 2012, 43, S47-S54.	0.7	49
1864	Midterm Outcomes in Patients With Cam Femoroacetabular Impingement Treated Arthroscopically. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 1671-1681.	1.3	85
1865	Long-Term Follow-Up Results of a Second-Generation Cementless Femoral Prosthesis with a Collar and Straight Distal Fixation Channels. <i>Yonsei Medical Journal</i> , 2012, 53, 186.	0.9	3
1866	Comparative Analysis of Two Cementless Stems in Total Hip Arthroplasties in Patients with Osteonecrosis of Femoral Head - Summit <sup>®</sup> Stem and Bencox <sup>®</sup> Stem -. <i>The Journal of the Korean Hip Society</i> , 2012, 24, 25-31.	0.2	4
1867	Hip Arthroplasty for Failed Internal Fixation of Intertrochanteric Fractures. <i>Hip and Pelvis</i> , 2012, 24, 94-101.	0.6	2
1868	Bipolar Hemiarthroplasty with Cementless Femoral Stem for Unstable Intertrochanteric Fractures. <i>The Journal of the Korean Orthopaedic Association</i> , 2012, 47, 79.	0.0	4
1869	Midterm Results of Total Hip Arthroplasty Using the VerSys Fiber Metal Tapered Femoral Stem. <i>Hip and Pelvis</i> , 2012, 24, 79-86.	0.6	0
1870	AvaliaÃ§Ã£o da confiabilidade do MÃ©todo Merle d'AubignÃ© e Postel Modificado. <i>Acta Ortopedica Brasileira</i> , 2012, 20, 213-217.	0.2	37
1871	TraduÃ§Ã£o e adaptaÃ§Ã£o transcultural do instrumento de avaliaÃ§Ã£o do quadril MHOT. <i>Acta Ortopedica Brasileira</i> , 2012, 20, 88-92.	0.2	32
1872	Alendronate in the prevention of collapse of the femoral head in nontraumatic osteonecrosis: A two-year multicenter, prospective, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2012, 64, 1572-1578.	6.7	110
1873	Is Hip Arthroscopy Cost-effective for Femoroacetabular Impingement?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1079-1089.	0.7	60
1874	Is Helical Blade Nailing Superior to Locked Minimally Invasive Plating in Unstable Pertrochanteric Fractures?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 2302-2312.	0.7	46
1875	High 10-Year Survival Rate with an Anatomic Cementless Stem (SPS). <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1941-1949.	0.7	35
1876	The validation of the visual analogue scale for patient satisfaction after total hip arthroplasty. <i>European Orthopaedics and Traumatology</i> , 2012, 3, 101-105.	0.1	174
1877	Evaluation of ultrasound-guided diagnostic local anaesthetic hip joint injection for osteoarthritis. <i>Skeletal Radiology</i> , 2012, 41, 981-985.	1.2	38
1878	The Bicontact cementless primary total hip arthroplasty: long-term results. <i>International Orthopaedics</i> , 2012, 36, 915-920.	0.9	18
1879	Mentoring in complex surgery: minimising the learning curve complications from peri-acetabular osteotomy. <i>International Orthopaedics</i> , 2012, 36, 921-925.	0.9	25
1880	Surgical therapy of hip-joint empyema. Is the Girdlestone arthroplasty still up to date?. <i>International Orthopaedics</i> , 2012, 36, 927-933.	0.9	27

#	ARTICLE	IF	CITATIONS
1881	Management of Vancouver B2 and B3 femoral periprosthetic fractures using a modular cementless stem without allografting. <i>International Orthopaedics</i> , 2012, 36, 1045-1050.	0.9	47
1882	Revision total hip arthroplasty using a cementless tapered revision stem in patients with a mean age of 82Åyears. <i>International Orthopaedics</i> , 2012, 36, 961-965.	0.9	8
1883	Long-term results of cementless femoral reconstruction following intertrochanteric osteotomy. <i>International Orthopaedics</i> , 2012, 36, 1123-1128.	0.9	10
1884	High survival in young patients using a second generation uncemented total hip replacement. <i>International Orthopaedics</i> , 2012, 36, 1129-1136.	0.9	34
1885	The gait function of slipped capital femoral epiphysis in patients after growth arrest and its correlation with the clinical outcome. <i>International Orthopaedics</i> , 2012, 36, 1031-1038.	0.9	14
1886	Treatment efficacy of etanercept and MTX combination therapy for ankylosing spondylitis hip joint lesion in Chinese population. <i>Rheumatology International</i> , 2012, 32, 1663-1667.	1.5	25
1887	Extracorporeal shock wave therapy in early osteonecrosis of the femoral head: prospective clinical study with long-term follow-up. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 499-508.	1.3	75
1888	Outcomes of total hip replacement in patients with slipped capital femoral epiphysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 1133-1139.	1.3	11
1889	Role of hemiarthroplasty in intertrochanteric fractures in elderly osteoporotic patients: a case series. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2012, 22, 467-472.	0.6	5
1890	The influence of body mass index on life quality and clinical improvement after total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2012, 17, 219-225.	0.5	21
1891	Midterm results of transtrochanteric anterior rotational osteotomy combined with shelf acetabuloplasty for osteonecrosis with acetabular dysplasia: a preliminary report. <i>Journal of Orthopaedic Science</i> , 2012, 17, 239-243.	0.5	2
1892	A Prospective Short-Term Outcome Study of a Short Metaphyseal Fitting Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 88-94.	1.5	74
1893	Femoroacetabular Cup Impingement After Resurfacing Arthroplasty of the Hip. <i>Journal of Arthroplasty</i> , 2012, 27, 60-65.	1.5	14
1894	Hip Resurfacing Arthroplasty in Inflammatory Arthritis. <i>Journal of Arthroplasty</i> , 2012, 27, 15-20.	1.5	15
1895	Fracture of the Outer Metallic Head of the Bipolar Hip Prosthesis: An Unusual Bearing Surface Failure. <i>Journal of Arthroplasty</i> , 2012, 27, 323.e9-323.e12.	1.5	3
1896	Periacetabular Osteolysis is the Problem in Contemporary Total Hip Arthroplasty in Young Patients. <i>Journal of Arthroplasty</i> , 2012, 27, 74-81.	1.5	37
1897	Fixation and Bone Remodeling Around a Low-Modulus Stem. <i>Journal of Arthroplasty</i> , 2012, 27, 134-142.e1.	1.5	16
1898	Cementless Metasul Metal-On-Metal Total Hip Arthroplasties at 13 Years. <i>Journal of Arthroplasty</i> , 2012, 27, 186-192.	1.5	60

#	ARTICLE	IF	CITATIONS
1899	Dislocation After Total Hip Arthroplasty: A Randomized Clinical Trial of a Posterior Approach and a Modified Lateral Approach. <i>Journal of Arthroplasty</i> , 2012, 27, 378-385.	1.5	78
1900	Clinical and Patient-Reported Outcomes of Patients With Four Major Lower Extremity Arthroplasties. <i>Journal of Arthroplasty</i> , 2012, 27, 507-513.	1.5	5
1901	Is Hydroxyapatite Coating Necessary to Improve Survivorship of Porous-Coated Titanium Femoral Stem?. <i>Journal of Arthroplasty</i> , 2012, 27, 559-563.	1.5	25
1902	A Modified Cement Spacer Technique for Infected Total Hip Arthroplasties With Significant Bone Loss. <i>Journal of Arthroplasty</i> , 2012, 27, 613-619.	1.5	33
1903	Third-Generation Ceramic-On-Ceramic Total Hip Arthroplasty in Patients Younger Than 30 Years with Osteonecrosis of Femoral Head. <i>Journal of Arthroplasty</i> , 2012, 27, 1337-1343.	1.5	47
1904	Properties of the Patient Administered Questionnaires. <i>Journal of Arthroplasty</i> , 2012, 27, 575-582.e6.	1.5	21
1905	Reattachment of Complex Femoral Greater Trochanteric Nonunions with Dual Locking Plates. <i>Journal of Arthroplasty</i> , 2012, 27, 638-642.	1.5	18
1906	Protrusion Acetabuli and Total Hip Arthroplasty in Patients With Marfan Syndrome. <i>Journal of Arthroplasty</i> , 2012, 27, 776-782.	1.5	11
1907	Long-Term Femoral Bone Remodeling After Cemented Hip Arthroplasty With the Müller Straight Stem in the Operated and Nonoperated Femora. <i>Journal of Arthroplasty</i> , 2012, 27, 927-933.	1.5	10
1908	Periacetabular Cortical and Cancellous Bone Mineral Density Loss After Press-Fit Cup Fixation. <i>Journal of Arthroplasty</i> , 2012, 27, 1358-1363.e1.	1.5	11
1909	Squeaking After Third-Generation Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 909-915.	1.5	20
1910	Salvage of Failed Trochanteric Fracture Fixation Using the Revitan Curved Cementless Modular Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 1382-1388.	1.5	28
1911	Two-Stage Cementless Revision of Late Total Hip Arthroplasty Infection Using a Premanufactured Spacer. <i>Journal of Arthroplasty</i> , 2012, 27, 1397-1401.	1.5	34
1912	Does Osteoporosis Increase Early Subsidence of Cementless Double-Tapered Femoral Stem in Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2012, 27, 1305-1309.	1.5	20
1913	Simultaneous Bilateral Total Hip Arthroplasty With Hydroxyapatite-Coated Implants: A 20-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2012, 27, 1364-1369.	1.5	12
1914	A Minimum of 10-Year Follow-Up of the Burch-Schneider Cage and Bulk Allografts for the Revision of Pelvic Discontinuity. <i>Journal of Arthroplasty</i> , 2012, 27, 1057-1063.e1.	1.5	74
1915	Revision Total Hip Arthroplasty in Patients 80 Years or Older. <i>Journal of Arthroplasty</i> , 2012, 27, 1041-1046.	1.5	20
1916	Hip Squeaking. <i>Journal of Arthroplasty</i> , 2012, 27, 1008-1013.	1.5	35



#	ARTICLE	IF	CITATIONS
1917	The 6-Year Migration Characteristics of a Hydroxyapatite-Coated Femoral Stem. <i>Journal of Arthroplasty</i> , 2012, 27, 1344-1348.e1.	1.5	23
1918	Modern Proximally Tapered Uncemented Stems Can Be Safely Used in Dorr Type C Femoral Bone. <i>Journal of Arthroplasty</i> , 2012, 27, 1014-1018.	1.5	25
1919	Proximal femoral nail antirotation versus hemiarthroplasty: A study for the treatment of intertrochanteric fractures. <i>Injury</i> , 2012, 43, 876-881.	0.7	81
1920	Long-term functional outcome following intramedullary nailing of femoral shaft fractures. <i>Injury</i> , 2012, 43, 1154-1158.	0.7	34
1921	Expandable proximal femoral nails versus 95° dynamic condylar screw-plates for the treatment of reverse oblique intertrochanteric fractures. <i>Injury</i> , 2012, 43, 1313-1317.	0.7	15
1922	Unstable Trochanteric Fractures in Elderly Osteoporotic Patients: Role of Primary Hemiarthroplasty. <i>Orthopaedic Surgery</i> , 2012, 4, 89-93.	0.7	17
1923	Radiostereometric analysis of hemiarthroplasties of the hip – a highly precise method for measurements of cartilage wear. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 36-42.	0.6	11
1924	Reliability and validity of the Physical Activity Scale for the Elderly (PASE) in patients with hip osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 26.	0.8	70
1925	Effect of a walking skill training program in patients who have undergone total hip arthroplasty: Followup one year after surgery. <i>Arthritis Care and Research</i> , 2012, 64, 415-423.	1.5	51
1926	Second-generation Modular Acetabular Components Provide Fixation at 10 to 16 Years. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 366-372.	0.7	15
1927	Stem and Osteotomy Length are Critical for Success of the Transfemoral Approach and Cementless Stem Revision. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 883-888.	0.7	28
1928	Accumulation of Fatty Marrow in the Osteonecrotic Hip Mimicking Joint Infection. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 877-882.	0.7	3
1929	Which Factors Influence Preservation of the Osteonecrotic Femoral Head?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 525-534.	0.7	129
1930	Stable Fixation of Short-stem Femoral Implants in Patients 70 Years and Older. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 442-449.	0.7	61
1931	A Short Tapered Stem Reduces Intraoperative Complications in Primary Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 450-461.	0.7	142
1932	Low Incidence of Groin Pain and Early Failure with Large Metal Articulation Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 388-394.	0.7	20
1933	Ceramic Bearings for Total Hip Arthroplasty Have High Survivorship at 10 Years. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 373-381.	0.7	106
1934	Pelvic Discontinuity Treated With Custom Triflange Component: A Reliable Option. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 428-434.	0.7	171

#	ARTICLE	IF	CITATIONS
1935	Does Previous Reconstructive Surgery Influence Functional Improvement and Deformity Correction After Periacetabular Osteotomy?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 516-524.	0.7	28
1937	Dome osteotomy of the pelvis using a modified trochanteric osteotomy for acetabular dysplasia. <i>International Orthopaedics</i> , 2012, 36, 9-15.	0.9	3
1938	Operative treatment of avascular necrosis of the femoral head after proximal femur fractures in adolescents. <i>International Orthopaedics</i> , 2012, 36, 149-157.	0.9	19
1939	Femoral shortening and cementless arthroplasty in Crowe type 4 congenital dislocation of the hip. <i>International Orthopaedics</i> , 2012, 36, 499-503.	0.9	29
1940	Revision hip arthroplasty using a cementless modular tapered stem. <i>International Orthopaedics</i> , 2012, 36, 35-41.	0.9	35
1941	Japanese Orthopaedic Association Hip Disease Evaluation Questionnaire (JHEQ): a patient-based evaluation tool for hip-joint disease. The Subcommittee on Hip Disease Evaluation of the Clinical Outcome Committee of the Japanese Orthopaedic Association. <i>Journal of Orthopaedic Science</i> , 2012, 17, 25-38.	0.5	118
1942	Long-term results of 32-mm alumina-on-alumina THA for avascular necrosis of the femoral head. <i>Journal of Orthopaedics and Traumatology</i> , 2012, 13, 21-27.	1.0	29
1943	The Burchâ€“Schneider cage for reconstruction after metastatic destruction of the acetabulum: outcome and complications. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 405-410.	1.3	32
1944	Cushion bearings versus large diameter head metal-on-metal bearings in total hip arthroplasty: a short-term metal ion study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 123-129.	1.3	19
1945	Predictors of functional outcome following femoral neck fractures treated with an arthroplasty: limitations of the Harris hip score. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 249-256.	1.3	26
1947	A non-invasive biomechanical device and treatment for patients following total hip arthroplasty: results of a 6-month pilot investigation. <i>Journal of Orthopaedic Surgery and Research</i> , 2013, 8, 13.	0.9	3
1948	Learning curve of basic hip arthroscopy technique: CUSUM analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1940-1944.	2.3	87
1949	Differential features of muscle fiber atrophy in osteoporosis and osteoarthritis. <i>Osteoporosis International</i> , 2013, 24, 1095-1100.	1.3	53
1950	Operative diagnosis for revision total hip arthroplasty is associated with patient-reported outcomes (PROs). <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 210.	0.8	15
1951	The outcomes of hip resurfacing compared to standard primary total hip arthroplasty in Men. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 161.	0.8	23
1952	Restoration of the Hip Center During THA Performed for Protrusio Acetabuli Is Associated With Better Implant Survival. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3251-3259.	0.7	50
1953	Long-term (20- to 25-year) Results of an Uncemented Tapered Titanium Femoral Component and Factors Affecting Survivorship. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3262-3269.	0.7	91
1954	No Difference in Gait Recovery After THA With Different Head Diameters: A Prospective Randomized Study. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3830-3837.	0.7	24

#	ARTICLE	IF	CITATIONS
1955	High Prevalence of Adverse Reactions to Metal Debris in Small-headed ASR <sup>®</sup> Hips. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2954-2961.	0.7	58
1956	Total Hip Arthroplasty for the Sequelae of Legg-Calvé-Perthes Disease. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2980-2986.	0.7	19
1957	Do Ion Levels in Metal-on-metal Hip Resurfacing Differ From Those in Metal-on-metal THA at Long-term Followup?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2964-2971.	0.7	20
1958	Which Implant Is Better for Treating Reverse Obliquity Fractures of the Proximal Femur: A Standard or Long Nail?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2768-2775.	0.7	75
1959	What is the Long-term Survival of Impaction Allografting of the Femur?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3901-3911.	0.7	17
1960	Low Rate of Dislocation of Dual-mobility Cups in Primary Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3891-3900.	0.7	152
1961	Do Young, Active Patients Perceive Advantages After Surface Replacement Compared to Cementless Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3803-3813.	0.7	34
1962	Which Functional Assessments Predict Long-term Wear After Total Hip Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2586-2594.	0.7	14
1963	The Fate of Hips That Are Not Prophylactically Pinned After Unilateral Slipped Capital Femoral Epiphysis. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2124-2131.	0.7	33
1964	Vascularized Fibular Grafts for Avascular Necrosis After Slipped Capital Femoral Epiphysis: Is Hip Preservation Possible?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 2206-2211.	0.7	13
1965	Surgical Technique: Arthroscopic Treatment of Heterotopic Ossification of the Hip After Prior Hip Arthroscopy. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 1277-1282.	0.7	26
1966	Physical Activity Level Improves After Periacetabular Osteotomy for the Treatment of Symptomatic Hip Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 981-988.	0.7	51
1967	Cementless total hip replacement for severe developmental dysplasia of the hip: our experience in Crowe's group IV. <i>Musculoskeletal Surgery</i> , 2013, 97, 25-30.	0.7	16
1968	A randomised prospective evaluation of ceramic-on-ceramic and ceramic-on-highly cross-linked polyethylene bearings in the same patients with primary cementless total hip arthroplasty. <i>International Orthopaedics</i> , 2013, 37, 2131-2137.	0.9	56
1969	Do synovial leptin levels correlate with pain in end stage arthritis?. <i>International Orthopaedics</i> , 2013, 37, 2071-2079.	0.9	51
1970	Long-term survival of the uncemented Balgrist total hip replacement cup. <i>International Orthopaedics</i> , 2013, 37, 1449-1456.	0.9	8
1971	Clinical and radiological outcomes of treatment of avascular necrosis of the femoral head using autologous osteochondral transfer (mosaicplasty). Preliminary report. <i>International Orthopaedics</i> , 2013, 37, 1239-1244.	0.9	48
1972	Fresh-stored osteochondral allografts for the treatment of femoral head defects: surgical technique and preliminary results. <i>International Orthopaedics</i> , 2013, 37, 1001-1006.	0.9	29

#	ARTICLE	IF	CITATIONS
1973	Multiple biomarkers analysis for the early detection of prosthetic aseptic loosening of hip arthroplasty. <i>International Orthopaedics</i> , 2013, 37, 1025-1031.	0.9	21
1974	The First SICOT Oral Presentation Award 2011: Imageless computer-assisted femoral component positioning in hip resurfacing: a prospective randomised trial. <i>International Orthopaedics</i> , 2013, 37, 569-581.	0.9	8
1975	Bone graft incorporation after revision hip arthroplasty in patients with rheumatoid arthritis, seventy eight revisions using bone allografts with or without metal reinforcements. <i>International Orthopaedics</i> , 2013, 37, 595-598.	0.9	10
1976	Modular acetabular reconstructive cup in acetabular revision total hip arthroplasty at a minimum ten year follow-up. <i>International Orthopaedics</i> , 2013, 37, 605-610.	0.9	17
1977	An Initial Experience with Hip Resurfacing Versus Cementless Total Hip Arthroplasty. <i>HSS Journal</i> , 2013, 9, 145-149.	0.7	7
1978	Early migration characteristics of a 180° porous-coated cup with 1-mm press fit. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 707-712.	1.3	7
1979	Medial placement of the acetabular component in an alumina-on-alumina total hip arthroplasty: a comparative study with propensity score matching. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 413-419.	1.3	4
1980	Three to seven year follow-up of a tapered modular femoral prosthesis in revision total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 275-281.	1.3	19
1981	Vascularized fibular grafts in patients with avascular necrosis of femoral head: a systematic review and meta-analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 1-10.	1.3	50
1982	A rare complication after intertrochanteric fracture treated with proximal femoral nail: femoral neck insufficiency fracture. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 241-245.	0.6	2
1983	Versatile application of short stem during total hip arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 229-232.	0.6	0
1984	Cemented bipolar hemiarthroplasty with a cerclage cable technique for unstable intertrochanteric hip fractures in elderly patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 443-448.	0.6	22
1985	Porous tantalum rod implant is an effective and safe choice for early-stage femoral head necrosis: a meta-analysis of clinical trials. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 211-217.	0.6	41
1986	Clinical and functional outcomes of the PCCP study: a multi-center prospective study in Italy. <i>Strategies in Trauma and Limb Reconstruction</i> , 2013, 8, 13-20.	0.2	5
1987	Outcomes of Primary Total Hip Arthroplasty in Systemic Lupus Erythematosus With a Proximally-Coated Cementless Stem. <i>Journal of Arthroplasty</i> , 2013, 28, 1663-1666.	1.5	28
1989	Evora® chromium-cobalt dual mobility socket: Results at a minimum 10years™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 923-928.	0.9	58
1990	Stable Fixation but Unpredictable Bone Remodelling Around the Lord Stem. <i>Journal of Arthroplasty</i> , 2013, 28, 644-649.	1.5	4
1992	RÃ©vision Ã  dix ans de recul minimum de 83ÃªprothÃªses totales de hanches cimentÃ©es PFÃª® (Zimmer). <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, S16-S20.	0.0	0

#	ARTICLE	IF	CITATIONS
1993	Outcomes at least 10 years after cemented PFÂ® (Zimmer) total hip arthroplasty: 83 cases. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, S235-S239.	0.9	2
1994	A Simple Method Using a PACS to Minimize Leg Length Discrepancy in Primary THA. <i>Journal of Arthroplasty</i> , 2013, 28, 1791-1795.	1.5	14
1995	Reprise de prothÃ©se totale de hanche primaire pour instabilitÃ©: Ã©tude prospective multicentrique en France. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, 456-461.	0.0	0
1996	Limited femorotomy: Removing a well-fixed, cementless femoral stem. <i>Seminars in Arthroplasty</i> , 2013, 24, 106-110.	0.3	0
1997	Primary total hip arthroplasty revision due to dislocation: Prospective French multicenter study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 549-553.	0.9	59
1998	Valgus intertrochanteric osteotomy and fibular strut graft in the management of neglected femoral neck fracture. <i>Injury</i> , 2013, 44, 763-768.	0.7	20
1999	Autogenous Impaction Grafting in Total Hip Arthroplasty with Developmental Dysplasia of the Hip. <i>Journal of Arthroplasty</i> , 2013, 28, 637-643.	1.5	26
2000	Physiotherapist-directed rehabilitation exercises in the outpatient or home setting improve strength, gait speed and cadence after elective total hip replacement: a systematic review. <i>Journal of Physiotherapy</i> , 2013, 59, 219-226.	0.7	94
2001	Patients with osteoarthritis and avascular necrosis have better functional outcomes and those with avascular necrosis worse pain outcomes compared to rheumatoid arthritis after primary hip arthroplasty: a cohort study. <i>BMC Medicine</i> , 2013, 11, 210.	2.3	16
2002	Functional improvements desired by patients before and in the first year after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 243.	0.8	23
2003	Behaviour of the ultra-short anatomic cementless femoral stem in young and elderly patients. <i>International Orthopaedics</i> , 2013, 37, 2323-2330.	0.9	31
2004	Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in patients with displaced femoral neck fractures. A four-year follow-up of a randomised controlled trial. <i>International Orthopaedics</i> , 2013, 37, 2457-2464.	0.9	98
2005	Evaluation of the effect of a comprehensive multidisciplinary care pathway for hip fractures: design of a controlled study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 291.	0.8	11
2006	Donor-Site Morbidity of Free Fibula and DCIA Flaps. <i>Journal of Oral and Maxillofacial Surgery</i> , 2013, 71, 1604-1612.	0.5	65
2007	Limited Slot Femorotomy for Removal of Proximally Coated Cementless Stems. A 10-Year Follow-Up of An Unreported Surgical Technique. <i>Journal of Arthroplasty</i> , 2013, 28, 1000-1004.	1.5	7
2008	Radiographically Undetectable Periprosthetic Osteolysis With ASR Implants. <i>Journal of Arthroplasty</i> , 2013, 28, 1259-1264.	1.5	22
2009	Recovery and Prediction of Physical Functioning Outcomes During the First Year After Total Hip Arthroplasty. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1352-1359.	0.5	39
2010	Retaining well-fixed cementless stem in the treatment of infected hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 260-264.	1.2	34

#	ARTICLE	IF	CITATIONS
2011	Arthroscopic hip preservation surgery. <i>Bone and Joint Journal</i> , 2013, 95-B, 10-19.	1.9	112
2012	Predictors of mortality following primary hip and knee replacement in the aged. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 44-53.	1.2	77
2013	Early prosthetic hip joint infection treated with debridement, prosthesis retention and biofilm-active antibiotics: functional outcomes, quality of life and complications. <i>Internal Medicine Journal</i> , 2013, 43, 810-815.	0.5	33
2014	Distribution of hip pain in osteoarthritis patients secondary to developmental dysplasia of the hip. <i>Modern Rheumatology</i> , 2013, 23, 119-124.	0.9	37
2015	TRIGEN INTERTAN Intramedullary Nail Versus Sliding Hip Screw. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 200-208.	1.4	130
2016	Descriptive Epidemiology of Femoroacetabular Impingement. <i>American Journal of Sports Medicine</i> , 2013, 41, 1348-1356.	1.9	211
2017	Is Diaphyseal Stem Fixation Necessary for Primary Total Hip Arthroplasty in Patients with Osteoporotic Bone (Class C Bone)? <i>Journal of Arthroplasty</i> , 2013, 28, 139-146.e1.	1.5	40
2018	Revision Total Hip Arthroplasty Using an Alumina-On-Alumina Bearing Surface in Patients With Osteolysis. <i>Journal of Arthroplasty</i> , 2013, 28, 132-138.	1.5	18
2019	Cementless Total Hip Arthroplasty With Modified Oblique Femoral Shortening Osteotomy in Crowe Type IV Congenital Hip Dislocation. <i>Journal of Arthroplasty</i> , 2013, 28, 117-125.	1.5	68
2020	Medium-Term Follow-Up of a Modular Tapered Noncemented Titanium Stem in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 84-89.	1.5	33
2021	Modified Metaphyseal Loading Anterolaterally Flared Anatomic Femoral Stem: Five- to Nine-Year Prospective Follow-Up Evaluation and Results of Three-Dimensional Finite Element Analysis. <i>Artificial Organs</i> , 2013, 37, 175-182.	1.0	9
2022	Total hip arthroplasty for vascular necrosis of the femoral head in patients with systemic lupus erythematosus: a midterm follow-up study of 28 hips in 24 patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 73-79.	0.6	20
2023	High rate of fracture in the cementless modular Extramedel (Mark I) femoral prosthesis in revision total hip arthroplasty: 33 cases at more than 5 years' follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 915-921.	0.9	21
2024	New type of hip arthroplasty failure related to modular femoral components: Breakage at the neck-stem junction. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 741-744.	0.9	42
2025	Functional long-term results after the harvest of vascularised iliac bone grafts bicortically with the anterior superior iliac spine included. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2013, 51, e47-e50.	0.4	15
2026	Functional and radiographic evaluation and quality of life analysis after cementless total hip arthroplasty with ceramic bearings: minimum of 5 years follow-up. <i>Revista Brasileira De Ortopedia</i> , 2013, 48, 505-511.	0.6	0
2027	The Results of Metal-On-Metal Hip Resurfacing in Patients Under 30 Years of Age. <i>Journal of Arthroplasty</i> , 2013, 28, 1010-1014.	1.5	15
2028	Elective primary total hip arthroplasty in octogenarians. A case-control study. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2013, 57, 186-193.	0.1	0

#	ARTICLE	IF	CITATIONS
2029	The Results of Acetabular Impaction Grafting in 129 Primary Cemented Total Hip Arthroplasties. <i>Journal of Arthroplasty</i> , 2013, 28, 1394-1400.	1.5	14
2030	Excellent Results and Minimal Complications of Total Hip Arthroplasty in Sickle Cell Hemoglobinopathy at Mid-Term Follow-Up Using Cementless Prosthetic Components. <i>Journal of Arthroplasty</i> , 2013, 28, 1693-1698.	1.5	55
2031	Cementless THA for the Treatment of Osteonecrosis at 10-Year Follow-Up: Have We Improved Compared to Cemented THA?. <i>Journal of Arthroplasty</i> , 2013, 28, 1192-1199.	1.5	59
2032	Intermediate- to Long-Term Results After Hybrid Total Hip Arthroplasty in Patients With Rheumatoid Arthritis. <i>Journal of Arthroplasty</i> , 2013, 28, 309-314.	1.5	7
2033	Initial Implant Stability Predicts Migration But Not Failure in Cementless Acetabular Revision with Bone Grafting. <i>Journal of Arthroplasty</i> , 2013, 28, 832-837.	1.5	14
2034	Long-Term Durability of the CLS Femoral Prosthesis in Patients with Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2013, 28, 828-831.	1.5	27
2035	Changing Surgeons Improves Outcome of Subsequent Primary Total Joint Arthroplasty in Previously Dissatisfied Patients. <i>Journal of Arthroplasty</i> , 2013, 28, 736-739.	1.5	3
2036	Clinical Outcome, Survival and Polyethylene Wear of an Uncemented Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 1362-1366.	1.5	12
2037	Cupule À double mobilit� chrome-cobalt Evora�. R�sultats � 10ans de recul minimum. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, 758-764.	0.0	1
2038	A Comparison of Modular Tapered Versus Modular Cylindrical Stems for Complex Femoral Revisions. <i>Journal of Arthroplasty</i> , 2013, 28, 71-73.	1.5	41
2039	Enhanced recovery in total hip replacement. <i>Bone and Joint Journal</i> , 2013, 95-B, 1587-1594.	1.9	88
2040	Effect of Sliding-Taper Compared with Composite-Beam Cemented Femoral Prosthesis Loading Regime on Proximal Femoral Bone Remodeling. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 19-27.	1.4	24
2041	Randomized Comparison Between the Cemented Scientific Hip Prosthesis and Omnifit: 2-Year DEXA and Minimum 10-Year Clinical Follow-Up. <i>Journal of Arthroplasty</i> , 2013, 28, 1354-1361.	1.5	4
2042	Cementless Total Hip Arthroplasty in Patients with Osteonecrosis After Kidney Transplantation. <i>Journal of Arthroplasty</i> , 2013, 28, 824-827.	1.5	30
2043	Acute Total Hip Arthroplasty in Acetabular Fractures in the Elderly Using the Octopus System. <i>Journal of Arthroplasty</i> , 2013, 28, 1005-1009.	1.5	36
2045	Total Hip Arthroplasty Using Highly Cross-Linked Polyethylene in Patients Younger Than 50Years With Minimum 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2013, 28, 815-817.	1.5	118
2046	Revision Hip Arthroplasty with A Modular Cementless Stem: Mid-Term Follow Up. <i>Journal of Arthroplasty</i> , 2013, 28, 1167-1172.	1.5	29
2047	Long-Term Outcomes of a New Model of Anatomical Hydroxyapatite-Coated Hip Prosthesis. <i>Journal of Arthroplasty</i> , 2013, 28, 1160-1166.	1.5	17

#	ARTICLE	IF	CITATIONS
2048	Clinical course, complication rate and outcome of segmental resection and distraction osteogenesis after chronic tibial osteitis. <i>Injury</i> , 2013, 44, 1049-1056.	0.7	51
2049	Tige fémorale de reprise avec revêtement complet de $\text{Ca}^{100}\text{TM}$ hydroxyapatite, modulaire et à verrouillage distal. Série prospective de 47 tiges au recul minimum de cinq ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, S72-S76.	0.0	0
2050	Subchondral cyst development and MMP-1 expression during progression of osteoarthritis: An immunohistochemical study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 523-529.	0.9	34
2051	Revision of Complex Acetabular Defects Using Cages with the Aid of Rapid Prototyping. <i>Journal of Arthroplasty</i> , 2013, 28, 1770-1775.	1.5	31
2052	The effects of cam femoroacetabular impingement corrective surgery on lower-extremity gait biomechanics. <i>Gait and Posture</i> , 2013, 37, 258-263.	0.6	85
2053	Prothèses totales de hanche avec couple de frottement métal-métal «historique». Résultats à 16ans de recul minimum d'une série continue. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2013, 99, S130-S133.	0.0	0
2054	Nineteen Year Results of THA Using Modular 9 mm S-ROM Femoral Component in Patients With Small Femoral Canals. <i>Journal of Arthroplasty</i> , 2013, 28, 1667-1670.	1.5	14
2055	Reduced Dislocation Rates and Excellent Functional Outcomes With Large-Diameter Femoral Heads. <i>Journal of Arthroplasty</i> , 2013, 28, 1415-1420.	1.5	64
2057	Low Early and Late Dislocation Rates with 36- and 40-mm Heads in Patients at High Risk for Dislocation. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 439-443.	0.7	44
2058	Alcohol Use in Elective Total Hip Arthroplasty: Risk or Benefit?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 504-509.	0.7	8
2059	Risk Factors for Dislocation After Revision Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 410-416.	0.7	176
2060	Intraoperative Cartilage Degeneration Predicts Outcome 12 Months After Hip Arthroscopy. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 593-599.	0.7	63
2061	Two-stage Treatment of Hip Periprosthetic Joint Infection Is Associated With a High Rate of Infection Control but High Mortality. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 510-518.	0.7	318
2062	The 2012 John Charnley Award: Clinical Multicenter Studies of the Wear Performance of Highly Crosslinked Remelted Polyethylene in THA. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 393-402.	0.7	112
2063	50 Years Ago in CORR®: Rating Scale for Hip Disabilities Carroll B. Larson, MD, <i>CORR</i> 1963;31:85-93. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 697-699.	0.7	4
2064	Smoking May Be a Harbinger of Early Failure With Ultraporous Metal Acetabular Reconstruction. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 486-497.	0.7	18
2065	<i>Orthopedic Applications</i> , 2013, , 841-882.		11
2066	Metal on Metal Total Hip Arthroplasty Using Modular Acetabular Shells. <i>Journal of Arthroplasty</i> , 2013, 28, 867-871.	1.5	12



#	ARTICLE	IF	CITATIONS
2067	Thigh pain, subsidence and survival using a short cementless femoral stem with pure metaphyseal fixation at minimum 9-year follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2013, 99, 30-36.	0.9	56
2068	Cost-Effectiveness Analysis of Early versus Late Total Hip Replacement in Italy. <i>Value in Health</i> , 2013, 16, 267-279.	0.1	35
2069	Cementless Modular Total Hip Arthroplasty in Patients Younger than Fifty with Femoral Head Osteonecrosis: Minimum Fifteen-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2013, 28, 504-509.	1.5	58
2070	Highly Cross-Linked Polyethylene in Total Hip Arthroplasty for Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2013, 28, 526-530.	1.5	27
2071	Management of developmental dysplasia of the hip in young adults. <i>Bone and Joint Journal</i> , 2013, 95-B, 732-737.	1.9	64
2072	Surgical challenges and clinical outcomes of total hip replacement in patients with Downâ€™s syndrome. <i>Bone and Joint Journal</i> , 2013, 95-B, 41-45.	1.9	13
2073	Persistent Structural Disease Is the Most Common Cause of Repeat Hip Preservation Surgery. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3788-3794.	0.7	81
2074	Preliminary report with the Regenerexâ€™ revision shell: clinical, functional, and radiologic evaluations with a mean follow-up of 25 months. <i>European Orthopaedics and Traumatology</i> , 2013, 4, 9-14.	0.1	3
2075	Cementless total hip arthroplasty for osteonecrosis of the femoral head in systemic lupus erythematosus: a study with 10-16 years of follow-up. <i>European Orthopaedics and Traumatology</i> , 2013, 4, 15-20.	0.1	6
2076	Seven-year results of a press-fit, hydroxyapatite-coated double mobility acetabular component in patients aged 65 years or older. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 425-429.	0.6	10
2077	Radiological outcome analyses of transtrochanteric posterior rotational osteotomy for osteonecrosis of the femoral head at a mean follow-up of 11 years. <i>Journal of Orthopaedic Science</i> , 2013, 18, 277-283.	0.5	29
2078	Mid-term results in relation to age and analysis of predictive factors after fixation of acetabular fractures using the modified Stoppa approach. <i>Injury</i> , 2013, 44, 1793-1798.	0.7	68
2079	Total hip replacement for patients with active tuberculosis of the hip. <i>Bone and Joint Journal</i> , 2013, 95-B, 578-582.	1.9	25
2080	The treatment of severe slipped capital femoral epiphysis via the Ganz surgical dislocation and anatomical reduction. <i>Bone and Joint Journal</i> , 2013, 95-B, 424-429.	1.9	76
2081	Evaluation of clinical outcomes of cementless total hip arthroplasty in patients under 30 years of age. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2013, 23, 785-790.	0.6	8
2082	Relationship of Plasma Metal Ions and Clinical and Imaging Findings in Patients with ASR XL Metal-on-Metal Total Hip Replacements. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 2015-2020.	1.4	53
2083	Metal ion levels from well-functioning Birmingham Hip Resurfacings decline significantly at ten years. <i>Bone and Joint Journal</i> , 2013, 95-B, 1332-1338.	1.9	61
2084	Mean 5-Year Clinical and Radiographic Outcomes of Cementless Total Hip Arthroplasty in Patients under the Age of 30. <i>BioMed Research International</i> , 2013, 2013, 1-7.	0.9	28

#	ARTICLE	IF	CITATIONS
2085	Salvaged Failed Roof Rings and Antiprotrusion Cages: Surgical Options and Implant Survival. HIP International, 2013, 23, 166-172.	0.9	5
2086	Outcomes of Cementless Primary THA for Osteonecrosis in HIV-Infected Patients. Journal of Bone and Joint Surgery - Series A, 2013, 95, 1845-1850.	1.4	35
2087	The Effect of Locomotion on the Outcome following Total Hip Arthroplasty. HIP International, 2013, 23, 193-198.	0.9	2
2088	Hip arthroplasty in failed intertrochanteric fractures in elderly. Indian Journal of Orthopaedics, 2013, 47, 572-577.	0.5	11
2089	Treatment of Acetabular Defects during Revision Total Hip Arthroplasty - Preliminary Clinical and Radiological Outcome Using Bone Substitute Materials. HIP International, 2013, 23, 46-53.	0.9	5
2090	Cementless Total Hip Arthroplasty in Patients with Crowe Type-4 Developmental Dysplasia. HIP International, 2013, 23, 472-477.	0.9	19
2091	Patient-level clinically meaningful improvements in activities of daily living and pain after total hip arthroplasty: data from a large US institutional registry. Rheumatology, 2013, 52, 1109-1118.	0.9	22
2092	Results using Trabecular Metalâ,¢ augments in combination with acetabular impaction bone grafting in deficient acetabula. HIP International, 2013, 23, 522-528.	0.9	28
2093	Revision Hip Arthroplasty with an Extensively Porous-coated Stem - Excellent Long-term Results Also in Severe Femoral Bone Stock Loss. HIP International, 2013, 23, 352-358.	0.9	33
2094	Reliability of the six-minute walk test after total hip arthroplasty. HIP International, 2013, 23, 541-545.	0.9	35
2095	Results of uncemented distal locked prosthesis in revision hip arthroplasty with proximal femoral bone loss: A retrospective study. Indian Journal of Orthopaedics, 2013, 47, 83-86.	0.5	6
2096	The Basis CL Cemented Femoral Stem: Results after 8.9 Years Follow-up. HIP International, 2013, 23, 147-153.	0.9	3
2097	Clinical and radiological outcome of the cemented Contemporary acetabular component in patients &lt; 50 years of age. Bone and Joint Journal, 2013, 95-B, 1617-1625.	1.9	10
2098	High Incidence of Pseudotumours after Hip Resurfacing Even in Low Risk Patients; Results from an Intensified MRI Screening Protocol. HIP International, 2013, 23, 243-249.	0.9	25
2099	The Collum Femoris Preserving Stem: Early Results. HIP International, 2013, 23, 27-32.	0.9	13
2100	Circumferential Proximal Femoral Allografts in Revision Hip Arthroplasty: Four to 20 Years Follow-Up. HIP International, 2013, 23, 66-71.	0.9	6
2101	Early Results of the Bernese Periacetabular Osteotomy for Symptomatic Dysplasia in Charcot-Marie-Tooth Disease. HIP International, 2013, 23, 2-7.	0.9	12
2102	The Use of Gamma-Irradiated Proximal Femoral Allografts for Bone Stock Reconstruction in Complex Revision Hip Arthroplasty. HIP International, 2013, 23, 451-458.	0.9	5

#	ARTICLE	IF	CITATIONS
2103	Acetabular impaction bone grafting in total hip replacement. Bone and Joint Journal, 2013, 95-B, 98-102.	1.9	38
2104	Surface replacement conversion. Bone and Joint Journal, 2013, 95-B, 88-91.	1.9	15
2105	The use of ceramic-on-ceramic bearings in isolated revision of the acetabular component. Bone and Joint Journal, 2013, 95-B, 333-338.	1.9	38
2106	Outcomes and complications of total hip replacement in super-obese patients. Bone and Joint Journal, 2013, 95-B, 758-763.	1.9	55
2107	Hip disease in ankylosing spondylitis. Current Opinion in Rheumatology, 2013, 25, 448-454.	2.0	69
2108	Ceramic-on-ceramic bearings in young patients. Bone and Joint Journal, 2013, 95-B, 1603-1609.	1.9	37
2109	Management of abductor mechanism deficiency following total hip replacement. Bone and Joint Journal, 2013, 95-B, 343-347.	1.9	46
2110	Long-term Outcome of Gradual Reduction Using Overhead Traction for Developmental Dysplasia of the Hip Over 6 Months of Age. Journal of Pediatric Orthopaedics, 2013, 33, 628-634.	0.6	34
2111	Clinical results, radiological findings and survival of a proximally hydroxyapatite-coated hip ABC II stem at a minimum of ten years' follow-up. Bone and Joint Journal, 2013, 95-B, 1610-1616.	1.9	14
2112	Femoral stem impaction grafting: extending the role of cement. Bone and Joint Journal, 2013, 95-B, 92-94.	1.9	16
2113	The two-stage standard in revision total hip replacement. Bone and Joint Journal, 2013, 95-B, 84-87.	1.9	96
2114	Development and Validation of a Pediatric Sports Activity Rating Scale. American Journal of Sports Medicine, 2013, 41, 2421-2429.	1.9	117
2115	High rate of revision and a high incidence of radiolucent lines around Metasul metal-on-metal total hip replacements. Bone and Joint Journal, 2013, 95-B, 881-886.	1.9	27
2116	Radiostereometric migration analysis of the Lubinus SP II hip stem: 59 hips followed for 2 years. Biomedizinische Technik, 2013, 58, 333-41.	0.9	10
2117	Total hip replacement for developmental dysplasia of the hip with more than 30% lateral uncoverage of uncemented acetabular components. Bone and Joint Journal, 2013, 95-B, 1178-1183.	1.9	42
2118	The effects of age on patient-reported outcome measures in total knee replacements. Bone and Joint Journal, 2013, 95-B, 38-44.	1.9	112
2119	A comparison of hemiarthroplasty with a novel polycarbonate-urethane acetabular component for displaced intracapsular fractures of the femoral neck. Bone and Joint Journal, 2013, 95-B, 609-615.	1.9	50
2120	New Application of 18F-Fluoride PET for the Detection of Bone Remodeling in Early-Stage Osteoarthritis of the Hip. Clinical Nuclear Medicine, 2013, 38, e379-e383.	0.7	51

#	ARTICLE	IF	CITATIONS
2121	Surgical Total Hip Arthroplasty Options for Geriatric Patients. Topics in Geriatric Rehabilitation, 2013, 29, 253-259.	0.2	0
2122	Rehabilitation Following Total Hip Arthroplasty Surgery. Topics in Geriatric Rehabilitation, 2013, 29, 260-267.	0.2	1
2123	The short stem. Bone and Joint Journal, 2013, 95-B, 57-62.	1.9	51
2124	Heterotopic ossification following total hip replacement for acetabular fractures. Bone and Joint Journal, 2013, 95-B, 95-100.	1.9	24
2125	Conversion of hip fusion to total hip replacement. Bone and Joint Journal, 2013, 95-B, 114-119.	1.9	15
2126	The Correlation of Serum Metal Ions with Functional Outcome Scores at Three-to-Six Years following Large Head Metal-on-Metal Hip Arthroplasty. ISRN Orthopedics, 2013, 2013, 1-5.	0.7	5
2127	Medical Comorbidity is Associated with Persistent Index Hip Pain after Total Hip Arthroplasty. Pain Medicine, 2013, 14, 1222-1229.	0.9	15
2128	Treatment of osteonecrosis of the femoral head by using the greater trochanteric bone flap with double vascular pedicles. Microsurgery, 2013, 33, 593-599.	0.6	23
2129	Digital subtraction angiography in selection of the vascularized greater trochanter bone grafting for treatment of osteonecrosis of femoral head. Microsurgery, 2013, 33, 656-659.	0.6	31
2130	Statins may reduce femoral osteolysis in patients with total Hip arthroplasty. Journal of Orthopaedic Research, 2013, 31, 814-820.	1.2	11
2131	Are the mental representations of people with osteoarthritis consistent with the International Classification of Functioning Disability and Health?. Disability and Rehabilitation, 2013, 35, 1460-1465.	0.9	2
2132	Characterization of Patients Undergoing Total Hip Arthroplasty in a Real-World Setting and Pain-Related Medication Prescriptions for Management of Postoperative Pain. Journal of Pain and Palliative Care Pharmacotherapy, 2013, 27, 235-243.	0.5	3
2133	Psychometric Properties of Patient-Reported Outcome Measures for Hip Arthroscopic Surgery. American Journal of Sports Medicine, 2013, 41, 2065-2073.	1.9	389
2134	Osteonecrosis of the femoral head. Bone and Joint Journal, 2013, 95-B, 46-50.	1.9	92
2135	Improving pre-operative planning for complex total hip replacement with a Rapid Prototype model enabling surgical simulation. Bone and Joint Journal, 2013, 95-B, 1458-1463.	1.9	42
2136	Femoroacetabular impingement. Bone and Joint Journal, 2013, 95-B, 26-30.	1.9	24
2137	Peri-acetabular bone mineral density in total hip replacement. Bone and Joint Research, 2013, 2, 140-148.	1.3	6
2138	Prospective and Comparative Analysis of Internal Fixation of Femoral Neck Fractures With or Without Vascularized Iliac Graft in Young Adults. Orthopedics, 2013, 36, e132-8.	0.5	9

#	ARTICLE	IF	CITATIONS
2139	The Need to Standardize Functional Outcome in Randomized Trials of Hip Fracture. <i>Journal of Orthopaedic Trauma</i> , 2013, 27, e1-e8.	0.7	13
2140	Do Retained Pediatric Implants Impact Later Total Hip Arthroplasty?. <i>Journal of Pediatric Orthopaedics</i> , 2013, 33, 339-344.	0.6	17
2141	Minimum 5-year Follow-up for Primary THA Using a Tapered, Proximally Coated Cementless Stem. <i>Orthopedics</i> , 2013, 36, e633-6.	0.5	14
2143	Medium-term Outcomes of Cemented Prostheses and Cementless Modular Prostheses in Revision Total Hip Arthroplasty. <i>Scientific Reports</i> , 2013, 3, 2796.	1.6	6
2144	Efficacy of Ultrasound-guided Intra-articular Injections of Platelet-rich Plasma Versus Hyaluronic Acid for Hip Osteoarthritis. <i>Orthopedics</i> , 2013, 36, e1501-8.	0.5	136
2145	Excellent Results of Primary THA Using a Highly Porous Titanium Cup. <i>Orthopedics</i> , 2013, 36, e390-4.	0.5	42
2146	Early Results of Cementless Total Hip Arthroplasty Using a Third Generation Alumina-on-Alumina Bearing Surface. <i>The Journal of the Korean Orthopaedic Association</i> , 2013, 48, 190.	0.0	1
2147	Ceramic on Ceramic Cementless Total Hip Arthroplasty with a 36 mm Diameter Femoral Head - More than Three Years Follow up -. <i>Hip and Pelvis</i> , 2013, 25, 95-101.	0.6	0
2148	Operative Risk Assessment of Degenerative Spinal Disorder Comparing with Total Hip Replacement. <i>Journal of Korean Society of Spine Surgery</i> , 2013, 20, 107.	0.1	0
2149	Minimum Seven-year Follow-up of Cementless Total Hip Arthroplasty with the COREN Hip System. <i>Hip and Pelvis</i> , 2013, 25, 173-181.	0.6	3
2150	The feasibility of performing a randomised controlled trial for femoroacetabular impingement surgery. <i>Bone and Joint Research</i> , 2013, 2, 33-40.	1.3	24
2151	Translation, cross-cultural adaptation and validation of the Brazilian version of the Nonarthritic Hip Score. <i>Sao Paulo Medical Journal</i> , 2013, 131, 244-251.	0.4	15
2152	Missed Pediatric Traumatic Hip Dislocation. <i>JBJS Case Connector</i> , 2013, 3, e2.	0.1	2
2153	The Application of Closed Reduction Internal Fixation and Iliac Bone Block Grafting in the Treatment of Acute Displaced Femoral Neck Fractures. <i>PLoS ONE</i> , 2013, 8, e75479.	1.1	6
2154	Internal Fixation of Intertrochanteric Hip Fractures: A Clinical Comparison of Two Implant Designs. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7.	0.8	21
2155	Ceramic-on-Ceramic Total Hip Arthroplasty: Minimum of Six-Year Follow-up Study. <i>Clinics in Orthopedic Surgery</i> , 2013, 5, 174.	0.8	16
2156	Cemented Müller straight stem total hip replacement: 18 year survival, clinical and radiological outcomes. <i>World Journal of Orthopedics</i> , 2013, 4, 303.	0.8	10
2157	Comparison of Minimally Invasive Total Hip Arthroplasty versus Conventional Hemiarthroplasty for Displaced Femoral Neck Fractures in Active Elderly Patients. <i>Chonnam Medical Journal</i> , 2013, 49, 81.	0.5	18

#	ARTICLE	IF	CITATIONS
2158	Obesity and joint replacement. Bone and Joint 360, 2014, 3, 2-7.	0.1	1
2159	Treatment of AO/OTA 31-A3 intertrochanteric femoral fractures with a percutaneous compression plate. Clinics, 2014, 69, 1-7.	0.6	8
2160	The Hip Lag Sign - Prospective Blinded Trial of a New Clinical Sign to Predict Hip Abductor Damage. PLoS ONE, 2014, 9, e91560.	1.1	22
2161	Acetabular Reconstruction with the Burch-Schneider Antiprotrusio Cage and Bulk Allografts: Minimum 10-Year Follow-Up Results. BioMed Research International, 2014, 2014, 1-9.	0.9	28
2162	Clinical and Radiographic Evaluation of a Commercially Pure Cancellous-Structured Titanium Press Fit Total Hip Prosthetic Stem: Ten-Year Followup of the "Natural Hip" Femoral Stem. Advances in Orthopedic Surgery, 2014, 2014, 1-7.	0.5	2
2163	Clinical and Radiological Outcome of the Newest Generation of Ceramic-on-Ceramic Hip Arthroplasty in Young Patients. Advances in Orthopedic Surgery, 2014, 2014, 1-6.	0.5	6
2164	Comparison of the Outcome in Bilateral Staged Total Hip Arthroplasty: Modified Two-Incision Minimally Invasive Technique versus the Conventional Posterolateral Approach. Chonnam Medical Journal, 2014, 50, 15.	0.5	1
2165	Patient Satisfaction after Arthroscopic Repair of Acetabular Labral Tears. Clinics in Orthopedic Surgery, 2014, 6, 159.	0.8	19
2166	Modified Stoppa Approach in Acetabular Fractures. Journal of the Korean Fracture Society, 2014, 27, 274.	0.1	5
2167	Results of Asian Type Gamma 3 Nail in Treatment of Trochanteric Fractures. Journal of the Korean Fracture Society, 2014, 27, 213.	0.1	1
2168	Clinical and Radiological Results over the Medium Term of Isolated Acetabular Revision. Scientific World Journal, The, 2014, 2014, 1-7.	0.8	7
2169	Postoperative Development of Bone Mineral Density and Muscle Strength in the Lower Limb After Cemented and Uncemented Total Hip Replacement. The Open Orthopaedics Journal, 2014, 8, 272-280.	0.1	3
2170	A multidisciplinary team approach to two-stage revision for the infected hip replacement. Bone and Joint Journal, 2014, 96-B, 1312-1318.	1.9	76
2171	Clinical results of acetabular fracture management with the Pararectus approach. Injury, 2014, 45, 1900-1907.	0.7	55
2172	Complete resolution of avascular necrosis of the human femoral head treated with adipose tissue-derived stem cells and platelet-rich plasma. Journal of International Medical Research, 2014, 42, 1353-1362.	0.4	34
2173	Surgical Technique for the Repair of Tears to the Gluteus Medius and Minimus Tendons of the Hip. JBJS Essential Surgical Techniques, 2014, 4, e11.	0.3	14
2174	Midterm results of Ilizarov hip reconstruction for late sequelae of childhood septic arthritis. Strategies in Trauma and Limb Reconstruction, 2014, 9, 149-155.	0.2	5
2175	Prevalence and characteristics of cam-type femoroacetabular deformity in 100 hips with symptomatic acetabular dysplasia: a case control study. Journal of Orthopaedic Surgery and Research, 2014, 9, 93.	0.9	44

#	ARTICLE	IF	CITATIONS
2176	Are Harris Hip Scores and Gait Mechanics Related Before and After THA?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 3452-3461.	0.7	31
2177	Management of severe periacetabular bone loss combined with pelvic discontinuity in revision hip arthroplasty. <i>International Orthopaedics</i> , 2014, 38, 2455-2461.	0.9	45
2178	Which is the most useful patient-reported outcome in femoroacetabular impingement? Test-retest reliability of six questionnaires. <i>British Journal of Sports Medicine</i> , 2014, 48, 458-463.	3.1	79
2179	The challenge of pelvic discontinuity. <i>Bone and Joint Journal</i> , 2014, 96-B, 195-200.	1.9	83
2180	Cementless total hip replacement without femoral osteotomy in patients with severe developmental dysplasia of the hip. <i>Bone and Joint Journal</i> , 2014, 96-B, 1449-1454.	1.9	31
2181	Significant muscle damage after multiple revision total hip replacements through the direct lateral approach. <i>Bone and Joint Journal</i> , 2014, 96-B, 1618-1622.	1.9	36
2182	Arthroscopic Treatment of Femoroacetabular Impingement: Minimum Five-Year Follow-up. <i>HIP International</i> , 2014, 24, 381-386.	0.9	26
2183	Dynamics of Femoral Bone Remodelling in Well Fixed Total Hip Arthroplasty. a 20-Year Follow-Up of 20 Hips. <i>HIP International</i> , 2014, 24, 149-154.	0.9	4
2184	Translation, cross-cultural adaptation, and validation of the Turkish version of the Harris Hip Score. <i>HIP International</i> , 2014, 24, 473-479.	0.9	30
2185	Clinical and radiographic outcomes of acetabular impaction grafting without cage reinforcement for revision hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 188-194.	1.9	34
2186	Clinical outcomes following re-admission for non-infectious wound complications after primary total knee replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 619-621.	1.9	21
2187	10-year results of the uncemented Allofit press-fit cup in young patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 368-374.	1.2	33
2188	Acetabular Bone Density and Metal Ions after Metal-On-Metal versus Metal-On-Polyethylene Total Hip Arthroplasty; Short-Term Results. <i>HIP International</i> , 2014, 24, 136-143.	0.9	11
2189	Greater Trochanteric Fixation Using a Cable System for Partial Hip Arthroplasty: A Clinical and Finite Element Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	6
2190	No association between serum metal ions and implant fixation in large-head metal-on-metal total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 355-362.	1.2	10
2191	Is total hip arthroplasty a successful and safe procedure in Jehovah's Witnesses? Mean five-year results. <i>HIP International</i> , 2014, 24, 69-76.	0.9	12
2192	Eccentric Rotational Acetabular Osteotomy for Acetabular Dysplasia and Osteoarthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1975-1982.	1.4	43
2193	Computed tomographic evaluation of the proximal femur: A predictive classification in displaced femoral neck fracture management. <i>Indian Journal of Orthopaedics</i> , 2014, 48, 476.	0.5	8

#	ARTICLE	IF	CITATIONS
2194	Clinical and Radiological Outcome after Periacetabular Osteotomy: A Cross-Sectional Study of 127 Hips Operated on from 1999-2008. <i>HIP International</i> , 2014, 24, 369-380.	0.9	31
2195	Gender Difference Does not Affect the Outcomes of Eccentric Rotational Acetabular Osteotomy Used in Hip Dysplasia. <i>HIP International</i> , 2014, 24, 631-637.	0.9	4
2196	Mid term results with the curved modular tapered, fluted titanium Revitan stem in revision hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 889-895.	1.9	69
2197	Large diameter metal on metal total hip replacement for femoral neck fractures with neurological conditions. <i>Indian Journal of Orthopaedics</i> , 2014, 48, 605-611.	0.5	9
2198	A seven- to 14-year follow-up study of bipolar hip arthroplasty in the treatment of osteonecrosis of the femoral head. <i>HIP International</i> , 2014, 24, 14-19.	0.9	5
2199	Prospective Five-Year Subsidence Analysis of a Cementless Fully Hydroxyapatite-Coated Femoral Hip Arthroplasty Component. <i>HIP International</i> , 2014, 24, 91-97.	0.9	14
2200	Cement-in-cement femoral revisions using a specially designed polished short revision stem; 24 consecutive stems followed for five to seven years. <i>HIP International</i> , 2014, 24, 428-433.	0.9	17
2201	Primary Total Hip Arthroplasty (THA) in Patients with Incomplete Hip Abductor Tears: Does Hip Abductor Repair Improve Outcome?. <i>HIP International</i> , 2014, 24, 399-404.	0.9	11
2202	Establishment of a hip replacement project in a district hospital in Burkina Faso. <i>Bone and Joint Journal</i> , 2014, 96-B, 177-180.	1.9	12
2203	Psychometric Evaluation of the Lower Extremity Computerized Adaptive Test, the Modified Harris Hip Score, and the Hip Outcome Score. <i>Orthopaedic Journal of Sports Medicine</i> , 2014, 2, 232596711456219.	0.8	37
2204	Sexual Function before and after Total Hip Replacement: Narrative Review. <i>Sexual Medicine</i> , 2014, 2, 159-167.	0.9	25
2205	Anterior Minimally Invasive Approach for Total Hip Replacement: Five-Year Survivorship and Learning Curve. <i>HIP International</i> , 2014, 24, 277-283.	0.9	56
2206	Unfavorable hip stress distribution after Legg-Calvé-Perthes syndrome: A 25-year follow-up of 135 hips. <i>Journal of Orthopaedic Research</i> , 2014, 32, 8-16.	1.2	8
2207	Causes of failure in periprosthetic fractures of the hip at 1- to 14-year follow-up. <i>Injury</i> , 2014, 45, S85-S92.	0.7	33
2208	Descending branch of the lateral circumflex femoral artery as a recipient vessel for vascularized fibular grafts: Clinical case series. <i>Microsurgery</i> , 2014, 34, 633-637.	0.6	10
2209	Acetabular fractures in patients aged > 55 years. <i>Bone and Joint Journal</i> , 2014, 96-B, 157-163.	1.9	133
2210	Physical Activity Before and After Primary Total Hip Arthroplasty: A Registry-Based Study. <i>Arthritis Care and Research</i> , 2014, 66, 277-284.	1.5	37
2211	Fifty-Year Follow-up of Late-Detected Hip Dislocation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, e28.	1.4	49



#	ARTICLE	IF	CITATIONS
2212	Autologous (non-vascularised) fibular grafting with recombinant bone morphogenetic protein-7 for the treatment of femoral head osteonecrosis. <i>Bone and Joint Journal</i> , 2014, 96-B, 31-35.	1.9	37
2213	A mini-anterior approach to the hip for total joint replacement: optimising results. <i>Bone and Joint Journal</i> , 2014, 96-B, 32-35.	1.9	55
2214	Cartilage restoration of the hip using fresh osteochondral allograft. <i>Bone and Joint Journal</i> , 2014, 96-B, 11-16.	1.9	48
2215	Effect of acetabular cup design on metal ion release in two designs of metal-on-metal hip resurfacing. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014, 102, 1595-1601.	1.6	2
2216	Prospective analysis of rural-urban differences in demographic patterns and outcomes following total joint replacement. <i>Australian Journal of Rural Health</i> , 2014, 22, 241-248.	0.7	15
2217	The submuscular sliding plate technique for acetabular posterior wall fractures extending to the acetabular roof. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 967-970.	0.9	15
2218	Clinical and MRI results in 67 patients operated for gluteus medius and minimus tendon tears with a median follow-up of 4.6 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 849-853.	0.9	67
2219	Résultats cliniques et IRM au recul moyen de 4,6 ans d'une série de 67 patients opérés d'une rupture des tendons des moyen et petit glutéaux. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014, 100, 610-615.	0.0	0
2220	Sports and Total Hip Arthroplasty – A Contradiction in Terms? Analysis with a minimum Follow-up of Ten Years. <i>Sports Orthopaedics and Traumatology</i> , 2014, 30, 359-365.	0.1	2
2221	Prevalence of a soft-tissue lesion after small head metal-on-metal total hip replacement: 13- to 19-year follow-up study. <i>Bone and Joint Journal</i> , 2014, 96-B, 1594-1599.	1.9	12
2222	Partial two-stage exchange of the infected total hip replacement using disposable spacer moulds. <i>Bone and Joint Journal</i> , 2014, 96-B, 66-69.	1.9	18
2223	Partial greater trochanter osteotomy for hip reduction in total hip arthroplasty for high dislocated hip: a preliminary report. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 293.	0.8	4
2224	Bilaterally primary cementless total hip arthroplasty in patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 344.	0.8	27
2225	Two-stage hip revision arthroplasty with a hexagonal modular cementless stem in cases of periprosthetic infection. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 398.	0.8	14
2226	Adverse reaction to metal debris is more common in patients following MoM total hip replacement with a 36 mm femoral head than previously thought. <i>Bone and Joint Journal</i> , 2014, 96-B, 1610-1617.	1.9	37
2227	Total hip replacement in HIV-positive patients. <i>Bone and Joint Journal</i> , 2014, 96-B, 462-466.	1.9	40
2228	A comparative assessment of small-head metal-on-metal and ceramic-on-polyethylene total hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 868-875.	1.9	9
2229	Single-stage revision for fungal peri-prosthetic joint infection. <i>Bone and Joint Journal</i> , 2014, 96-B, 492-496.	1.9	54

#	ARTICLE	IF	CITATIONS
2230	Acetabular Fractures in the Elderly Treated With a Primary Burchâ€“Schneider Reinforcement Ring, Autologous Bone Graft, and a Total Hip Arthroplasty. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 330-337.	0.7	63
2231	Acetabular Fractures Converted to Total Hip Arthroplasties in the Elderly. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 694-699.	0.7	53
2232	Subcapital osteotomy of the femoral neck for patients with healed slipped capital femoral epiphysis. <i>Bone and Joint Journal</i> , 2014, 96-B, 1441-1448.	1.9	16
2233	Fixation of Femoral Head Fractures With Autologous Osteochondral Transfer (Mosaicplasty). <i>Journal of Orthopaedic Trauma</i> , 2014, 28, e226-e230.	0.7	17
2234	Open Surgical Treatment of Femoroacetabular Impingement in Adolescent Athletes. <i>Journal of Pediatric Orthopaedics</i> , 2014, 34, 287-294.	0.6	16
2235	The influence of the choice of closing wedge angle on leg length discrepancy after proximal femoral varus osteotomy. <i>Bone and Joint Journal</i> , 2014, 96-B, 1124-1129.	1.9	2
2236	The use of a long stem cemented femoral component in revision total hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 1207-1213.	1.9	8
2237	Measurement Qualities of Hip and Groin Outcome Scores: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2014, 42, NP7-NP13.	1.9	11
2238	The Bernese Periacetabular Osteotomy: Is Transection of the Rectus Femoris Tendon Essential?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 3142-3149.	0.7	33
2239	Cartilage Repair in the Hip. , 2014, , 259-266.		1
2240	Atypical femoral fractures in elderly women. <i>Bone and Joint Journal</i> , 2014, 96-B, 1035-1040.	1.9	26
2241	Total hip replacement in patients with Down syndrome and degenerative osteoarthritis of the hip. <i>Bone and Joint Journal</i> , 2014, 96-B, 1455-1458.	1.9	8
2242	Improved Outcomes After Hip Arthroscopic Surgery in Patients Undergoing T-Capsulotomy With Complete Repair Versus Partial Repair for Femoroacetabular Impingement. <i>American Journal of Sports Medicine</i> , 2014, 42, 2634-2642.	1.9	312
2243	Assessment of Patients with a DePuy ASR Metal-on-Metal Hip Replacement: Results of Applying the Guidelines of the Spanish Society of Hip Surgery in a Tertiary Referral Hospital. <i>Advances in Orthopedics</i> , 2014, 2014, 1-4.	0.4	9
2244	Continuous distal migration and internal rotation of the C-stem prosthesis without any adverse clinical effects. <i>Bone and Joint Journal</i> , 2014, 96-B, 604-608.	1.9	11
2245	Indices Affecting Outcome of Neglected Femoral Neck Fractures After Valgus Intertrochanteric Osteotomy. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 410-416.	0.7	29
2246	Management of Periprosthetic Joint Infection After Total Hip Arthroplasty Using a Custom Made Articulating Spacer (CUMARS); the Exeter Experience. <i>Journal of Arthroplasty</i> , 2014, 29, 1813-1818.	1.5	51
2247	Uncemented Total Hip Arthroplasty Using a Tapered Femoral Component in Obese Patients: An 18â€“27 Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2014, 29, 1365-1368.	1.5	19

#	ARTICLE	IF	CITATIONS
2248	Étude d'une série consécutive de 200 prothèses de hanche randomisées pour recevoir quatre couples de frottement. Résultats, considérations professionnelles et éthiques. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014, 100, S65-S68.	0.0	0
2249	Mid-term outcomes after distally locked-to-standard primary stem exchange in 29 hip-prosthesis patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 135-140.	0.9	7
2250	Polyethylene Wear and Osteolysis Is Associated With High Revision Rate of a Small Sized Porous Coated THA in Patients With Hip Dysplasia. <i>Journal of Arthroplasty</i> , 2014, 29, 1373-1377.	1.5	6
2251	Hip Osteonecrosis: Does Prior Hip Surgery Alter Outcomes Compared to an Initial Primary Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2014, 29, 162-166.	1.5	37
2252	Use of Jumbo Cups for Revision of Acetabulae With Large Bony Defects. <i>Journal of Arthroplasty</i> , 2014, 29, 199-203.	1.5	58
2253	Effects of Micro-Arc Oxidation Coating on Outcomes of a Cementless Grit-Blasted Tapered-Wedge Stem in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2383-2387.	1.5	1
2254	Imageless Computer-Assisted versus Conventional Total Hip Arthroplasty: One Surgeon's Initial Experience. <i>Journal of Arthroplasty</i> , 2014, 29, 1015-1020.	1.5	30
2255	Favorable radiographic outcomes using the expandable proximal femoral nail in the treatment of hip fractures – A randomized controlled trial. <i>Journal of Orthopaedics</i> , 2014, 11, 103-109.	0.6	12
2256	Cementless RM Pressfit® Cup. A clinical and radiological study of 91 cases with at least four years follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, S225-S229.	0.9	12
2257	Evaluation of the results from proximal fixation of uncemented conical femoral components in Dorr type C femurs. <i>Revista Brasileira De Ortopedia</i> , 2014, 49, 260-266.	0.6	3
2258	Revision of Ceramic Head Fracture After Third Generation Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 214-218.	1.5	36
2259	The Outcome of Modified Extended Trochanteric Osteotomy in Revision THA for Vancouver B2/B3 Periprosthetic Fractures of the Femur. <i>Journal of Arthroplasty</i> , 2014, 29, 1598-1604.	1.5	30
2260	High Failure Rates of the Spectron EF Stem at a Minimum of 10Year's Follow-up. <i>Journal of Arthroplasty</i> , 2014, 29, 1956-1960.	1.5	3
2261	Does measuring the range of motion of the hip and knee add to the assessment of disability in people undergoing joint replacement?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 187-190.	0.9	25
2262	Chinese Patients' Satisfaction With Total Hip Arthroplasty: What Is Important and Dissatisfactory?. <i>Journal of Arthroplasty</i> , 2014, 29, 2245-2250.	1.5	32
2263	Angular stable multiple screw fixation (Targon FN) versus standard SHS for the fixation of femoral neck fractures. <i>Injury</i> , 2014, 45, S76-S80.	0.7	47
2264	Trabecular metal screw implanted for avascular necrosis of the femoral head may complicate subsequent arthroplasty surgery. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 931-938.	0.6	9
2265	Treatment for ischial tuberosity avulsion fractures in adolescent athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 893-897.	2.3	58

#	ARTICLE	IF	CITATIONS
2266	Periprosthetic fractures of the hip. The role of revision arthroplasty. <i>European Orthopaedics and Traumatology</i> , 2014, 5, 37-41.	0.1	1
2267	Treatment of osteonecrosis of the femoral head with thorough debridement, bone grafting and bone-marrow mononuclear cells implantation. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 197-202.	0.6	33
2268	Durable Fixation Achieved With Medialized, High Hip Center Cementless THAs for Crowe II and III Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 630-636.	0.7	63
2269	Vitamin D Insufficiency in Patients With THA: Prevalence and Effects on Outcome. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 681-686.	0.7	44
2270	Partial Two-stage Exchange for Infected Total Hip Arthroplasty: A Preliminary Report. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 437-448.	0.7	38
2271	Are Short Fully Coated Stems Adequate for "Simple" Femoral Revisions?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 577-583.	0.7	29
2272	Periprosthetic Femur Fractures Treated With Modular Fluted, Tapered Stems. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 599-603.	0.7	79
2273	Migration characteristics and early clinical results of a novel-finned press-fit acetabular cup. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 208-211.	1.0	1
2274	Does the Direct Anterior Approach in THA Offer Faster Rehabilitation and Comparable Safety to the Posterior Approach?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 455-463.	0.7	185
2275	The natural history of unexplained early poor function following total hip replacement. <i>International Orthopaedics</i> , 2014, 38, 33-37.	0.9	3
2276	Adult proximal humerus locking plate for fixation of paediatric subtrochanteric fractures. <i>Musculoskeletal Surgery</i> , 2014, 98, 189-194.	0.7	9
2277	Primary total hip arthroplasty versus internal fixation in displaced fracture of femoral neck in sexa- and septuagenarians. <i>Journal of Orthopaedics and Traumatology</i> , 2014, 15, 209-214.	1.0	21
2278	Effect of preoperative limb-length discrepancy on abductor strength after total hip arthroplasty in patients with developmental dysplasia of the hip. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 113-119.	1.3	21
2279	Minimum ten-year results of a 28-mm metal-on-metal bearing in cementless total hip arthroplasty in patients fifty years of age and younger. <i>International Orthopaedics</i> , 2014, 38, 929-934.	0.9	48
2280	Total hip replacement with a collarless polished cemented anatomic stem: clinical and gait analysis results at ten years follow-up. <i>International Orthopaedics</i> , 2014, 38, 717-724.	0.9	5
2281	Surgical Hip Dislocation for Treatment of Femoroacetabular Impingement: Factors Predicting 5-year Survivorship. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 337-348.	0.7	76
2282	Randomized Trial of Hemiarthroplasty versus Internal Fixation for Femoral Neck Fractures: No Differences at 6 Years. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 360-367.	0.7	46
2283	Ten year results of the collum femoris preserving total hip replacement: a prospective cohort study of seventy five patients. <i>International Orthopaedics</i> , 2014, 38, 917-922.	0.9	29

#	ARTICLE	IF	CITATIONS
2284	Correlation between groin pain and cup design of hip-resurfacing implants: a prospective study. <i>International Orthopaedics</i> , 2014, 38, 923-928.	0.9	7
2285	Development of a Valid Simplified Chinese Version of the Oxford Hip Score in Patients With Hip Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 1545-1551.	0.7	30
2286	Effect of supervised exercise training on musculoskeletal symptoms and function in patients with type 2 diabetes: the Italian Diabetes Exercise Study (IDES). <i>Acta Diabetologica</i> , 2014, 51, 647-654.	1.2	12
2287	Fibromyxoid pseudotumor of the ligamentum teres treated with fresh osteochondral allograft. <i>Skeletal Radiology</i> , 2014, 43, 541-546.	1.2	6
2288	Is magnetotherapy applied to bilateral hips effective in Ankylosing spondylitis patients? A randomized, double-blind, controlled study. <i>Rheumatology International</i> , 2014, 34, 357-365.	1.5	10
2289	Total Hip Arthroplasty Performed in Patients with Residual Poliomyelitis: Does it Work?. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 933-940.	0.7	30
2290	Long-term Results and Bone Remodeling After THA With a Short, Metaphyseal-fitting Anatomic Cementless Stem. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 943-950.	0.7	56
2291	Periprosthetic bone mineral density after total hip arthroplasty with an AMiStem or Quadra femoral component performed by a minimally invasive anterior approach (AMIS): a prospective randomized clinical dual-energy X-ray absorptiometry study. <i>European Orthopaedics and Traumatology</i> , 2014, 5, 221-231.	0.1	0
2292	Treatment of intertrochanteric fractures in elderly highrisk patients: Dynamic hip screw vs. external fixation. <i>Injury</i> , 2014, 45, 568-572.	0.7	29
2293	Cementless total hip arthroplasty after acute femoral neck fracture in active patients. Prospective matched study with a minimum follow-up of 5 years. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2014, 58, 152-159.	0.1	0
2294	The Use of Combined Anteversion in Total Hip Arthroplasty for Patients With Developmental Dysplasia of the Hip. <i>Journal of Arthroplasty</i> , 2014, 29, 621-625.	1.5	27
2295	Arthroscopic Labral Reconstruction Is Superior to Segmental Resection for Irreparable Labral Tears in the Hip. <i>American Journal of Sports Medicine</i> , 2014, 42, 122-130.	1.9	132
2296	A historical review of classic articles in surgery field. <i>American Journal of Surgery</i> , 2014, 208, 841-849.	0.9	55
2297	Long-term outcomes from orthopaedic surgery in haemophilia: are we measuring success and documenting and assessing complications?. <i>Haemophilia</i> , 2014, 20, e367-e371.	1.0	3
2298	Comparison between 28 mm and 32 mm ceramic-on-ceramic bearings in total hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 1459-1463.	1.9	14
2299	Dysplasia of the contralateral hip in patients with unilateral late-detected congenital dislocation of the hip. <i>Bone and Joint Journal</i> , 2014, 96-B, 1161-1166.	1.9	12
2300	Revision arthroplasty in periprosthetic fractures of the proximal femur. <i>Operative Orthopädie Und Traumatologie</i> , 2014, 26, 455-468.	1.0	21
2301	Good long-term outcome of the untreated contralateral hip in unilateral slipped capital femoral epiphysis. <i>Journal of Children's Orthopaedics</i> , 2014, 8, 367-373.	0.4	9

#	ARTICLE	IF	CITATIONS
2302	Does self-efficacy influence recovery and well-being in osteoarthritis patients undergoing joint replacement? A systematic review. <i>Clinical Rehabilitation</i> , 2014, 28, 835-846.	1.0	98
2304	Aseptic Loosening Rate of the Mayo Femoral Stem With Medium-Term Follow Up. <i>Journal of Arthroplasty</i> , 2014, 29, 2122-2126.	1.5	9
2305	Implication of Femoral Stem on Performance of Articular Surface Replacement (ASR) XL Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2127-2135.	1.5	17
2306	The clinical and radiological evaluation of the use of an allograftâ€“prosthesis composite in the treatment of proximal femoral giant cell tumours. <i>Bone and Joint Journal</i> , 2014, 96-B, 1106-1110.	1.9	13
2307	The Stoppa approach versus the ilioinguinal approach for anterior acetabular fractures: A case control study assessing blood loss complications and function outcomes. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 675-680.	0.9	69
2308	Displaced acetabular fractures in the elderly: Results after open reduction and internal fixation. <i>Injury</i> , 2014, 45, 1908-1913.	0.7	25
2309	Does prior conservative surgery affect survivorship and functional outcome in total hip arthroplasty for congenital dislocation of the hip? A case-control study in 159 hips. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2014, 100, 733-737.	0.9	16
2310	An intraoperative device to restore femoral offset in total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2014, 9, 58.	0.9	6
2311	Porous tantalum shells and augments for acetabular cup revisions. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 911-917.	0.6	24
2313	A cementless hip system with a new surface for osseous integration. <i>International Orthopaedics</i> , 2014, 38, 703-709.	0.9	14
2314	Changes of periprosthetic bone density after a cementless short hip stem: a clinical and radiological analysis. <i>International Orthopaedics</i> , 2014, 38, 2045-2050.	0.9	43
2315	Methodological challenges in the use of hip-specific composite outcomes: linking measurements from hip fracture trials to the International Classification of Functioning, Disability and Health Framework. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014, 134, 219-228.	1.3	6
2316	Risk factors for poor hip flexion after total hip arthroplasty for the treatment of ankylosing spondylitis a multivariate analysis. <i>Clinical Rheumatology</i> , 2014, 33, 1295-1301.	1.0	8
2317	Acetabular Cup Revision Combined With Tensor Facia Lata Reconstruction for Management of Massive Abductor Avulsion After Failed Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 1052-1057.	1.5	12
2318	Cemented versus Uncemented Hemiarthroplasty for Displaced Femoral Neck Fractures: 5-year Followup of a Randomized Trial. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 1291-1299.	0.7	176
2319	High Complication Rate in Revision Total Hip Arthroplasty in Juvenile Idiopathic Arthritis. <i>Clinical Orthopaedics and Related Research</i> , 2014, 472, 637-644.	0.7	20
2320	Outcomes following large joint arthroplasty: does socio-economic status matter?. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 148.	0.8	42
2321	Nonarthritic Hip Joint Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, A1-A32.	1.7	181

#	ARTICLE	IF	CITATIONS
2322	The S-ROM hydroxyapatite proximally-coated modular femoral stem in revision hip replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 730-736.	1.9	31
2323	Outcomes and Complications Following Total Hip Arthroplasty in the Super-Obese Patient, BMI > 50. <i>Journal of Arthroplasty</i> , 2014, 29, 1899-1905.	1.5	43
2325	Custom Cementless THA in Patients With Legg-Calve-Perthes Disease. <i>Journal of Arthroplasty</i> , 2014, 29, 792-796.	1.5	24
2326	Conversion Total Hip Arthroplasty After Previous Transtrochanteric Rotational Osteotomy for Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2014, 29, 813-816.	1.5	27
2327	Outcome of Total Hip Arthroplasty for Avascular Necrosis of the Femoral Head in Systemic Lupus Erythematosus. <i>Journal of Arthroplasty</i> , 2014, 29, 2267-2270.	1.5	19
2328	One-Component Revision of Failed Hip Resurfacing from Adverse Reaction to Metal Wear Debris. <i>Journal of Arthroplasty</i> , 2014, 29, 219-224.	1.5	40
2329	Midterm Results of Large Diameter Biolox Forte Ceramic Head on Delta Ceramic Liner Articulation in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2412-2414.	1.5	17
2330	No Differences Found in Bearing Related Hip Survivorship at 10-12 Years Follow-Up Between Patients With Ceramic on Highly Cross-Linked Polyethylene Bearings Compared to Patients With Ceramic on Ceramic Bearings. <i>Journal of Arthroplasty</i> , 2014, 29, 1369-1372.	1.5	56
2331	Long-Term Results Using the Straight Tapered Femoral Cementless Hip Stem in Total Hip Arthroplasty: A Minimum of Twenty-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2014, 29, 1559-1565.	1.5	38
2332	The 27 to 29-Year Outcomes of the PCA Total Hip Arthroplasty in Patients Younger Than 50 Years Old. <i>Journal of Arthroplasty</i> , 2014, 29, 2256-2261.	1.5	26
2333	Outcome of Porous Tantalum Acetabular Components for Paprosky Type 3 and 4 Acetabular Defects. <i>Journal of Arthroplasty</i> , 2014, 29, 1318-1322.	1.5	34
2335	Gait Parameters and Muscle Activation Patterns at 3, 6 and 12 Months After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 1265-1272.	1.5	74
2336	The Effect of Obesity on the Clinical, Functional and Radiological Outcome of Cementless Total Hip Replacement: A Case-Matched Study With a Minimum 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2014, 29, 1758-1762.	1.5	19
2337	Cementless Hip Arthroplasty in Paget's Disease at Long-Term Follow-Up (Average of 12.3 Years). <i>Journal of Arthroplasty</i> , 2014, 29, 1063-1066.	1.5	13
2338	Good Short-Term Outcome of Arthroplasty With Wagner SL Implants for Unstable Intertrochanteric Osteoporotic Fractures. <i>Journal of Arthroplasty</i> , 2014, 29, 605-608.	1.5	18
2339	Avaliação dos resultados de componente femoral cônico de fixação proximal não cimentado em fêmur tipo C de Dorr. <i>Revista Brasileira De Ortopedia</i> , 2014, 49, 260-266.	0.2	3
2340	Is There a Relation between AOFAS Ankle-Hindfoot Score and SF-36 in Evaluation of Achilles Ruptures Treated by Percutaneous Technique?. <i>Journal of Foot and Ankle Surgery</i> , 2014, 53, 16-21.	0.5	51
2341	Résultats à moyen terme des reprises de tiges femorales à verrouillage distal par une tige standard de première intention: À propos de 29 cas. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2014, 100, 113-118.	0.0	0

#	ARTICLE	IF	CITATIONS
2342	The effect of post-discharge telephone intervention on rehabilitation following total hip replacement surgery. <i>International Journal of Nursing Sciences</i> , 2014, 1, 207-211.	0.5	11
2343	Results of a Tapered Proximally-Coated Primary Cementless Stem for Revision Hip Surgery. <i>Journal of Arthroplasty</i> , 2014, 29, 225-228.	1.5	15
2344	Anterior dislocation of hip following DHS fixation of intertrochanteric fracture: A case report. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2014, 5, 42-44.	0.6	5
2345	Isolated Acetabular Revision With Ceramic-on-Ceramic Bearings Using a Ceramic Head With a Metal Sleeve. <i>Journal of Arthroplasty</i> , 2014, 29, 2420-2423.	1.5	13
2346	Long-Term Results of Porous-Coated Anatomic Total Hip Arthroplasty for Patients With Osteoarthritis of the Hip. <i>Journal of Arthroplasty</i> , 2014, 29, 2251-2255.	1.5	10
2347	Acute Hematogenous Infection Following Total Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 469-472.	1.5	69
2348	Medium-Term Results of Cementation of a Highly Cross-Linked Polyethylene Liner Into a Well-Fixed Acetabular Shell in Revision Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 634-637.	1.5	17
2349	Total Joint Arthroplasty and Preoperative Low Back Pain. <i>Journal of Arthroplasty</i> , 2014, 29, 867-871.	1.5	66
2350	Is Cup Positioning Challenged in Hips Previously Treated With Periacetabular Osteotomy?. <i>Journal of Arthroplasty</i> , 2014, 29, 763-768.	1.5	28
2351	Performance of the CLS Spotorno uncemented stem in the third decade after implantation. <i>Bone and Joint Journal</i> , 2014, 96-B, 455-461.	1.9	53
2352	Reproducible fixation with a tapered, fluted, modular, titanium stem in revision hip arthroplasty at 8â€“15 years follow-up. <i>Journal of Arthroplasty</i> , 2014, 29, 214-218.	1.5	67
2353	Reconstruction of massive uncontained acetabular defects using allograft with cage or ring reinforcement. <i>Bone and Joint Journal</i> , 2014, 96-B, 319-324.	1.9	46
2354	Gait and gait-related activities of daily living after total hip arthroplasty: A systematic review. <i>Clinical Biomechanics</i> , 2014, 29, 705-718.	0.5	83
2355	Excellent Survivorship of the Morscher Monoblock Cup With a 28-mm Metasul-on-Metasul Bearing at a Mean of 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2014, 29, 405-409.	1.5	2
2356	Total Hip Arthroplasty Using Large-Diameter Metal-On-Metal Articulation in Patients With Neuromuscular Weakness. <i>Journal of Arthroplasty</i> , 2014, 29, 797-801.	1.5	18
2357	Our Midterm Results of the Birmingham Hip Resurfacing With and Without Navigation. <i>Journal of Arthroplasty</i> , 2014, 29, 808-812.	1.5	10
2358	Physiotherapy-led arthroplasty review clinic: a preliminary outcomes analysis. <i>Australian Health Review</i> , 2014, 38, 510.	0.5	11
2359	Valgus Osteotomy and Repositioning and Fixation with a Dynamic Hip Screw and a 135Â° Single-Angled Barrel Plate for Un-United and Neglected Femoral Neck Fractures. <i>Journal of Orthopaedic Surgery</i> , 2014, 22, 13-17.	0.4	16



#	ARTICLE	IF	CITATIONS
2360	Revision Hip Arthroplasty in Patients With a Previous Total Hip Replacement for Osteonecrosis of the Femoral Head. <i>Orthopedics</i> , 2014, 37, e1058-62.	0.5	4
2362	Fixation with Cancellous Screws and Fibular Strut Grafts for Neglected Femoral Neck Fractures. <i>Journal of Orthopaedic Surgery</i> , 2014, 22, 181-185.	0.4	10
2363	The Reporting of Functional Outcome Instruments in the Journal of Orthopaedic Trauma Over a 5-Year Period. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 2-5.	0.7	9
2364	Direct Reduction Technique for Superomedial Dome Impaction in Geriatric Acetabular Fractures. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, e39-e43.	0.7	40
2366	Uncemented fully hydroxyapatite-coated hip stem for intracapsular femoral neck fractures in osteoporotic elderly patients: a multicenter study. <i>Arthroplasty Today</i> , 2015, 1, 81-84.	0.8	7
2367	No benefit on functional outcomes and dislocation rates by increasing head size to 36Âmm in ceramic-on-ceramic total hip arthroplasty. <i>Biomedical Journal</i> , 2015, 38, 538-543.	1.4	8
2368	Surgical treatment of periprosthetic femoral fractures following hip arthroplasty: Our institutional experience. <i>Injury</i> , 2015, 46, 1945-1950.	0.7	22
2369	Cross-Cultural Adaptation and Validation of the Lower Extremity Measure Into German. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2015, 6, 282-288.	0.6	2
2370	Nonsteroidal Anti-inflammatory Drugs as Prophylaxis for Heterotopic Ossification after Total Hip Arthroplasty. <i>Medicine (United States)</i> , 2015, 94, e828.	0.4	64
2371	<scp>ADRA</scp>2A is involved in neuroendocrine regulation of bone resorption. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 1520-1529.	1.6	19
2372	Guideline for Diagnostic and Treatment of Osteonecrosis of the Femoral Head. <i>Orthopaedic Surgery</i> , 2015, 7, 200-207.	0.7	36
2373	Slipped capital femoral epiphysis. <i>Bone and Joint Journal</i> , 2015, 97-B, 1428-1434.	1.9	23
2374	Cemented versus uncemented arthroplasty in patients with a displaced fracture of the femoral neck. <i>Bone and Joint Journal</i> , 2015, 97-B, 1475-1480.	1.9	89
2375	A randomised trial comparing a short and a standard-length metaphyseal engaging cementless femoral stem using radiostereometric analysis. <i>Bone and Joint Journal</i> , 2015, 97-B, 595-602.	1.9	59
2376	A prospective comparative study of cementless total hip arthroplasty and hip resurfacing in patients under the age of 55 years. <i>Bone and Joint Journal</i> , 2015, 97-B, 617-622.	1.9	61
2377	Similar incidence of periprosthetic fluid collections after ceramic-on-polyethylene total hip arthroplasties and metal-on-metal resurfacing arthroplasties. <i>Bone and Joint Journal</i> , 2015, 97-B, 1175-1182.	1.9	31
2378	Acetabular revision with impaction bone grafting and a cemented polyethylene acetabular component. <i>Bone and Joint Journal</i> , 2015, 97-B, 1338-1344.	1.9	21
2379	Oxinium modular femoral heads do not reduce polyethylene wear in cemented total hip arthroplasty at five years. <i>Bone and Joint Journal</i> , 2015, 97-B, 1463-1469.	1.9	35

#	ARTICLE	IF	CITATIONS
2380	Isolated revision of an acetabular component to a ceramic-on-ceramic bearing in patients under 50 years of age. <i>Bone and Joint Journal</i> , 2015, 97-B, 1197-1203.	1.9	14
2381	Radiography versus Multidetector Computed Tomography in Assessing Graft Integration after Acetabular Reconstruction. <i>Journal of Orthopaedic Surgery</i> , 2015, 23, 370-374.	0.4	3
2382	Revision of hemiarthroplasty to total hip arthroplasty using the cement-in-cement technique. <i>Bone and Joint Journal</i> , 2015, 97-B, 1623-1627.	1.9	26
2383	Hydroxyapatite ceramic-coated femoral components in young patients followed up for 17 to 25 years. <i>Bone and Joint Journal</i> , 2015, 97-B, 749-754.	1.9	13
2384	The outcome of femoral component revision arthroplasty with impaction allograft bone grafting and a cemented polished Exeter stem. <i>Bone and Joint Journal</i> , 2015, 97-B, 771-779.	1.9	20
2385	Impingement-free range of movement, acetabular component cover and early clinical results comparing â€femur-firstâ€™ navigation and â€conventionalâ€™ minimally invasive total hip arthroplasty. <i>Bone and Joint Journal</i> , 2015, 97-B, 890-898.	1.9	59
2386	Revision total hip arthroplasty after removal of a fractured well-fixed extensively porous-coated femoral component using a trephine. <i>Bone and Joint Journal</i> , 2015, 97-B, 1192-1196.	1.9	7
2387	Revision total hip arthroplasty using cemented collarless double-taper femoral components at a mean follow-up of 13 years (8 to 20). <i>Bone and Joint Journal</i> , 2015, 97-B, 1038-1045.	1.9	8
2388	A randomised controlled trial of cemented and cementless femoral components for metal-on-metal hip resurfacing. <i>Bone and Joint Journal</i> , 2015, 97-B, 1608-1614.	1.9	9
2389	Do post-operative changes of neckâ€™ shaft angle and femoral component anteversion have an effect on clinical outcome following uncemented total hip arthroplasty?. <i>Bone and Joint Journal</i> , 2015, 97-B, 1615-1622.	1.9	24
2390	Salvage of failed osteosynthesis of an intracapsular fracture of the femoral neck using two cannulated compression screws and a vascularised iliac crest bone graft. <i>Bone and Joint Journal</i> , 2015, 97-B, 988-991.	1.9	2
2391	Pseudotumour incidence, cobalt levels and clinical outcome after large head metal-on-metal and conventional metal-on-polyethylene total hip arthroplasty. <i>Bone and Joint Journal</i> , 2015, 97-B, 1481-1487.	1.9	26
2392	Seronegative infections in hip and knee arthroplasty. <i>Bone and Joint Journal</i> , 2015, 97-B, 939-944.	1.9	72
2393	Reconstruction of chronic abductor deficiency after revision hip arthroplasty using an extensor mechanism allograft. <i>Bone and Joint Journal</i> , 2015, 97-B, 1050-1055.	1.9	15
2394	Persistent pain and depression after hip fracture strongly correlate with poor outcomes. <i>European Orthopaedics and Traumatology</i> , 2015, 6, 399-404.	0.1	3
2395	Treatment options for unstable trochanteric fractures: Screw or helical proximal femoral nail. <i>Chinese Journal of Traumatology - English Edition</i> , 2015, 18, 342-346.	0.7	6
2396	Occult fracture of the femoral neck associated with extensive osteonecrosis of the femoral head: A case report. <i>International Journal of Surgery Case Reports</i> , 2015, 14, 136-140.	0.2	4
2397	The Polished MS-30 Stem with a Solid Centralizer: A Minimum 10-year Review of Radiological and Clinical Outcomes. <i>Journal of Orthopaedics, Trauma and Rehabilitation</i> , 2015, 19, 93-96.	0.1	0

#	ARTICLE	IF	CITATIONS
2398	Regional analgesia for improvement of long-term functional outcome after elective large joint replacement. The Cochrane Library, 2015, 2015, CD010278.	1.5	24
2399	Outcomes of total hip arthroplasty in patients with primary immune thrombocytopenia. BMC Musculoskeletal Disorders, 2015, 16, 278.	0.8	9
2400	HOPE-trial: hemiarthroplasty compared to total hip arthroplasty for displaced femoral neck fractures in the elderly-elderly, a randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 307.	0.8	13
2401	Biodegradable magnesium screws and vascularized iliac grafting for displaced femoral neck fracture in young adults. BMC Musculoskeletal Disorders, 2015, 16, 329.	0.8	42
2402	Clinical and radiographic outcomes of a trabecular titanium acetabular component in hip arthroplasty: results at minimum 5 years follow-up. BMC Musculoskeletal Disorders, 2015, 16, 375.	0.8	49
2403	Cortical hypertrophy with a short, curved uncemented hip stem does not have any clinical impact during early follow-up. BMC Musculoskeletal Disorders, 2015, 16, 371.	0.8	37
2404	Four-Year Results of Summit Stems for Total Hip Arthroplasty in Japanese Patients. HIP International, 2015, 25, 553-556.	0.9	4
2405	Treatment of Middle-up Part Long-segment Femoral Fracture with Long Proximal Femoral Nail Antirotation. Orthopaedic Surgery, 2015, 7, 138-145.	0.7	4
2406	Femoral neck non-union treatment by valgus intertrochanteric osteotomy. Acta Orthopædica Brasileira, 2015, 23, 319-322.	0.2	8
2407	Arthroscopic Treatment of Symptomatic Internal Snapping Hip with Combined Pathologies. Clinics in Orthopedic Surgery, 2015, 7, 158.	0.8	21
2408	Effect of Osteonecrosis Intervention Rod Versus Core Decompression Using Multiple Small Drill Holes on Early Stages of Necrosis of the Femoral Head: A Prospective Study on a Series of 60 Patients with a Minimum 1-Year-Follow-Up. The Open Orthopaedics Journal, 2015, 9, 179-184.	0.1	14
2409	The Result of Revision Total Hip Arthroplasty in Patients with Metallosis Following a Catastrophic Failure of a Polyethylene Liner. Clinics in Orthopedic Surgery, 2015, 7, 46.	0.8	10
2410	Osteonecrosis of Femoral Head Treated with Extracorporeal Shock Wave Therapy: Analysis of Short-term Clinical Outcomes of Treatment with Radiologic Staging. Hip and Pelvis, 2015, 27, 250-257.	0.6	12
2411	The Results of Long-term Follow-up of Total Hip Arthroplasty Using Hydroxyapatite-coated Cups. Hip and Pelvis, 2015, 27, 209-215.	0.6	6
2412	A Comparison of Internal Fixation and Bipolar Hemiarthroplasty for the Treatment of Reverse Oblique Intertrochanteric Femoral Fractures in Elderly Patients. Hip and Pelvis, 2015, 27, 152-163.	0.6	16
2413	Cementless Revision Total Hip Arthroplasty with Ceramic Articulation. Hip and Pelvis, 2015, 27, 223-231.	0.6	5
2414	Calcar femorale grafting in the hemiarthroplasty of the hip for unstable inter trochanteric fractures. Indian Journal of Orthopaedics, 2015, 49, 602-609.	0.5	14
2415	Comparison of Continuous Epidural Analgesia, Patient-Controlled Analgesia with Morphine, and Continuous Three-in-One Femoral Nerve Block on Postoperative Outcomes after Total Hip Arthroplasty. Clinics in Orthopedic Surgery, 2015, 7, 164.	0.8	22

#	ARTICLE	IF	CITATIONS
2416	Mid-term Results of Revision Total Hip Arthroplasty Using Modular Cementless Femoral Stems. Hip and Pelvis, 2015, 27, 135-140.	0.6	14
2417	The Result of Transmuscular versus Transosseous Repair of the Posterior Capsule on Early Dislocations in Primary Hip Arthroplasty. HIP International, 2015, 25, 537-542.	0.9	20
2418	Recovery of Posture Stability at Different Foot Placements in Patients Who Underwent Minimally Invasive Total Hip Arthroplasty: A One-Year Follow-Up Study. BioMed Research International, 2015, 2015, 1-10.	0.9	9
2419	Autologous Bone Marrow Mesenchymal Stem Cells Associated with Tantalum Rod Implantation and Vascularized Iliac Grafting for the Treatment of End-Stage Osteonecrosis of the Femoral Head. BioMed Research International, 2015, 2015, 1-9.	0.9	37
2420	Cementless Hydroxyapatite Coated Hip Prostheses. BioMed Research International, 2015, 2015, 1-13.	0.9	41
2421	Hip Resurfacing Arthroplasty in Treatment of Avascular Necrosis of the Femoral Head. Medical Science Monitor, 2015, 21, 304-309.	0.5	9
2422	Effects of hip joint center location and femoral offset on abductor muscle strength after total hip arthroplasty. Modern Rheumatology, 2015, 25, 630-636.	0.9	21
2423	Patient-reported outcome measures for hip preservation surgery—a systematic review of the literature. Journal of Hip Preservation Surgery, 2015, 2, 15-27.	0.6	99
2424	Should full threaded compression screws be used in adult femoral neck fractures?. Injury, 2015, 46, S24-S28.	0.7	18
2425	Femoral lengthening during hip resurfacing arthroplasty: A new surgical procedure. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 247-249.	0.9	2
2426	Morbid Obesity. Journal of Bone and Joint Surgery - Series A, 2015, 97, 326-332.	1.4	70
2427	Surgical Hip Dislocation Is a Reliable Approach for Treatment of Femoral Head Fractures. Clinical Orthopaedics and Related Research, 2015, 473, 3744-3751.	0.7	57
2428	High Survivorship With Cementless Stems and Cortical Strut Allografts for Large Femoral Bone Defects in Revision THA. Clinical Orthopaedics and Related Research, 2015, 473, 2990-3000.	0.7	30
2429	Treatment of Arthritis Associated With Legg-Calve-Perthes Disease With Modular Total Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 1743-1746.	1.5	13
2430	Assessing outcomes following arthroscopic labral debridement—what can the IHOT-33 reveal?. Journal of Hip Preservation Surgery, 2015, 2, 152-157.	0.6	6
2431	Long-Term Comparison of Porous Versus Hydroxyapatite Coated Sleeve of a Modular Cementless Femoral Stem (SROM) in Primary Total Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 1777-1780.	1.5	13
2432	Survivorship of the cementless Spotorno femoral component in patients under 50 years of age at a mean follow-up of 18.4 years. Bone and Joint Journal, 2015, 97-B, 160-163.	1.9	23
2433	Metal Ion Concentrations in Young, Active Patients Following Total Hip Arthroplasty with the Use of Modern Bearing Couples. Journal of Arthroplasty, 2015, 30, 2227-2232.	1.5	30

#	ARTICLE	IF	CITATIONS
2434	Do Alumina Matrix Composite Bearings Decrease Hip Noises and Bearing Fractures at a Minimum of 5 Years After THA?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3796-3802.	0.7	39
2435	Range of Hip Joint Motion in Developmental Dysplasia of the Hip Patients Following Total Hip Arthroplasty With the Surgical Technique Using the Concept of Combined Anteversion: A Study of Crowe I and II Patients. <i>Journal of Arthroplasty</i> , 2015, 30, 2248-2255.	1.5	12
2436	Hip arthroscopy in patients with recurrent pain following Bernese periacetabular osteotomy for acetabular dysplasia: operative findings and clinical outcomes. <i>Journal of Hip Preservation Surgery</i> , 2015, 2, 295-302.	0.6	18
2437	Traitement du conflit iliopsoas-cupule des prothèses totales de hanche par plastie d'élargissement capsulaire antérieure. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 667-670.	0.0	0
2438	Functional and radiological outcome of periprosthetic femoral fractures after hip arthroplasty. <i>Injury</i> , 2015, 46, 292-298.	0.7	92
2439	Squeaking in Large Diameter Ceramic-on-Ceramic Bearings in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 282-285.	1.5	60
2441	Risk factors for total hip arthroplasty dislocation and its functional outcomes. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2015, 59, 19-25.	0.1	1
2442	Mid-Term Outcomes and Complications with Cementless Distal Locking Hip Revision Stem with Hydroxyapatite Coating for Proximal Bone Defects and Fractures. <i>Journal of Arthroplasty</i> , 2015, 30, 1035-1040.	1.5	15
2443	Readmission Rates in Total Hip Arthroplasty: A Granular Analysis?. <i>Journal of Arthroplasty</i> , 2015, 30, 1127-1131.	1.5	14
2444	Combined Anterior and Posterior Approach in Total Hip Arthroplasty for Crowe IV Dysplasia or Ankylosed Hips. <i>Journal of Arthroplasty</i> , 2015, 30, 797-802.	1.5	8
2445	Femoral Revision Using the Wagner SL Revision Stem: A Single-Surgeon Experience Featuring 11 Years of Follow-Up. <i>Journal of Arthroplasty</i> , 2015, 30, 827-834.	1.5	27
2446	Is Hemiresurfacing Arthroplasty for Osteonecrosis of the Hip a Viable Solution?. <i>Journal of Arthroplasty</i> , 2015, 30, 987-992.	1.5	6
2447	Performance of Porous Tantalum vs. Titanium Cup in Total Hip Arthroplasty: Randomized Trial with Minimum 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2015, 30, 1008-1013.	1.5	67
2448	Bone stock in revision femoral arthroplasty: a new evaluation. <i>International Orthopaedics</i> , 2015, 39, 1487-1494.	0.9	9
2449	Polyethylene replacement by cementing a new component over the osseointegrated metal-back. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2015, 59, 14-18.	0.1	0
2450	Measurement properties of the Disability Rating Index in patients undergoing hip replacement. <i>Rheumatology</i> , 2015, 54, 64-71.	0.9	15
2451	The effect of antegrade femoral nailing on femoral head perfusion: a comparison of piriformis fossa and trochanteric entry points. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 473-480.	1.3	14
2452	Porous Metal Acetabular Components Have a Low Rate of Mechanical Failure in THA After Operatively Treated Acetabular Fracture. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 536-542.	0.7	23

#	ARTICLE	IF	CITATIONS
2453	Twenty-year Followup of an Uncemented Stem in Primary THA. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 543-548.	0.7	34
2454	Long-term results of the uncemented acetabular component in a primary total hip arthroplasty performed for protrusio acetabuli: a fifteen year median follow-up. <i>International Orthopaedics</i> , 2015, 39, 839-845.	0.9	10
2455	Robotic surgery in trauma and orthopaedics. <i>Bone and Joint Journal</i> , 2015, 97-B, 292-299.	1.9	74
2456	Is internal fixation alone advantageous in selected <scp>B</scp>2 periprosthetic fractures?. <i>ANZ Journal of Surgery</i> , 2015, 85, 169-173.	0.3	43
2457	Adequate surgical treatment of periprosthetic femoral fractures following hip arthroplasty does not correlate with functional outcome and quality of life. <i>International Orthopaedics</i> , 2015, 39, 1701-1708.	0.9	16
2458	Vitamin-E diffused highly cross-linked polyethylene liner compared to standard liners in total hip arthroplasty. A randomized, controlled trial. <i>International Orthopaedics</i> , 2015, 39, 1499-1505.	0.9	51
2459	Large-diameter Metal-on-metal Total Hip Arthroplasty: Dislocation Infrequent but Survivorship Poor. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 509-520.	0.7	39
2460	Arthroplasty in patients with extensive femoral head avascular necrosis. <i>International Orthopaedics</i> , 2015, 39, 1507-1511.	0.9	12
2461	Medium-term comparison of results in obese patients and non-obese hip prostheses with Metha <sup>®</sup> short stem. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 503-508.	0.6	18
2462	Metal-on-metal hip resurfacing: correlation between clinical and radiological assessment, metal ions and ultrasound findings. <i>Musculoskeletal Surgery</i> , 2015, 99, 45-53.	0.7	6
2463	Relative Femoral Neck Lengthening Improves Pain and Hip Function in Proximal Femoral Deformities With a High-riding Trochanter. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 1378-1387.	0.7	39
2464	Outcomes of Polyethylene Liner Cementation into a Fixed Metal Acetabular Shell with Minimum Follow-up of 7 Years. <i>HIP International</i> , 2015, 25, 61-66.	0.9	12
2465	Modified Stoppa Approach for Surgical Treatment of Acetabular Fracture. <i>Clinics in Orthopedic Surgery</i> , 2015, 7, 29.	0.8	38
2466	Treatment of neglected femoral neck fractures using the modified dynamic hip screw with autogenous bone and bone morphogenetic protein-2 composite materials grafting. <i>Indian Journal of Orthopaedics</i> , 2015, 49, 342.	0.5	6
2467	Comparison between component designs with different femoral head size in metal-on-metal total hip arthroplasty; multicenter randomized prospective study. <i>Journal of Orthopaedics</i> , 2015, 12, 228-236.	0.6	4
2468	Midterm Outcomes of the Recently FDA Approved Ceramic on Ceramic Bearing in Total Hip Arthroplasty Patients Under 65Years of Age. <i>Journal of Arthroplasty</i> , 2015, 30, 1388-1392.	1.5	30
2469	Femoral Component Revision Using a 2nd Generation Modular Femoral Implant. <i>Journal of Arthroplasty</i> , 2015, 30, 1397-1402.	1.5	4
2470	Titanium-titanium modular neck for primary THA. Result of a prospective series of 170 cemented THA with a minimum follow-up of 5 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 137-142.	0.9	21

#	ARTICLE	IF	CITATIONS
2471	R�sultats cliniques et radiologiques de la cupule Durom�,� en arthroplastie totale de hanche t�te de grand diam�tre: 177 proth�ses � 80 mois de recul moyen. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 276-281.	0.0	0
2472	Successful salvage of an unstable Girdlestone's excision arthroplasty with a megaprosthesis of the hip. Journal of Clinical Orthopaedics and Trauma, 2015, 6, 269-272.	0.6	7
2473	Computed tomography evaluation of hip geometry restoration after total hip resurfacing. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 571-575.	0.9	8
2474	Validation and Cross Cultural Adaptation of the Italian Version of the Harris Hip Score. HIP International, 2015, 25, 91-97.	0.9	34
2475	Larger femoral periprosthetic bone mineral density decrease following total hip arthroplasty for femoral neck fracture than for osteoarthritis: A prospective, observational cohort study. Journal of Orthopaedic Research, 2015, 33, 504-512.	1.2	11
2476	Bone impregnated hip screw in femoral neck fracture Clinoradiological results. Indian Journal of Orthopaedics, 2015, 49, 187.	0.5	3
2477	Use of <sup>18</sup> F-fluoride positron emission tomography as a predictor of the hip osteoarthritis progression. Modern Rheumatology, 2015, 25, 925-930.	0.9	10
2478	MODULUS Stem for Developmental Hip Dysplasia: Long-term Follow-up. Journal of Arthroplasty, 2015, 30, 1747-1751.	1.5	16
2479	Dual mobility cup in revision total hip arthroplasty: Dislocation rate and survival after 5 years. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 577-581.	0.9	68
2480	Macrophage-specific metalloelastase (MMP-12) immunoexpression in the osteochondral unit in osteoarthritis correlates with BMI and disease severity. Pathophysiology, 2015, 22, 143-151.	1.0	13
2481	Severe vascular complications and intervention following elective total hip and knee replacement: A 16-year retrospective analysis. Journal of Orthopaedics, 2015, 12, 151-155.	0.6	25
2482	Clinical and radiological outcomes with the Durom�,� acetabular cup for large-diameter total hip arthroplasty: 177 implants after a mean of 80 months. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 437-441.	0.9	7
2483	Preoperative factors associated with postoperative gait kinematics and kinetics after total hip arthroplasty. Osteoarthritis and Cartilage, 2015, 23, 1685-1694.	0.6	29
2484	Bone density and functional results after femoral revision with a cementless press-fit stem. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 283-287.	0.9	6
2485	SECOT-GEDOS consensus on pre-surgical pain management in knee and hip arthrosis. Revista Espa�ola De Cirug�a Ortop�dica Y Traumatolog�a, 2015, 59, 186-199.	0.1	3
2486	Frontal plane kinematics in walking with moderate hip osteoarthritis: Stability and fall risk. Clinical Biomechanics, 2015, 30, 874-880.	0.5	21
2487	Acetabular Re-Revision with Impaction Bone Grafting and a Cemented Polyethylene Cup; A Biological Option for Successive Reconstructions. HIP International, 2015, 25, 44-49.	0.9	11
2488	Total Knee Arthroplasty in Patients With a Prior Tibial Plateau Fracture: A Long-Term Report at 15 Years. Journal of Arthroplasty, 2015, 30, 2170-2172.	1.5	64

#	ARTICLE	IF	CITATIONS
2489	Correlation between mechanical stress by finite element analysis and <sup>18</sup> F-fluoride PET uptake in hip osteoarthritis patients. <i>Journal of Orthopaedic Research</i> , 2015, 33, 78-83.	1.2	20
2490	Use of high resolution dual-energy x-ray absorptiometry-region free analysis (DXA-RFA) to detect local periprosthetic bone remodeling events. <i>Journal of Orthopaedic Research</i> , 2015, 33, 712-716.	1.2	8
2491	Early results of revision acetabular cup using antiprotrusio reconstruction rings and allografts. <i>Indian Journal of Orthopaedics</i> , 2015, 49, 317-322.	0.5	4
2492	Sports Activity After Treatment of Residual Hip Dysplasia With Triple Pelvic Osteotomy Using the TÄnnis and Kalchschmidt Technique. <i>American Journal of Sports Medicine</i> , 2015, 43, 715-720.	1.9	15
2494	The anterior mini-open approach for femoroacetabular impingement: Gait and functional assessment at one year post-surgery. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 60-65.	1.1	15
2495	The Asia proximal femoral nail antirotation versus the standard proximal femoral antirotation nail for unstable intertrochanteric fractures in elderly Chinese patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, 143-146.	0.9	24
2496	ProthÄses totale de hanche Ä col modulaire titane de premiÄre intention. RÄsultats dÄtude prospective de 170ÄPTH cimentÄes en titane avec un recul minimum de 5ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 98-103.	0.0	0
2497	Acetabular fractures labelled poor surgical choices: Analysis of operative outcome. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2015, 6, 94-100.	0.6	5
2498	Development and validation of a VISA tendinopathy questionnaire for greater trochanteric pain syndrome, the VISA-G. <i>Manual Therapy</i> , 2015, 20, 805-813.	1.6	60
2499	Young femoral neck fractures: Are we measuring outcomes that matter?. <i>Injury</i> , 2015, 46, 507-514.	0.7	22
2500	Third-Generation Alumina-on-Alumina Total Hip Arthroplasty: 14 to 16-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2015, 30, 411-415.	1.5	52
2501	Outcome of an ultrashort metaphyseal-fitting anatomic cementless stem in highly active obese and non-obese patients. <i>International Orthopaedics</i> , 2015, 39, 403-409.	0.9	5
2502	Acetabular defect reconstruction in revision hip arthroplasty with a modular revision system and biological defect augmentation. <i>International Orthopaedics</i> , 2015, 39, 623-630.	0.9	21
2503	Cemented total hip arthroplasty revisions in patients of eighty years and older. <i>International Orthopaedics</i> , 2015, 39, 1723-1730.	0.9	3
2504	Does rotational acetabular osteotomy affect subsequent total hip arthroplasty?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 407-415.	1.3	18
2505	Migration characteristics and early clinical results of the NANOSÄ short-stem hip arthroplasty. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 375-378.	1.0	21
2506	Cemented metal-on-metal total hip replacement with 28-mm head: prospective, long-term, clinical, radiological and metal ions data. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 749-755.	0.6	6
2507	Bone remodeling after a mean of 10Äyears in diaphyseal cortical defects repaired with femoral revision using bypass fixation of extensively porous-coated stems with high stiffness. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 741-747.	0.6	1



#	ARTICLE	IF	CITATIONS
2508	Nailing or plating for subtrochanteric femoral fractures: a non-randomized comparative study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 889-894.	0.6	8
2509	Modular Tapered Implants for Severe Femoral Bone Loss in THA: Reliable Osseointegration but Frequent Complications. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 555-560.	0.7	33
2510	Eighty Percent of Patients With Surgical Hip Dislocation for Femoroacetabular Impingement Have a Good Clinical Result Without Osteoarthritis Progression at 10 Years. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 1333-1341.	0.7	104
2511	What Clinimetric Evidence Exists for Using Hip-specific Patient-reported Outcome Measures in Pediatric Hip Impingement?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 1361-1367.	0.7	14
2512	Biomechanical and bioactivity concepts of polyetheretherketone composites for use in orthopedic implants—a review. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 3689-3702.	2.1	86
2513	Gait and lower limb muscle strength in women after triple innominate osteotomy. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 68.	0.8	11
2514	No effects of a 12-week supervised exercise therapy program on gait in patients with mild to moderate osteoarthritis: a secondary analysis of a randomized trial. <i>Journal of Negative Results in BioMedicine</i> , 2015, 14, 5.	1.4	9
2515	Effect of cycle ergometer and conventional exercises on rehabilitation of older patients with total hip arthroplasty: study protocol for randomized controlled trial. <i>Trials</i> , 2015, 16, 139.	0.7	8
2516	No difference in clinical outcome, bone density and polyethylene wear 5–7 years after standard navigated vs. conventional cementfree total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 723-730.	1.3	22
2518	Uncemented Jumbo Cups for Revision Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 284-287.	1.4	56
2519	Satisfying Outcomes Scores and Survivorship Achieved With Impaction Grafting for Revision THA in Young Patients. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3867-3875.	0.7	25
2520	Comparative retrospective study of the direct anterior and transgluteal approaches for primary total hip arthroplasty. <i>International Orthopaedics</i> , 2015, 39, 2309-2313.	0.9	37
2521	Use of a Modular Tapered Fluted Femoral Component in Revision Total Hip Arthroplasty Following Resection of a Previously Infected Total Hip: Minimum 5-year Follow-Up. <i>Journal of Arthroplasty</i> , 2015, 30, 435-438.	1.5	11
2522	Exercise therapy may postpone total hip replacement surgery in patients with hip osteoarthritis: a long-term follow-up of a randomised trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 164-169.	0.5	106
2523	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials for hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 761-771.	0.6	54
2524	Comparison of 18F-fluoride positron emission tomography and magnetic resonance imaging in evaluating early-stage osteoarthritis of the hip. <i>Nuclear Medicine Communications</i> , 2015, 36, 84-89.	0.5	38
2525	Improved functional outcome with no decrease in hip strength 2 years following Ganz periacetabular osteotomies for adolescent hip dysplasia. <i>Journal of Pediatric Orthopaedics Part B</i> , 2015, 24, 99-105.	0.3	10
2526	A second generation constrained acetabular component for treatment of complex hip replacement instability. <i>Current Orthopaedic Practice</i> , 2015, 26, 136-141.	0.1	2

#	ARTICLE	IF	CITATIONS
2527	Two-Stage Progressive Femoral Lowering Followed by Cementless Total Hip Arthroplasty for Treating Crowe IVâ€™Hartofilakidis Type 3 Developmental Dysplasia of the Hip. <i>Journal of Arthroplasty</i> , 2015, 30, 790-796.	1.5	14
2528	Revision total hip arthroplasty in patients with extensive proximal femoral bone loss using a fluted tapered modular femoral component. <i>Bone and Joint Journal</i> , 2015, 97-B, 312-317.	1.9	65
2529	Early surveillance of ceramic-on-metal total hip arthroplasty. <i>Bone and Joint Journal</i> , 2015, 97-B, 300-305.	1.9	19
2530	Influence of personality psychology on outcome of total hip arthroplasty: a cross-sectional study on 69 patients. <i>Musculoskeletal Surgery</i> , 2015, 99, 231-236.	0.7	5
2531	Severe slipped capital femoral epiphysis: A French multicenter study of 186 cases performed by the SoFOP. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, S275-S279.	0.9	24
2532	Total Hip Arthroplasty Using Non-Modular Cementless Long-Stem Distal Fixation for Salvage of Failed Internal Fixation of Intertrochanteric Fracture. <i>Journal of Arthroplasty</i> , 2015, 30, 1999-2003.	1.5	26
2533	Are titanium-on-titanium TiAl6V4 modular necks safe in total hip arthroplasty for non-overweight patients? Results of a prospective series at a minimum follow-up of 7Âˆyears. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 1147-1152.	0.6	9
2534	Validation study of the Forgotten Joint Score-12 as a universal patient-reported outcome measure. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 1141-1145.	0.6	60
2535	Posterior Soft Tissue Repair After Primary THA is Durable at Mid-term Followup: A Prospective MRI Study. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3183-3189.	0.7	49
2536	Complications following conversion of a hip hemiarthroplasty to a total hip arthroplasty. <i>International Orthopaedics</i> , 2015, 39, 2335-2339.	0.9	11
2537	Clinical assessment after total hip arthroplasty using the Japanese Orthopaedic Association Hip-Disease Evaluation Questionnaire. <i>Journal of Orthopaedics</i> , 2015, 12, S31-S36.	0.6	6
2538	Total hip arthroplasty after previous rotational acetabular osteotomy. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 1057-1060.	0.6	12
2539	The use of morselized allografts without impaction and cemented cage support in acetabular revision surgery: a 4- to 9-year follow-up. <i>Journal of Orthopaedic Surgery and Research</i> , 2015, 10, 77.	0.9	8
2540	Influence of surgical approach on component positioning in primary total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 180.	0.8	33
2541	Outcomes and prognostic factors in revision hip arthroplasty for severe intra-pelvic cup protrusion: 246 cases. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2015, 101, S257-S263.	0.9	8
2542	Midterm Results of Delta Ceramic-on-Ceramic Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 110-115.	1.5	58
2543	The Survival Analysis in Third-Generation Ceramic-On-Ceramic Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 1976-1980.	1.5	18
2544	Robot-assisted primary cementless total hip arthroplasty with a short femoral stem: a prospective randomized short-term outcome study. <i>Computer Aided Surgery</i> , 2015, 20, 41-46.	1.8	40

#	ARTICLE	IF	CITATIONS
2545	The international Hip Outcome Tool-33 (iHOT-33): multicenter validation and translation to Spanish. Health and Quality of Life Outcomes, 2015, 13, 62.	1.0	32
2546	Revision hip arthroplasty using impacted cancellous bone and cement: a long-term follow-up study. European Journal of Orthopaedic Surgery and Traumatology, 2015, 25, 1279-1284.	0.6	4
2547	Bone mineral density after implantation of a femoral neck hip prosthesis – a prospective 5-year follow-up. BMC Musculoskeletal Disorders, 2015, 16, 192.	0.8	14
2548	Mid-term results of previously cemented hip arthroplasties revised with uncemented modular femoral components: a retrospective study. Journal of Orthopaedic Surgery and Research, 2015, 10, 123.	0.9	4
2549	Primary Ceramic-on-ceramic Total Hip Arthroplasty Using a 32-mm Ceramic Head With a Titanium-alloy Sleeve. Clinical Orthopaedics and Related Research, 2015, 473, 3781-3787.	0.7	9
2550	Outcome of transtrochanteric rotational osteotomy for posttraumatic osteonecrosis of the femoral head with a mean follow-up of 12.3 years. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 1257-1263.	1.3	22
2551	The use of customized cages in revision total hip arthroplasty for Paprosky type III acetabular bone defects. International Orthopaedics, 2015, 39, 2023-2030.	0.9	44
2552	Influences of fit and fill following hip arthroplasty using a cementless short-stem prosthesis. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 1609-1614.	1.3	14
2553	The use of buttress plates in the management of acetabular fractures with quadrilateral plate involvement: is it still a valid option?. International Orthopaedics, 2015, 39, 2219-2226.	0.9	43
2554	Dega osteotomy for the management of developmental dysplasia of the hip in children aged 2–8 years: Results of 58 consecutive osteotomies after 13–25 years of follow-up. Journal of Children's Orthopaedics, 2015, 9, 191-198.	0.4	32
2555	The Impact of Study Period on Perioperative Outcomes Following Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 1167-1171.	1.5	0
2556	Outcomes of Mixed Femoral Fixation Technique Using Both Cement and Ingrowth in Revision Total Hip Arthroplasty: Minimum 2-Year Follow-up. Journal of Arthroplasty, 2015, 30, 1815-1819.	1.5	2
2557	Use of the Burch-Schneider cage and structural allografts in complex acetabular deficiency: 10-year follow up. Kaohsiung Journal of Medical Sciences, 2015, 31, 540-547.	0.8	19
2558	Cupules à double mobilité pour révision de prothèse totale de hanche avec un recul minimum de 5 ans: taux de luxation et de survie. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, 374-378.	0.0	0
2559	Épiphysiolyse mortales supérieures à grand déplacement: résultats d'une série multicentrique de la SoFOP (186 cas). Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, S98-S102.	0.0	0
2560	Devenir et facteurs pronostiques des révisions acétabulaires pour descellement des prothèses de hanche avec protrusion majeure: analyse de 246 cas. Revue De Chirurgie Orthopedique Et Traumatologique, 2015, 101, S81-S87.	0.0	0
2562	Technique to treat iliopsoas irritation after total hip replacement: Thickening of articular hip capsule through an abridged direct anterior approach. Orthopaedics and Traumatology: Surgery and Research, 2015, 101, 973-976.	0.9	22
2563	Two-year serum metal ion levels in minimally invasive total conservative hip resurfacing: preliminary results of a prospective study. ANZ Journal of Surgery, 2015, 85, 164-168.	0.3	1

#	ARTICLE	IF	CITATIONS
2564	Clinical Results of the Conserve Plus Metal on Metal Hip Resurfacing: An Independent Series. <i>Journal of Arthroplasty</i> , 2015, 30, 68-73.	1.5	32
2565	Comparing the Long-Term Results of Two Uncemented Femoral Stems for Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 781-785.	1.5	21
2566	Breakage of cephalomedullary nailing in operative treatment of trochanteric and subtrochanteric femoral fractures. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 179-185.	1.3	55
2567	Anterior vs. Posterior Approach for Total Hip Arthroplasty, a Systematic Review and Meta-analysis. <i>Journal of Arthroplasty</i> , 2015, 30, 419-434.	1.5	304
2568	Clinical outcomes of trochanteric syndrome endoscopically treated. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 89-94.	1.3	12
2569	Consenso SECOT-GEDOS sobre el control del dolor prequirúrgico en artrosis de rodilla y cadera. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2015, 59, 186-199.	0.1	5
2570	Review: Femoroacetabular Impingement. <i>Arthritis and Rheumatology</i> , 2015, 67, 17-27.	2.9	69
2571	Short Stem Metaphyseal-Engaging Femoral Implants: A Case-Controlled Radiographic and Clinical Evaluation with Eight Year Follow-Up. <i>Journal of Arthroplasty</i> , 2015, 30, 600-606.	1.5	13
2572	Mid-term results after treatment of intertrochanteric femoral fractures with percutaneous compression plate (PCCP). <i>Injury</i> , 2015, 46, 347-357.	0.7	5
2575	Magnetic resonance imaging of painful metal-on-metal total hip replacement. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 313-319.	0.6	4
2576	Osteosynthesis of ununited femoral neck fracture by internal fixation combined with iliac crest bone chips and muscle pedicle bone grafting. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 366-373.	0.5	9
2577	A Long-term Retrospective Evaluation of Functional and Radiographic Outcomes of Pediatric Hip Surgery in Hurler Syndrome. <i>Journal of Pediatric Orthopaedics</i> , 2016, 36, 25-28.	0.6	9
2578	Total Hip Arthroplasty Using Modular Trabecular Metal Acetabular Components for Failed Treatment of Acetabular Fractures. <i>Chinese Medical Journal</i> , 2016, 129, 903-908.	0.9	5
2579	Abductor Muscle Function and Trochanteric Tenderness After Hemiarthroplasty for Femoral Neck Fracture. <i>Journal of Orthopaedic Trauma</i> , 2016, 30, e194-e200.	0.7	3
2580	Letter regarding "Developing a Sustainable HIP Service in Cambodia", by Holt JA et al. <i>HIP International</i> , 2016, 26, e43-e43.	0.9	2
2581	CLINICAL OUTCOME AFTER INFECTED TOTAL KNEE AND TOTAL HIP ARTHROPLASTY. <i>Acta Ortopédica Brasileira</i> , 2016, 24, 43-47.	0.2	6
2582	Combination Therapy with Continuous Three-in-One Femoral Nerve Block and Periarticular Multimodal Drug Infiltration after Total Hip Arthroplasty. <i>Pain Research and Management</i> , 2016, 2016, 1-6.	0.7	6
2583	The Short-term Clinical Outcome of Total Hip Arthroplasty Using Short Metaphyseal Loading Femoral Stem. <i>Hip and Pelvis</i> , 2016, 28, 82-89.	0.6	20

#	ARTICLE	IF	CITATIONS
2584	Injury to the Obturator Artery During Periacetabular Osteotomy. JBJS Case Connector, 2016, 6, e9.	0.1	4
2585	Long-Term Outcome after Rehabilitation of Bilateral Total Hip Arthroplasty in Renal Transplant Recipient – A Case Report. Open Access Macedonian Journal of Medical Sciences, 2016, 4, 146-151.	0.1	0
2586	An Effective and Feasible Method, –Hammering Technique,–for Percutaneous Fixation of Anterior Column Acetabular Fracture. BioMed Research International, 2016, 2016, 1-6.	0.9	5
2587	Hemodynamic changes in osteonecrosis treatment of the femoral head with iliac bone flaps pedicled with the lateral femoral circumflex artery ascending branch: A 10-year report. Technology and Health Care, 2016, 24, S493-S498.	0.5	4
2588	Utilizing Autologous Multipotent Mesenchymal Stromal Cells and $\text{Tricalcium Phosphate Scaffold}$ in Human Bone Defects: A Prospective, Controlled Feasibility Trial. BioMed Research International, 2016, 2016, 1-12.	0.9	23
2589	Effects of Zoledronate on Mortality and Morbidity after Surgical Treatment of Hip Fractures. Advances in Orthopedics, 2016, 2016, 1-7.	0.4	14
2590	Severity of Osteoarthritis Is Associated with Increased Arterial Stiffness. International Journal of Rheumatology, 2016, 2016, 1-7.	0.9	17
2591	The Hip Functional Retrieval after Elective Surgery May Be Enhanced by Supplemented Essential Amino Acids. BioMed Research International, 2016, 2016, 1-10.	0.9	11
2592	Result of Modular Necks in Primary Total Hip Arthroplasty with a Average Follow-up of Four Years. Hip and Pelvis, 2016, 28, 142-147.	0.6	2
2593	Revision Total Hip Arthroplasty Using Tantalum Augment in Patients with Paprosky III or IV Acetabular Bone Defects: A Minimum 2-year Follow Up Study. Hip and Pelvis, 2016, 28, 98-103.	0.6	17
2594	Analytic and learning framework for quantifying Value in Value Based Care. , 2016, , .		1
2595	Slipped Capital Femoral Epiphysis: Long-Term Outcome and Remodelling after in Situ Fixation. HIP International, 2016, 26, 25-30.	0.9	13
2596	Ability to return to work without restrictions in workers compensation patients undergoing hip arthroscopy. Journal of Hip Preservation Surgery, 2016, 4, hnw037.	0.6	12
2597	Results of Total Hip Arthroplasty after Core Decompression with Tantalum Rod for Osteonecrosis of the Femoral Head. Clinics in Orthopedic Surgery, 2016, 8, 38.	0.8	31
2598	Radial Extracorporeal Shock Wave Therapy in a Person With Advanced Osteonecrosis of the Femoral Head. American Journal of Physical Medicine and Rehabilitation, 2016, 95, e133-e139.	0.7	7
2599	Does Implant Selection Impact Postoperative Complications Following Hip Arthroplasty for Failed Intertrochanteric Fractures? A Retrospective Comparative Study. Artificial Organs, 2016, 40, 798-804.	1.0	8
2600	Endosteal Biologic Augmentation for Surgical Fixation of Displaced Femoral Neck Fractures. Journal of Orthopaedic Trauma, 2016, 30, 81-88.	0.7	18
2601	Abductor Muscle Function and Trochanteric Tenderness After Hemiarthroplasty for Femoral Neck Fracture. Journal of Orthopaedic Trauma, 2016, 30, e194-e200.	0.7	8

#	ARTICLE	IF	CITATIONS
2602	Surgical Hip Dislocation for the Treatment of Intra-Articular Injuries and Hip Instability Following Traumatic Posterior Dislocation in Children and Adolescents. <i>Journal of Pediatric Orthopaedics</i> , 2016, 36, 673-679.	0.6	21
2603	Periacetabular Osteotomy Redirects the Acetabulum and Improves Pain in Charcot-Marie-Tooth Hip Dysplasia With Higher Complications Compared With Developmental Dysplasia of the Hip. <i>Journal of Pediatric Orthopaedics</i> , 2016, 36, 853-859.	0.6	5
2604	Custom versus Straight Stem Uncemented Total Hip Arthroplasty Osteoarthritis Multicenter trial (CUSTOM): design of a prospective blinded randomised controlled multicentre trial: Table 1. <i>BMJ Open</i> , 2016, 6, e010472.	0.8	4
2605	Five-Year Outcome Analysis of Intertrochanteric Femur Fractures: A Prospective Randomized Trial Comparing a 2-Screw and a Single-Screw Cephalomedullary Nail. <i>Journal of Orthopaedic Trauma</i> , 2016, 30, 483-488.	0.7	27
2606	Sports and physical activity after cementless total hip arthroplasty with a minimum follow-up of 10 years. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 550-556.	1.3	29
2607	Total hip arthroplasty in the developmental dysplasia of the hip using transverse subtrochanteric osteotomy. <i>Journal of Orthopaedics</i> , 2016, 13, 259-263.	0.6	19
2608	Preoperative Predictors of Pain Catastrophizing, Anxiety, and Depression in Patients Undergoing Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 2750-2756.	1.5	75
2609	The impact of acute perioperative myocardial infarction on clinical outcomes after total joint replacement. <i>Current Orthopaedic Practice</i> , 2016, 27, 433-439.	0.1	4
2610	Do trainee surgeons have an adverse effect on the outcome after total hip arthroplasty?. <i>Bone and Joint Journal</i> , 2016, 98-B, 301-306.	1.9	29
2611	Return to Play Following Open Treatment of Femoroacetabular Impingement in Adolescent Athletes. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2016, 24, 872-879.	1.1	8
2612	Outcomes of total hip arthroplasty, as a salvage procedure, following failed internal fixation of intracapsular fractures of the femoral neck. <i>Bone and Joint Journal</i> , 2016, 98-B, 452-460.	1.9	52
2613	Assessment of functional outcomes of surgically managed acetabular fractures. <i>Bone and Joint Journal</i> , 2016, 98-B, 690-695.	1.9	19
2614	Femoral impaction bone grafting in revision hip arthroplasty. <i>Bone and Joint Journal</i> , 2016, 98-B, 1611-1619.	1.9	42
2615	Highly cross-linked polyethylene decreases the rate of revision of total hip arthroplasty compared with conventional polyethylene at 13 years' follow-up. <i>Bone and Joint Journal</i> , 2016, 98-B, 28-32.	1.9	117
2616	The Exeter Contemporary flanged cemented acetabular component in primary total hip arthroplasty. <i>Bone and Joint Journal</i> , 2016, 98-B, 307-312.	1.9	20
2617	Prospective 12-month functional and vocational outcomes of hip arthroscopy for femoroacetabular impingement as part of an evidence-based hip pain rehabilitation pathway in an active military population. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000144.	1.4	22
2618	Review of the outcomes of complex acetabular reconstructions using a stemmed acetabular pedestal component. <i>Bone and Joint Journal</i> , 2016, 98-B, 772-779.	1.9	19
2619	Distal Femoral Cortical Hypertrophy after Hip Arthroplasty Using a Cementless Double-Tapered Femoral Stem. <i>Journal of Orthopaedic Surgery</i> , 2016, 24, 317-322.	0.4	19

#	ARTICLE	IF	CITATIONS
2620	Midterm Outcome of Total Hip Arthroplasty for Rapidly Destructive Coxarthrosis. <i>Journal of Orthopaedic Surgery</i> , 2016, 24, 27-30.	0.4	6
2621	Surrogate markers of long-term outcome in primary total hip arthroplasty. <i>Bone and Joint Research</i> , 2016, 5, 206-214.	1.3	28
2622	The anatomical reduction of a moderate or severe stable slipped capital femoral epiphysis by modified Dunn subcapital osteotomy using the Ganz approach. <i>Bone and Joint Journal</i> , 2016, 98-B, 1283-1288.	1.9	11
2623	Total hip arthroplasty following failure of core decompression and tantalum rod implantation. <i>Bone and Joint Journal</i> , 2016, 98-B, 1175-1179.	1.9	24
2624	Long-term results of uncemented total hip arthroplasty with the Taperloc femoral component in patients with Dorr type C proximal femoral morphology. <i>Bone and Joint Journal</i> , 2016, 98-B, 595-600.	1.9	33
2625	The comparative, long-term effect of the Salter osteotomy and Pemberton acetabuloplasty on pelvic height, scoliosis and functional outcome. <i>Bone and Joint Journal</i> , 2016, 98-B, 1145-1150.	1.9	13
2626	Arthroscopic treatment of femoroacetabular impingement following slipped capital femoral epiphysis. <i>Bone and Joint Journal</i> , 2016, 98-B, 21-27.	1.9	31
2627	Mid-term radiological and clinical results of incomplete triple pelvic osteotomy. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2016, 50, 660-664.	0.3	5
2628	Results of a hydroxyapatite-coated femoral stem (Corail) in Chinese: a minimum 10-year follow-up. <i>SpringerPlus</i> , 2016, 5, 1983.	1.2	7
2629	Study of the bone behavior around a neck preserving short stem implant: bone densitometric analysis over a span of two years. <i>Sicot-j</i> , 2016, 2, 31.	0.8	13
2630	Comparison of femoral component migration between Refobacin bone cement R and Palacos R + G in cemented total hip arthroplasty. <i>Bone and Joint Journal</i> , 2016, 98-B, 1333-1341.	1.9	6
2631	Assessment of outcome after hip fracture: development of a universal assessment system for hip fractures. <i>Sicot-j</i> , 2016, 2, 27.	0.8	19
2632	Does a titanium sleeve reduce the frequency of pseudotumors in metal-on-metal total hip arthroplasty at 5-7 years follow-up?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 1035-1041.	0.9	6
2633	The value of modular hemiarthroplasty for unstable femoral neck fractures in elderly patients with coxarthrosis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 223.	0.8	0
2634	A pre-operative predictive score for the outcome of eccentric rotational acetabular osteotomy in the treatment of acetabular dysplasia and early osteoarthritis of the hip in adults. <i>Bone and Joint Journal</i> , 2016, 98-B, 1326-1332.	1.9	9
2635	Greater inadvertent muscle damage in direct anterior approach when compared with the direct superior approach for total hip arthroplasty. <i>Bone and Joint Journal</i> , 2016, 98-B, 1036-1042.	1.9	37
2636	Testing Equality in Ordinal Data with Repeated Measurements: A Model-Free Approach. <i>International Journal of Biostatistics</i> , 2016, 12, .	0.4	1
2637	Do labral tears influence poor outcomes after periacetabular osteotomy for acetabular dysplasia?. <i>Bone and Joint Journal</i> , 2016, 98-B, 741-746.	1.9	10

#	ARTICLE	IF	CITATIONS
2638	Hip Arthroscopy in Trauma: A Systematic Review of Indications, Efficacy, and Complications. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 692-703.e1.	1.3	35
2639	Nickel-Titanium Shape-Memory Sawtooth-Arm Embracing Clamp for Complex Femoral Revision Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 850-856.	1.5	9
2640	Clinical outcome of conventional versus biological fixation of subtrochanteric fractures by proximal femoral locked plate. Injury, 2016, 47, 1309-1317.	0.7	9
2641	The Prevalence of Positive Findings on Metal Artifact Reduction Sequence Magnetic Resonance Imaging in Metal-on-Metal Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 1519-1523.	1.5	8
2642	Difference in Postoperative Periprosthetic Bone Mineral Density Changes Between 3 Major Designs of Uncemented Stems: A 3-Year Follow-Up Study. Journal of Arthroplasty, 2016, 31, 1836-1841.	1.5	37
2643	Residual Symptoms and Function in Young, Active Hip Arthroplasty Patients: Comparable to Normative Controls?. Journal of Arthroplasty, 2016, 31, 1492-1497.	1.5	9
2644	Minimum 10-Year Follow-Up of Cementless Total Hip Arthroplasty Using a Contemporary Triple-Tapered Titanium Stem. Journal of Arthroplasty, 2016, 31, 2231-2236.	1.5	16
2645	Highly Cross-linked Polyethylene Provides Decreased Osteolysis and Reoperation at Minimum 10-Year Follow-Up. Journal of Arthroplasty, 2016, 31, 1959-1962.	1.5	21
2646	Alumina Delta-on-Highly Crosslinked-Remelted Polyethylene Bearing in Cementless Total Hip Arthroplasty in Patients Younger than 50 Years. Journal of Arthroplasty, 2016, 31, 2800-2804.	1.5	14
2647	Unstable intertrochanteric versus displaced femoral neck fractures treated with cementless bipolar hemiarthroplasty in elderly patients; a comparison of 80 matched patients. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 695-699.	0.9	8
2648	Metal-on-Metal Total Hip Arthroplasty at Five to Twelve Years Follow-Up: A Concise Follow-Up of a Previous Report. Journal of Arthroplasty, 2016, 31, 1773-1778.	1.5	13
2649	Outcomes for Hip Arthroscopy According to Sex and Age. Journal of Bone and Joint Surgery - Series A, 2016, 98, 797-804.	1.4	142
2650	Long-Term Results of Third-Generation Ceramic-on-Ceramic Bearing Cementless Total Hip Arthroplasty in Young Patients. Journal of Arthroplasty, 2016, 31, 2520-2524.	1.5	41
2651	Patient-Reported Outcome Measures—What Data Do We Really Need?. Journal of Arthroplasty, 2016, 31, 1144-1147.	1.5	28
2652	High union rates of locking compression plating with cortical strut allograft for type B1 periprosthetic femoral fractures. International Orthopaedics, 2016, 40, 2365-2371.	0.9	15
2653	Outcome of Revision Total Hip Arthroplasty in Management of Failed Metal-on-Metal Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2559-2563.	1.5	23
2654	Selecting, assessing and interpreting measures of function for patients with severe hip pathology: The need for caution. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 741-746.	0.9	2
2656	Ethnic Barriers to Utilization of Total Joint Arthroplasty Among Chinese Immigrants in the United States. Journal of Arthroplasty, 2016, 31, 1873-1877.e2.	1.5	13



#	ARTICLE	IF	CITATIONS
2657	Gait analysis and hip extensor function early post total hip replacement. <i>Journal of Orthopaedics</i> , 2016, 13, 171-176.	0.6	25
2658	Longitudinal assessment of MRI in hip osteoarthritis using SHOMRI and correlation with clinical progression. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, 648-655.	1.6	26
2659	Do Neuromuscular Alterations Exist for Patients With Acetabular Labral Tears During Function?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 1045-1052.	1.3	6
2660	Hard-on-Hard Bearings Are Associated With Increased Noise Generation in Young Patients Undergoing Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2115-2122.	0.7	8
2661	Postural control in degenerative diseases of the hip joint. <i>Clinical Biomechanics</i> , 2016, 35, 1-6.	0.5	9
2662	Alumina Delta-on-Alumina Delta Bearing in Cementless Total Hip Arthroplasty in Patients Aged <50 Years. <i>Journal of Arthroplasty</i> , 2016, 31, 2209-2214.	1.5	26
2663	Traction table versus manual traction in the intramedullary nailing of unstable intertrochanteric fractures: A prospective randomized trial. <i>Injury</i> , 2016, 47, 1547-1554.	0.7	19
2664	Total hip replacement in adult patients with severe Kashin-Beck disease of the hip. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 289.	0.8	7
2665	Missed adolescent acetabular apophyseal avulsion with late hip dislocation. <i>Journal of Orthopaedics</i> , 2016, 13, 356-359.	0.6	0
2666	Ceramic-on-ceramic bearings total hip arthroplasty in young patients. <i>Arthroplasty Today</i> , 2016, 2, 205-209.	0.8	20
2667	Proximal Femur Bone Density Decreases up to 5 Years After Total Hip Arthroplasty in Young, Active Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 2825-2830.	1.5	7
2668	Gait abnormalities before and after total hip arthroplasty differ in men and women. <i>Journal of Biomechanics</i> , 2016, 49, 3582-3586.	0.9	20
2669	Acetabular Fractures in the Elderly. <i>JBJS Reviews</i> , 2016, 4, .	0.8	25
2670	Y a-t-il intérêt à utiliser un calibre supérieur à 36mm en arthroplastie primaire de hanche pour une meilleure récupération de mobilité? Étude cas-témoin comparant le calibre 36mm versus les têtes de 40mm de diamètre anatomique. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2016, 102, 539-544.		0
2671	What factors predict the failure of curved intertrochanteric varus osteotomy for the osteonecrosis of the femoral head?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1647-1655.	1.3	27
2672	Polyethylene Wear Associated With 26- and 32-mm Heads in Total Hip Arthroplasty: A Multicenter, Prospective Study. <i>Journal of Arthroplasty</i> , 2016, 31, 2805-2809.	1.5	7
2673	Comparison of patients treated with or without a spacer in two stage revision hip arthroplasty for periprosthetic joint infection. <i>Journal of Infection</i> , 2016, 73, 520-522.	1.7	6
2674	The Long-Term Outcome After Varus Derotational Osteotomy for Legg-Calvé-Perthes Disease. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1277-1285.	1.4	26

#	ARTICLE	IF	CITATIONS
2675	Satisfying Results of Primary Hip Arthroplasty in Patients With Hip Dysplasia at a Mean Followup of 20 Years. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2462-2468.	0.7	15
2676	Sensitivity to Change of a Computer Adaptive Testing Instrument for Outcome Measurement After Hip and Knee Arthroplasty and Periacetabular Osteotomy. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 756-767.	1.7	10
2677	Total hip arthroplasty in patients with ankylosing spondylitis: Midterm radiologic and functional results. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2016, 50, 443-447.	0.3	26
2678	Worse health-related quality of life and hip function in female patients with elevated chromium levels. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 485-491.	1.2	9
2679	Clinical Prediction Rule for Declines in Activities of Daily Living at 6 Months After Surgery for Hip Fracture Repair. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2076-2084.	0.5	18
2680	Functional and oncologic outcome of cemented endoprosthesis for malignant proximal femoral tumors. <i>Journal of Surgical Oncology</i> , 2016, 114, 501-506.	0.8	27
2681	Gait six month and one-year after computer assisted Femur First THR vs. conventional THR. Results of a patient- and observer- blinded randomized controlled trial. <i>Gait and Posture</i> , 2016, 49, 418-425.	0.6	5
2682	Long-Term Survival of the Native Hip After a Minimally Displaced, Nonoperatively Treated Acetabular Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1392-1399.	1.4	18
2683	Endoscopic Extra-articular Surgical Removal of Heterotopic Ossification of the Rectus Femoris Tendon in a Series of Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711666468.	0.8	4
2684	Pseudotumour formation and subsequent resolution in metal-on-metal total hip arthroplasty following revision. <i>Bone and Joint Journal</i> , 2016, 98-B, 736-740.	1.9	10
2685	Enhanced recovery programmes after total hip arthroplasty can result in reduced length of hospital stay without compromising functional outcome. <i>Bone and Joint Journal</i> , 2016, 98-B, 475-482.	1.9	61
2686	Direct lateral vs posterolateral approach to hemiarthroplasty for femoral neck fractures. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 1049-1054.	0.9	9
2687	The Exeter Universal cemented femoral stem at 20 to 25 years. <i>Bone and Joint Journal</i> , 2016, 98-B, 1441-1449.	1.9	53
2688	Scoring the Current Risk Stratification Guidelines in Follow-up Evaluation of Patients After Metal-on-Metal Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1905-1912.	1.4	13
2689	External fixation versus dynamic hip screw in treatment of elderly intertrochanteric hip fractures: A systematic review and meta-analysis. <i>Journal of Orthopaedic Science</i> , 2016, 21, 841-846.	0.5	3
2690	Bilaterally Primary Cementless Total Hip Arthroplasty for Severe Hip Ankylosis with Ankylosing Spondylitis. <i>Orthopaedic Surgery</i> , 2016, 8, 352-359.	0.7	20
2691	Prospective two-year subsidence analysis of 100 cemented polished straight stems - a short-term clinical and radiological observation. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 395.	0.8	9
2692	Ultrashort versus Conventional Anatomic Cementless Femoral Stems in the Same Patients Younger Than 55 Years. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2008-2017.	0.7	43

#	ARTICLE	IF	CITATIONS
2693	Effect of Preoperative Leg Length Discrepancy on Functional Outcome and Patient Satisfaction After Total Hip Arthroplasty in Cases of Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2016, 31, 2789-2794.	1.5	14
2694	Injectable autologous chondrocyte transplantation for full thickness acetabular cartilage defects: early clinical results. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1445-1451.	1.3	17
2695	Current Perspectives on Arthroplasty in Systemic Lupus Erythematosus: Rates, Outcomes, and Adverse Events. <i>Current Rheumatology Reports</i> , 2016, 18, 59.	2.1	16
2696	Assistive devices, hip precautions, environmental modifications and training to prevent dislocation and improve function after hip arthroplasty. <i>The Cochrane Library</i> , 2016, 2016, CD010815.	1.5	24
2697	The outcome of endoscopy for recalcitrant greater trochanteric pain syndrome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1547-1554.	1.3	26
2698	Porous Tantalum Implant in Treating Osteonecrosis of the Femoral Head: Still a Viable Option?. <i>Scientific Reports</i> , 2016, 6, 28227.	1.6	45
2699	Efficacy of umbilical cord-derived mesenchymal stem cell-based therapy for osteonecrosis of the femoral head: A three-year follow-up study. <i>Molecular Medicine Reports</i> , 2016, 14, 4209-4215.	1.1	47
2700	Cemented compared to uncemented femoral stems in total hip replacement for displaced femoral neck fractures in the elderly: study protocol for a single-blinded, randomized controlled trial (CHANCE-trial). <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 398.	0.8	9
2701	Total Joint Arthroplasty in Patients with Human Immunodeficiency Virus. <i>JBJS Reviews</i> , 2016, 4, .	0.8	11
2702	Preoperative planning for implant placement with consideration of pelvic tilt in total hip arthroplasty: postoperative efficacy evaluation. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 280.	0.8	26
2703	Risk factors and the clinical and surgical features of fungal prosthetic joint infections: A retrospective analysis of eight cases. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 991-999.	0.8	27
2704	The Wear Rate of Highly Cross-Linked Polyethylene in Total Hip Replacement Is Not Increased by Large Articulations. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1786-1793.	1.4	28
2705	A short-stem hip implant with metaphyseal anchorage in patients with developmental dysplasia of the hip. <i>Technology and Health Care</i> , 2016, 24, 559-569.	0.5	10
2706	The Cementless Fibre Mesh Coated Anatomic Femoral Stem: 12 to 23 Years Clinical and Radiological Outcome Study. <i>HIP International</i> , 2016, 26, 479-485.	0.9	1
2707	Outcome after Cementless Total Hip Arthroplasty for Arthritic Hip in Patients with Residual Poliomyelitis: A Case Series. <i>HIP International</i> , 2016, 26, 458-461.	0.9	8
2708	Primary Total Hip Arthroplasty using 3rd Generation Ceramic-on-Ceramic Articulation. <i>HIP International</i> , 2016, 26, 468-473.	0.9	7
2709	Resultados clínicos y funcionales de los sistemas de metal trabecular en la cirugía de revisión acetabular con defectos severos. Resultados a 5 años. <i>Revista Latinoamericana De Cirugía Ortopédica</i> , 2016, 1, 77-82.	0.0	0
2710	Surgical Treatment of Displaced Acetabular Fractures Using a Modified Stoppa Approach. <i>Orthopedics</i> , 2016, 39, e340-5.	0.5	29

#	ARTICLE	IF	CITATIONS
2711	Cheating the Acetabular Component Horizontally in Total Hip Arthroplasty. <i>Orthopedics</i> , 2016, 39, e1092-e1096.	0.5	1
2712	Clinically important improvement thresholds for Harris Hip Score and its ability to predict revision risk after primary total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 256.	0.8	134
2713	Patient satisfaction after total hip arthroplasty in an Egyptian population as an example of a developing country. <i>Current Orthopaedic Practice</i> , 2016, 27, 638-643.	0.1	0
2714	Responsiveness and ceiling effects of the Forgotten Joint Score-12 following total hip arthroplasty. <i>Bone and Joint Research</i> , 2016, 5, 87-91.	1.3	75
2715	Hips With Protrusio Acetabuli Are at Increased Risk for Failure After Femoroacetabular Impingement Surgery: A 10-year Followup. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 2168-2180.	0.7	28
2716	The choice between hip prosthetic bearing surfaces in total hip replacement: a protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2016, 5, 19.	2.5	16
2717	Assessment of Osteonecrosis in the Presence of Instrumentation for Femoral Neck Fracture Using Contrast-Enhanced MAVRIC Sequence. <i>HSS Journal</i> , 2016, 12, 51-58.	0.7	7
2718	Sartorius muscle pedicle iliac bone graft for the treatment of avascular necrosis of femur head. <i>Journal of Hip Preservation Surgery</i> , 2016, 3, 215-222.	0.6	12
2719	Cementless total hip arthroplasty for patients with rheumatoid arthritis: a more than 10-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2016, 26, 599-603.	0.6	5
2720	Plasma-Sprayed Hydroxylapatite-Based Coatings: Chemical, Mechanical, Microstructural, and Biomedical Properties. <i>Journal of Thermal Spray Technology</i> , 2016, 25, 827-850.	1.6	117
2721	Comprehensive Analysis of a Recalled Modular Total Hip System and Recommendations for Management. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 40-47.	1.4	50
2722	Plastie en mosaïque dans l'ostéochondrite disséquante de la tête fémorale chez l'adolescent. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2016, 102, 188-191.	0.0	0
2723	Adverse Reactions to Metal on Metal Are Not Exclusive to Large Heads in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 432-440.	0.7	27
2724	Good responsiveness with EuroQol 5-Dimension questionnaire and Short Form (36) Health Survey in 69 years old patients with a femoral neck fracture: A 2-year prospective follow-up study in 182 patients. <i>Injury</i> , 2016, 47, 1692-1697.	0.7	10
2726	Outcome score measurement and clinical trials for hip fracture patients. <i>Orthopaedics and Trauma</i> , 2016, 30, 159-163.	0.2	0
2727	Should well-fixed uncemented femoral components be revised in infected hip arthroplasty? Report of five trial cases. <i>Journal of Orthopaedics</i> , 2016, 13, 437-442.	0.6	16
2728	EOS-based cup navigation: Randomised controlled trial in 78 total hip arthroplasties. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 417-421.	0.9	28
2729	Hip Resurfacing Using Highly Cross-linked Polyethylene: Prospective Study Results at 8.5 Years. <i>Journal of Arthroplasty</i> , 2016, 31, 2203-2208.	1.5	16

#	ARTICLE	IF	CITATIONS
2730	Is there any range-of-motion advantage to using bearings larger than 36 mm in primary hip arthroplasty: A case-control study comparing 36-mm and large-diameter heads. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 735-740.	0.9	26
2732	Efficacy and safety evaluation of intravenous infusion of cervus and cucumis polypeptides for treatment of avascular necrosis of the femoral head: a randomized clinical trial. <i>Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine. Academy of Traditional Chinese Medicine</i> , 2016, 36, 39-44.	0.4	5
2733	Outcome of the Cementless Zweymüller BICON-PLUS Cup and SL-PLUS Stem in the Very Elderly Individuals. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2016, 7, 74-80.	0.6	8
2734	Validation of the Mayo Hip Score: construct validity, reliability and responsiveness to change. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 39.	0.8	12
2735	Denosumab for treating periprosthetic osteolysis; study protocol for a randomized, double-blind, placebo-controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 174.	0.8	23
2736	No effect of additional screw fixation of a cementless, all-polyethylene press-fit socket on migration, wear, and clinical outcome. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 363-367.	1.2	14
2737	Does menopausal hormone therapy (MHT), exercise or a combination of both, improve pain and function in post-menopausal women with greater trochanteric pain syndrome (GTPS)? A randomised controlled trial. <i>BMC Women's Health</i> , 2016, 16, 32.	0.8	13
2738	Associations between pre-operative radiographic osteoarthritis severity and pain and function after total hip replacement. <i>Clinical Rheumatology</i> , 2016, 35, 183-189.	1.0	17
2739	Mosaicplasty for the treatment of a large traumatic osteochondral femoral head lesion: a case report with 2Year follow-up and review of the literature. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 41-46.	1.3	19
2740	The focally constrained liner is a reasonable option for revision of unstable total hip arthroplasty. <i>International Orthopaedics</i> , 2016, 40, 2239-2245.	0.9	11
2741	A pilot study of regenerative therapy using controlled release of recombinant human fibroblast growth factor for patients with pre-collapse osteonecrosis of the femoral head. <i>International Orthopaedics</i> , 2016, 40, 1747-1754.	0.9	43
2742	No differences between direct anterior and lateral approach for primary total hip arthroplasty related to muscle damage or functional outcome. <i>International Orthopaedics</i> , 2016, 40, 2025-2030.	0.9	60
2743	Long-Term Clinical and Radiographic Outcomes of Porous Tantalum Monoblock Acetabular Component in Primary Hip Arthroplasty: A Minimum of 15-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2016, 31, 110-114.	1.5	22
2744	Arthroscopic correction for concomitant cam impingement in a patient with idiopathic osteonecrosis of the femoral head: A case report. <i>International Journal of Surgery Case Reports</i> , 2016, 19, 154-158.	0.2	3
2745	Stable Fixation of a Cementless, Proximally Coated, Double Wedged, Double Tapered Femoral Stem in Total Hip Arthroplasty: A 5-Year Radiostereometric Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 1267-1274.	1.5	15
2746	Is Subchondral Acetabular Edema or Cystic Change on MRI a Contraindication for Hip Arthroscopy in Patients With Femoroacetabular Impingement?. <i>American Journal of Sports Medicine</i> , 2016, 44, 454-459.	1.9	41
2747	Arthroscopic Management of Dysplastic Hip Deformities. <i>American Journal of Sports Medicine</i> , 2016, 44, 447-453.	1.9	171
2748	Expandable proximal femoral nail versus gamma proximal femoral nail for the treatment of AO/OTA 31A1-3 fractures. <i>Injury</i> , 2016, 47, 419-423.	0.7	7

#	ARTICLE	IF	CITATIONS
2749	Prospective clinical and radiostereometric analysis of the Fitmore short-stem total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 277-284.	1.3	30
2750	Mosaicplasty for femoral osteochondritis dissecans. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 247-250.	0.9	9
2751	Hip arthroscopy in obese, a successful combination?. Journal of Hip Preservation Surgery, 2016, 3, 37-42.	0.6	37
2752	A comparison of a short versus a conventional femoral cementless stem in total hip arthroplasty in patients 70 years and older. Journal of Orthopaedic Surgery and Research, 2016, 11, 33.	0.9	27
2753	Frequency, Developing Time, Intensity, Duration, and Functional Score of Thigh Pain After Cementless Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 1279-1282.	1.5	31
2754	The Asian size Exeter femoral stem fracture. Journal of Orthopaedic Science, 2016, 21, 562-565.	0.5	3
2755	Feasibility and Safety of 2-Day Discharge After Fast-Track Total Hip Arthroplasty: A Chinese Experience. Journal of Arthroplasty, 2016, 31, 1686-1692.e1.	1.5	16
2756	Femoral revision with a primary cementless stem. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 149-153.	0.9	16
2757	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. Joint Bone Spine, 2016, 83, 432-438.	0.8	13
2758	Bariatric Orthopaedics: Total Hip Arthroplasty in Super-Obese Patients (Those with a BMI of $\geq 50$ ) Tj ETQq1 1 0.784314 rgBT /Over	1.4	30
2759	Dynamic hip kinematics in patients with hip osteoarthritis during weight-bearing activities. Clinical Biomechanics, 2016, 32, 150-156.	0.5	17
2760	Posterior Mini-Incision With Primary Total Hip Arthroplasty: A Nine to Ten Year Follow Up Study. Journal of Arthroplasty, 2016, 31, 168-171.	1.5	18
2761	Meeting the demands of on-going metal-on-metal hip surveillance through nurse led services. International Journal of Orthopaedic and Trauma Nursing, 2016, 20, 40-44.	0.4	1
2762	Cementless total hip arthroplasty in patients aged $\geq 80$ years. Journal of Orthopaedics, 2016, 13, 29-32.	0.6	7
2763	Total Hip Arthroplasty With an Uncemented Tapered Femoral Component in Patients Younger Than 50 Years of Age: A Minimum 20-Year Follow-Up Study. Journal of Arthroplasty, 2016, 31, 1275-1278.	1.5	47
2764	The Transfemoral Approach for Removal of Well-Fixed Femoral Stems in 2-Stage Septic Hip Revision. Journal of Arthroplasty, 2016, 31, 1065-1071.	1.5	27
2765	Cementless Total Hip Arthroplasty With a High Hip Center for Hartofilakidis Type B Developmental Dysplasia of the Hip: Results of Midterm Follow-Up. Journal of Arthroplasty, 2016, 31, 1027-1034.	1.5	36
2766	Five-Year Experience of Vitamin E "Diffused Highly Cross-Linked Polyethylene Wear in Total Hip Arthroplasty Assessed by Radiostereometric Analysis. Journal of Arthroplasty, 2016, 31, 1251-1255.	1.5	29

#	ARTICLE	IF	CITATIONS
2767	Gender Differences in Wear Rates for 28- vs 32-mm Ceramic Femoral Heads on Modern Highly Cross-linked Polyethylene at Midterm Follow-Up in Young Patients Undergoing Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 899-905.	1.5	13
2768	Could larger diameter of 4th generation ceramic bearing decrease the rate of dislocation after THA?. <i>Journal of Orthopaedic Science</i> , 2016, 21, 327-331.	0.5	13
2769	Revision of failed hip hemiarthroplasty. Classification, management, and follow-up. <i>Journal of Orthopaedics</i> , 2016, 13, 63-68.	0.6	7
2770	Are Range of Motion Measurements Needed When Calculating the Harris Hip Score?. <i>Journal of Arthroplasty</i> , 2016, 31, 815-819.	1.5	39
2771	Radiostereometric migration analysis of the Cerafit femoral stem: 28 patients followed for 2 years. <i>Biomedizinische Technik</i> , 2016, 61, 291-298.	0.9	4
2772	Comparison of patient satisfaction after unilateral or simultaneous bilateral total hip arthroplasty through a direct anterior approach: Evaluation using the Japanese Orthopaedic Association Hip Disease Evaluation Questionnaire. <i>Journal of Orthopaedic Science</i> , 2016, 21, 332-335.	0.5	16
2773	Arthroscopic treatment of femoroacetabular impingement shows persistent clinical improvement in the mid-term. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 687-691.	1.3	36
2774	Medial Protrusio Technique in Cementless Total Hip Arthroplasty for Developmental Dysplasia of the Hip: A Prospective 6- to 9-Year Follow-Up of 43 Consecutive Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 1761-1766.	1.5	16
2775	Long-Term Results of Total Hip Arthroplasty With Shortening Subtrochanteric Osteotomy in Crowe IV Developmental Dysplasia. <i>Journal of Arthroplasty</i> , 2016, 31, 1756-1760.	1.5	74
2776	M-Mode Ultrasound Reveals Earlier Gluteus Minimus Activity in Individuals With Chronic Hip Pain During a Step-down Task. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 277-285.	1.7	7
2777	Patient-Reported Metal Allergy: A Risk Factor for Poor Outcomes After Total Joint Arthroplasty?. <i>Journal of Arthroplasty</i> , 2016, 31, 1910-1915.	1.5	44
2778	A cycling and education programme for the treatment of hip osteoarthritis: a quality improvement study. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2016, 23, 14-24.	0.4	9
2779	Return to Play After Periacetabular Osteotomy for Treatment of Acetabular Dysplasia in Adolescent and Young Adult Athletes. <i>American Journal of Sports Medicine</i> , 2016, 44, 1573-1581.	1.9	43
2780	Proximal femoral nail shows better concordance of gait analysis between operated and uninjured limbs compared to hemiarthroplasty in intertrochanteric femoral fractures. <i>Injury</i> , 2016, 47, 1325-1331.	0.7	23
2781	Does MIPO of fractures of the distal femur result in more rotational malalignment than ORIF? A retrospective study. <i>European Journal of Trauma and Emergency Surgery</i> , 2016, 42, 733-740.	0.8	10
2782	Volume Increases of the Gluteus Maximus, Gluteus Medius, and Thigh Muscles After Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 906-912.e1.	1.5	37
2783	Treatment of unstable intertrochanteric femoral fractures with locking gamma nail (LGN): A retrospective cohort study. <i>International Journal of Surgery</i> , 2016, 26, 12-17.	1.1	10
2784	Pre-fracture quality of life predicts 1-year survival in elderly patients with hip fracture—development of a new scoring system. <i>Osteoporosis International</i> , 2016, 27, 1979-1987.	1.3	30

#	ARTICLE	IF	CITATIONS
2785	The Thrust Plate Hip Prosthesis: A Follow-Up of 15-20 Years With 102 Implants. <i>Journal of Arthroplasty</i> , 2016, 31, 1035-1039.	1.5	7
2786	Long-Term Effect of Exercise Therapy and Patient Education on Impairments and Activity Limitations in People With Hip Osteoarthritis: Secondary Outcome Analysis of a Randomized Clinical Trial. <i>Physical Therapy</i> , 2016, 96, 818-827.	1.1	22
2787	Assessment of fixation in cementless femoral revision of total hip arthroplasty: comparison of the Engh score versus radiolucent line measurement. <i>International Orthopaedics</i> , 2016, 40, 907-912.	0.9	13
2788	Favorable Results of a Short, Tapered, Highly Porous, Proximally Coated Cementless Femoral Stem at a Minimum 4-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2016, 31, 824-829.	1.5	31
2789	Ten to fifteen-year clinical and radiographic follow-up with a third-generation cementless stem in a young patient population. <i>International Orthopaedics</i> , 2016, 40, 465-471.	0.9	10
2790	Cemented hip hemiarthroplasty clinical observations on unstable intertrochanteric fracture in elderly. <i>European Journal of Trauma and Emergency Surgery</i> , 2016, 42, 651-656.	0.8	11
2791	Preoperative Joint Space Width Predicts Patient-Reported Outcomes After Total Hip Arthroplasty in Young Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 429-433.	1.5	6
2792	Analysis of migration of the Nanos <sup>®</sup> short-stem hip implant within two years after surgery. <i>International Orthopaedics</i> , 2016, 40, 1607-1614.	0.9	33
2793	Clinical Results and Metal Ion Levels After Ceramic-on-Metal Total Hip Arthroplasty: A Mean 50-Month Prospective Single-Center Study. <i>Journal of Arthroplasty</i> , 2016, 31, 438-441.	1.5	18
2794	No association between pseudotumors, high serum metal-ion levels and metal hypersensitivity in large-head metal-on-metal total hip arthroplasty at 5-7-year follow-up. <i>Skeletal Radiology</i> , 2016, 45, 115-125.	1.2	24
2795	Metaphyseal Engaging Short and Ultra-Short Anatomic Cementless Stems in Young and Active Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 180-185.	1.5	40
2796	Diagnosis and Management of Adverse Local Tissue Reactions Secondary to Corrosion at the Head-Neck Junction in Patients With Metal on Polyethylene Bearings. <i>Journal of Arthroplasty</i> , 2016, 31, 264-268.	1.5	158
2797	Loss of offset after pertrochanteric hip fractures affects hip function one year after surgery with a short intramedullary nail. A prospective cohort study. <i>International Orthopaedics</i> , 2016, 40, 799-806.	0.9	12
2798	Postural and Chronological Change in Pelvic Tilt Five Years After Total Hip Arthroplasty in Patients With Developmental Dysplasia of the Hip: A Three-Dimensional Analysis. <i>Journal of Arthroplasty</i> , 2016, 31, 317-322.	1.5	37
2799	Triple attack technique for non-union of femoral neck fractures. <i>International Orthopaedics</i> , 2016, 40, 807-812.	0.9	7
2800	Long-Term Results of Total Hip Arthroplasty with 28-Millimeter Cobalt-Chromium Femoral Heads on Highly Cross-Linked Polyethylene in Patients 50 Years and Less. <i>Journal of Arthroplasty</i> , 2016, 31, 162-167.	1.5	55
2801	The use of a dual mobility cup in the management of recurrent dislocations of hip hemiarthroplasty. <i>Journal of Orthopaedics and Traumatology</i> , 2016, 17, 131-136.	1.0	33
2802	Wear and Osteolysis of Highly Crosslinked Polyethylene at 10 to 14 Years: The Effect of Femoral Head Size. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 365-371.	0.7	104



#	ARTICLE	IF	CITATIONS
2803	The clinical results of a novel method for minimal invasive dynamic hip screw fixation of intertrochanteric fractures compared to the conventional one. <i>European Journal of Trauma and Emergency Surgery</i> , 2017, 43, 627-635.	0.8	3
2804	Simultaneous open reduction and internal fixation and total hip arthroplasty for the treatment of osteoporotic acetabular fractures. <i>International Orthopaedics</i> , 2017, 41, 181-189.	0.9	41
2805	The Fate of DDH Hips Showing Cartilaginous or Fibrous Tissue-filled Joint Spaces Following Primary Reduction. <i>Journal of Pediatric Orthopaedics</i> , 2017, 37, 184-191.	0.6	6
2806	Direct Anterior Approach for Total Hip Arthroplasty in the Lateral Decubitus Position: Our Experiences and Early Results. <i>Journal of Arthroplasty</i> , 2017, 32, 131-138.	1.5	21
2807	Comparison of the Clinical Effectiveness of PFNA, PFLCP, and DHS in Treatment of Unstable Intertrochanteric Femoral Fracture. <i>American Journal of Therapeutics</i> , 2017, 24, e659-e666.	0.5	34
2808	Comparison of tissue transglutaminase 2 and bone biological markers osteocalcin, osteopontin and sclerostin expression in human osteoporosis and osteoarthritis. <i>Amino Acids</i> , 2017, 49, 683-693.	1.2	16
2809	The effectiveness of supplementary arm and upper body exercises following total hip arthroplasty for osteoarthritis in the elderly: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 881-890.	1.0	5
2810	Does chronic raise of metal ion levels induce oxidative <sc>DNA</sc> damage and hypoxia-like response in patients with metal-metal hip resurfacing?. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017, 105, 460-466.	1.6	7
2811	Hip arthroscopy: Minimally invasive surgery for hip pathologies. <i>Medical Journal Armed Forces India</i> , 2017, 73, 184-187.	0.3	3
2812	Factors influencing progressive collapse of the transposed necrotic lesion after transtrochanteric anterior rotational osteotomy for osteonecrosis of the femoral head. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 217-222.	0.9	21
2813	Patient-Reported Outcomes of Periacetabular Osteotomy from the Prospective ANCHOR Cohort Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 33-41.	1.4	163
2814	The Synergy cementless femoral stem in primary total hip arthroplasty at a minimum follow-up of 15 years. <i>Bone and Joint Journal</i> , 2017, 99-B, 29-36.	1.9	22
2815	Advantages in Using Cemented Polished Tapered Stems When Performing Total Hip Arthroplasty in Very Young Patients. <i>Journal of Arthroplasty</i> , 2017, 32, 1227-1233.	1.5	14
2816	Metal Ion Levels in Young, Active Patients Receiving a Modular, Dual Mobility Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1581-1585.	1.5	45
2817	Obesity in total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 31-36.	1.9	96
2818	Results of the cemented Exeter femoral component in patients under the age of 40. <i>Bone and Joint Journal</i> , 2017, 99-B, 192-198.	1.9	26
2819	Cement-in-cement femoral component revision in the multiply revised total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 199-203.	1.9	24
2820	Long-term outcomes of transtrochanteric rotational osteotomy for non-traumatic osteonecrosis of the femoral head. <i>Bone and Joint Journal</i> , 2017, 99-B, 175-183.	1.9	36

#	ARTICLE	IF	CITATIONS
2821	Contemporary dual-mobility cup regional and private register: methodology and results. <i>International Orthopaedics</i> , 2017, 41, 439-445.	0.9	34
2822	Trochantoplasty for Total Hip Arthroplasty in Patients With Coxa Vara Deformity. <i>Journal of Arthroplasty</i> , 2017, 32, 2199-2203.	1.5	6
2823	Unstable trochanteric fractures: Issues and avoiding pitfalls. <i>Injury</i> , 2017, 48, 803-818.	0.7	46
2824	Patient-reported health outcomes after total hip and knee surgery in a Dutch University Hospital Setting: results of twenty years clinical registry. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 97.	0.8	55
2825	Local bisphosphonate reduces migration and formation of radiolucent lines adjacent to cemented acetabular components. <i>Bone and Joint Journal</i> , 2017, 99-B, 317-324.	1.9	20
2826	Migration measurement of the cemented Lubinus SP II hip stem – a 10-year follow-up using radiostereometric analysis. <i>Biomedizinische Technik</i> , 2017, 62, 271-278.	0.9	11
2827	Outcome After Combined Pelvic and Femoral Osteotomies in Patients with Legg-Calvé-Perthes Disease. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 207-213.	1.4	20
2828	Proximal femoral replacement in contemporary revision total hip arthroplasty for severe femoral bone loss. <i>Bone and Joint Journal</i> , 2017, 99-B, 325-329.	1.9	64
2829	Femoral neck fracture osteosynthesis by the biplane double-supported screw fixation method (BDSF) reduces the risk of fixation failure: clinical outcomes in 207 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 779-788.	1.3	33
2830	Association entre morphologie de la hanche et prévalence, sévérité clinique et progression de la coxarthrose pendant 3 ans: résultats de la cohorte Knee and Hip OsteoArthritis Long-term Assessment (KHOALA). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2017, 84, 440-447.	0.0	0
2831	Rotational acetabular osteotomy for acetabular dysplasia and osteoarthritis: a mean follow-up of 20 years. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 465-469.	1.3	14
2833	Total hip arthroplasty for patients with Crowe type IV developmental dysplasia of the hip: Ten years results. <i>International Journal of Surgery</i> , 2017, 42, 17-21.	1.1	42
2834	Single-Stage Revision for Chronic Fungal Periprosthetic Joint Infection: An Average of 5 Years of Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 2523-2530.	1.5	45
2835	Clinical outcomes and frontal plane two-dimensional biomechanics during the 30-second single leg stance test in patients before and after hip abductor tendon reconstructive surgery. <i>Clinical Biomechanics</i> , 2017, 46, 57-63.	0.5	7
2836	Acetabular bone defects in THA revision: Reconstruction using morsellised virus-inactivated bone allograft and reinforcement ring. Seven-year outcomes in 95 patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 543-548.	0.9	17
2837	Randomized Clinical Trial of 2-Incision vs Mini-Posterior Total Hip Arthroplasty: Differences Persist at 10 Years. <i>Journal of Arthroplasty</i> , 2017, 32, 2744-2747.	1.5	12
2838	Conversion of Hip Hemiarthroplasty to Total Hip Arthroplasty Utilizing a Dual-Mobility Construct Compared With Large Femoral Heads. <i>Journal of Arthroplasty</i> , 2017, 32, 3071-3075.	1.5	38
2839	Outcomes of heterotopic ossification excision following revision hip arthroscopy. <i>Journal of Hip Preservation Surgery</i> , 2017, 4, 164-169.	0.6	14

#	ARTICLE	IF	CITATIONS
2840	Influence of the contralateral hip state after total hip arthroplasty on patient-reported outcomes measured with the Forgotten Joint Score-12. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2017, 27, 929-936.	0.6	13
2841	Total Hip Arthroplasty in Patients with Cerebral Palsy. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 488-493.	1.4	34
2842	Vitamin E diffused highly cross-linked polyethylene in total hip arthroplasty at five years. <i>Bone and Joint Journal</i> , 2017, 99-B, 577-584.	1.9	54
2843	Comparison of clinical results and patient's satisfaction between direct anterior approach and Hardinge approach in primary total hip arthroplasty in a community hospital. <i>Musculoskeletal Surgery</i> , 2017, 101, 261-267.	0.7	10
2844	Cementless total hip arthroplasty with extended sliding trochanteric osteotomy for high congenital hip dislocation. <i>Medicine (United States)</i> , 2017, 96, e6581.	0.4	10
2845	Outcome of alternative approach to displaced acetabular fractures. <i>Injury</i> , 2017, 48, 388-393.	0.7	5
2846	Arthroscopic revision release of gluteal muscle contracture after failed primary open surgery. <i>International Orthopaedics</i> , 2017, 41, 1521-1526.	0.9	14
2847	Donor site morbidity and quality of life after microvascular head and neck reconstruction with free fibula and deep-circumflex iliac artery flaps. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 304-311.	0.7	41
2848	Total hip arthroplasty using a cementless dual-mobility cup provides increased stability and favorable gait parameters at five years follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 21-25.	0.9	18
2849	Morbid Obesity Is a Significant Risk of Failure Following Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3098-3101.	1.5	9
2850	Two stage revision hip arthroplasty in periprosthetic joint infection. Comparison study: with or without the use of a spacer. <i>International Orthopaedics</i> , 2017, 41, 2253-2258.	0.9	27
2851	The Influence of Body Mass Index on Outcomes After Hip Arthroscopic Surgery With Capsular Plication for the Treatment of Femoroacetabular Impingement. <i>American Journal of Sports Medicine</i> , 2017, 45, 2303-2311.	1.9	43
2852	The Results of Total Hip Arthroplasty After Sugioka Transtrochanteric Anterior Rotational Osteotomy for Osteonecrosis. <i>Journal of Arthroplasty</i> , 2017, 32, 2768-2773.	1.5	13
2853	Dual mobility total hip arthroplasty in hemiplegic patients. <i>Sicot-j</i> , 2017, 3, 40.	0.8	12
2854	Daily Physical Activity in Total Hip Arthroplasty Patients Undergoing Different Surgical Approaches. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, 473-478.	0.7	19
2855	The Birmingham Interlocking Pelvic Osteotomy for acetabular dysplasia. <i>Bone and Joint Journal</i> , 2017, 99-B, 724-731.	1.9	23
2856	Bilateral Total Hip and Knee Arthroplasties: Average 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 3328-3332.	1.5	9
2857	Does Hepatitis C Affect the Clinical and Patient-Reported Outcomes of Primary Total Hip Arthroplasty at Midterm Follow-Up?. <i>Journal of Arthroplasty</i> , 2017, 32, 2779-2782.	1.5	15

#	ARTICLE	IF	CITATIONS
2858	Modified dynamic hip screw loaded with autologous bone graft for treating Pauwels type-3 vertical femoral neck fractures. <i>Injury</i> , 2017, 48, 1579-1583.	0.7	17
2859	The direct anterior approach in total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 732-740.	1.9	234
2860	Mid-term results of the BIOLOX delta ceramic-on-ceramic total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 741-748.	1.9	49
2861	Long-term survival and risk factors for failure of the native hip joint after operatively treated displaced acetabular fractures. <i>Bone and Joint Journal</i> , 2017, 99-B, 834-840.	1.9	35
2862	Surgical results and factors influencing outcome in patients with posterior wall acetabular fracture. <i>Injury</i> , 2017, 48, 1819-1824.	0.7	35
2863	Early Results of Acetabular Reconstruction After Wide Periacetabular Oncologic Resection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, e9.	1.4	24
2864	Outcome of 4 Surgical Treatments for Wear and Osteolysis of Cementless Acetabular Components. <i>Journal of Arthroplasty</i> , 2017, 32, 2799-2805.	1.5	7
2865	The fate of hips that are conservatively treated in multiple epiphyseal dysplasia. <i>Journal of Pediatric Orthopaedics Part B</i> , 2017, 26, 526-531.	0.3	5
2866	Performance of PROMIS for Healthy Patients Undergoing Meniscal Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 954-958.	1.4	78
2867	What Is the Difference Between Modular and Nonmodular Tapered Fluted Titanium Stems in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3108-3113.	1.5	47
2868	Acetabular Reconstruction With the Medial Protrusio Technique for Complex Primary and Revision Total Hip Arthroplasties. <i>Journal of Arthroplasty</i> , 2017, 32, 3474-3479.	1.5	9
2869	New strategy of closed suction drainage after primary total hip arthroplasty. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2017, 51, 223-226.	0.3	5
2871	A UK national survey of care pathways and support offered to patients receiving revision surgery for prosthetic joint infection in the highest volume NHS orthopaedic centres. <i>Musculoskeletal Care</i> , 2017, 15, 379-385.	0.6	15
2872	Total hip arthroplasty using a monobloc cementless femoral stem for patients with childhood Perthesâ€™ disease. <i>Bone and Joint Journal</i> , 2017, 99-B, 440-444.	1.9	6
2873	Cemented <i>versus</i> cementless hemiarthroplasty for a displaced fracture of the femoral neck. <i>Bone and Joint Journal</i> , 2017, 99-B, 421-431.	1.9	94
2874	Iliopsoas Impingement After Primary Total Hip Arthroplasty: Operative and Nonoperative Treatment Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 557-564.	1.4	94
2875	Injury of the obturator nerve in the modified Stoppa approach for acetabular fractures. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 639-644.	0.9	15
2876	A Prospective Randomized Trial of Mini-Incision Posterior and 2-Incision Total Hip Arthroplasty: Minimum 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 2462-2465.	1.5	13

#	ARTICLE	IF	CITATIONS
2877	Hip revision arthroplasty for failed osteosynthesis in periprosthetic Vancouver type B1 fractures using a cementless, modular, tapered revision stem. <i>Bone and Joint Journal</i> , 2017, 99-B, 11-16.	1.9	27
2878	Tapered stems one-third proximally coated have higher complication rates than cylindrical two-third coated stems in patients with high hip dislocation undergoing total hip arthroplasty with step-cut shortening osteotomy. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 569-577.	0.9	17
2880	Low friction arthroplasty and dual mobility cup: a new gold standard. <i>International Orthopaedics</i> , 2017, 41, 563-571.	0.9	17
2881	Preparation of the Femoral Bone Cavity for Cementless Stems: Broaching vs Compaction. A Five-Year Randomized Radiostereometric Analysis and Dual Energy X-Ray Absorption Study. <i>Journal of Arthroplasty</i> , 2017, 32, 1894-1901.	1.5	14
2882	No Difference in Periprosthetic Bone Loss and Fixation Between a Standard-Length Stem and a Shorter Version in Cementless Total Hip Arthroplasty. A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2017, 32, 1220-1226.	1.5	29
2883	Minimally invasive periacetabular osteotomy using a modified Smith-Petersen approach. <i>Bone and Joint Journal</i> , 2017, 99-B, 22-28.	1.9	47
2884	Incidence of Adverse Reactions to Metal Debris From 28-mm Metal-on-Metal Total Hip Arthroplasties With Minimum 10 Years of Follow-Up: Clinical, Laboratory, and Ultrasound Assessment of 44 Cases. <i>Journal of Arthroplasty</i> , 2017, 32, 1206-1210.	1.5	8
2885	Total Hip Arthroplasty With a Fully Hydroxyapatite-Coated Stem: A Cohort Study During 23-28 Years. <i>Journal of Arthroplasty</i> , 2017, 32, 1543-1546.	1.5	15
2886	Resultados de un estudio con cobertura completa de hidroxiapatita con un seguimiento máximo de 5 años. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2017, 61, 390-396.	0.1	2
2887	Results of Porous-Coated Anatomic Total Hip Arthroplasty without Cement at 25 to 30 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 1647-1653.	1.4	19
2888	Good functional outcome but not regained health related quality of life in the majority of 20-69 years old patients with femoral neck fracture treated with internal fixation. <i>Injury</i> , 2017, 48, 2744-2753.	0.7	20
2889	Minimal Incision Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 1715-1720.	1.4	7
2890	The Exeter Trauma Stem: A radiographic follow-up at minimum of five years post implantation. <i>Injury</i> , 2017, 48, 2773-2777.	0.7	1
2891	Favorable Clinical and Radiographic Results of Transtrochanteric Anterior Rotational Osteotomy for Collapsed Subchondral Insufficiency Fracture of the Femoral Head in Young Adults. <i>JBJS Open Access</i> , 2017, 2, e0013.	0.8	8
2892	The effect of chronic musculoskeletal pain on several quality of life dimensions: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2017, 24, 327-336.	0.1	9
2893	Dynamic hip system blade versus cannulated compression screw for the treatment of femoral neck fractures: A retrospective study. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2017, 51, 381-387.	0.3	40
2894	Contemporary acetabular fracture surgery. <i>Bone and Joint Journal</i> , 2017, 99-B, 1125-1131.	1.9	13
2895	Predictors of noninstitutionalized survival 1 year after hip fracture. <i>Medicine (United States)</i> , 2017, 96, e7820.	0.4	16

#	ARTICLE	IF	CITATIONS
2896	Labral calcification in end-stage osteoarthritis of the hip correlates with pain and clinical function. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1248-1255.	1.2	18
2897	Three cases of type-1 complex regional pain syndrome after elective total hip replacement. <i>Sicot-j</i> , 2017, 3, 52.	0.8	5
2898	A predictive radiological analysis of short stems versus both shortened and long stems in primary hip replacement: A case-control study of 100 cases of Metha versus ABG II and Omnifit HA at 2-8 years follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2017, 103, 981-986.	0.9	15
2899	Posterolateral vs Direct Anterior Approach in Total Hip Arthroplasty (POLADA Trial): A Randomized Controlled Trial to Assess Differences in Serum Markers. <i>Journal of Arthroplasty</i> , 2017, 32, 3652-3658.e1.	1.5	60
2900	Femoral neck shortening in adult patients under the age of 55 years is associated with worse functional outcomes: Analysis of the prospective multi-center study of hip fracture outcomes in China (SHOC). <i>Injury</i> , 2017, 48, 1837-1842.	0.7	64
2901	Correlation of Cup Inclination Angle with Liner Wear for Metal-on-polyethylene in Hip Primary Arthroplasty. <i>Orthopaedic Surgery</i> , 2017, 9, 186-190.	0.7	14
2902	Survivorship of a Porous Tantalum Monoblock Acetabular Component in Primary Hip Arthroplasty With a Mean Follow-Up of 18 Years. <i>Journal of Arthroplasty</i> , 2017, 32, 3680-3684.	1.5	21
2903	The Development and Validation of a Subjective Assessment Tool for the Hip in the Athletic Population. <i>American Journal of Sports Medicine</i> , 2017, 45, 2517-2523.	1.9	5
2904	Highly Cross-Linked Polyethylene Reduces Osteolysis Incidence and Wear-Related Reoperation Rate in Cementless Total Hip Arthroplasty Compared With Conventional Polyethylene at Mean 12-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 3771-3776.	1.5	40
2905	Utilisation d'une allogreffe osseuse morcelée avec un anneau de soutien dans les révisions acétabulaires de PTH aseptiques avec perte de substance osseuse: résultats de 95 à 7 ans de recul. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2017, 103, 384-389.	0.0	0
2906	Revision Total Hip Arthroplasty With a Monoblock Splined Tapered Grit-Blasted Titanium Stem. <i>Journal of Arthroplasty</i> , 2017, 32, 3698-3703.	1.5	18
2907	Proximal femoral nail antirotation versus hemiarthroplasty in the treatment of senile intertrochanteric fractures: Case report. <i>International Journal of Surgery Case Reports</i> , 2017, 38, 37-42.	0.2	14
2908	Neglected acetabular fracture: Fix or replace?. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2017, 8, S3-S10.	0.6	3
2909	Non-parallel screw fixation for femoral neck fractures in young adults. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2017, 8, 220-224.	0.6	11
2910	Management of unstable peritrochanteric fractures with proximal femoral locking compression plates and affect of neck-shaft angle on functional outcomes. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2017, 8, 209-214.	0.6	8
2911	High Early Major Complication Rate After Revision for Mechanically Assisted Crevice Corrosion in Metal-on-Polyethylene Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3704-3710.	1.5	18
2912	Differences in Femoral Head Penetration Between Highly Cross-Linked Polyethylene Cemented Sockets and Uncemented Liners. <i>Journal of Arthroplasty</i> , 2017, 32, 3796-3801.	1.5	0
2913	Mid-term migration of a cementless, porous acetabular cup: A 5 year Radiostereometric analysis. <i>Journal of Orthopaedics</i> , 2017, 14, 454-460.	0.6	9

#	ARTICLE	IF	CITATIONS
2914	To assess differential features of marrow adiposity between postmenopausal women with osteoarthritis and osteoporosis using water/fat MRI. <i>Menopause</i> , 2017, 24, 105-111.	0.8	7
2915	The kinetics of remodeling of a calcium sulfate/calcium phosphate bioceramic. <i>Journal of Materials Science: Materials in Medicine</i> , 2017, 28, 137.	1.7	18
2916	Management of osteonecrosis of the femoral head with pedicled iliac bone flap transfer: A multicenter study of 2190 patients. <i>Microsurgery</i> , 2017, 37, 896-901.	0.6	29
2917	Reduced revision rate and maintained function after hip arthroplasty for femoral neck fractures after transition from posterolateral to direct lateral approach. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 627-633.	1.2	5
2918	Magnetic resonance imaging at primary diagnosis cannot predict subsequent contralateral slip in slipped capital femoral epiphysis. <i>Skeletal Radiology</i> , 2017, 46, 1687-1694.	1.2	4
2919	High prevalence of acetabular retroversion in asymptomatic adults. <i>Bone and Joint Journal</i> , 2017, 99-B, 1584-1589.	1.9	13
2920	Prognostic factors after a traumatic hip dislocation. A long-term retrospective study. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2017, 61, 367-374.	0.1	2
2921	Chertsey Outcome Score for Trauma: Development and validation of a new unifying patient reported outcome measure for orthopaedic trauma. <i>Chinese Journal of Traumatology - English Edition</i> , 2017, 20, 329-332.	0.7	4
2922	Ten-year follow-up study of three alternative bearing surfaces used in total hip arthroplasty in young patients. <i>Bone and Joint Journal</i> , 2017, 99-B, 1590-1595.	1.9	45
2923	Outcomes using wedge stem with full hydroxiapatite coverage with a minimum of 5 years' follow-up. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2017, 61, 390-396.	0.1	3
2924	The Rim Cutter does not show an advantage over modern cementing techniques. <i>Bone and Joint Journal</i> , 2017, 99-B, 1450-1457.	1.9	4
2925	Factores pronósticos tras una luxación traumática de cadera. Estudio retrospectivo a largo plazo. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2017, 61, 367-374.	0.1	4
2926	Equal Primary Fixation of Resurfacing Stem, but Inferior Cup Fixation With Anterolateral vs Posterior Surgical Approach. A 2-Year Blinded Randomized Radiostereometric and Dual-energy X-Ray Absorptiometry Study of Metal-on-Metal Hip Resurfacing Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 3412-3420.	1.5	7
2927	Hip Arthroplasty After Surgical Treatment of Intertrochanteric Hip Fractures. <i>Journal of Arthroplasty</i> , 2017, 32, 3438-3444.	1.5	20
2928	Heterotopic ossification related to the use of recombinant human BMP-2 in osteonecrosis of femoral head. <i>Medicine (United States)</i> , 2017, 96, e7413.	0.4	24
2929	Retained Antibiotic Spacers After Total Hip and Knee Arthroplasty Resections: High Complication Rates. <i>Journal of Arthroplasty</i> , 2017, 32, 3510-3518.	1.5	41
2930	Systematic review of the outcome of total hip arthroplasty in patients with sequelae of Legg-Perthes disease. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 1149-1154.	1.3	19
2931	Revision Total Hip Arthroplasty Using a Cementless Cup Supporter and Iliac Autograft: A Minimum of 15-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 3495-3501.	1.5	6

#	ARTICLE	IF	CITATIONS
2932	Cross-cultural adaptation and validation of the Spanish version of the Oxford Hip Score in patients with hip osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 205.	0.8	15
2933	Results of 167 consecutive cases of acetabular fractures using the Kocher-Langenbeck approach: a case series. <i>Journal of Orthopaedic Surgery and Research</i> , 2017, 12, 66.	0.9	22
2934	Evidence for reliability, validity and responsiveness of Turkish version of Hip Outcome Score. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2017, 51, 319-324.	0.3	5
2935	A long-term follow-up study of the clinical and radiographic outcome of distal trochanteric transfer in Legg-Calvé-Perthes disease following varus derotational osteotomy. <i>Bone and Joint Journal</i> , 2017, 99-B, 987-992.	1.9	10
2936	Promising early results for trabecular metal acetabular components used at revision total hip arthroplasty. <i>Bone and Joint Journal</i> , 2017, 99-B, 880-886.	1.9	8
2937	The influence of cognitive status on outcome and walking ability after hemiarthroplasty for femoral neck fracture: a prospective cohort study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2017, 27, 653-658.	0.6	26
2938	Long-term results of valgus osteotomy for terminal-stage osteoarthritis of the hip. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 19-26.	1.3	8
2939	Management of non-traumatic avascular necrosis of the femoral head—a comparative analysis of the outcome of multiple small diameter drilling and core decompression with fibular grafting. <i>Musculoskeletal Surgery</i> , 2017, 101, 59-66.	0.7	23
2940	Use of porous tantalum components in Paprosky two and three acetabular revision. A minimum five-year follow-up of fifty one hips. <i>International Orthopaedics</i> , 2017, 41, 911-916.	0.9	37
2941	Nicotine consumption may lead to aseptic loosening in proximal mega-prosthetic femoral replacement. <i>Journal of Orthopaedics and Traumatology</i> , 2017, 18, 111-120.	1.0	2
2942	Patient-reported outcome measures in older people with hip fracture: a systematic review of quality and acceptability. <i>Quality of Life Research</i> , 2017, 26, 799-812.	1.5	38
2943	Long-term outcome of total hip arthroplasty in patients with haemophilia. <i>Haemophilia</i> , 2017, 23, 129-134.	1.0	27
2944	A protocol for staged arthroplasty to salvage infected nonunion of hip fractures. <i>Journal of Orthopaedics and Traumatology</i> , 2017, 18, 43-50.	1.0	2
2945	Comparison of Cemented and Bone Ingrowth Fixation Methods in Hip Resurfacing for Osteonecrosis. <i>Journal of Arthroplasty</i> , 2017, 32, 437-446.	1.5	7
2946	Treatment of Crowe Type-IV Hip Dysplasia Using Cementless Total Hip Arthroplasty and Double Chevron Subtrochanteric Shortening Osteotomy: A 5- to 10-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2017, 32, 475-479.	1.5	33
2947	Unilateral hip osteoarthritis: The effect of compensation strategies and anatomic measurements on frontal plane joint loading. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1764-1773.	1.2	24
2948	Retention of the well-fixed implant in the single-stage exchange for chronic infected total hip arthroplasty: an average of five years of follow-up. <i>International Orthopaedics</i> , 2017, 41, 901-909.	0.9	27
2949	A 2- to 7-Year Follow-Up of a Modular Iliac Screw Cup in Major Acetabular Defects. <i>Journal of Arthroplasty</i> , 2017, 32, 207-213.	1.5	7



#	ARTICLE	IF	CITATIONS
2950	Use of Locking Plate and Strut Only Allografts for Periprosthetic Fracture Around Well-Fixed Femoral Components. <i>Journal of Arthroplasty</i> , 2017, 32, 166-170.	1.5	27
2951	Hip instability treated with arthroscopic capsular plication. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 24-30.	2.3	52
2952	What is the fate of the neck after a collum femoris preserving prosthesis? a nineteen years single center experience. <i>International Orthopaedics</i> , 2017, 41, 1329-1335.	0.9	20
2953	Total hip arthroplasty with dual mobility cup in osteonecrosis of the femoral head in young patients: over ten years of follow-up. <i>International Orthopaedics</i> , 2017, 41, 605-610.	0.9	43
2954	Hemiarthroplasty versus internal fixation in super-aged patients with undisplaced femoral neck fractures: a 5-year follow-up of randomized controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 27-35.	1.3	54
2955	The Impact of Surgical Technique on Patient Reported Outcome Measures and Early Complications After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1171-1175.	1.5	36
2956	A Randomised, Controlled Clinical Study on Total Hip Arthroplasty Using 4 Different Bearings: Results after 10 Years. <i>HIP International</i> , 2017, 27, 96-103.	0.9	1
2957	Sports Activity Following Cementless Metaphyseal Hip Joint Arthroplasty. <i>Journal of Human Kinetics</i> , 2017, 60, 225-232.	0.7	1
2958	Anterior Approach in Total Hip Replacement. <i>Orthopedics</i> , 2017, 40, e553-e556.	0.5	13
2959	Analyse radiologique pronostique cas t��moins des pivots courts, accourcis et longs en arthroplastie primaire de hanche: ��tude de cohortes de 100 cas de pivots Metha versus ABC II versus Omnifit au recul de 2 �� 8 ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2017, 103, 696-702.	0.0	0
2960	Isolated revision of the acetabular component using alumina-on-alumina bearings without a metal sleeve: A preliminary study. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901772104.	0.4	3
2961	Outcome. , 2017, , 283-291.		0
2962	Non-steroidal anti-inflammatory drugs for preventing heterotopic bone formation after hip arthroplasty. <i>The Cochrane Library</i> , 0, , .	1.5	3
2963	Protocol for a randomised control trial of bisphosphonate (zoledronic acid) treatment in childhood femoral head avascular necrosis due to Perthes disease. <i>BMJ Paediatrics Open</i> , 2017, 1, e000084.	0.6	11
2964	Dual head screw hip nailing for trochanteric fractures. <i>Sicot-j</i> , 2017, 3, 61.	0.8	6
2965	Mid-Term Results of ReCap/Magnum/Taperloc Metal-on-Metal Total Hip Arthroplasty with Mean Follow-Up of 7.1 Years. <i>HIP International</i> , 2017, 27, 226-234.	0.9	5
2966	Clinical outcome of dynamic hip locking plates and proximal femoral nails anti-rotation-Asia for treating intertrochanteric femur fracture with lateral wall fractures in the elder patients. <i>Oncotarget</i> , 2017, 8, 82700-82704.	0.8	4
2967	Effectiveness of operative interventions for hemi or total hip arthroplasty patients who sustain a Vancouver B2 peri-prosthetic femoral fracture. <i>JB International Database of Systematic Reviews and Implementation Reports</i> , 2017, 15, 245-258.	1.7	0

#	ARTICLE	IF	CITATIONS
2968	Long-term Outcome of Multiple Small-diameter Drilling Decompression Combined with Hip Arthroscopy versus Drilling Alone for Early Avascular Necrosis of the Femoral Head. Chinese Medical Journal, 2017, 130, 1435-1440.	0.9	15
2969	Comparison of Outcomes of Total Hip Arthroplasty between Patients with Ankylosing Spondylitis and Avascular Necrosis of the Femoral Head. Clinics in Orthopedic Surgery, 2017, 9, 263.	0.8	18
2970	Clinical and Radiographic outcomes of the Birmingham Hip Resurfacing Arthroplasty at a Minimum follow-up of 10 Years: Results from an Independent Centre. HIP International, 2017, 27, 134-139.	0.9	7
2971	Does orthopaedic surgery improve quality of life and function in patients with mucopolysaccharidoses?. Journal of Children's Orthopaedics, 2017, 11, 289-297.	0.4	22
2973	Long-term Results of Modified Salter Innominate Osteotomy for Legg-Calv�-Perthes Disease. Clinics in Orthopedic Surgery, 2017, 9, 397.	0.8	11
2974	Cementless Total Hip Arthroplasty Using Dual Offset Titanium Tapered Stem: At Least 7-Year Follow-Up. The Journal of the Korean Orthopaedic Association, 2017, 52, 419.	0.0	0
2975	Comparative Study of Peripheral Rim Fixation Using Jumbo Cup in Revisional Hip Arthroplasty. Hip and Pelvis, 2017, 29, 24-29.	0.6	4
2976	Primary Total Hip Arthroplasty Using Summit� Stems in Korean: Minimum Four-year Follow-up. Hip and Pelvis, 2017, 29, 228.	0.6	3
2977	Surgical treatment of acetabular fractures in the elderly: a systematic review of the results. EFORT Open Reviews, 2017, 2, 97-103.	1.8	38
2978	Occupational Strain as a Risk for Hip Osteoarthritis. Deutsches A&#x0308;rztblatt International, 2017, 114, 581-588.	0.6	13
2979	Acetabular Fractures in the Elderly: Midterm Outcomes of Column Stabilisation and Primary Arthroplasty. BioMed Research International, 2017, 2017, 1-6.	0.9	23
2980	Hip Osteonecrosis Is Associated with Increased Plasma IL-33 Level. Mediators of Inflammation, 2017, 2017, 1-6.	1.4	15
2981	A 10-Year Follow-Up of Two-Incision and Modified Watson-Jones Total Hip Arthroplasty in Patients with Osteonecrosis of the Femoral Head. BioMed Research International, 2017, 2017, 1-7.	0.9	2
2982	Managing an Acute and Chronic Periprosthetic Infection. Case Reports in Orthopedics, 2017, 2017, 1-5.	0.1	3
2983	High Proximal Migration in Cemented Acetabular Revisions Operated with Bone Impaction Grafting; 47 Revision Cups Followed with RSA for 17 Years. HIP International, 2017, 27, 251-258.	0.9	11
2984	Short stem total hip arthroplasty for osteonecrosis of the femoral head in patients 60�years or younger: a 3- to 10-year follow-up study. BMC Musculoskeletal Disorders, 2017, 18, 301.	0.8	44
2985	Surgical outcome of atypical subtrochanteric and femoral fracture related to bisphosphonates use in osteoporotic patients with or without teriparatide treatment. BMC Musculoskeletal Disorders, 2017, 18, 527.	0.8	38
2986	Barnh�ft: a hip specific 6-item questionnaire for children. Journal of Patient-Reported Outcomes, 2017, 1, 16.	0.9	7

#	ARTICLE	IF	CITATIONS
2987	Outcomes of Total Hip Replacement in Limbs Affected by Poliomyelitis. <i>HIP International</i> , 2017, 27, 198-204.	0.9	9
2988	Functional Outcomes of Infected Hip Arthroplasty: A Comparison of Different Surgical Treatment Options. <i>HIP International</i> , 2017, 27, 245-250.	0.9	17
2989	Nine-year results of whole femoral head allograft with articular cartilage for acetabular impaction grafting in revision hip replacement. <i>Annals of the Royal College of Surgeons of England</i> , 2017, 99, 203-206.	0.3	4
2990	Medial Patellofemoral Ligament Reconstruction Using the Hamstring Tendon for Patellofemoral Joint Instability in an 81-Year-Old Female. <i>The Open Orthopaedics Journal</i> , 2017, 11, 1028-1034.	0.1	1
2991	Transpositional Periacetabular Osteotomy with Allografting in Patients with Severe Dysplasia: Mid-Term Results. <i>HIP International</i> , 2017, 27, 35-41.	0.9	5
2992	Healing Process of Osteonecrotic Lesions of the Femoral Head Following Transtrochanteric Rotational Osteotomy: A Computed Tomography-Based Study. <i>Clinics in Orthopedic Surgery</i> , 2017, 9, 29.	0.8	6
2993	Extensive Surgical Wound Lavage Reduces the Incidence and Severity of Heterotopic Ossification in Primary Total Hip Replacement: A Study of 175 Hip Replacements. <i>Hip and Pelvis</i> , 2017, 29, 234.	0.6	8
2994	Hip and Knee Pain. , 2017, , 717-733.		1
2995	Prognostic factors for long-term outcome of chronic slipped capital femoral epiphysis treated with fixation <i>in situ</i> . <i>Journal of Children's Orthopaedics</i> , 2017, 11, 114-119.	0.4	10
2996	Sequential Bilateral Total Hip Arthroplasty Through a Minimally Invasive Anterior Approach is Safe to Perform. <i>The Open Orthopaedics Journal</i> , 2017, 11, 1417-1422.	0.1	4
2997	The Utility of False-Profile Radiographs for the Detection of Osteoarthritis Progression in Acetabular Dysplasia. <i>JBJS Open Access</i> , 2017, 2, e0023.	0.8	11
2998	Knee Arthroplasty and Patellofemoral Rating Systems. , 2017, , 1235-1244.		0
2999	Minimum 10-Year Outcome of One-Stage Total Hip Arthroplasty Without Subtrochanteric Osteotomy Using a Cementless Custom Stem for Crowe III and IV Hip Dislocation. <i>Journal of Arthroplasty</i> , 2018, 33, 2197-2202.	1.5	27
3000	How Do Physical Therapists in the United Kingdom Manage Patients With Hip Osteoarthritis? Results of a Cross-Sectional Survey. <i>Physical Therapy</i> , 2018, 98, 461-470.	1.1	19
3001	The use of patient reported outcome measures (PROMs) in clinical assessment. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2018, 29, 49-53.	0.4	6
3002	Sliding hip screw versus cannulated cancellous screws for fixation of femoral neck fracture in adults: A systematic review. <i>International Journal of Surgery</i> , 2018, 52, 89-97.	1.1	58
3003	Hip Arthroscopic Surgery for Femoroacetabular Impingement: A Prospective Analysis of the Relationship Between Surgeon Experience and Patient Outcomes. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711875504.	0.8	18
3004	Mid-Term Results of Periacetabular Osteotomy for the Treatment of Hip Dysplasia Associated with Down Syndrome. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 428-434.	1.4	6

#	ARTICLE	IF	CITATIONS
3005	The WOMAC score can be reliably used to classify patient satisfaction after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3333-3341.	2.3	47
3006	Stem Cells Combined With Platelet-rich Plasma Effectively Treat Corticosteroid-induced Osteonecrosis of the Hip: A Prospective Study. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 388-397.	0.7	51
3007	The Impact of Advanced Age on the Outcomes of Primary Total Hip and Knee Arthroplasty for Osteoarthritis. <i>JBJS Reviews</i> , 2018, 6, e6-e6.	0.8	45
3008	Anterior and lateral overcoverage after triple pelvic osteotomy in childhood for developmental dislocation of the hip with acetabular dysplasia: Frequency, features, and medium-term clinical impact. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 383-387.	0.9	12
3009	Revision surgery of metal-on-metal hip arthroplasties for adverse reactions to metal debris. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 278-288.	1.2	29
3010	The CJOrtho app: A mobile clinical and educational tool for orthopedics. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 523-527.	0.9	9
3011	Traction table versus double reverse traction repositon in the treatment of femoral shaft fractures. <i>Scientific Reports</i> , 2018, 8, 5952.	1.6	21
3012	The Effect of Previous Hip Surgery on the Outcome of Hip Arthroplasty in Young Patients. <i>Journal of Arthroplasty</i> , 2018, 33, 2890-2892.	1.5	8
3013	Painless period after Spitzzy shelf operation for residual hip dysplasia—A long-term study of 47 children and young adults. <i>Journal of Orthopaedics</i> , 2018, 15, 196-200.	0.6	1
3014	Treatment outcome of dome osteotomy of the pelvis combined with trochanteric advancement for sequelae of Perthes' disease. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2018, 52, 216-221.	0.3	0
3015	The effect of late radiotherapy on the progression of heterotopic ossification following total hip arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1125-1131.	0.6	8
3016	Total hip arthroplasty after a previous pelvic osteotomy: A systematic review and meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 455-463.	0.9	10
3017	Large Metal Heads and Highly Cross-Linked Polyethylene Provide Low Wear and Complications at 5-13 Years. <i>Journal of Arthroplasty</i> , 2018, 33, 2187-2191.	1.5	16
3018	John Charnley Award: Randomized Clinical Trial of Direct Anterior and Miniposterior Approach THA: Which Provides Better Functional Recovery?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 216-229.	0.7	110
3019	Safely transitioning to the direct anterior from posterior approach for total hip arthroplasty. <i>Journal of Orthopaedics</i> , 2018, 15, 420-423.	0.6	10
3020	Incidence and Circumstances of Falls in Women Before and After Total Hip Arthroplasty: A Prospective Cohort Study. <i>Journal of Arthroplasty</i> , 2018, 33, 2268-2272.	1.5	11
3021	Functional outcome and health related quality of life after dual mobility cup total hip replacement for displaced femoral neck fractures in middle aged Egyptian patients. <i>Injury</i> , 2018, 49, 667-672.	0.7	17
3022	Cementless total hip arthroplasty for severely dislocated hips previously treated with Schanz osteotomy of the proximal femur. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 427-434.	1.3	6

#	ARTICLE	IF	CITATIONS
3023	Total hip arthroplasty performed with a tissue-preserving technique using superior capsulotomy. <i>International Orthopaedics</i> , 2018, 42, 281-287.	0.9	13
3024	Creep and Wear in Vitamin E-Infused Highly Cross-Linked Polyethylene Cups for Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 107-114.	1.4	32
3025	Dual mobility hip arthroplasty provides better outcomes compared to hemiarthroplasty for displaced femoral neck fractures: a retrospective comparative clinical study. <i>International Orthopaedics</i> , 2018, 42, 1241-1246.	0.9	36
3027	Higher Prevalence of Mixed or Solid Pseudotumors in Metal-on-Polyethylene Total Hip Arthroplasty Compared With Metal-on-Metal Total Hip Arthroplasty and Resurfacing Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 2279-2286.	1.5	25
3028	Development of the HOOS <sub>global</sub> to Assess Patient-Reported Outcomes in Patients Undergoing Hip Preservation Procedures. <i>American Journal of Sports Medicine</i> , 2018, 46, 940-946.	1.9	20
3029	Long-term results of custom cementless-stem total hip arthroplasty performed in hip fusion. <i>International Orthopaedics</i> , 2018, 42, 1259-1264.	0.9	17
3030	The fate of immunocompromised patients in the treatment of chronic periprosthetic joint infection: a single-centre experience. <i>International Orthopaedics</i> , 2018, 42, 487-498.	0.9	14
3031	Long-term clinical and radiographic results of the cementless Spotorno stem in Japanese patients: A more than 15-year follow-up. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901775031.	0.4	14
3032	Long-Term Outcome of Hip Arthroplasty in the Setting of Pigmented Villonodular Synovitis. <i>Journal of Arthroplasty</i> , 2018, 33, 1467-1471.	1.5	14
3033	Treatment of stable intertrochanteric fractures of the femur with proximal femoral nail versus dynamic hip screw: a comparative study. <i>Revista Brasileira De Ortopedia</i> , 2018, 53, 477-481.	0.6	21
3034	Outcome of surgical treatment for displaced acetabular fractures: a prospective study. <i>Revista Brasileira De Ortopedia</i> , 2018, 53, 482-488.	0.6	4
3035	Comparison of an Uncemented Tapered Stem Design in Cobalt-Chrome vs Titanium at 15-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 1139-1143.	1.5	5
3036	A Randomized Seven-Year Study on Performance of the Stemmed Metal M2a-Magnum and Ceramic C2a-Taper, and the Resurfacing ReCap Hip Implants. <i>Journal of Arthroplasty</i> , 2018, 33, 1412-1420.	1.5	6
3037	Is the modified Harris hip score valid and responsive instrument for outcome assessment in the Indian population with pertrochanteric fractures?. <i>Journal of Orthopaedics</i> , 2018, 15, 40-46.	0.6	38
3038	Cross-cultural adaptation and validation of a patient-reported hip outcome score. <i>International Orthopaedics</i> , 2018, 42, 1001-1006.	0.9	12
3039	Measurement Properties of Patient-Reported Outcome Measures Used in Patients Undergoing Total Hip Arthroplasty. <i>JBJS Reviews</i> , 2018, 6, e2-e2.	0.8	28
3040	The patient-specific Triflange acetabular implant for revision total hip arthroplasty in patients with severe acetabular defects. <i>Bone and Joint Journal</i> , 2018, 100-B, 50-54.	1.9	45
3041	Mid-Term Outcomes of Dual Mobility Acetabular Cups for Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1494-1500.	1.5	31

#	ARTICLE	IF	CITATIONS
3042	Reconstruction of the hip after resection of periacetabular oncological lesions. <i>Bone and Joint Journal</i> , 2018, 100-B, 22-30.	1.9	52
3043	Total hip arthroplasty in patients with neuromuscular imbalance. <i>Bone and Joint Journal</i> , 2018, 100-B, 17-21.	1.9	21
3044	Two-stage revision for the culture-negative infected total hip arthroplasty. <i>Bone and Joint Journal</i> , 2018, 100-B, 3-8.	1.9	42
3045	Legacy Scales and Patient-Reported Outcomes: A Case for Embracing Complexity. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, e4.	1.4	0
3046	Developmental Dysplasia Treated With Cementless Total Hip Arthroplasty Utilizing High Hip Center Reconstruction: A Minimum 13-Year Follow-up Study. <i>Journal of Arthroplasty</i> , 2018, 33, 2899-2905.	1.5	25
3047	Are Results of Arthroscopic Labral Repair Durable in Dysplasia at Midterm Follow-up? A 2-Center Matched Cohort Analysis. <i>American Journal of Sports Medicine</i> , 2018, 46, 1674-1684.	1.9	29
3048	Total hip arthroplasty to treat acetabular protrusions secondary to rheumatoid arthritis. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 92.	0.9	23
3049	Acupuncture for hip osteoarthritis. <i>The Cochrane Library</i> , 2018, 5, CD013010.	1.5	33
3050	Comparative analysis of treatment of basicervical femur fractures in young adults with CCS, DHS, and PFN. <i>Revista Brasileira De Ortopedia</i> , 2018, 53, 783-787.	0.6	7
3051	Bernese-type triple pelvic osteotomy through a single incision in children over five years: a retrospective study of twenty eight cases. <i>International Orthopaedics</i> , 2018, 42, 2961-2968.	0.9	15
3052	Modified Stoppa approach for operative treatment of acetabular fractures: 10-year experience and mid-term follow-up. <i>Injury</i> , 2018, 49, 1137-1140.	0.7	22
3053	Complex fractures of the acetabulum: Should the enlarged iliofemoral approach be abandoned? Results at 20 yearsâ€™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 465-468.	0.9	3
3054	Intramedullary versus extramedullary internal fixation for unstable intertrochanteric fracture, a meta-analysis. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2018, 52, 299-307.	0.3	54
3055	Mid-term results of revision total hip arthroplasty with an uncemented modular femoral component. <i>HIP International</i> , 2018, 28, 84-89.	0.9	27
3056	Clinical Outcomes and Bearing-Specific Complications Following Fourth-Generation Alumina Ceramic-on-Ceramic Total Hip Arthroplasty: A Single-Surgeon Series of 749 Hips at a Minimum of 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 2182-2186.e1.	1.5	33
3057	The gluteal muscles in end-stage osteoarthritis of the hip: intra- and interobserver reliability and agreement of MRI assessments of muscle atrophy and fatty degeneration. <i>Clinical Radiology</i> , 2018, 73, 675.e17-675.e24.	0.5	19
3058	Muscle pedicle bone grafting using the anterior one-third of the gluteus medius attached to the greater trochanter for treatment of Association Research Circulation OsseousÂstage II osteonecrosis of the femoral head. <i>International Orthopaedics</i> , 2018, 42, 2335-2341.	0.9	7
3059	Two-stage revision for periprosthetic joint infection of the hip: Culture-negative versus culture-positive infection. <i>Journal of Orthopaedics</i> , 2018, 15, 391-395.	0.6	8

#	ARTICLE	IF	CITATIONS
3060	Pain experiences of adults with osteogenesis imperfecta: An integrative review. <i>Canadian Journal of Pain</i> , 2018, 2, 9-20.	0.6	15
3061	Assessment of hip abductors by MRI after total hip arthroplasty and effect of fatty atrophy on functional outcome. <i>Acta Orthopaedica Et Traumatologica Turcica</i> , 2018, 52, 196-200.	0.3	27
3062	Long-Term Outcome of Hip Arthroplasty in the Setting of Synovial Chondromatosis. <i>Journal of Arthroplasty</i> , 2018, 33, 2173-2176.	1.5	11
3063	Hip osteonecroses treated with calcium sulfate-calcium phosphate bone graft substitute have different results according to the cause of osteonecrosis: alcohol abuse or corticosteroid-induced. <i>International Orthopaedics</i> , 2018, 42, 1491-1498.	0.9	23
3064	Assessment of a press-fit proximal femoral modular reconstruction implant (PFMR <sup>®</sup> ) at 14.5 years. A 48-case series with a disturbing rate of implant fracture. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 317-323.	0.9	17
3065	Vancouver B2 periprosthetic femoral fractures: a comparative study of stem revision versus internal fixation with plate. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1133-1142.	0.6	25
3066	Comparative Analysis of the Reconstruction of Individual Hip Anatomy Using 3 Different Cementless Stem Designs in Patients With Primary Hip Osteoarthritis. <i>Journal of Arthroplasty</i> , 2018, 33, 1126-1132.	1.5	18
3067	Influence of Muscle Fatty Degeneration on Functional Outcomes After Endoscopic Gluteus Medius Repair. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1816-1824.	1.3	51
3068	No Difference in Outcomes 12 and 24 Months After Lower Extremity Total Joint Arthroplasty: A Systematic Review and Meta-Analysis. <i>Journal of Arthroplasty</i> , 2018, 33, 2322-2329.	1.5	57
3069	How can MRI change the treatment strategy in apparently isolated greater trochanteric fracture?. <i>Injury</i> , 2018, 49, 824-828.	0.7	15
3070	Periprosthetic Joint Infection With Fungal Pathogens. <i>Journal of Arthroplasty</i> , 2018, 33, 2605-2612.	1.5	61
3071	Does Severity of Acetabular Dysplasia Influence Clinical Outcomes After Periacetabular Osteotomy? A Case-Control Study. <i>Journal of Arthroplasty</i> , 2018, 33, S66-S70.	1.5	10
3072	Tantalum Components in Difficult Acetabular Revisions Have Good Survival at 5 to 10 Years: Longer Term Followup of a Previous Report. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 336-342.	0.7	10
3073	Long-term Results of Primary Hip Arthroplasty with Cup Inclination Angle Bigger than Fifty Degrees. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2018, 9, 133-136.	0.6	5
3074	Long-term Outcomes of Operative and Nonoperative Treatment of Congenital Coxa Vara. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, 193-201.	0.6	10
3075	Subcapital Shortening Osteotomy for Severe Slipped Capital Femoral Epiphysis: Preliminary Results of the French Multicenter Study. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, 471-477.	0.6	11
3076	Total Hip Arthroplasty After In Situ Fixation of Minimally Displaced Femoral Neck Fractures in Elderly Patients. <i>Journal of Arthroplasty</i> , 2018, 33, 144-148.	1.5	20
3077	Function and activity after minimally invasive total hip arthroplasty compared to a healthy population. <i>International Orthopaedics</i> , 2018, 42, 297-302.	0.9	14

#	ARTICLE	IF	CITATIONS
3078	Comparative reliability and diagnostic performance of conventional 3T magnetic resonance imaging and 1.5T magnetic resonance arthrography for the evaluation of internal derangement of the hip. <i>European Radiology</i> , 2018, 28, 963-971.	2.3	45
3079	Global radiological score for femoral cementless revision stem. <i>International Orthopaedics</i> , 2018, 42, 1007-1013.	0.9	7
3080	Survivorship of a modular acetabular cup system: medium- to long-term follow-up. <i>Arthroplasty Today</i> , 2018, 4, 376-382.	0.8	12
3081	Multicenter Analysis of Midterm Clinical Outcomes of Arthroscopic Labral Repair in the Hip: Minimum 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2018, 46, 280-287.	1.9	49
3082	Cementless modular neck stems: are they a safe option in primary total hip arthroplasty?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 463-469.	0.6	13
3083	Radiostereometric migration measurement of an uncemented Cerafit® femoral stem: 26 patients followed for 10 years. <i>Biomedizinische Technik</i> , 2018, 63, 657-663.	0.9	5
3084	Case report of a patient with tuberculosis of the femur after osteosynthesis with review of literature. <i>Tropical Doctor</i> , 2018, 48, 165-168.	0.2	0
3085	Dislocations after use of dual-mobility cups in cementless primary total hip arthroplasty: prospective multicentre series. <i>International Orthopaedics</i> , 2018, 42, 761-767.	0.9	25
3086	Incidence of delayed union one year after peri-acetabular osteotomy based on computed tomography. <i>International Orthopaedics</i> , 2018, 42, 1029-1034.	0.9	9
3087	The Use of Porous Tantalum Augments for the Reconstruction of Acetabular Defect in Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 453-459.	1.5	24
3088	Comparison and agreement of outcome scores through nine months after acetabular fracture fixation. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2018, 9, 181-185.	0.6	3
3089	Short-Term Results of Ultra-Short Anatomic vs Ultra-Short Non-Anatomic Proximal Loading Uncemented Femoral Stems. <i>Journal of Arthroplasty</i> , 2018, 33, 149-155.	1.5	9
3090	High Degree of Variability in Reporting of Clinical and Patient-Reported Outcomes After Hip Arthroscopy. <i>American Journal of Sports Medicine</i> , 2018, 46, 3040-3046.	1.9	41
3091	A Minimum Ten Years of Follow-Up of Alumina Head on Delta Liner Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 470-476.	1.5	8
3092	Acetabular Revision Arthroplasty Using an Uncemented Deep Profile Jumbo Component: A Ten to Sixteen Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2018, 33, 496-499.	1.5	8
3093	Mid-Term Survivals After Cementless Bipolar Hemiarthroplasty for Unstable Intertrochanteric Fractures in Elderly Patients. <i>Journal of Arthroplasty</i> , 2018, 33, 777-782.	1.5	16
3094	Increased Serum Ion Levels After Ceramic-on-Metal Bearing Total Hip Arthroplasty: Influence of an Asian Lifestyle. <i>Journal of Arthroplasty</i> , 2018, 33, 887-892.	1.5	6
3095	Shortening subtrochanteric osteotomy and cup placement at true acetabulum in total hip arthroplasty of Crowe III-IV developmental dysplasia: results of midterm follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 923-930.	0.6	23



#	ARTICLE	IF	CITATIONS
3096	Clinical Performance, Patient Reported Outcome, and Radiological Results of a Short, Tapered, Porous, Proximally Coated Cementless Femoral Stem: Results up to Seven Years of Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 1133-1138.	1.5	22
3097	Clinical results of hemiarthroplasty using new bipolar cups for stage 3 or lower osteonecrosis of the femoral head: a retrospective study. <i>Musculoskeletal Surgery</i> , 2018, 102, 241-246.	0.7	6
3098	Cementless total hip arthroplasty in the treatment after acetabular fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 59-64.	0.6	12
3099	Additive Influence of Hip Offset and Leg Length Reconstruction on Postoperative Improvement in Clinical Outcome After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 156-161.	1.5	55
3100	Postinfectious heterotopic ossification of the ilium involving the iliacus muscle. <i>Journal of Pediatric Orthopaedics Part B</i> , 2018, 27, 407-411.	0.3	2
3101	A special superior cortex compressive fracture of femoral neck. <i>Medicine (United States)</i> , 2018, 97, e12876.	0.4	0
3102	Bisphosphonate Combination Therapy in the Management of Postchemotherapy Avascular Necrosis of the Femoral Head in Adolescents and Young Adults: A Retrospective Study From India. <i>Journal of Global Oncology</i> , 2018, 4, 1-11.	0.5	17
3103	Trabecular Titanium acetabular cups in hip revision surgery: mid-term clinical and radiological outcomes. <i>HIP International</i> , 2018, 28, 61-65.	0.9	30
3104	Análise comparativa do tratamento de fraturas basocervicais de fêmur com CCS, DHS e PFN em adultos jovens. <i>Revista Brasileira De Ortopedia</i> , 2018, 53, 783-787.	0.2	5
3105	Double-tapered conical taper in primary and revision surgery: rationale and short-term follow-up. <i>HIP International</i> , 2018, 28, 73-77.	0.9	1
3106	Gait variability and symmetry assessment with inertial sensors for quantitative discrimination of Trendelenburg sign in total hip arthroplasty patients: a pilot study based on convenience sampling. <i>Research on Biomedical Engineering</i> , 2018, 34, 65-72.	1.5	4
3107	Understanding outcomes and toxicological aspects of second generation metal-on-metal hip implants: a state-of-the-art review. <i>Critical Reviews in Toxicology</i> , 2018, 48, 839-887.	1.9	31
3108	Injectable autologous chondrocyte implantation (ACI) in acetabular cartilage defects—three-year results. <i>Journal of Hip Preservation Surgery</i> , 2018, 5, 386-392.	0.6	27
3109	Could larger diameter of 4th generation ceramic bearing increase the rate of squeaking after THA?. <i>Medicine (United States)</i> , 2018, 97, e13977.	0.4	10
3110	Long-term results of the M2A-38-mm metal-on-metal articulation. <i>Journal of Orthopaedics and Traumatology</i> , 2018, 19, 21.	1.0	4
3111	Primary Total Hip Arthroplasty Using an Uncemented Wagner SL Stem in Elderly Patients With Dorr Type C Femoral Bone. <i>International Surgery</i> , 2018, 103, 287-294.	0.0	1
3112	Preoperative Planning of Total Hip Arthroplasty. , 0, , .		3
3113	Évaluation à 14,5 ans de recul d'une tige fémorale de révision à effet press-fit : la PFM-R : une série de 48 cas avec un taux de rupture d'implant important. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2018, 104, 215-222.	0.0	0

#	ARTICLE	IF	CITATIONS
3114	L'orthopédie mobile, outil d'évaluation et d'éducation: l'application CJOortho. Revue De Chirurgie Orthopedique Et Traumatologique, 2018, 104, 370-374.	0.0	0
3115	Cup-cage reconstruction for severe acetabular bone loss and pelvic discontinuity. Bone and Joint Journal, 2018, 100-B, 1442-1448.	1.9	43
3116	The results of osteotomy at the base of femoral neck with osteoplasty in restoration of abductor function and strength in slipped capital femoral epiphysis. Bone and Joint Journal, 2018, 100-B, 1524-1532.	1.9	2
3117	Salvage of failed osteosynthesis for an atypical subtrochanteric femoral fracture associated with long-term bisphosphonate treatment using a 95° angled blade plate. Bone and Joint Journal, 2018, 100-B, 1511-1517.	1.9	13
3118	Nonoperative Management of Femoroacetabular Impingement: A Prospective Study. American Journal of Sports Medicine, 2018, 46, 3415-3422.	1.9	73
3119	Same survival but higher rate of osteolysis for metal-on-metal Ultamet versus ceramic-on-ceramic in patients undergoing primary total hip arthroplasty after 8 years of follow-up. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, 1155-1161.	0.9	17
3120	Previous failed hip arthroscopy negatively impacts early patient-reported outcomes of the periacetabular osteotomy: an ANCHOR Matched Cohort Study. Journal of Hip Preservation Surgery, 2018, 5, 370-377.	0.6	22
3121	Mid-to long-term results of total hip arthroplasty after contralateral lower extremity amputation. Acta Orthopaedica Et Traumatologica Turcica, 2018, 52, 343-347.	0.3	4
3122	Inégalité de longueur après prothèse totale de hanche: y a-t-il un contrôle satisfaisant des longueurs par voie antérieure sans table orthopédique? Évaluation par EOS 3D sur 56 cas. Revue De Chirurgie Orthopedique Et Traumatologique, 2018, 104, 771-776.	0.0	0
3123	A mathematical model for predicting postoperative leg shortening after curved intertrochanteric varus osteotomy for osteonecrosis of the femoral head. PLoS ONE, 2018, 13, e0208818.	1.1	7
3124	Evaluation of in vivo wear of vitamin E-diffused highly crosslinked polyethylene at five years. Bone and Joint Journal, 2018, 100-B, 1592-1599.	1.9	42
3125	Concurrent femoral head reduction and periacetabular osteotomies for the treatment of severe femoral head deformities. Bone and Joint Journal, 2018, 100-B, 1551-1558.	1.9	15
3126	Early Out-of-Bed Functional Exercise Benefits Elderly Patients Following Hip Fracture: A Retrospective Cohort Study. Tohoku Journal of Experimental Medicine, 2018, 246, 205-212.	0.5	7
3127	Arthrodiastasis followed by open reduction associated with pelvic and femoral osteotomies for the treatment of high inveterate congenital hip dislocation. Journal of Pediatric Orthopaedics Part B, 2018, 27, 479-484.	0.3	4
3128	Does hydroxyapatite coating enhance ingrowth and improve longevity of a Zweymuller type stem? A double-blinded randomised RSA trial. HIP International, 2018, 28, 115-121.	0.9	9
3129	Radiographic and Clinical Outcomes of Porous Titanium-Coated and Plasma-Sprayed Acetabular Shells. Journal of Bone and Joint Surgery - Series A, 2018, 100, 1673-1681.	1.4	16
3130	Total hip arthroplasty after failed transtrochanteric rotational osteotomy for osteonecrosis of the femoral head: A systematic review and meta-analysis. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, 1163-1170.	0.9	20
3131	Comparative Study on the Application of Mesenchymal Stromal Cells Combined with Tricalcium Phosphate Scaffold into Femoral Bone Defects. Cell Transplantation, 2018, 27, 1459-1468.	1.2	20

#	ARTICLE	IF	CITATIONS
3132	Does short-term weekly teriparatide improve healing in unstable intertrochanteric fractures?. <i>Journal of Orthopaedic Surgery</i> , 2018, 26, 230949901880248.	0.4	8
3134	AbobotulinumtoxinA: A New Therapy for Hip Osteoarthritis. A Prospective Randomized Double-Blind Multicenter Study. <i>Toxins</i> , 2018, 10, 448.	1.5	8
3136	Leg length discrepancy after total hip arthroplasty: Can leg length be satisfactorily controlled via anterior approach without a traction table? Evaluation in 56 patients with EOS 3D. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 1143-1148.	0.9	37
3137	A Possible New Radiographic Predictor of Progression of Osteoarthritis in Developmental Dysplasia of the Hip: The Center Gap. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2157-2166.	0.7	14
3138	Arthroscopic partial capsulotomy for exposure and treatment of hip disease. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 2413-2419.	0.8	0
3139	The Utilization of Metal Augments Allows Better Biomechanical Reconstruction of the Hip in Revision Total Hip Arthroplasty With Severe Acetabular Defects: A Comparative Study. <i>Journal of Arthroplasty</i> , 2018, 33, 3724-3733.	1.5	17
3140	Lantern-shaped screw loaded with autologous bone for treating osteonecrosis of the femoral head. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 318.	0.8	10
3141	Is a short stem suitable for patients with hip dysplasia? A report on technical problems encountered during femoral reconstruction. <i>HIP International</i> , 2018, 28, 315-323.	0.9	7
3142	Immunomodulatory placental-expanded, mesenchymal stromal cells improve muscle function following hip arthroplasty. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 880-897.	2.9	53
3143	When Do Patients Improve After Hip Arthroscopy for Femoroacetabular Impingement? A Prospective Cohort Analysis. <i>American Journal of Sports Medicine</i> , 2018, 46, 3111-3118.	1.9	64
3144	Systemic cobaltism manifesting as oral mucosal discoloration and metallic gustation after metal-on-metal hip resurfacing. <i>Arthroplasty Today</i> , 2018, 4, 436-440.	0.8	6
3145	Salvage of failed internal fixation of intertrochanteric hip fractures: clinical and functional outcomes of total hip arthroplasty versus hemiarthroplasty. <i>Arthroplasty Today</i> , 2018, 4, 383-391.	0.8	22
3146	Long-term outcome of closed reduction in late-detected hip dislocation: 60 patients aged six to 36 months at diagnosis followed to a mean age of 58 years. <i>Journal of Children's Orthopaedics</i> , 2018, 12, 369-374.	0.4	15
3147	Do young female dancers improve symptoms and return to dancing after periacetabular osteotomy for the treatment of symptomatic hip dysplasia?. <i>Journal of Hip Preservation Surgery</i> , 2018, 5, 150-156.	0.6	13
3148	Septic coxitis after an intramuscular injection in a young adult treated by two-steps total hip arthroplasty: a case report. <i>International Journal of Surgery Open</i> , 2018, 12, 1-4.	0.2	1
3149	The influence of early radiolucent lines appearing on femoral head penetration into HXLPE cemented sockets. <i>HIP International</i> , 2018, 28, 369-374.	0.9	0
3150	The use of an Ossis custom 3D-printed tri-flanged acetabular implant for major bone loss: minimum 2-year follow-up. <i>HIP International</i> , 2018, 28, 668-674.	0.9	43
3151	Hip resurfacing with a highly cross-linked polyethylene acetabular liner and a titanium nitride-coated femoral component. <i>HIP International</i> , 2018, 28, 422-428.	0.9	6

#	ARTICLE	IF	CITATIONS
3152	Biomarkers of muscle damage increased in anterolateral compared to direct lateral approach to the hip in hemiarthroplasty: no correlation with clinical outcome. <i>Osteoporosis International</i> , 2018, 29, 1853-1860.	1.3	5
3153	Direct anterior approach to the hip joint in the lateral decubitus position for joint replacement. <i>Operative Orthopadie Und Traumatologie</i> , 2018, 30, 276-285.	1.0	13
3154	Risk Factors for Subsidence of Modular Fluted Tapered Stems Used During Revision Total Hip Arthroplasty for Periprosthetic Hip Fractures. <i>Journal of Arthroplasty</i> , 2018, 33, 2967-2970.	1.5	29
3155	The effectiveness of extended care based on Internet and home care platform for orthopaedics after hip replacement surgery in China. <i>Journal of Clinical Nursing</i> , 2018, 27, 4077-4088.	1.4	26
3156	Hip resurfacing in patients with severe osteoarthritis and blocked medullary canal. <i>HIP International</i> , 2018, , 112070001877853.	0.9	2
3157	Good mid-term clinical results of a cemented dual mobility cup: a single-centre experience. <i>HIP International</i> , 2018, 28, 59-62.	0.9	6
3158	Interest of short implants in hip arthroplasty for osteonecrosis of the femoral head: comparative study of uncemented short vs cemented conventional femoral stems. <i>International Orthopaedics</i> , 2018, 42, 1669-1674.	0.9	14
3159	The Assessment of Static Balance in Patients after Total Hip Replacement in the Period of 2-3 Years after Surgery. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	14
3160	Long-Term Results of Acetabular Reconstruction Using Ganz Acetabular Rings. <i>Journal of Arthroplasty</i> , 2018, 33, 3524-3530.	1.5	6
3162	Resultado do tratamento cirúrgico de fraturas acetabulares desviadas: estudo prospectivo. <i>Revista Brasileira De Ortopedia</i> , 2018, 53, 482-488.	0.2	0
3163	Total hip arthroplasty after failed fixation of a proximal femur fracture: Analysis of 59 cases of intra- and extra-capsular fractures. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 681-686.	0.9	34
3164	Endoscopic release of the piriformis tendon and sciatic nerve exploration. <i>Journal of Hip Preservation Surgery</i> , 2018, 5, 301-306.	0.6	19
3165	A Wedge-Shaped Uncemented Femoral Component: Survivorship in Patients Younger Than 50 Years at a Mean Follow-Up of 22 Years. <i>Journal of Arthroplasty</i> , 2018, 33, 3226-3230.	1.5	5
3166	Total Hip Arthroplasty in a Patient with Oto-Spondylo-Megaepiphyseal Dysplasia Planned by Three-Dimensional Motion Analyses and Full-Scale Three-Dimensional Plaster Model of Bones. <i>Case Reports in Orthopedics</i> , 2018, 2018, 1-5.	0.1	0
3167	Structural and Morselized Allografting Combined with a Cementless Cup for Acetabular Defects in Revision Total Hip Arthroplasty: A 4- to 14-Year Follow-Up. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	7
3168	Comparison of cementless total hip arthroplasty survivorship between metal-on-highly cross-linked polyethylene and ceramic on ceramic bearings: A case control study with a 5-9-year follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2018, 104, 663-669.	0.9	8
3169	Current Trends in Patient-Reported Outcome Measures in Total Joint Arthroplasty: A Study of 4 Major Orthopaedic Journals. <i>Journal of Arthroplasty</i> , 2018, 33, 3416-3421.	1.5	97
3170	Periprosthetic stress fracture around a well-fixed type 2B short uncemented stem. <i>Sicot-j</i> , 2018, 4, 33.	0.8	7

#	ARTICLE	IF	CITATIONS
3171	Validation of the Brazilian version of the Hip Outcome Score (HOS) questionnaire. <i>Advances in Rheumatology</i> , 2018, 58, 4.	0.8	9
3172	A randomized controlled trial of cemented versus cementless arthroplasty in patients with a displaced femoral neck fracture. <i>Bone and Joint Journal</i> , 2018, 100-B, 1087-1093.	1.9	48
3173	The Exeter V40 cemented femoral component at a minimum 10-year follow-up. <i>Bone and Joint Journal</i> , 2018, 100-B, 1002-1009.	1.9	39
3174	A comparison of the effect of large and small metal-on-metal bearings in total hip arthroplasty on metal ion levels and the incidence of pseudotumour. <i>Bone and Joint Journal</i> , 2018, 100-B, 1018-1024.	1.9	13
3175	5-year clinical and radiographic follow-up of the uncemented Symax hip stem in an international study. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 191.	0.9	6
3176	A prospective randomized comparison of the minimally invasive direct anterior and the transgluteal approach for primary total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 241.	0.8	40
3177	Controlled study on Gamma nail and proximal femoral locking plate for unstable intertrochanteric femoral fractures with broken lateral wall. <i>Scientific Reports</i> , 2018, 8, 11114.	1.6	12
3178	Arthroscopic Treatment of Acetabular Retroversion With Acetabuloplasty and Subspine Decompression: A Matched Comparison With Patients Undergoing Arthroscopic Treatment for Focal Pincer-Type Femoroacetabular Impingement. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711878374.	0.8	19
3179	Clinical outcome and physical activity measured with StepWatch 3 Activity Monitor after minimally invasive total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 148.	0.9	16
3180	One-year Survival Rates and Functional Recovery in Veterans Who Suffer from Hip Fractures: Evaluation of Commissioned Hospitals' System through Comparison between Veterans Hospitals and Commissioned Hospitals. <i>Hip and Pelvis</i> , 2018, 30, 101.	0.6	0
3181	Total hip arthroplasty in patients affected by poliomyelitis. <i>Bone and Joint Journal</i> , 2018, 100-B, 733-739.	1.9	11
3182	Results of trabecular metal augments in Paprosky IIIA and IIIB defects. <i>Bone and Joint Journal</i> , 2018, 100-B, 903-908.	1.9	22
3183	Management of osteonecrosis of the femoral head in children with sickle cell disease: Results of conservative and operative treatments at skeletal maturity. <i>Journal of Children's Orthopaedics</i> , 2018, 12, 47-54.	0.4	9
3184	Functional and Radiological Results of Proximal Femoral Nail Antirotation (PFNA) Osteosynthesis in the Treatment of Unstable Pertrochanteric Fractures. <i>Journal of Clinical Medicine</i> , 2018, 7, 78.	1.0	25
3185	Ten-year follow-up of a cemented tapered stem. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1317-1322.	1.3	3
3186	Patient-reported outcome measures after surgery for an acetabular fracture. <i>Bone and Joint Journal</i> , 2018, 100-B, 640-645.	1.9	17
3187	Criterios quirúrgicos para la colocación de prótesis de rodilla y cadera. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2018, 25, 366-375.	0.0	0
3188	Clinical and functional outcomes after augmented hip abductor tendon repair. <i>HIP International</i> , 2018, 28, 74-83.	0.9	27

#	ARTICLE	IF	CITATIONS
3189	Short-term Outcomes of Ceramic Coated Metal-on-Metal Large Head in Total Hip Replacement Arthroplasty. Hip and Pelvis, 2018, 30, 12-17.	0.6	4
3190	Fractures complexes de l'acetabulum: faut-il abandonner la voie ilio-femorale? Résultats à 20 ans de recul. Revue De Chirurgie Orthopedique Et Traumatologique, 2018, 104, 314-318.	0.0	1
3191	Plasma-Sprayed Hydroxylapatite Coatings as Biocompatible Intermediaries Between Inorganic Implant Surfaces and Living Tissue. Journal of Thermal Spray Technology, 2018, 27, 1212-1237.	1.6	48
3192	What is the rate of patients undergoing a total hip arthroplasty after core decompression and insertion of a tantalum rod in osteonecrosis of the femoral head: a systematic review. International Orthopaedics, 2018, 42, 1631-1638.	0.9	15
3193	Medium-term outcomes of the S-ROM modular femoral stem in revision hip replacement. European Journal of Orthopaedic Surgery and Traumatology, 2018, 28, 1327-1334.	0.6	10
3194	Avulsion fracture of the lesser trochanter in adolescents. Injury, 2018, 49, 1278-1281.	0.7	15
3195	Serum and synovial fluid cytokine profiling in hip osteoarthritis: distinct from knee osteoarthritis and correlated with pain. BMC Musculoskeletal Disorders, 2018, 19, 39.	0.8	51
3196	Pigmented villonodular synovitis managed by total synovectomy and cementless total hip arthroplasty. European Journal of Orthopaedic Surgery and Traumatology, 2018, 28, 1375-1380.	0.6	8
3197	Assessing the Outcome of Hip Arthroscopy for Labral Tears in Femoroacetabular Impingement Using the Minimum Dataset of the British Non-arthroplasty Hip Register: A Single-Surgeon Experience. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2131-2139.	1.3	33
3198	It Is All About Value Now: The Data You Need to Collect and How to Do It. Journal of Bone and Joint Surgery - Series A, 2018, 100, e110.	1.4	8
3199	Delayed total hip arthroplasty after failed treatment of acetabular fractures: an 8- to 17-year follow-up study. Journal of Orthopaedic Surgery and Research, 2018, 13, 208.	0.9	13
3200	Polyethylene Hip Resurfacing to Treat Arthritis and Severe Acetabular Insufficiency. Journal of Arthroplasty, 2018, 33, 3508-3513.	1.5	2
3201	Abnormal loading of the hip and knee joints in unilateral hip osteoarthritis persists two years after total hip replacement. Journal of Orthopaedic Research, 2018, 36, 2167-2177.	1.2	25
3202	Comparison of early complications between the use of a cannulated screw locking plate and multiple cancellous screws in the treatment of displaced intracapsular hip fractures in young adults: a randomized controlled clinical trial. Journal of Orthopaedic Surgery and Research, 2018, 13, 201.	0.9	18
3203	Modern Dual-Mobility Cups in Revision Total Hip Arthroplasty: A Systematic Review and Meta-Analysis. Journal of Arthroplasty, 2018, 33, 3793-3800.	1.5	42
3204	Total hip arthroplasty following failure of tantalum rod implantation for osteonecrosis of the femoral head with 5- to 10-year follow-up. BMC Musculoskeletal Disorders, 2018, 19, 289.	0.8	20
3205	Conventional Polyethylene in Total Hip Arthroplasty in Young Patients: Survivorship, Wear Analysis, and Clinical Outcomes Between 15 and 20 Years. Journal of Arthroplasty, 2018, 33, 3712-3718.	1.5	15
3206	Is calcium phosphate augmentation a viable option for osteoporotic hip fractures?. Osteoporosis International, 2018, 29, 2021-2028.	1.3	18

#	ARTICLE	IF	CITATIONS
3207	Gait Abnormality Predicts Falls in Women After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 3215-3219.	1.5	17
3208	Patients with a Dorr type C femoral bone require attention for using a Summit cementless stem: Results of total hip arthroplasty after a minimum follow-up period of 5 years after insertion of a Summit cementless stem. <i>Journal of Orthopaedic Science</i> , 2018, 23, 671-675.	0.5	5
3209	Gait symmetry and hip strength in women with developmental dysplasia following hip arthroplasty compared to healthy subjects: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0193487.	1.1	16
3210	Intracapsular cuneiform osteotomy compared with in-situ pinning for the management of slipped capital femoral epiphysis. <i>Journal of Pediatric Orthopaedics Part B</i> , 2018, 27, 491-495.	0.3	2
3211	Higher UHMWPE wear-rate in cementless compared with cemented cups with the Saturne® Dual-Mobility acetabular system. <i>HIP International</i> , 2018, 28, 125-132.	0.9	6
3212	Early diagnosis and treatment of steroid-induced osteonecrosis of the femoral head. <i>International Orthopaedics</i> , 2019, 43, 1083-1087.	0.9	41
3213	Screw versus helical proximal femoral nail in the treatment of unstable trochanteric fractures in the elderly. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2019, 10, 779-784.	0.6	5
3214	Mid-term results of an uncemented tapered femoral stem and various factors affecting survivorship. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2019, 10, 368-373.	0.6	2
3215	Clinical and radiological evaluation of post total hip arthroplasty patients with acetabulum defect. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2019, 10, 358-363.	0.6	1
3216	Does lumbar arthrodesis compromise outcome of total hip arthroplasty?. <i>HIP International</i> , 2019, 29, 496-503.	0.9	14
3217	Effect of reduction quality on post-operative outcomes in 31-A2 intertrochanteric fractures following intramedullary fixation: a retrospective study based on computerised tomography findings. <i>International Orthopaedics</i> , 2019, 43, 1951-1959.	0.9	29
3218	Clinical and radiological outcome at mean follow-up of 11 years after hip arthroscopy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1-6.	1.3	31
3219	PROMIS: a valid and efficient outcomes instrument for patients with ACL tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 100-104.	2.3	38
3220	The value of a standardized and reproducible surgical technique in treatment of Vancouver B2 periprosthetic fractures: our experience. <i>European Journal of Trauma and Emergency Surgery</i> , 2019, 45, 1031-1038.	0.8	3
3221	An evaluation of proximal femur bone density in young, active patients undergoing total hip arthroplasty at one year postoperatively. <i>HIP International</i> , 2019, 29, 51-57.	0.9	7
3222	Incidence, risk factors and prognosis of transient pseudosubluxation after total hip arthroplasty. <i>HIP International</i> , 2019, 29, 134-140.	0.9	2
3223	Preoperative Performance of the PROMIS in Patients Undergoing Hip Arthroscopic Surgery for Femoroacetabular Impingement Syndrome. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711986007.	0.8	24
3224	Treatment of femoral neck nonunion with a new fixation construct through the Watson-Jones approach. <i>Journal of Orthopaedic Translation</i> , 2019, 19, 126-132.	1.9	8

#	ARTICLE	IF	CITATIONS
3225	Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: a case-control study of 50 patients vs 150 normal controls. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 371.	0.8	10
3226	Patients With Borderline Hip Dysplasia Achieve Clinically Significant Outcome After Arthroscopic Femoroacetabular Impingement Surgery: A Case-Control Study With Minimum 2-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2019, 47, 2636-2645.	1.9	47
3227	Hip scores: A current concept review. <i>British Medical Bulletin</i> , 2019, 131, 81-96.	2.7	20
3228	3D Printed Acetabular Cups for Total Hip Arthroplasty: A Review Article. <i>Metals</i> , 2019, 9, 729.	1.0	61
3229	Longitudinal changes in patient-reported outcome measures following total hip arthroplasty and predictors of deterioration during follow-up. <i>Bone and Joint Journal</i> , 2019, 101-B, 768-778.	1.9	25
3230	A bibliometric analysis of classic publications in web of science category of orthopedics. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 227.	0.9	30
3231	Treatment of basicervical femoral neck fractures with proximal femoral nail antirotation. <i>Journal of International Medical Research</i> , 2019, 47, 4333-4343.	0.4	14
3232	Comparison of Transverse Cancellous Lag Screw and Ordinary Cannulated Screw Fixations in Treatment of Vertical Femoral Neck Fractures. <i>Orthopaedic Surgery</i> , 2019, 11, 595-603.	0.7	23
3233	Cemented Exeter total hip arthroplasty with a 32 mm head on highly crosslinked polyethylene. <i>Bone and Joint Research</i> , 2019, 8, 275-287.	1.3	8
3234	Outcomes after Total Hip Arthroplasty Using a Cementless Sâ€ROM Modular Stem for Patients with High Hip Dislocation Secondary to Hip Pyogenic Arthritis. <i>Orthopaedic Surgery</i> , 2019, 11, 460-466.	0.7	19
3235	Femoral Fixation Methods in Hip Resurfacing Arthroplasty: An 11-Year Retrospective Comparison of 4013 Cases. <i>Journal of Arthroplasty</i> , 2019, 34, 2398-2405.	1.5	5
3236	Total hip arthroplasty with accolade/trident through the direct minimally invasive anterior approach without traction table: Learning curve and results after a minimum of 5 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 931-936.	0.9	13
3237	High risk of positive Trendelenburg test after using the direct lateral approach to the hip compared with the anterolateral approach. <i>Bone and Joint Journal</i> , 2019, 101-B, 793-799.	1.9	17
3238	Pain catastrophizing, anxiety, and depression in hip pathology. <i>Bone and Joint Journal</i> , 2019, 101-B, 800-807.	1.9	84
3239	Evaluation of vitamin E-diffused highly crosslinked polyethylene wear and porous titanium-coated shell stability: a seven-year randomized control trial using radiostereometric analysis. <i>Bone and Joint Journal</i> , 2019, 101-B, 760-767.	1.9	39
3240	How Can We Define Clinically Important Improvement in Pain Scores After Hip Arthroscopy for Femoroacetabular Impingement Syndrome? Minimum 2-Year Follow-up Study. <i>American Journal of Sports Medicine</i> , 2019, 47, 3133-3140.	1.9	56
3241	How to evaluate the clinical outcome of joint-preserving treatment for osteonecrosis of the femoral head: development of a core outcome set. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 317.	0.9	6
3242	Mid-Term Follow-Up of Acetabular Revision Arthroplasty Using Jumbo Cups. <i>Orthopaedic Surgery</i> , 2019, 11, 811-818.	0.7	7



#	ARTICLE	IF	CITATIONS
3243	Outcome of the modified Dunn procedure in severe chronic or acute on chronic slipped capital femoral epiphysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 349.	0.9	12
3244	Hip joint moments in symptomatic vs. asymptomatic people with mild radiographic hip osteoarthritis. <i>Journal of Biomechanics</i> , 2019, 96, 109347.	0.9	7
3245	Risk Factors for Functional Outcomes of the Elderly with Intertrochanteric Fracture: A Retrospective Cohort Study. <i>Orthopaedic Surgery</i> , 2019, 11, 643-652.	0.7	23
3246	Midterm Clinical and Radiographic Outcomes of a Contemporary Monoblock Dual-Mobility Cup in Uncemented Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 2983-2991.	1.5	19
3247	Revascularization of the necrotic femoral head after traumatic open anterior hip dislocation in a child: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 254.	0.4	4
3248	One-staged combined hip and knee arthroplasty: retrospective comparative study at mid-term follow-up. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 301.	0.9	3
3249	Association of Preoperative Gluteal Muscle Fatty Infiltration With Patient Outcomes in Women After Hip Abductor Tendon Repair Augmented With LARS. <i>American Journal of Sports Medicine</i> , 2019, 47, 3148-3157.	1.9	16
3250	Clinical and radiographic outcomes of total hip replacement with a 3-part metaphyseal osseointegrated titanium alloy stem enhanced with low plasticity burnishing: a mean 5-year follow-up study. <i>Arthroplasty Today</i> , 2019, 5, 352-357.	0.8	3
3251	Comparative cohort study of the SuperPath approach and the conventional posterior approach in primary cementless hip replacement surgery. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2019, 63, 346-354.	0.1	3
3252	Long-term survival of hybrid total hip arthroplasty with the uncemented CLS cup, cemented Müller cobalt-chromium stem, and 28-mm Metasul,® bearings: Retrospective review of 115 hips after a minimum of 17.8 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1289-1295.	0.9	9
3253	Femoral neck preservation with a short hip stem produced with powder manufacturing: mid-term results of a consecutive case series. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 801-806.	0.6	0
3254	Mild Coronal Stem Malalignment Does Not Negatively Impact Survivorship or Clinical Results in Uncemented Primary Total Hip Arthroplasties With Dual-Tapered Implants. <i>Journal of Arthroplasty</i> , 2019, 34, 1127-1131.	1.5	10
3255	Lumbar fusion involving the sacrum increases dislocation risk in primary total hip arthroplasty. <i>Bone and Joint Journal</i> , 2019, 101-B, 198-206.	1.9	92
3256	Accuracy and practicability of a patient-specific guide using acetabular superolateral rim during THA in Crowe II/III DDH patients: a retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 19.	0.9	17
3257	Effect of surgical approach for contralateral side hip arthroplasty in below knee amputees: a retrospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 3.	0.8	1
3258	Do Postoperative Results Differ in a Randomized Trial Between a Direct Anterior and a Direct Lateral Approach in THA?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 145-155.	0.7	42
3259	Is there evidence to support an indication for surface replacement arthroplasty?. <i>Bone and Joint Journal</i> , 2019, 101-B, 32-40.	1.9	22
3260	A single centre study of 41 cases on the use of porous tantalum metal implants in acetabular revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 238.	0.8	7

#	ARTICLE	IF	CITATIONS
3261	Is there a correlation between outcomes after hip arthroscopy for femoroacetabular impingement syndrome and patient cortical bone thickness?. <i>Journal of Hip Preservation Surgery</i> , 2019, 6, 16-24.	0.6	10
3262	Long-Term Outcomes of Ultra-Short Metaphyseal-Fitting Anatomic Cementless Femoral Stem in Total Hip Arthroplasty With Ceramic-on-Ceramic Articulation for Young Patients. <i>Journal of Arthroplasty</i> , 2019, 34, 2427-2433.	1.5	13
3263	ALDI (Anterior Lateral Decubitus Intermuscular) approach to the hip: Comprehensive description of the surgical technique with operative video. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 923-930.	0.9	4
3264	Cup-Cage Construct Using Porous Cup with Burch-Schneider Cage in the Management of Complex Acetabular Fractures. <i>Hip and Pelvis</i> , 2019, 31, 87.	0.6	12
3265	Acetabular Erosion After Bipolar Hemiarthroplasty in Proximal Femoral Replacement for Malignant Bone Tumors. <i>Journal of Arthroplasty</i> , 2019, 34, 2692-2697.	1.5	15
3266	Acetabular revision arthroplasty using press-fitted jumbo cups: an average 10-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1149-1160.	1.3	12
3267	Acute total hip arthroplasty in acetabular fractures using modern porous metal cup. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901985543.	0.4	16
3268	Long-term comparative study of large-diameter metal-on-metal bearings: Resurfacing versus total arthroplasty with large-diameter Duromâ„¢ bearing. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 943-948.	0.9	12
3269	Comparison of two metaphyseal-fitting (short) femoral stems in primary total hip arthroplasty: study protocol for a prospective randomized clinical trial with additional biomechanical testing and finite element analysis. <i>Trials</i> , 2019, 20, 359.	0.7	12
3270	Ten-year outcomes of cementless anatomical femoral implants after 3D computed tomography planning. Follow-up note. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 937-942.	0.9	8
3271	Short-term daily teriparatide improve postoperative functional outcome and fracture healing in unstable intertrochanteric fractures. <i>Injury</i> , 2019, 50, 1364-1370.	0.7	31
3272	Minimally invasive open reduction combined with proximal femoral hollow locking plate in the treatment of Pauwels type III femoral neck fracture. <i>Journal of International Medical Research</i> , 2019, 47, 3050-3060.	0.4	8
3273	Survivorship and Outcome of Hip Arthroscopy for Femoroacetabular Impingement Syndrome Performed With Modern Surgical Techniques. <i>American Journal of Sports Medicine</i> , 2019, 47, 1662-1669.	1.9	83
3274	Fifty-six percent of proximal femoral cortical hypertrophies 6 to 10 years after Total hip arthroplasty with a short Cementless curved hip stem â€” a cause for concern?. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 261.	0.8	16
3275	Changes in Alignment of Ipsilateral Knee on Computed Tomography after Total Hip Arthroplasty for Developmental Dysplasia of the Hip. <i>Orthopaedic Surgery</i> , 2019, 11, 397-404.	0.7	9
3276	Outcomes of repeat two-stage exchange hip arthroplasty for prosthetic joint infection. <i>Bone and Joint Journal</i> , 2019, 101-B, 110-115.	1.9	33
3277	Unipolar versus bipolar hemiarthroplasty for displaced femoral neck fractures: A pooled analysis of 30,250 participants data. <i>Injury</i> , 2019, 50, 1694-1708.	0.7	17
3278	Uniformly low serum cobalt levels after modular dual-mobility total hip arthroplasties with ceramic heads. <i>Bone and Joint Journal</i> , 2019, 101-B, 57-61.	1.9	30

#	ARTICLE	IF	CITATIONS
3279	Incidence and treatment of abductor deficiency during total hip arthroplasty using the posterior approach. <i>Bone and Joint Journal</i> , 2019, 101-B, 116-122.	1.9	25
3280	Long-term outcomes of Wagner self-locking stem with bone allograft for Paprosky type II and III bone defects in revision total hip arthroplasty: A mean 15.7-year follow-up. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901985415.	0.4	13
3281	Responsiveness of the Victorian Institute for Sport Assessment for Gluteal Tendinopathy (VISA-G), modified Harris hip and Oxford hip scores in patients undergoing hip abductor tendon repair. <i>Musculoskeletal Science and Practice</i> , 2019, 43, 1-5.	0.6	16
3282	Do component position and muscle strength affect the cup-head translation during gait after total hip arthroplasty?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1263-1269.	0.6	4
3283	First application of three-dimensional designing total hip arthroplasty with long uncemented stem for fibrous dysplasia patients combined with hip joint osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 222.	0.8	10
3284	A systematic review of short metaphyseal loading cementless stems in hip arthroplasty. <i>Bone and Joint Journal</i> , 2019, 101-B, 502-511.	1.9	42
3285	Host-specific factors affect the pathogenesis of adverse reaction to metal debris. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 195.	0.8	6
3286	Accumulation of microdamage and low bone mass in the femoral head as a cause of subchondral insufficiency fracture in a patient with osteogenesis imperfecta. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 768-772.	1.3	1
3287	Arthroscopic Surgery for Femoroacetabular Impingement in Skeletally Immature Athletes: Radiographic and Clinical Analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1819-1825.	1.3	19
3288	Is Microfracture Necessary? Acetabular Chondrolabral Debridement/Abrasion Demonstrates Similar Outcomes and Survival to Microfracture in Hip Arthroscopy: A Multicenter Analysis. <i>American Journal of Sports Medicine</i> , 2019, 47, 1670-1678.	1.9	32
3289	Revision of Failed Metal-on-Metal Total Hip Arthroplasty: Midterm Outcomes of 203 Consecutive Cases. <i>Journal of Arthroplasty</i> , 2019, 34, 1755-1760.	1.5	20
3290	Stem length in primary cementless total hip arthroplasty: Does it make a difference in bone remodeling?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1235-1242.	0.6	8
3291	Influence of surgical approach on final outcome in total hip arthroplasty for osteoarthritis in patients older than 80 years. <i>Journal of Orthopaedics</i> , 2019, 16, 334-336.	0.6	4
3292	Prior arthroscopic treatment for femoro-acetabular impingement does not compromise hip arthroplasty outcomes: a matched-controlled study with minimum two-year follow-up. <i>International Orthopaedics</i> , 2019, 43, 1591-1596.	0.9	6
3293	Cementless short-stem total hip arthroplasty in the elderly patient - is it a safe option?: a prospective multicentre observational study. <i>BMC Geriatrics</i> , 2019, 19, 112.	1.1	44
3294	Effects of Total Hip Arthroplasty on Axial Alignment of the Lower Limb in Patients with Unilateral Developmental Hip Dysplasia (Crowe type IV). <i>Journal of Arthroplasty</i> , 2019, 34, 2406-2414.	1.5	8
3295	What Is the Prevalence of Cam Deformity After Prophylactic Pinning of the Contralateral Asymptomatic Hip in Unilateral Slipped Capital Femoral Epiphysis? A 10-year Minimum Followup Study. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1111-1122.	0.7	25
3296	Periportal Capsulotomy: Technique and Outcomes for a Limited Capsulotomy During Hip Arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1120-1127.	1.3	41

#	ARTICLE	IF	CITATIONS
3297	TÅnnis triple pelvic osteotomy for the management of late residual acetabular dysplasia: mid-term to long-term follow-up study of 54 patients. <i>Journal of Pediatric Orthopaedics Part B</i> , 2019, 28, 202-206.	0.3	18
3298	Robotâ€assisted Percutaneous Cannulated Screw Fixation of Femoral Neck Fractures: Preliminary Clinical Results. <i>Orthopaedic Surgery</i> , 2019, 11, 34-41.	0.7	25
3299	Reconstruction of acetabular defects with porous tantalum shells and augments in revision total hip arthroplasty at ten-year follow-up. <i>Bone and Joint Journal</i> , 2019, 101-B, 311-316.	1.9	54
3300	Effect of leg-length discrepancy following total hip arthroplasty on collapse of the contralateral hip in bilateral non-traumatic osteonecrosis of the femoral head. <i>Bone and Joint Journal</i> , 2019, 101-B, 303-310.	1.9	10
3301	Prevalence and natural course of pseudotumours after small-head metal-on-metal total hip arthroplasty. <i>Bone and Joint Journal</i> , 2019, 101-B, 317-324.	1.9	12
3302	The Exeter Short Revision Stem for Cement-in-Cement Femoral Revision: A Five to Twelve Year Review. <i>Journal of Arthroplasty</i> , 2019, 34, S297-S301.	1.5	16
3303	Vancouver B2 Peri-Prosthetic Fractures in Cemented Femoral Implants can be Treated With Open Reduction and Internal Fixation Alone Without Revision. <i>Journal of Arthroplasty</i> , 2019, 34, 1430-1434.	1.5	37
3304	Does the direct anterior approach allow earlier recovery of walking following total hip arthroplasty? A randomized prospective trial using accelerometry. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 445-452.	0.9	34
3305	Primary total hip arthroplasty with fourth-generation ceramic bearings: Clinical and survival results with a minimum follow-up of 5 years. <i>Revista EspaÃ±ola De CirugÃa OrtopÃ©dica Y TraumatologÃa</i> , 2019, 63, 110-121.	0.1	0
3306	Structured-mentorship Program for Periacetabular Osteotomy Resulted in Few Complications for a Low-volume Pelvic Surgeon. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1126-1134.	0.7	8
3307	The DePuy Proximaâ„¢ short stem for total hip arthroplasty â€“ Excellent outcome at a minimum of 7 years. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901983866.	0.4	14
3308	The outcome of total hip arthroplasty in patients with developmental dysplasia of the hip. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2019, 32, 913-919.	0.4	2
3309	Sports Therapy Interventions Following Total Hip Replacement. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2019, 116, 1-8.	0.6	13
3310	Dual mobility cups in total hip arthroplasty after failed internal fixation of proximal femoral fractures. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 491-495.	0.9	23
3311	Is a modular dual mobility acetabulum a viable option for the young, active total hip arthroplasty patient?. <i>Bone and Joint Journal</i> , 2019, 101-B, 365-371.	1.9	40
3312	Single-stage treatment of chronically infected total hip arthroplasty with cementless reconstruction. <i>Bone and Joint Journal</i> , 2019, 101-B, 396-402.	1.9	27
3313	Rotational acetabular osteotomy for symptomatic hip dysplasia in patients younger than 21 years of age. <i>Bone and Joint Journal</i> , 2019, 101-B, 390-395.	1.9	4
3314	Patients with severe slipped capital femoral epiphysis treated by the modified Dunn procedure have low rates of avascular necrosis, good outcomes, and little osteoarthritis at long-term follow-up. <i>Bone and Joint Journal</i> , 2019, 101-B, 403-414.	1.9	45

#	ARTICLE	IF	CITATIONS
3315	A Comparison Study of the Outcomes of Ceramic-on-Ceramic Total Hip Arthroplasty in Young vs Older Patients: A Minimum 10-Year Follow-Up Prospective Matched Study. <i>Journal of Arthroplasty</i> , 2019, 34, 1731-1735.	1.5	6
3316	Retrospective Long-Term Follow-Up Survival Analysis of the Management of Osteonecrosis of the Femoral Head With Pedicled Vascularized Iliac Bone Graft Transfer. <i>Journal of Arthroplasty</i> , 2019, 34, 1585-1592.	1.5	22
3317	Total Hip Arthroplasty in Human Immunodeficiency Virus-Positive Patients: A Concise Follow-Up at 10 to 14 Years. <i>Journal of Arthroplasty</i> , 2019, 34, 522-526.	1.5	15
3318	Dislocation rates with combinations of anti-protrusio cages and dual mobility cups in revision cases: Are we safe?. <i>PLoS ONE</i> , 2019, 14, e0212072.	1.1	5
3319	Uncemented Total Hip Arthroplasty Through the Direct Anterior Approach: Analysis of a Consecutive Series of 275 Hips With a Minimum Follow-Up of 10 Years. <i>Journal of Arthroplasty</i> , 2019, 34, 1132-1138.	1.5	21
3320	A Reliable Femoral Osteotomy in Total Hip Arthroplasty for Hartofilakidis Type C Developmental Dysplasia of the Hip: Proximal Femoral Reconstruction. <i>Journal of Arthroplasty</i> , 2019, 34, 1162-1167.	1.5	6
3321	Influence of hip joint dysfunction on motor disorders in Japanese patients with osteoarthritis of the hip: Assessment of the JHEQ and GLFS-25 scores and hip muscle strength. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 45-49.	1.4	4
3322	Differences in magnetic resonance findings between symptomatic and asymptomatic pre-collapse osteonecrosis of the femoral head. <i>European Journal of Radiology</i> , 2019, 112, 1-6.	1.2	21
3323	Common Scales and Checklists in Sports Medicine Research. , 2019, , 437-470.		2
3324	Results of 200 Consecutive Ceramic-on-Ceramic Cementless Hip Arthroplasties in Patients Up To 50 Years of Age: A 5-24 Years of Follow-Up Study. <i>Journal of Arthroplasty</i> , 2019, 34, S232-S237.	1.5	20
3325	Two stage revision with a proximal femur replacement. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 58.	0.8	13
3326	L'existence d'une dysplasie acétabulaire modifie-t-elle le résultat du traitement arthroscopique du conflit fémoro-acétabulaire par effet came? Étude cas témoin chez des patients avec et sans dysplasie acétabulaire. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 6-10.	0.0	1
3327	Utilization of a Wide Array of Nonvalidated Outcome Scales in Pediatric Orthopaedic Publications: Can We All Measure the Same Thing?. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, e153-e158.	0.6	21
3328	Long-Term Survival of Retained Cementless Hip Stems at an Average of 13 Years After Isolated Cup Revision. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 265-269.	1.4	6
3329	Relationship Between PROMIS Computer Adaptive Tests and Legacy Hip Measures Among Patients Presenting to a Tertiary Care Hip Preservation Center. <i>American Journal of Sports Medicine</i> , 2019, 47, 876-884.	1.9	37
3330	Cementless hip arthroplasty and transverse shortening femoral osteotomy with the S-ROM stem for Crowe type IV developmental dysplasia. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1025-1033.	0.6	33
3331	Predicting changes in the status of patient-reported outcome measures after Birmingham Hip Resurfacing. <i>Bone and Joint Journal</i> , 2019, 101-B, 1431-1437.	1.9	4
3332	Mid-Term Outcome of Total Hip Arthroplasty in Patients With Progressive Pseudorheumatoid Dysplasia. <i>Journal of Clinical Rheumatology</i> , 2019, Publish Ahead of Print, 156-160.	0.5	3

#	ARTICLE	IF	CITATIONS
3333	Titanium acetabular cementless cups combined with highly crosslinked polyethylene liner have very low rates of aseptic loosening. <i>Technology and Health Care</i> , 2020, 28, 415-423.	0.5	1
3334	Femoral Bone Remodeling in Revision Total Hip Arthroplasty with Use of Modular Compared with Monoblock Tapered Fluted Titanium Stems. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 531-538.	1.4	19
3335	High survivorship of highly cross-linked polyethylene in revision Total hip Arthroplasty: a minimum 10-year follow-up study. <i>Arthroplasty</i> , 2019, 1, 16.	0.9	8
3336	Radiographic analysis of subclinical appearances of the hip joint among patients with labral tears. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 369.	0.9	4
3337	An observational descriptive cross sectional multicenter study of health related quality of life among Iraqi patients after total hip replacement. <i>Annals of Medicine and Surgery</i> , 2019, 48, 118-121.	0.5	0
3338	Résultats à long terme d'un pivot fémoral anatomique sans ciment pour des arthroplasties primaires de hanche après planification tri-dimensionnelle tomodensitométrique. Note de suivi. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 594-599.	0.0	0
3339	Use of Platelet-Rich Plasma for the Treatment of Acetabular Labral Tear of the Hip. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 1010-1017.	0.7	8
3340	Primary total hip arthroplasty using an uncemented Wagner SL stem in elderly patients with Dorr type C femoral bone. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 377.	0.9	7
3341	Limping Following Primary Total Hip Replacement. <i>JBJS Open Access</i> , 2019, 4, e0043.	0.8	7
3342	Psychometric Properties of Patient-Reported Outcome Measures for Periacetabular Osteotomy. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, e21.	1.4	32
3343	Free vascularized iliac bone flap based on deep circumflex iliac vessels graft for the treatment of osteonecrosis of femoral head. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 397.	0.9	19
3344	Is There an Association Between Preoperative Expectations and Patient-Reported Outcome After Hip Arthroscopy for Femoroacetabular Impingement Syndrome?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 3250-3258.e1.	1.3	15
3345	Outcome Trends After Hip Arthroscopy for Femoroacetabular Impingement: When Do Patients Improve?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 3261-3270.	1.3	47
3346	Gait Variability in Women With Hip Osteoarthritis Before and After Total Hip Replacement. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 866-871.	0.7	9
3347	What Preoperative Factors are Associated With Not Achieving a Minimum Clinically Important Difference After THA? Findings from an International Multicenter Study. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1301-1312.	0.7	24
3348	CORR Insights®: The EQ-5D-5L is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 1645-1647.	0.7	1
3349	A single-component and hemi-hip prosthesis followed up for 43 years. <i>Medicine (United States)</i> , 2019, 98, e14563.	0.4	1
3350	Intramedullary nailing for pertrochanteric fractures of proximal femur: a consecutive series of 323 patients treated with two devices. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 449.	0.9	10

#	ARTICLE	IF	CITATIONS
3351	Dual-Energy Computed Tomography in Loosening of Revision Hip Prosthesis. <i>Journal of Computer Assisted Tomography</i> , 2019, 43, 379-385.	0.5	4
3352	External Validity of the HOPE-Trial. <i>JBJS Open Access</i> , 2019, 4, e0061.	0.8	11
3353	A meta-analysis comparing intramedullary with extramedullary fixations for unstable femoral intertrochanteric fractures. <i>Medicine (United States)</i> , 2019, 98, e17010.	0.4	20
3354	Vascularized Fibular Grafting in Treatment of Femoral Neck Nonunion. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1294-1300.	1.4	13
3355	Validity of PROMIS physical function in patients with hip dysplasia treated with periacetabular osteotomy. <i>Journal of Hip Preservation Surgery</i> , 2019, , .	0.6	0
3356	Individual Patient-reported Activity Levels Before and After Joint Arthroplasty Are Neither Accurate nor Reproducible. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 536-544.	0.7	22
3357	Polyethylene Liner and Femoral Head Exchange in Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 421-428.	1.4	20
3358	Long-Term Outcomes of Constrained Liners Cemented into Retained, Well-Fixed Acetabular Components. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 620-627.	1.4	26
3359	The Role of Immune Regulatory Cells in Nontraumatic Osteonecrosis of the Femoral Head: A Retrospective Clinical Study. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	13
3360	Dual offset metaphyseal-filling stems in primary total hip arthroplasty in dysplastic hips after a minimum follow-up of ten years. <i>International Orthopaedics</i> , 2019, 43, 2039-2046.	0.9	7
3361	Total Hip Arthroplasty in Ankylosing Spondylitis With Extension Contracture of Hips. <i>Journal of Arthroplasty</i> , 2019, 34, 71-76.	1.5	13
3362	Development of periprosthetic bone mass density around the cementless Metha® short hip stem during three year follow up a prospective radiological and clinical study. <i>International Orthopaedics</i> , 2019, 43, 2031-2037.	0.9	8
3363	Cementless revision femoral stems application of press-fit principles and clinical outcomes. <i>International Orthopaedics</i> , 2019, 43, 2261-2267.	0.9	4
3364	Revision total hip arthroplasty with metal on metal bearing for ceramic bearing fractures. <i>Journal of Orthopaedic Science</i> , 2019, 24, 452-457.	0.5	2
3365	A comparison of clinical, radiographic and surgical outcomes of total hip arthroplasty between direct anterior and posterior approaches: a systematic review and meta-analysis. <i>HIP International</i> , 2019, 29, 584-596.	0.9	50
3366	The gait deviations of ankylosing spondylitis with hip involvement. <i>Clinical Rheumatology</i> , 2019, 38, 1163-1175.	1.0	12
3367	Fourteen-year experience with short cemented stems in total hip replacement. <i>International Orthopaedics</i> , 2019, 43, 55-61.	0.9	9
3368	Autologous bone marrow derived CD133 cells with core decompression as a novel treatment method for femoral head osteonecrosis: a pilot study. <i>Cytotherapy</i> , 2019, 21, 107-112.	0.3	11

#	ARTICLE	IF	CITATIONS
3369	A 12-item short form of the Hip disability and Osteoarthritis Outcome Score (HOOS-12): tests of reliability, validity and responsiveness. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 754-761.	0.6	47
3370	Long-Term Results of Medial Unicompartmental Knee Arthroplasty for Knee Avascular Necrosis. <i>Journal of Arthroplasty</i> , 2019, 34, 465-468.	1.5	24
3371	Internal fixation of acetabular fractures in an older population using the lateral-rectus approach: short-term outcomes of a retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 4.	0.9	12
3372	Screw Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures in Elderly Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 136-144.	1.4	94
3373	Does Prior Hip Arthroscopy Affect Outcomes of Subsequent Hip Arthroplasty? A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 631-643.	1.3	11
3374	Does acetabular dysplasia affect outcome in arthroscopic treatment of cam femoroacetabular impingement? Case-control study with and without acetabular dysplasia. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 7-10.	0.9	9
3375	Prácticas total de cadera primaria con par de fricción cerámica sobre cerámica de cuarta generación: resultados clínicos y de supervivencia con un seguimiento mínimo de 5 años. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2019, 63, 110-121.	0.1	4
3376	Comparison of total hip arthroplasty surgical approaches by Statistical Parametric Mapping. <i>Clinical Biomechanics</i> , 2019, 62, 7-14.	0.5	12
3377	Dynamic hip kinematics during recreational classical ballet and hula dance after total hip arthroplasty: two case reports. <i>Journal of Medical Case Reports</i> , 2019, 13, 11.	0.4	6
3378	Long-Term Results of a 2-Stage Exchange Protocol for Periprosthetic Joint Infection Following Total Hip Arthroplasty in 164 Hips. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 74-84.	1.4	51
3379	A meta-analysis comparing the direct anterior with other approaches in primary total hip arthroplasty. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2019, 17, 291-299.	0.8	28
3380	A 20-year follow-up evaluation of total hip arthroplasty in patients younger than 50 using a custom cementless stem. <i>HIP International</i> , 2019, 29, 481-488.	0.9	12
3381	Total Hip Arthroplasty Reduces Pain and Improves Function in Patients With Spondyloepiphyseal Dysplasia: A Long-Term Outcome Study of 50 Cases. <i>Journal of Arthroplasty</i> , 2019, 34, 517-521.	1.5	5
3382	Outcomes of Primary Total Knee Arthroplasty in Patients With Ehlers-Danlos Syndromes. <i>Journal of Arthroplasty</i> , 2019, 34, 315-318.	1.5	8
3383	Outcomes of acetabular fractures in the elderly: a five year retrospective study of twenty seven patients with primary total hip replacement. <i>International Orthopaedics</i> , 2019, 43, 2383-2389.	0.9	28
3384	Retrograde fixation of the lesser trochanter in the adolescent: new surgical technique and clinical results of two cases. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 537-545.	1.3	5
3385	Intramedullary nails with cannulated screw fixation for the treatment of unstable femoral neck fractures. <i>Journal of International Medical Research</i> , 2019, 47, 557-568.	0.4	16
3386	Preoperative Symptom Duration Is Associated With Outcomes After Hip Arthroscopy. <i>American Journal of Sports Medicine</i> , 2019, 47, 131-137.	1.9	50



#	ARTICLE	IF	CITATIONS
3387	Pelvic pitch and roll during total hip arthroplasty performed through a posterolateral approach. A potential source of error in free-hand cup positioning. <i>International Orthopaedics</i> , 2019, 43, 1823-1829.	0.9	12
3388	Utilizing the Time Trade-Off, Standard Gamble, and Willingness to Pay Utility Measures to Evaluate Health-Related Quality of Life Prior to Knee or Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 9-14.	1.5	3
3389	Midterm Results of Total Hip Arthroplasty in Patients With High Hip Dislocation After Suppurative Hip Arthritis. <i>Journal of Arthroplasty</i> , 2019, 34, 102-107.	1.5	25
3390	Long-term results of isolated acetabular revisions with reinforcement rings: a 10- to 15-year follow-up. <i>HIP International</i> , 2019, 29, 385-392.	0.9	17
3391	Measuring limitations in activities of daily living: a population-based validation of a short questionnaire. <i>International Journal of Occupational Safety and Ergonomics</i> , 2019, 25, 17-26.	1.1	1
3392	Incidence and Risk Factors for Falls in Women With End-Stage Hip Osteoarthritis. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 161-166.	0.6	17
3393	Comparison of Intra- and Extramedullary Implants in Treatment of Unstable Intertrochanteric Fractures. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2019, 10, 290-295.	0.6	13
3394	Outcomes of Vancouver B2 and B3 periprosthetic femoral fractures after total hip arthroplasty in elderly patients. <i>HIP International</i> , 2019, 29, 184-190.	0.9	23
3395	Treatment of Slipped Capital Femoral Epiphysis With the Modified Dunn Procedure: A Multicenter Study. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, 71-75.	0.6	25
3396	Cementless jumbo cups for revision of failed Furlong prosthesis. A case series. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, 56-61.	0.6	4
3397	Impact of intraoperative femoral fractures in primary hip arthroplasty: a comparative study with a mid-term follow-up. <i>HIP International</i> , 2020, 30, 544-551.	0.9	14
3398	Prior unilateral total hip arthroplasty does not influence the outcome of ipsilateral total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1452-1457.	2.3	4
3399	Operative versus non-operative treatment of displaced acetabular fractures in elderly patients. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 571-577.	1.4	17
3400	Mid-term follow-up after all-size acetabular revision and proposal for a stability classification system. <i>HIP International</i> , 2020, 30, 431-437.	0.9	4
3401	The influence of depression on patient-reported outcomes for hip-fracture patients 1Âyear after surgery: a prospective cohort study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 247-255.	1.4	12
3402	An excellent 5-year survival rate despite a high incidence of distal femoral cortical hypertrophy in a short hip stem. <i>HIP International</i> , 2020, 30, 152-159.	0.9	5
3403	The Delta of Correction: a novel, more reliable variable than limb-length discrepancy at predicting outcome after total hip arthroplasty. <i>HIP International</i> , 2020, 30, 536-543.	0.9	1
3404	Effects of anterior boundary of the necrotic lesion on the progressive collapse after varus osteotomy for osteonecrosis of the femoral head. <i>Journal of Orthopaedic Science</i> , 2020, 25, 145-151.	0.5	7

#	ARTICLE	IF	CITATIONS
3405	Pseudotumours, cobalt and clinical outcome in small head metal-on-metal versus conventional metal-on-polyethylene total hip arthroplasty. <i>HIP International</i> , 2020, 30, 56-63.	0.9	5
3406	Total hip arthroplasty after acetabular fracture: does initial treatment make any difference to the outcome? A 5- to 23-year follow-up with clinical and radiological analysis. <i>HIP International</i> , 2020, 30, 339-346.	0.9	10
3407	Association between longitudinal clinical outcomes in patients with hip fracture and their pre-fracture place of residence. <i>Psychogeriatrics</i> , 2020, 20, 11-19.	0.6	7
3408	Open Reduction and Internal Fixation for the Treatment of Symptomatic Osteochondritis Dissecans of the Femoral Head in Patients With Sequelae of Legg-Calvé-Perthes Disease. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, 120-128.	0.6	11
3409	Low Revision Rates at More Than 10 Years for Dual-Mobility Cups Cemented Into Cages in Complex Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 513-519.	1.5	15
3410	Total hip arthroplasty following acetabular fracture: a clinical and radiographic outcome analysis of 67 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 331-341.	1.3	10
3411	Ultra-Short Anatomic Uncemented Femoral Stem and Ceramic-on-Ceramic Bearing in Patients With Idiopathic or Ethanol-Induced Femoral Head Osteonecrosis. <i>Journal of Arthroplasty</i> , 2020, 35, 212-218.	1.5	10
3412	Revision hip arthroplasty with a rectangular tapered cementless stem: a retrospective study of the SLR-Plus stem at a mean follow-up of 4.1 years. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 281-289.	0.6	2
3413	Long-term outcome after revision of hip arthroplasty with the BioBall® adapter system in multimorbid patients. <i>Journal of Orthopaedic Translation</i> , 2020, 22, 43-49.	1.9	3
3414	Efficacy of preemptive analgesia versus postoperative analgesia of celecoxib on postoperative pain, patients' global assessment and hip function recovery in femoroacetabular impingement patients underwent hip arthroscopy surgery. <i>Inflammopharmacology</i> , 2020, 28, 131-137.	1.9	15
3415	MRI hip findings in asymptomatic professional rugby players, ballet dancers, and age-matched controls. <i>Clinical Radiology</i> , 2020, 75, 116-122.	0.5	11
3416	Eighteen-Year Follow-Up Study of 2 Alternative Bearing Surfaces Used in Total Hip Arthroplasty in the Same Young Patients. <i>Journal of Arthroplasty</i> , 2020, 35, 824-830.	1.5	19
3417	Rheumatoid arthritis disease activity and the risk of aseptic arthroplasty loosening. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 245-251.	1.6	20
3418	In vivo kinematics, component alignment and hardware variables influence on the liner-to-neck clearance during chair-rising after total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2020, 25, 452-459.	0.5	5
3419	The Survivorship of the Uncemented Iso-Elastic Monoblock Acetabular Component at a Mean of 6-Year Follow-up. <i>HSS Journal</i> , 2020, 16, 15-22.	0.7	6
3420	Ultrasound-based decision making following metal-on-metal hip arthroplasty. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, 79-84.	0.6	5
3421	Outcomes of conversion THA after failed porous tantalum implant for osteonecrosis of the femoral head: a comparative matched study. <i>HIP International</i> , 2020, 30, 703-710.	0.9	1
3423	Correlation of MARS MRI findings with cup position, metal ion levels and function in metal-on-metal total hip arthroplasty. <i>HIP International</i> , 2020, 30, 64-70.	0.9	1

#	ARTICLE	IF	CITATIONS
3424	Changes in Patient Satisfaction Following Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 32-38.	1.5	39
3425	The Patient Acceptable Symptom State for the Harris Hip Score Following Total Hip Arthroplasty: Validated Thresholds at 3-Month, 1-, 3-, 5-, and 7-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, 145-152.e2.	1.5	27
3426	Clinical and radiological results with a 36-mm cobalt-chrome prosthetic head, cross-linked Durasul liners associated with Allofit cups: a more than 10-year follow-up period. <i>HIP International</i> , 2020, 30, 446-451.	0.9	2
3427	Radiographic evaluation of hip resurfacing: the role of x-rays in the diagnosis of a problematic resurfaced hip. <i>HIP International</i> , 2020, 30, 167-175.	0.9	2
3428	Highly Cross-Linked Polyethylene in Total Hip Arthroplasty in Patients Younger Than 50 Years With Osteonecrosis of the Femoral Head: A Minimum of 10 Years of Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, 805-810.	1.5	19
3429	Monoflanged Custom-Made Acetabular Components Promote Biomechanical Restoration of Severe Acetabular Bone Defects by Metallic Defect Reconstruction. <i>Journal of Arthroplasty</i> , 2020, 35, 831-835.	1.5	15
3430	Vitamin E-blended versus conventional polyethylene liners in prostheses. <i>Der Orthopade</i> , 2020, 49, 1077-1085.	0.7	9
3431	Peripheral Blood Stem Cell Therapy Does Not Improve Outcomes of Femoral Head Osteonecrosis With Cap-shaped Separated Cartilage Defect. <i>Journal of Orthopaedic Research</i> , 2020, 38, 269-276.	1.2	8
3432	Hybrid Assistive Limb improves restricted hip extension after total hip arthroplasty. <i>Assistive Technology</i> , 2020, , 1-9.	1.2	6
3433	Safety of Use of Tantalum in Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 368-374.	1.4	9
3434	Computed Tomographic Osteolytic Analysis of a First-Generation Remelted Highly Cross-Linked Polyethylene in Total Hip Arthroplasty at a Minimum of 15-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, 1417-1423.	1.5	9
3435	Is There a Benefit to Modularity for Femoral Revisions When Using a Splined, Tapered Titanium Stem?. <i>Journal of Arthroplasty</i> , 2020, 35, S278-S283.	1.5	7
3436	Functional and radiological outcome of uncemented total hip arthroplasty in young adults - 5 year follow-up. <i>Journal of Orthopaedics</i> , 2020, 18, 237-239.	0.6	4
3437	Gait kinematics of the hip, pelvis, and trunk associated with external hip adduction moment in patients with secondary hip osteoarthritis: toward determination of the key point in gait modification. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 8.	0.8	10
3438	Radiological results of Shelf acetabuloplasty in adolescent hip dysplasia with aspherical femoral head: how to get an ideal placement of the Shelf graft. <i>Journal of Pediatric Orthopaedics Part B</i> , 2020, 29, 261-267.	0.3	1
3439	Supercapsular percutaneously-assisted total hip (SuperPath) versus posterolateral total hip arthroplasty in bilateral osteonecrosis of the femoral head: a pilot clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 2.	0.8	25
3440	Comparison of surgical and nonsurgical containment methods for patients with Legg-Calvé-Perthes disease of the onset ages between 6.0 and 8.0 years: Salter osteotomy versus a non-weight-bearing hip flexion-abduction brace. <i>Journal of Pediatric Orthopaedics Part B</i> , 2020, 29, 542-549.	0.3	6
3441	Intertrochanteric Imhäuser osteotomy combined with osteochondroplasty in treatment of moderate-severe stable slipped capital femoral epiphysis: a case series study. <i>Journal of Pediatric Orthopaedics Part B</i> , 2020, 29, 283-291.	0.3	5

#	ARTICLE	IF	CITATIONS
3442	Arthroscopic Treatment of Acute Septic Arthritis of the Hip Joint in Pediatric Patients Aged 10 Years or Younger. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 464-472.	1.3	5
3443	Patient-reported outcomes: Which ones are most relevant?. <i>Injury</i> , 2020, 51, S37-S42.	0.7	6
3444	Comparing Outcomes of Competitive Athletes Versus Nonathletes Undergoing Hip Arthroscopy for Treatment of Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2020, 48, 159-166.	1.9	30
3445	Rehabilitation protocols in unstable trochanteric fractures treated with cephalomedullary nails in elderly: current practices and outcome. <i>European Journal of Trauma and Emergency Surgery</i> , 2020, 46, 1267-1280.	0.8	8
3446	Clinical, radiographic, and survivorship analysis of a modular fluted tapered stem in revision hip arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949901989163.	0.4	5
3447	Total hip arthroplasty without subtrochanteric femoral osteotomy is possible in patients with Crowe III/IV developmental dysplasia: total hip arthroplasty without femoral osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 409-413.	1.3	5
3448	Mid-term results after revision total hip arthroplasty with custom-made acetabular implants in patients with Paprosky III acetabular bone loss. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 263-273.	1.3	23
3449	Long-Term Survival of the Cemented Exeter Universal Stem in Patients 50 Years and Younger: An Update on 130 Hips. <i>Journal of Arthroplasty</i> , 2020, 35, 1042-1047.	1.5	31
3450	Surgical repair for abductor lesion after revision total hip arthroplasty: a systematic review. <i>HIP International</i> , 2020, 30, 380-390.	0.9	5
3451	Outcome of short- to medium-term migration analysis of a cementless short stem total hip arthroplasty using EBRA-FCA: a radiological and clinical study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 247-253.	1.3	15
3452	Defining Meaningful Functional Improvement on the Visual Analog Scale for Satisfaction at 2 Years After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 734-742.e2.	1.3	29
3453	Comparison of functional and patient-reported outcomes between direct anterior and lateral surgical approach one-year after total hip arthroplasty in a Canadian population: A cross-sectional study. <i>Journal of Orthopaedics</i> , 2020, 19, 36-40.	0.6	7
3454	Flexible Ultrasonic Transducer Array with Bulk PZT for Adjuvant Treatment of Bone Injury. <i>Sensors</i> , 2020, 20, 86.	2.1	24
3455	Application of Machine Learning for Predicting Clinically Meaningful Outcome After Arthroscopic Femoroacetabular Impingement Surgery. <i>American Journal of Sports Medicine</i> , 2020, 48, 415-423.	1.9	48
3456	The Influence of Lumbosacral Spine Pathology on Minimum 2-Year Outcome After Hip Arthroscopy: A Nested Case-Control Analysis. <i>American Journal of Sports Medicine</i> , 2020, 48, 403-408.	1.9	24
3457	Distally-fixed non-modular monoblock fluted long-stem hemiarthroplasty versus proximal femoral nailing for elderly patients with an osteoporotic intertrochanteric fracture: a retrospective comparative study. <i>HIP International</i> , 2022, 32, 124-130.	0.9	4
3458	The results of screw augmentation of acetabular cement spacers for the treatment of periprosthetic hip joint infection. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 443.	0.9	0
3459	Exeter Universal cemented femoral component. <i>Bone and Joint Journal</i> , 2020, 102-B, 1319-1323.	1.9	9

#	ARTICLE	IF	CITATIONS
3460	Sports activity participation after curved periacetabular osteotomy for acetabular dysplasia. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 637.	0.8	9
3461	Long-Term Clinical and Radiological Outcomes of Primary Total Hip Arthroplasty with Modular Femoral Stem in Middle-Aged Asian Patients. <i>Journal of Arthroplasty</i> , 2020, 35, 3650-3655.	1.5	4
3462	Prosthetic joint infection after total hip arthroplasty caused by <i>Sneathia sanguinegens</i> . <i>Medicine (United States)</i> , 2020, 99, e22494.	0.4	1
3463	Results after arthroscopic treatment of iliopsoas impingement after total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 189-195.	1.3	10
3464	Restoring global offset and lower limb length with a 3 offset option double-tapered stem. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 646.	0.8	5
3465	Validation of Harris hip score in the indian population. <i>Journal of Arthroscopy and Joint Surgery</i> , 2020, 7, 194-199.	0.3	0
3466	Development of a Questionnaire to Assess Patient Priorities in Hip Fracture Care. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2020, 11, 215145932094600.	0.6	2
3467	Is There a Gender Gap in Outcomes After Hip Arthroscopy for Femoroacetabular Impingement? Assessment of Clinically Meaningful Improvements in a Prospective Cohort. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596711990056.	0.8	13
3468	Revision total hip arthroplasty in patients with femoral bone loss using tapered rectangular femoral stem: a minimum 10 yearsâ€™ follow-up. <i>HIP International</i> , 2020, 30, 622-628.	0.9	3
3469	Outcome of tantalum rod insertion in the treatment of osteonecrosis of the femoral head with minimum follow-up of 1 year: a meta-analysis and systematic review. <i>Journal of Hip Preservation Surgery</i> , 2020, 7, 329-339.	0.6	11
3470	Combined Imhauser osteotomy and osteochondroplasty in slipped capital femoral epiphysis through surgical hip dislocation approach. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 190-200.	0.4	12
3471	Evaluation of the potential complications of surgical wound drainage in primary total hip arthroplasty: a prospective controlled double-blind study. <i>HIP International</i> , 2021, 31, 589-592.	0.9	6
3472	Highly Porous Tantalum Acetabular Components Without Ancillary Screws Have Similar Migration to Porous Titanium Acetabular Components With Screws at 2 Years: A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 2931-2937.	1.5	5
3473	Influence of Geometry and Extent of Coating on Survival of Cementless Distal-Locking Revision Stems at 7 to 18 Years. <i>Journal of Arthroplasty</i> , 2020, 35, 3703-3709.	1.5	10
3474	Opportunities to improve feasibility, effectiveness and costs associated with a total joint replacements high-volume hospital registry. <i>Computers in Biology and Medicine</i> , 2020, 121, 103775.	3.9	10
3475	Predicting Health with Function â€” How Can Biomechanics â€œRide the Tigerâ€?. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1161-1163.	2.9	1
3476	In Silico Evaluation of Treatment of Periprosthetic Fractures in Elderly Patients After Hip Arthroplasty. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1289, 115-123.	0.8	4
3477	Total Hip Arthroplasty after Previous Chiari Pelvic Osteotomyâ€”A Retrospective Study of 301 Dysplastic Hips. <i>Journal of Arthroplasty</i> , 2020, 35, 3638-3643.	1.5	4

#	ARTICLE	IF	CITATIONS
3478	Long-Term Results of Revision Total Hip Arthroplasty Using a Modern Extensively Porous-Coated Femoral Stem. <i>Journal of Arthroplasty</i> , 2020, 35, 3697-3702.	1.5	13
3479	Biomechanical reconstruction parameters obtained after direct anterior approach total hip arthroplasty do not compromise clinical outcome. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 1463-1470.	0.6	2
3480	High Revision Rates of a Cementless Beta-Titanium Alloy Stem with Contamination-Free Roughened Surface in Primary Total Hip Arthroplasty. <i>Journal of Clinical Medicine</i> , 2020, 9, 2138.	1.0	3
3481	Long-term follow-up of patients undergoing the modified Dunn procedure for slipped capital femoral epiphysis. <i>Bone &amp; Joint Open</i> , 2020, 1, 80-87.	1.1	5
3482	Controlled fracture of the medial wall versus structural autograft with bulk femoral head to increase cup coverage by host bone for total hip arthroplasty in osteoarthritis secondary to developmental dysplasia of the hip: a retrospective cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 561.	0.9	12
3483	A review of outcomes associated with femoral neck lengthening osteotomy in patients with coxa brevis. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 379-386.	0.4	0
3484	Effects of types and degrees of ankylosing spondylitis hip structural damages on post-total hip arthroplasty outcome measurements. <i>Medicine (United States)</i> , 2020, 99, e23174.	0.4	2
3485	Minimum 10-year follow-up of micro-arc oxidation coating on a cementless grit-blasted tapered-wedge stem of total hip arthroplasty: a multicentre study. <i>HIP International</i> , 2020, , 112070002097746.	0.9	2
3486	Rate of Surgery and Baseline Characteristics Associated With Surgery Progression in Young Athletes With Prearthritic Hip Disorders. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096986.	0.8	5
3487	One-Stage Total Hip Arthroplasty with Modular <sc>S&EROM</sc> Stem for Patients with Bilateral Crowe Type <sc>IV</sc> Developmental Dysplasia. <i>Orthopaedic Surgery</i> , 2020, 12, 1913-1922.	0.7	11
3488	Concerted actions by MMPs, ADAMTS and serine proteases during remodeling of the cartilage callus into bone during osseointegration of hip implants. <i>Bone Reports</i> , 2020, 13, 100715.	0.2	4
3489	Does prior core decompression have detrimental effect on subsequent total hip arthroplasty for osteonecrosis of the femoral head: A systematic review and meta-analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 1553-1560.	0.9	8
3490	Le forage am&Otilior&O b&O n&O ficie-t-il &O la survie sans collapsus de la n&O crose de la t&O te f&O morale&O? &O %tude cas t&O moin comparant 184&O forages am&O ilior&O s versus 79&O forages simples au recul minimal de 2&O ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 987-995.	0.0	1
3491	Core decompression with bone chips allograft in combination with fibrin platelet-rich plasma and concentrated autologous mesenchymal stromal cells, isolated from bone marrow: results for the treatment of avascular necrosis of the femoral head after 2 years minimum follow-up. <i>HIP International</i> , 2020, 30, 3-12.	0.9	11
3492	Subtrochanteric rotational osteotomy for young adults with hip pain due to femoral malrotation. <i>HIP International</i> , 2021, 31, 797-803.	0.9	7
3493	Hip survival after plain core decompression alone versus bone morphogenetic protein and/or bone marrow reinjection with core decompression for avascular osteonecrosis of the femoral head: a retrospective case control study in ninety two patients. <i>International Orthopaedics</i> , 2020, 44, 2275-2282.	0.9	9
3494	Effect of Osteosarcopenia on Postoperative Functional Outcomes and Subsequent Fracture in Elderly Hip Fracture Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2020, 11, 215145932094056.	0.6	6
3495	Correlation of the Subjective Hip Value with Validated Patient-Reported Outcome Measurements for the Hip. <i>Journal of Clinical Medicine</i> , 2020, 9, 2179.	1.0	14

#	ARTICLE	IF	CITATIONS
3496	Bone marrow lesion on magnetic resonance imaging indicates the last chance for hip osteonecrosis treated with vascularized fibular grafting before collapse. <i>International Orthopaedics</i> , 2020, 44, 2529-2536.	0.9	2
3497	Effects of delayed hip replacement on postoperative hip function and quality of life in elderly patients with femoral neck fracture. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 487.	0.8	8
3498	Prospective Short-Term and Return-to-Sports Results of a Novel Uncemented Short-Stem Hip Prosthesis with Metaphyseal Anchorage. <i>Journal of Clinical Medicine</i> , 2020, 9, 1972.	1.0	3
3499	Responsiveness and ceiling effects of the English version of the 12-item International Hip Outcome Tool following hip arthroscopy at minimum one-year follow-up. <i>Bone and Joint Journal</i> , 2020, 102-B, 1010-1015.	1.9	7
3500	How to get better TAD? Relationship between anteversion angle of nail and position of femoral neck guide pin during nailing of intertrochanteric fractures. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 512.	0.8	3
3501	Eighteen-Year Results of Cementless THA with Alumina-on-HXLPE Bearings in Patients <30 Years Old. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1255-1259.	1.4	8
3502	The Effect of Postoperative Opioid Prescription Refills on Achieving Meaningful Clinical Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1599-1607.	1.3	16
3503	Supercapsular Percutaneously Assisted total hip arthroplasty versus lateral approach in Total Hip Replacement. A prospective comparative study. <i>Journal of Orthopaedics</i> , 2020, 21, 406-415.	0.6	6
3504	Focused Shockwave Treatment for Greater Trochanteric Pain Syndrome. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1305-1311.	1.4	20
3505	Total joint replacement of the hip and knee in patients with arthrogryposis multiplex congenita: a report of six joints. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 181-188.	1.3	2
3506	Does the Femoral Head Size Influence Outcomes After Uncemented Total Hip Arthroplasty for Fused Hips? A Prospective Study in Ankylosing Spondylitis. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 831-839.	0.5	5
3507	Translation and Validation of Forgotten Joint Score for Total Hip Arthroplasty for Indian Population. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 892-900.	0.5	8
3508	The functional effect of lesser trochanter involvement in hip fractures: A prospective cohort study. <i>Injury</i> , 2020, 51, 2634-2639.	0.7	2
3509	Greater trochanteric pain after primary total hip replacement, comparing the anterior and posterior approach: A secondary analysis of a randomized trial. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102709.	0.9	9
3510	Measures of Hip Function and Symptoms. <i>Arthritis Care and Research</i> , 2020, 72, 200-218.	1.5	8
3511	Does augmented core decompression decrease the rate of collapse and improve survival of femoral head avascular necrosis? Case-control study comparing 184 augmented core decompressions to 79 standard core decompressions with a minimum 2 years follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> . 2020. 106. 1561-1568.	0.9	8
3512	What are the Complications of Three-dimensionally Printed, Custom-made, Integrative Hemipelvic Endoprostheses in Patients with Primary Malignancies Involving the Acetabulum, and What is the Function of These Patients?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 2487-2501.	0.7	38
3513	Morphology Specific Lateral Wall Reconstruction Techniques Using Cerclage Wires in Unstable Trochanteric Fractures. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 328-335.	0.5	5

#	ARTICLE	IF	CITATIONS
3514	Early to medium-term outcomes of uncemented ceramic-bearing total hip arthroplasty in teenagers for paediatric hip conditions. <i>Bone and Joint Journal</i> , 2020, 102-B, 1491-1496.	1.9	15
3515	Acetabular cartilage repair: A state of the art in surgical treatment. <i>Journal of Hip Preservation Surgery</i> , 2020, 7, 205-224.	0.6	6
3516	Prevalence and Risk Factors of Falls in Adults 1 Year After Total Hip Arthroplasty for Osteoarthritis. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 853-857.	0.7	4
3517	Effectiveness and safety of cemented and uncemented hemiarthroplasty in the treatment of intracapsular hip fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1113-1121.	1.9	19
3518	Intermediate to Long-Term Follow-up of Cementing Liners into Well-Fixed Acetabular Components. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1397-1404.	1.4	10
3519	Constrained Liners Implanted Simultaneously at the Time of Acetabular Shell Revision with a Highly Porous Implant. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1521-1529.	1.4	8
3520	A new 3D printing porous trabecular titanium metal acetabular cup for primary total hip arthroplasty: a minimum 2-year follow-up of 92 consecutive patients. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 383.	0.9	25
3521	Assessment of the Learning Curve of Supercapsular Percutaneously Assisted Total Hip Arthroplasty in an Asian Population. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	5
3522	Comparison of short-term outcomes between SuperPATH approach and conventional approaches in hip replacement: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 420.	0.9	15
3523	A propensity score-matched analysis between patients with high hip dislocation after childhood pyogenic infection and Crowe IV developmental dysplasia of the hip in total hip arthroplasty with subtrochanteric shortening osteotomy. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 418.	0.9	4
3524	Fast Starters and Slow Starters After Hip Arthroscopy for Femoroacetabular Impingement: Correlation of Early Postoperative Pain and 2-Year Outcomes. <i>American Journal of Sports Medicine</i> , 2020, 48, 2903-2909.	1.9	8
3525	Preoperative mental health status is a significant predictor of postoperative outcomes in adolescents treated with hip preservation surgery. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 259-265.	0.4	18
3526	The Effect of Type of Femoral Component Fixation on Mortality and Morbidity after Hip Hemiarthroplasty: A Systematic Review and Meta-Analysis. <i>HSS Journal</i> , 2020, 16, 222-232.	0.7	2
3527	Avascular necrosis of the femoral head after traumatic posterior hip dislocation with and without acetabular fracture. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 613-619.	0.8	20
3528	Modified frailty index as a predictor of the long-term functional result in patients undergoing primary total hip arthroplasty. <i>Reumatologia</i> , 2020, 58, 213-220.	0.5	20
3529	Effects of foam rolling on hip pain in patients with hip osteoarthritis: a retrospective propensity-matched cohort study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 995-1002.	0.6	4
3530	Outcome of repeated multi-stage arthroplasty with custom-made acetabular implants in patients with severe acetabular bone loss: a case series. <i>HIP International</i> , 2020, 30, 64-71.	0.9	3
3531	Conversion total hip arthroplasty with a proximally modular, distal fixation reconstruction prosthesis following cephalomedullar nail failure. <i>HIP International</i> , 2020, 30, 26-33.	0.9	5



#	ARTICLE	IF	CITATIONS
3532	A cycling and education intervention for the treatment of hip osteoarthritis: A quality improvement replication programme. <i>SAGE Open Medicine</i> , 2020, 8, 205031212094652.	0.7	3
3533	Association of Computer-Assisted Virtual Preoperative Planning With Postoperative Mortality and Complications in Older Patients With Intertrochanteric Hip Fracture. <i>JAMA Network Open</i> , 2020, 3, e205830.	2.8	15
3534	Cemented prosthesis as spacer for two-stage revision of infected hip prostheses: a similar infection remission rate and a lower complication rate. <i>Bone and Joint Research</i> , 2020, 9, 484-492.	1.3	12
3535	Outcomes following operatively managed acetabular fractures in patients aged 60 years and older. <i>Bone and Joint Journal</i> , 2020, 102-B, 1735-1742.	1.9	19
3536	Results of a randomized controlled trial with five-year radiostereometric analysis results of vitamin E-infused highly crosslinked versus moderately crosslinked polyethylene in reverse total hip arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 1646-1653.	1.9	22
3537	A rare case of osteoblastoma in the femoral head combined with cam-type femoroacetabular impingement: A case report. <i>SAGE Open Medical Case Reports</i> , 2020, 8, 2050313X2097802.	0.2	0
3538	Periacetabular Osteotomy as a Salvage Procedure. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 73-79.	1.4	7
3539	Excellent midterm survival and functional outcomes of a fully hydroxyapatite-coated cementless stem: first results of a prospective multicenter study. <i>Arthroplasty Today</i> , 2020, 6, 201-205.	0.8	9
3540	Nonsurgical Management of Distal Femur Stem Cortical Perforation. <i>Arthroplasty Today</i> , 2020, 6, 153-157.	0.8	0
3541	Mechanically Assisted Crevice Corrosion in a Metal-on-Polyethylene Total Hip Presenting With Lower Extremity Vascular Compromise. <i>Arthroplasty Today</i> , 2020, 6, 445-450.	0.8	10
3542	Primary Total Hip Arthroplasty in Patients With Ehlers-Danlos Syndrome: A Retrospective Matched-Cohort Study. <i>Arthroplasty Today</i> , 2020, 6, 386-389.	0.8	9
3543	Modular Dual-Mobility Liner Malseating: A Radiographic Analysis. <i>Arthroplasty Today</i> , 2020, 6, 699-703.	0.8	15
3544	Tantalum Augments Combined with Antiprotrusion Cages for Massive Acetabular Defects in Revision Arthroplasty. <i>Arthroplasty Today</i> , 2020, 6, 704-709.	0.8	12
3545	Plasma and local expressions of CircRNA CDR1as are linked with disease severity in patients with non-traumatic osteonecrosis of femoral head. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 592.	0.9	6
3546	&lt;p&gt;Comparison of a Novel Muscle Training Device with Conventional Rehabilitation Training in Motor Dysfunction of Lower Limb Patients: A Pilot Study&lt;p&gt;. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 2209-2218.	1.3	0
3547	Evaluation of clinical outcome of cementless ceramic on ceramic primary total hip replacement in young patients of avascular necrosis of femoral head. <i>Journal of Arthroscopy and Joint Surgery</i> , 2020, 8, 366-366.	0.3	1
3548	Outcomes of the Exeter V40 cemented femoral stem at a minimum of ten years in a non-designer centre. <i>Bone &amp; Joint Open</i> , 2020, 1, 743-748.	1.1	5
3550	Translation, cross-cultural adaptation and validation of the Slovenian version of Harris Hip Score. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 335.	1.0	9

#	ARTICLE	IF	CITATIONS
3551	Is a split-dose intravenous dexamethasone regimen superior to a single high dose in reducing pain and improving function after total hip arthroplasty? A randomized blinded placebo-controlled trial. <i>Bone and Joint Journal</i> , 2020, 102-B, 1497-1504.	1.9	9
3552	Primary and revision total hip arthroplasty with uncemented acetabular components in patients with Paget's disease. <i>HIP International</i> , 2020, , 112070002092017.	0.9	2
3553	Comparison of Trochanteric Slide and Subtrochanteric Shortening Osteotomy in the Treatment of Severe Hip Dysplasia: Mid-Term Clinical Outcomes of Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 2529-2536.	1.5	6
3554	A cross sectional study of outcomes of muscle pedicle grafting in neck of femur fractures and avascular necrosis of femoral head. <i>Injury</i> , 2020, 51, 1622-1625.	0.7	6
3555	Total Hip Arthroplasty in Patients With Osteogenesis Imperfecta. <i>Journal of Arthroplasty</i> , 2020, 35, 2131-2135.	1.5	6
3556	Results of 198 primary total hip arthroplasties using the Delta PF-FIT system with ceramic-on-ceramic articulating surfaces with average seven years follow up. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 311.	0.8	5
3557	Total Hip Arthroplasty With Trochanteric Osteotomy for Patients With Angular Deformity of the Proximal Femur. <i>Journal of Arthroplasty</i> , 2020, 35, 2911-2918.	1.5	4
3558	Total Hip Arthroplasty Using Imageless Computer-Assisted Navigation—2-Year Follow-Up of a Prospective Randomized Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1620.	1.0	16
3559	An update on joint-specific outcome measures in total hip replacement. <i>Reumatologia</i> , 2020, 58, 107-115.	0.5	11
3560	Treatment of avascular osteonecrosis of femoral head by core decompression and platelet-rich plasma: a prospective not controlled study. <i>International Orthopaedics</i> , 2020, 44, 1287-1294.	0.9	10
3561	Total hip arthroplasty with exclusive use of dual-mobility cup after failure of internal fixation in trochanteric fracture. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 645-649.	0.9	14
3562	Patients With Borderline Hip Dysplasia Achieve Clinically Significant Improvement After Arthroscopic Femoroacetabular Impingement Surgery: A Case-Control Study With a Minimum 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020, 48, 1616-1624.	1.9	24
3563	Comparative Analysis between Short Stem and Conventional Femoral Stem in Patients with Osteonecrosis of Femoral Head: Metha Stem and Excia Stem. <i>Orthopaedic Surgery</i> , 2020, 12, 819-826.	0.7	7
3564	Medium-term outcome and classification of traumatic anterior hip dislocations. <i>HIP International</i> , 2021, 31, 812-819.	0.9	9
3565	Outcomes of Total Hip Arthroplasty for Healed Intertrochanteric Hip Fractures. A Matched Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 2926-2930.	1.5	1
3566	What Is the Long-term (27- to 32-year) Survivorship of an Uncemented Tapered Titanium Femoral Component and Survival in Patients Younger Than 50 Years?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1283-1291.	0.7	20
3567	Editorial Commentary: Proximal Hamstring Tendon Injuries: Is the Research Hamstrung by the Use of Poor Outcome Measures?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1308-1310.	1.3	5
3568	Clinically derived biomechanical criteria for the Trendelenburg test. <i>Clinical Biomechanics</i> , 2020, 78, 105066.	0.5	1

#	ARTICLE	IF	CITATIONS
3569	Total Hip Arthroplasty With a Monoblock Conical Stem in Dysplastic Hips: A 20-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2020, 35, 3242-3248.	1.5	5
3570	Effective treatment of single-stage revision using intra-articular antibiotic infusion for culture-negative prosthetic joint infection. <i>Bone and Joint Journal</i> , 2020, 102-B, 336-344.	1.9	28
3571	Treatment and outcomes of Vancouver type B periprosthetic femoral fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 293-300.	1.9	23
3572	Treatment of displaced intracapsular fractures of the femoral neck with total hip arthroplasty or hemiarthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 693-698.	1.9	15
3573	Long-term follow-up of patients undergoing the modified Dunn procedure for slipped capital femoral epiphysis. <i>Bone &amp; Joint Open</i> , 2020, 1, 80-87.	1.1	0
3574	Travel Distance Does Not Affect Outcomes in Hip Preservation Surgery: A Case for Centers of Excellence. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090882.	0.8	14
3575	Three and a half yearsâ€™ experience with outpatient total hip arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 82-89.	1.9	32
3576	Bipolar hemiarthroplasty versus total hip arthroplasty in allograft-prosthesis composite reconstruction of the proximal femur following primary bone tumour resection. <i>Bone and Joint Journal</i> , 2020, 102-B, 524-529.	1.9	14
3577	Does unilateral total hip arthroplasty improve pain and function in the non-operative hip joint?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 1411-1416.	0.6	1
3578	Hip Replacement or Hip Resurfacing with a Highly Cross-Linked Polyethylene Acetabular Bearing. <i>JBJS Open Access</i> , 2020, 5, e0004-e0004.	0.8	3
3580	Treatment of non-united femoral neck fracture by a novel subtrochanteric angulation lateral translation valgus osteotomy (SALVA osteotomy). <i>International Orthopaedics</i> , 2020, 44, 2421-2430.	0.9	5
3581	Preventing ceramic liner fracture after Delta ceramic-on-ceramic total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 141, 1155-1162.	1.3	10
3582	Fixation of the short global tissue-sparing hip stem. <i>Bone and Joint Journal</i> , 2020, 102-B, 699-708.	1.9	5
3583	Functional Assessment and Patient-Related Outcomes after Gluteus Maximus Flap Transfer in Patients with Severe Hip Abductor Deficiency. <i>Journal of Clinical Medicine</i> , 2020, 9, 1823.	1.0	8
3584	Long-Term Survival and Results at a Mean Follow-Up Period of 24 Years of a Tapered Straight, Collarless, Grit-Blasted, Titanium Alloy Stem. <i>Journal of Arthroplasty</i> , 2020, 35, 3644-3649.	1.5	4
3585	Hemiarthroplasty versus total arthroplasty for displaced femoral neck fractures in the elderly: meta-analysis of randomized clinical trials. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1695-1704.	1.3	30
3586	Defining the Clinically Meaningful Outcomes for Arthroscopic Treatment of Femoroacetabular Impingement Syndrome at Minimum 5-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020, 48, 901-907.	1.9	113
3587	Elevated Infection and Complication Rates in Patients Undergoing a Primary THA With a History of a PJI in a Prior Hip or Knee Arthroplasty: A Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 1928-1932.	1.5	9

#	ARTICLE	IF	CITATIONS
3588	Application of biomaterials for the repair and treatment of osteonecrosis of the femoral head. <i>International Journal of Energy Production and Management</i> , 2020, 7, 1-8.	1.9	25
3589	Comparison of functional outcome of cemented total hip replacement versus cemented dual-mobility cup total hip replacement for the management of displaced femoral neck fractures in the active elderly patients. <i>HIP International</i> , 2021, 31, 683-690.	0.9	6
3590	Short-term results of a new self-locking cementless femoral stem: a prospective cohort study of the Lima MasterSL. <i>Musculoskeletal Surgery</i> , 2021, 105, 257-264.	0.7	1
3591	Patients Following Revision Total Hip Arthroplasty With Modular Dual Mobility Components and Cobalt-Chromium Inner Metal Head are at Risk of Increased Serum Metal Ion Levels. <i>Journal of Arthroplasty</i> , 2020, 35, S294-S298.	1.5	27
3592	Optimal Level of Femoral Neck for Predicting Postoperative Stem Anteversion in Total Hip Arthroplasty for Crowe Type I Dysplastic Hip. <i>Orthopaedic Surgery</i> , 2020, 12, 480-487.	0.7	3
3593	Equivalent Mid-Term Results of Open vs Endoscopic Gluteal Tendon Tear Repair Using Suture Anchors in Forty-Five Patients. <i>Journal of Arthroplasty</i> , 2020, 35, S352-S358.	1.5	14
3594	Debridement, Antibiotics, and Implant Retention for Acute Periprosthetic Joint Infection. <i>Orthopaedic Surgery</i> , 2020, 12, 463-470.	0.7	25
3595	Optimizing indications of impacting bone allograft transplantation in osteonecrosis of the femoral head. <i>Bone and Joint Journal</i> , 2020, 102-B, 838-844.	1.9	16
3596	Outcomes of total hip arthroplasty using dual mobility components in patients with a femoral neck fracture. <i>Bone and Joint Journal</i> , 2020, 102-B, 811-821.	1.9	33
3597	Patient-related risk factors associated with less favourable outcomes following hip arthroscopy. <i>Bone and Joint Journal</i> , 2020, 102-B, 822-831.	1.9	44
3598	Have newer bearing surfaces changed expectations regarding the longevity of total hip arthroplasty?. <i>Bone and Joint Journal</i> , 2020, 102-B, 105-111.	1.9	2
3599	Unstable AO/OTA type 31-A1.2 intertrochanteric femur fracture: An unusual case report. <i>Trauma Case Reports</i> , 2020, 28, 100326.	0.2	0
3600	Clinical and radiographic outcomes with the Nanosâ„¢ short-stem hip implant at 24 months: A prospective, single-center study. <i>Journal of Orthopaedics</i> , 2020, 20, 326-331.	0.6	1
3601	Long-term follow-up of bilateral hip and knee arthroplasty secondary to ochronotic arthropathy. <i>Arthroplasty Today</i> , 2020, 6, 214-219.	0.8	4
3602	Promising results of revision total hip arthroplasty using a hexagonal, modular, tapered stem in cases of aseptic loosening. <i>PLoS ONE</i> , 2020, 15, e0233035.	1.1	6
3603	Management of Neglected Traumatic Hip Dislocation in Children. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, e554-e559.	0.6	5
3604	Is Labral Size Predictive of Failure With Repair in Hip Arthroscopy?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2147-2157.	1.3	11
3605	Long-term results in the patients with traumatic hip fracture-dislocation: Important prognostic factors. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 686-689.	0.6	3

#	ARTICLE	IF	CITATIONS
3606	Orthopedic Applications. , 2020, , 1079-1118.		10
3607	Outside-in arthroscopic psoas release for anterior iliopsoas impingement after primary total hip arthroplasty. <i>HIP International</i> , 2021, 31, 649-655.	0.9	12
3608	Cementless Total Hip Arthroplasty for Adult Patients With Sequelae From Childhood Hip Infection: A Medium-Term Follow-Up Study. <i>Journal of Arthroplasty</i> , 2020, 35, 1885-1890.	1.5	4
3609	A Prospective 2-Year Clinical Evaluation of Augmented Hip Abductor Tendon Repair. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596711989788.	0.8	17
3610	Guidelines for clinical diagnosis and treatment of osteonecrosis of the femoral head in adults (2019) <i>Tj ETQq0 0 0 rBT /Overlock 10 Tf 5</i>	1.9	182
3611	Surgical treatment for both-column acetabular fractures using pre-operative virtual simulation and three-dimensional printing techniques. <i>Chinese Medical Journal</i> , 2020, 133, 395-401.	0.9	24
3612	Prospective randomized study using EBRA-FCA to compare bone fixation between cementless SL-PLUS ZweymÄ¼ller versus SL-PLUS MIA femoral implants in primary total hip arthroplasty with clinical assessment at a minimum 5 yearsâ€™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 519-525.	0.9	2
3613	Long-term bone and lung consequences associated with hospital-acquired severe acute respiratory syndrome: a 15-year follow-up from a prospective cohort study. <i>Bone Research</i> , 2020, 8, 8.	5.4	320
3614	Innervation of the hip joint capsular complex: A systematic review of histological and immunohistochemical studies and their clinical implications for contemporary treatment strategies in total hip arthroplasty. <i>PLoS ONE</i> , 2020, 15, e0229128.	1.1	14
3616	The AAHKS Clinical Research Award: No Evidence for Superior Patient-Reported Outcome Scores After Total Hip Arthroplasty With the Direct Anterior Approach at 1.5 Months Postoperatively, and Through a 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2020, 35, S15-S21.	1.5	16
3617	Hip preserving surgery for avascular hip necrosis: does terminating exposure to known risk factors improve survival?. <i>Physician and Sportsmedicine</i> , 2020, 48, 335-341.	1.0	2
3618	A New Diagnostic Approach for Periprosthetic Acetabular Fractures Based on 3D Modeling: A Study Protocol. <i>Diagnostics</i> , 2020, 10, 15.	1.3	5
3619	Primary cemented hemiarthroplasty for unstable intertrochanteric fractures in elderly severe osteoporotic patients. <i>Injury</i> , 2020, 51, 670-673.	0.7	10
3620	Clinical outcomes of proximal femoral fractures treated with a novel carbon fiber-reinforced polyetheretherketone intramedullary nail. <i>Injury</i> , 2020, 51, 678-682.	0.7	13
3621	Modified Harris Hip Score as patient-reported outcome measure in osteoarthritic patients: psychometric properties of the Greek version. <i>HIP International</i> , 2021, 31, 516-525.	0.9	23
3622	The fate of sagittal alignment in tapered uncemented femoral components in total hip arthroplasty: 889 hips followed for a minimum of 10 years. <i>HIP International</i> , 2021, 31, 472-481.	0.9	2
3623	Patient-Reported Outcomes and Perioperative Complications of Total Hip Arthroplasty Following Joint Preservation Surgery for Hip Dysplasia. <i>Journal of Arthroplasty</i> , 2020, 35, 1622-1626.	1.5	6
3624	Is the Pelvis-Thorax Coordination a Valuable Outcome Instrument to Assess Patients With Hip Osteoarthritis?. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 7, 457.	2.0	1

#	ARTICLE	IF	CITATIONS
3626	Restoration of leg length and offset correlates with trochanteric pain syndrome in total hip arthroplasty. <i>Scientific Reports</i> , 2020, 10, 7107.	1.6	22
3627	Procedure for Femoral Intertrochanteric Fractures using the "Three-Finger Method" Assisted by Proximal Femoral Nail Antirotation. <i>Orthopaedic Surgery</i> , 2020, 12, 543-551.	0.7	1
3628	Can primary total hip arthroplasty be performed in an outpatient setting? Prospective feasibility and safety study in 321 patients in a day-surgery unit. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 551-555.	0.9	9
3629	Long-term results of custom-made femoral stems. <i>Der Orthopade</i> , 2020, 49, 408-416.	0.7	8
3630	Chinese herbal Huo-Gu formula for the treatment of steroid-associated osteonecrosis of femoral head: A 14-year follow-up of convalescent SARS patients. <i>Journal of Orthopaedic Translation</i> , 2020, 23, 122-131.	1.9	28
3631	One-stage bilateral total hip arthroplasty versus unilateral total hip arthroplasty: A retrospective case-matched study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 577-581.	0.9	17
3632	Long-term outcomes of the hip shelf arthroplasty in adolescents and adults with residual hip dysplasia: a systematic review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 383-389.	1.2	16
3633	Cup-To-Neck Contact and Range of Motion after Total Hip Arthroplasty with Large Head Diameters: An Original Three-Dimensional Combined Gait and Videofluoroscopy Analysis. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2695.	1.3	1
3634	Midterm Results of a Contemporary, Porous-Coated Acetabular System in Patients Undergoing Primary Total Hip Replacement for Degenerative Hip Disease: A Prospective, Multicenter Study. <i>Journal of Arthroplasty</i> , 2020, 35, 1862-1867.	1.5	5
3635	The Use of Standard Cemented Femoral Stems in Total Hip Replacement After Failed Internal Fixation of Intertrochanteric Femoral Fractures. <i>Journal of Arthroplasty</i> , 2020, 35, 2525-2528.	1.5	12
3636	Efficacy of total hip arthroplasty after operatively treated acetabular fracture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 973-979.	1.3	10
3637	Assessment of Disability Related to Hip Dysplasia Using Objective Measures of Physical Performance. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090329.	0.8	9
3638	Dynamic compression locking system versus multiple cannulated compression screw for the treatment of femoral neck fractures: a comparative study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 230.	0.8	15
3639	Ultrasound-Guided Percutaneous Tenotomy for Gluteal Tendinopathy. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090786.	0.8	6
3640	Systematic review of primary total hip arthroplasty using titanium-titanium modular-neck prostheses: the true risk of revision. <i>HIP International</i> , 2021, 31, 295-303.	0.9	11
3641	Modified Ludloff's medial approach for management of Pipkin's type I femoral head fracture. <i>International Orthopaedics</i> , 2021, 45, 1591-1598.	0.9	7
3642	Risk factors for radiological changes after bipolar hemiarthroplasty for osteonecrosis of the femoral head. <i>Modern Rheumatology</i> , 2021, 31, 725-732.	0.9	0
3643	Reliability and minimal detectable change of the 2-minute walk test and Timed Up and Go test in patients with total hip arthroplasty. <i>HIP International</i> , 2021, 31, 43-49.	0.9	18

#	ARTICLE	IF	CITATIONS
3644	Bipolar hemiarthroplasty for the treatment of femoral neck fractures with minimally invasive anterior approach in elderly. <i>Injury</i> , 2021, 52, S37-S43.	0.7	15
3645	The Glycosaminoglycan Content of Hip Cartilage in Osteonecrosis of Femoral Head: Evaluation with Delayed Gadolinium-Enhanced Magnetic Resonance Imaging of Cartilage. <i>Cartilage</i> , 2021, 12, 70-75.	1.4	2
3646	Modified Dunn Osteotomy for Moderate and Severe Slipped Capital Femoral Epiphysis – A retrospective study of thirty hips. <i>Indian Journal of Orthopaedics</i> , 2021, 55, 100-108.	0.5	6
3647	Decreased Serum Pituitary Adenylate Cyclase Activating Polypeptide (PACAP) Levels May Reflect Disease Severity in Patients with Non-traumatic Osteonecrosis of Femoral Head. <i>International Journal of Peptide Research and Therapeutics</i> , 2021, 27, 397-404.	0.9	2
3648	Total hip arthroplasty using hydroxyapatite-coated cementless cup for rapidly destructive coxarthrosis: Minimum 10-year follow-up. <i>Journal of Orthopaedic Science</i> , 2021, 26, 225-229.	0.5	0
3649	Primary hemiarthroplasty for the elderly patient with cognitive dysfunction and a displaced femoral neck fracture: a prospective, observational cohort study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1275-1283.	1.4	6
3650	Reconstruction of Acetabular Defects With Impaction Grafting in Primary Cemented Total Hip Arthroplasty Produces Favorable Results: Clinical and Radiographic Outcomes Over 6.4 Years on Average. <i>Journal of Arthroplasty</i> , 2021, 36, 200-209.	1.5	5
3651	Functional outcome after lower limb periprosthetic fractures. <i>Injury</i> , 2021, 52, S44-S47.	0.7	3
3652	Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort. <i>Joint Bone Spine</i> , 2021, 88, 105077.	0.8	4
3653	Cement augmentation for trochanteric fracture in elderly: A systematic review. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2021, 15, 65-70.	0.6	19
3654	Conversion of Fused Hip to Total Hip Arthroplasty: Long-Term Clinical and Radiological Outcomes. <i>Journal of Arthroplasty</i> , 2021, 36, 1060-1066.	1.5	11
3655	Comparison of free vascularized iliac bone flap grafting versus pedicled iliac bone flap grafting for treatment of osteonecrosis of the femoral head. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, 74, 1261-1268.	0.5	4
3656	Contemporary Mortality Rate and Outcomes in Nonagenarians Undergoing Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 1373-1379.	1.5	12
3657	Catastrophic failure of femoral stem modular junction when combined with metal-on-metal bearing in comparison to ceramic-on-ceramic: A retrospective cohort study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102749.	0.9	9
3658	Ceramic-on-ceramic cementless total hip arthroplasty in patients aged 40 years or under: Do preoperative conditions affect long-term results?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102763.	0.9	10
3659	Techniques and outcomes of hip abductor reconstruction following tumor resection in adults. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102765.	0.9	9
3660	Multivariate functional principal component analysis identifies waveform features of gait biomechanics related to early to moderate hip osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2021, 39, 1722-1731.	1.2	2
3661	Survival Analysis of Allografting and Antiprostusio Cage in Treating Massive Acetabular Bone Defects. <i>Journal of Arthroplasty</i> , 2021, 36, 682-687.	1.5	3

#	ARTICLE	IF	CITATIONS
3662	Comparison of femoral neck shortening and outcomes between in situ fixation and fixation after reduction for severe valgus-impacted femoral neck fractures. <i>Injury</i> , 2021, 52, 569-574.	0.7	14
3663	Perioperative population management for primary hip arthroplasty reduces hospital and postacute care utilization while maintaining or improving care quality. <i>Journal of Clinical Anesthesia</i> , 2021, 68, 110072.	0.7	3
3664	Higher rate of complications with uncemented compared to cemented total hip arthroplasty for displaced intracapsular hip fractures: A randomised controlled trial of 50 patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 587-594.	0.6	7
3665	Treatment of Labral Calcification in the Setting of Femoroacetabular Impingement Syndrome With Arthroscopic Calcification Excision, Labral Repair, and Osteoplasty Improves Outcomes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 554-563.	1.3	10
3666	Mid-term results of total hip arthroplasty for relapsed osteoarthritis after joint-preserving operations for coxarthrosis compared to primary total hip arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 299-308.	0.6	2
3667	Midterm outcomes of total hip arthroplasty with a modular Birmingham head. <i>HIP International</i> , 2021, 31, 103-108.	0.9	1
3668	4- to 8-year complication analysis of 2 â€œpartial collumâ€™ femoral stems in primary THA. <i>HIP International</i> , 2021, 31, 75-82.	0.9	4
3669	Hip resurfacing arthroplasty and total hip arthroplasty in the same patient: which do they prefer?. <i>HIP International</i> , 2021, 31, 328-334.	0.9	3
3670	Current evidence from a worldwide, multicentre, follow-up study of the recalled Articular Surface Replacement Hip System. <i>HIP International</i> , 2021, 31, 378-387.	0.9	5
3671	A new biarticular cement spacer technique for infected total hip and knee arthroplasty with massive bone loss. <i>HIP International</i> , 2021, 31, 242-249.	0.9	5
3672	Outcome Assessment of Non-Arthroplasty Hip Disease. , 2021, , 1-21.		0
3674	Clinical study on minimally invasive treatment of femoral head necrosis with two different bone graft materials. <i>International Orthopaedics</i> , 2021, 45, 585-591.	0.9	9
3675	Excellent Midterm Results of Triflange Patient Matched Implants for Extensive Acetabular Bone Defect. <i>Hip and Pelvis</i> , 2021, 33, 87-95.	0.6	6
3676	Addressing intraarticular pathology at the time of anteverting periacetabular osteotomy for acetabular retroversion is associated with better short-term patient-reported outcomes. <i>Journal of Hip Preservation Surgery</i> , 2021, 8, 90-104.	0.6	4
3677	Effect of Coronal Alignment on 10-Year Survivorship of a Single Contemporary Total Knee Arthroplasty. <i>Journal of Clinical Medicine</i> , 2021, 10, 142.	1.0	10
3679	Modular tapered conical revision stem in hip revision surgery: mid- term results. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 29.	0.8	14
3680	Comparison of clinical and radiological outcomes in intertrochanteric fractures treated with InterTAN nail against conventional cephalomedullary nails: a systematic review. <i>Future Science OA</i> , 2021, 7, FSO668.	0.9	8
3681	<sc>TiRobot</sc>â€œAssisted Percutaneous Cannulated Screw Fixation in the Treatment of Femoral Neck Fractures: A Minimum 2â€œYear Followâ€œup of 50 Patients. <i>Orthopaedic Surgery</i> , 2021, 13, 244-252.	0.7	16



#	ARTICLE	IF	CITATIONS
3682	Two Case Reports of Patients Diagnosed with Avascular Necrosis of the Femoral Head Treated with Korean Medicine Treatment Including Chuna Manual Therapy, Pharmacopuncture and Acupuncture. Journal of Korean Medicine Rehabilitation, 2021, 31, 195-204.	0.2	3
3683	Comparison of the U-Blade Gamma3 Nail and the Zimmer Natural Nail for the Treatment of Intertrochanteric Fracture. Journal of the Korean Fracture Society, 2021, 34, 57.	0.1	0
3684	Pneumatic femoral broaching in direct anterior approach hip arthroplasty. BMJ Innovations, 2021, 7, 526-531.	1.0	2
3685	Fracture fixation versus hemiarthroplasty for unstable intertrochanteric fractures in elderly patients: A systematic review and network meta-analysis of randomized controlled trials. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 102838.	0.9	15
3686	Comparison of Cementless Calcar-Replacement Hemiarthroplasty With Proximal Femoral Nail for the Treatment of Unstable Intertrochanteric Fractures at Older Age Group. Cureus, 2021, 13, e12854.	0.2	3
3687	Long-Term Efficacy of Screw Fixation vs Hemiarthroplasty for Undisplaced Femoral Neck Fracture in Patients over 65 Years of Age: A Systematic Review and Meta-Analysis. Orthopaedic Surgery, 2021, 13, 3-13.	0.7	9
3688	Extended trochanteric osteotomy (ETO) and fluted tapered modular stems in revision hip arthroplasty. Does ETO integrity or consolidation, really matter?. Journal of Orthopaedics, 2021, 23, 250-255.	0.6	5
3689	Revision rate of THA in patients younger than 40 years depends on primary diagnosis – a retrospective analysis with a minimum follow-up of 10 years. European Journal of Orthopaedic Surgery and Traumatology, 2021, 31, 1335-1344.	0.6	9
3690	PROMIS Global-10 poorly correlates with legacy outcomes for patients undergoing hip arthroscopy. Journal of Hip Preservation Surgery, 2021, 8, 67-74.	0.6	4
3691	Complications and Functional Outcome of Femoral Head Fracture-Dislocation In Delayed and Neglected Cases. Indian Journal of Orthopaedics, 2021, 55, 595-605.	0.5	2
3692	Gluteal atrophy and fatty infiltration in end-stage osteoarthritis of the hip. Bone & Joint Open, 2021, 2, 40-47.	1.1	9
3693	External fixation via the anterior inferior iliac spine for proximal femoral fractures in young patients. Open Medicine (Poland), 2021, 16, 1101-1108.	0.6	1
3694	Mid-term outcomes of the R3, delta ceramic acetabular system in total hip arthroplasty. Journal of Orthopaedic Surgery and Research, 2021, 16, 35.	0.9	3
3695	Ceramic-on-ceramic vs ceramic-on-polyethylene, a comparative study with 10-year follow-up. World Journal of Orthopedics, 2021, 12, 14-23.	0.8	6
3696	Use of a monoblock dual-mobility acetabular component in primary total hip arthroplasty in patients at high risk of dislocation. HIP International, 2022, 32, 648-655.	0.9	3
3698	Traction methods in the retrograde intramedullary nailing of femur shaft fractures: the double reverse traction repositing or manual traction. International Orthopaedics, 2021, 45, 2711-2718.	0.9	2
3699	Unilateral total hip arthroplasty in bilateral ankylosed hips: A case-series of eight patients of ankylosing spondylitis. Journal of Arthroscopy and Joint Surgery, 2021, , .	0.3	0
3700	Two-Stage Revision Hip Arthroplasty with or without the Use of an Interim Spacer for Managing Late Prosthetic Infection: A Systematic Review of the Literature. Orthopaedic Surgery, 2021, 13, 384-394.	0.7	2

#	ARTICLE	IF	CITATIONS
3701	Long-term results of uncemented allograft prosthesis composite reconstruction for the tumor in proximal femur: a minimum follow-up of sixty-five months. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 128.	0.8	2
3702	Minimum 5-year follow-up of arthroscopic treatment of symptomatic iliopectineal cyst. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 1369-1374.	0.6	0
3703	Mid-term results of bilateral synchronous total hip arthroplasty for bony ankylosis in patients with ankylosing spondylitis. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 104.	0.9	6
3704	Etoricoxib is safe and effective in preventing heterotopic ossification after primary total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 163.	0.9	6
3705	Minimum 10 years clinical results of an anatomical short stem with a proximal hydroxyapatite coating. <i>Modern Rheumatology</i> , 2021, 31, 1066-1072.	0.9	4
3706	Risk of Conversion to Arthroplasty After Hip Arthroscopy: Validation of a Published Risk Score Using an Independent, Prospectively Collected Database. <i>American Journal of Sports Medicine</i> , 2021, 49, 1192-1198.	1.9	13
3707	Percutaneous autologous impaction bone graft for advanced femoral head osteonecrosis: a retrospective observational study of unsatisfactory short-term outcomes. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 141.	0.9	5
3708	Comparison of short-term outcomes of anterolateral supine approach and posterolateral approach for primary total hip arthroplasty: a retrospective study. <i>Journal of Orthopaedics and Traumatology</i> , 2021, 22, 6.	1.0	8
3709	Intraoperative periarticular injection can alleviate the inflammatory response and enhance joint function recovery after hip arthroplasty in elderly patients with osteoporotic femoral neck fractures. <i>Medicine (United States)</i> , 2021, 100, e24596.	0.4	5
3710	Migration behaviour of 2 clinically excellent cementless stems with different design rationales: 5-year follow-up of a randomised RSA-study. <i>HIP International</i> , 2022, 32, 747-758.	0.9	2
3711	Defining the Clinically Meaningful Outcomes for Arthroscopic Treatment of Femoroacetabular Impingement Syndrome at Minimum 10-Year Follow-up: The Timing of Surgery Is Crucial. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098514.	0.8	17
3712	Satisfactory Outcomes in Patients Operated With Primary Total Hip Arthroplasty for Perthes-like Deformities: Results From a Surgical Technique Utilizing a Conical Stem, an Elevated Hip Center, and No Shortening Femoral Osteotomy. <i>Arthroplasty Today</i> , 2021, 7, 29-36.	0.8	1
3713	Long-term clinical and radiological outcome in patients with severe Legg-Calvé-Perthes disease after Chiari pelvic osteotomy: a mean of 14 years follow-up. <i>HIP International</i> , 2022, 32, 807-812.	0.9	1
3714	Malignant triton tumour (MTT) of the lung with metastasis to the proximal femur. <i>BMJ Case Reports</i> , 2021, 14, e237086.	0.2	2
3715	How does transtrochanteric anterior rotational osteotomy change the dynamic three-dimensional intact ratio in hips with osteonecrosis of the femoral head?. <i>Clinical Biomechanics</i> , 2021, 82, 105284.	0.5	0
3716	Integrated dual lag screws versus single lag screw cephalomedullary nail constructs: a meta-analysis and systematic review. <i>HIP International</i> , 2022, 32, 550-557.	0.9	6
3717	Promising medium-term results of anterior approach with an anatomical short stem in primary hip arthroplasty. <i>Journal of Orthopaedics and Traumatology</i> , 2021, 22, 8.	1.0	4
3718	Effect of denosumab on osteolytic lesion activity after total hip arthroplasty: a single-centre, randomised, double-blind, placebo-controlled, proof of concept trial. <i>Lancet Rheumatology</i> , The, 2021, 3, e195-e203.	2.2	7

#	ARTICLE	IF	CITATIONS
3719	Functional and radiographical results of asymmetrically reconstructed total hip arthroplasty in patients with bilateral dysplastic arthritic hips with one hip Crowe II and the other Crowe IV: a retrospective cohort study. <i>Journal of Orthopaedics and Traumatology</i> , 2021, 22, 11.	1.0	2
3720	Impaction bone grafting in hip re-revision surgery. <i>Bone and Joint Journal</i> , 2021, 103-B, 492-499.	1.9	10
3721	Short-term Clinical Outcomes of Robotic-Arm Assisted Total Hip Arthroplasty: A Pair-Matched Controlled Study. <i>Orthopedics</i> , 2021, 44, e236-e242.	0.5	16
3722	Spontaneous subcapital femoral neck fracture complicating osteonecrosis of femoral head. <i>Acta Orthopaedica Belgica</i> , 2021, 87, 25-34.	0.1	1
3723	Midterm Survivorship of an Uncemented Hydroxyapatite-Coated Titanium Femoral Component and Clinically Meaningful Outcomes in Patients Older Than 75 Years. <i>Journal of Clinical Medicine</i> , 2021, 10, 1019.	1.0	6
3724	Koksartrozlu hastalarda Åšimentosuz total kalÅŸa artroplastisinde beÅŸ yÄ±llık kurumsal deneyim. <i>Sileyman Demirel Åniversitesi Tıp Fakültesi Dergisi</i> , 0, , .	0.0	0
3725	Intramedullary nails in combination with reconstruction plate in the treatment of unstable intertrochanteric femoral fractures with lateral wall damage. <i>International Orthopaedics</i> , 2021, 45, 2955-2962.	0.9	10
3726	Application of a double reverse traction repositr in the retrograde intramedullary nailing of distal femur fractures. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 168.	0.9	4
3727	Surgical versus conservative management of traumatic proximal adductor longus avulsion injuries: A systematic review. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2021, , .	0.8	2
3728	Clinical outcomes and survivorship of two-stage total hip or knee arthroplasty in septic arthritis: a retrospective analysis with a minimum five-year follow-up. <i>International Orthopaedics</i> , 2021, 45, 1683-1691.	0.9	12
3729	Synchronous or sequential cementless bilateral total hip arthroplasty for osseous ankylosed hips with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 302.	0.8	5
3730	Mortality as a competition risk factor in the survival analysis of the results of the type of fixation of the total hip prosthesis in octogenarian patients. <i>Revista Española De CirugÅa OrtopÅdica Y TraumatologÅa</i> , 2021, 65, 99-107.	0.1	0
3731	Clinical and radiological outcomes of acetabular revision surgery with trabecular titanium cups in Paprosky type II and III bone defects. <i>Journal of Orthopaedics and Traumatology</i> , 2021, 22, 9.	1.0	1
3732	Minimum 15-year results of metasul 28-mm metal-on-metal total hip arthroplasty in patients younger than 50 years of age. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 218.	0.9	5
3733	Comparison of direct anterior approach and posterior approach total hip arthroplasty: More than 5-year follow-up. <i>Journal of Orthopaedics</i> , 2021, 24, 271-273.	0.6	2
3734	Impact of fatty degeneration on the functional outcomes of 38 patients undergoing surgical repair of gluteal tendon tears. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, , 1.	1.3	4
3735	Comparing Patient-Reported Outcome Measurements for Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2021, 49, 1578-1588.	1.9	9
3736	Mortalidad como factor de riesgo de competencia en el anÅlisis de supervivencia de los resultados del tipo de fijaci3n de la pr3tesis total de cadera en pacientes octogenarios. <i>Revista EspaÅola De CirugÅa OrtopÅdica Y TraumatologÅa</i> , 2021, 65, 99-107.	0.1	2

#	ARTICLE	IF	CITATIONS
3737	Minimum 7-Year Follow-Up of A Porous Coated Trabecular Titanium Cup Manufactured with Electron Beam Melting Technique in Primary Total Hip Arthroplasty. <i>Orthopaedic Surgery</i> , 2021, 13, 817-824.	0.7	7
3738	Cultural Adaptation and Validation of an Arabic Version of the Modified Harris Hip Score. <i>Cureus</i> , 2021, 13, e14478.	0.2	2
3739	Endoscopic Proximal Hamstring Repair Is Safe and Efficacious With High Patient Satisfaction at a Minimum of 2-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3275-3285.	1.3	15
3740	Incidence and clinical outcome of lateral femoral cutaneous nerve injury after periacetabular osteotomy. <i>Bone and Joint Journal</i> , 2021, 103-B, 659-664.	1.9	6
3741	VÃstagos estriados cÃ³nicos modulares en revisiÃ³n de artroplastia total de cadera. Estudio multicÃ©ntrico. Resultados y complicaciones a mediano plazo. <i>Revista De La AsociaciÃ³n Argentina De Ortopedia Y TraumatologÃa</i> , 2021, 86, 197-206.	0.0	0
3742	Long-term outcomes of curved intertrochanteric varus osteotomy combined with bone impaction grafting for non-traumatic osteonecrosis of the femoral head. <i>Bone and Joint Journal</i> , 2021, 103-B, 665-671.	1.9	10
3743	Effect of posture and femoral neck osteochondroplasty on femurÃ©acetabulum clearance in patients with camÃ©type femoroacetabular impingement. <i>Journal of Orthopaedic Research</i> , 2022, 40, 370-379.	1.2	3
3744	Locking compression plate fixation of femoral intertrochanteric fractures in patients with preexisting proximal femoral deformity: a retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 285.	0.9	2
3745	Management of a broken modular femoral stem following total hip arthroplasty in a patient with sickle cell disease using an endofemoral trephine reamer: A case report. <i>International Journal of Surgery Case Reports</i> , 2021, 81, 105643.	0.2	1
3746	The influence of hydroxyapatite coating on continuous migration of a Zweymuller-type hip stem: a double-blinded randomised RSA trial with 5-year follow-up. <i>HIP International</i> , 2023, 33, 73-80.	0.9	3
3747	Long-Term Survival (up to 34 Years) of Retained Cementless Anatomic Femoral Stem in Patients &lt;50 Years Old. <i>Journal of Arthroplasty</i> , 2021, 36, 1388-1392.	1.5	8
3748	Correlation of the Single-Assessment Numeric Evaluation (SANE) Score With Hip-Specific Patient-Reported Outcome Measures. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e435-e440.	0.8	4
3749	Osteonecrosis of the hip: is there a difference in the survivorship of total hip arthroplasty with or without previous vascular iliac bone grafting?. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 244.	0.9	2
3750	RELATIONSHIP BETWEEN AGE AT ONSET OF HIP PAIN AND RADIOGRAPHIC PARAMETERS OF ACETABULAR DYSPLASIA. <i>Journal of Musculoskeletal Research</i> , 2021, 24, 2150005.	0.1	0
3751	Porous tantalum acetabular cups for reconstructions after peri-acetabular resections of primary bone tumours. <i>HIP International</i> , 2023, 33, 81-86.	0.9	1
3752	Modified Dunn procedure versus percutaneous pinning in moderate/severe stable slipped capital femoral epiphyses. <i>HIP International</i> , 2021, , 112070002110048.	0.9	2
3753	Developmental Hip Dysplasia Treated with Cementless Total Hip Arthroplasty Using a Straight Stem and a Threaded CupÃ©A Concise Follow-Up, At a Mean of Twenty-Three Years. <i>Journal of Clinical Medicine</i> , 2021, 10, 1912.	1.0	9
3754	MidÃ©to LongÃ©Term Outcomes of Cementless Modular, Fluted, Tapered Stem for Massive Femoral Bone Loss in Revision Total Hip Arthroplasty. <i>Orthopaedic Surgery</i> , 2021, 13, 989-1000.	0.7	7

#	ARTICLE	IF	CITATIONS
3755	Low Grip Strength Associated with Clinical Outcomes after Total Hip Arthroplasty – A Prospective Case–Control Study. <i>Orthopaedic Surgery</i> , 2021, 13, 1488-1495.	0.7	5
3756	Anterior positioning screw in proximal femoral plating restricts posterior tilt of retroverted femoral neck fractures: a retrospective cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 315.	0.9	1
3757	Results of the First U.S. FDA-Approved Hip Resurfacing Device at 10-Year Follow-up. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1303-1311.	1.4	8
3758	Ultrasound-guided surgery for lateral snapping hip: a novel ultraminimally invasive surgical technique. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 322.	0.9	3
3759	Modified Stoppa Approach for the Treatment of Complex Acetabular Fractures. <i>Orthopedics</i> , 2021, 44, e353-e358.	0.5	2
3760	Comparison of a fast track protocol and standard care after hip arthroplasty in the reduction of the length of stay and the early weight-bearing resumption: study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 348.	0.7	7
3761	Pain and rehabilitation after total hip arthroplasty are approach dependent: a multisurgeon, single-center, prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 3075-3082.	1.3	6
3762	Primary outcomes of a femoral neck-preserving stem: a multicentre clinical-radiological analysis at 5-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, , 1.	0.6	1
3763	Contemporary Porous Titanium Acetabular Components for Total Hip Arthroplasty After Pelvic Radiation. <i>Journal of Arthroplasty</i> , 2021, 36, 1714-1718.	1.5	4
3764	Short-term clinical and radiological results of two different design metaphyseal fitting femoral stems in total hip arthroplasty: a prospective, randomized trial. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 316.	0.9	2
3765	Attenuated serum vasoactive intestinal peptide concentrations are correlated with disease severity of non-traumatic osteonecrosis of femoral head. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 325.	0.9	6
3766	Comparison of short-term outcomes between direct anterior approach (DAA) and SuperPATH in total hip replacement: a systematic review and network meta-analysis of randomized controlled trials. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 324.	0.9	13
3767	Three-dimensional-printed custom-made hemipelvic endoprosthesis for the revision of the aseptic loosening and fracture of modular hemipelvic endoprosthesis: a pilot study. <i>BMC Surgery</i> , 2021, 21, 262.	0.6	5
3768	Hip Arthroscopy for Femoroacetabular Impingement Syndrome in Adolescents Provides Clinically Significant Outcome Benefit at Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1467-1473.e2.	1.3	20
3769	A Prospective, Randomized Comparison of the Long-Term Clinical and Radiographic Results of an Ultra-Short vs a Conventional Length Cementless Anatomic Femoral Stem. <i>Journal of Arthroplasty</i> , 2021, 36, 1707-1713.	1.5	5
3770	Long-term results of combined porous tantalum augments and titanium-coated cups for Paprosky type III bone defects in acetabular revision. <i>International Orthopaedics</i> , 2021, 45, 1699-1706.	0.9	6
3771	Bone union status of all osteotomy sites one year after curved periacetabular osteotomy based on computed tomography. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102955.	0.9	0
3772	Identification of Patients with Similar Gait Compensating Strategies Due to Unilateral Hip Osteoarthritis and the Effect of Total Hip Replacement: A Secondary Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2167.	1.0	11

#	ARTICLE	IF	CITATIONS
3773	Catastrophic failure and metallosis of the acetabular component in total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 349.	0.9	1
3774	Rehabilitation guidance for hip fracture patients during the COVID-19 pandemic using chat software: A new model. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 337-342.	0.4	12
3775	Temporal subsidence patterns of cemented polished taper-slip stems: a systematic review. <i>EFORT Open Reviews</i> , 2021, 6, 331-342.	1.8	4
3776	Dual-mobility cups in total hip arthroplasty after femoral neck fractures: A retrospective study comparing outcomes between cemented and cementless fixation. <i>Injury</i> , 2021, 52, 1467-1472.	0.7	4
3777	Total hip arthroplasty for destructive septic arthritis of the hip using a two-stage protocol without spacer placement. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 19-28.	1.3	7
3778	Assessment of morbidity and mortality after periprosthetic hip fracture. Influence of Vancouver stage in a retrospective single-centre study of 88 patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 102985.	0.9	5
3779	The Effects of Rasp Oversize on the Clinical and Radiographic Outcomes of Total Hip Arthroplasty With a Collared Satin-Finished Composite Beam Cemented Stem. <i>Journal of Arthroplasty</i> , 2021, 36, 2055-2061.	1.5	0
3780	Occult periprosthetic fractures of the acetabulum in THA using an elliptic cup design have no adverse impact on outcome. <i>Acta Orthopaedica Belgica</i> , 2021, 87, 299-304.	0.1	1
3781	Evaluation of the Efficacy and Safety of an Exercise Program for Persons with Total Hip or Total Knee Replacement: Study Protocol for a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6732.	1.2	1
3782	Multiple drilling is not effective in reducing the rate of conversion to Total hip Arthroplasty in early-stage nontraumatic osteonecrosis of the femoral head: a case-control comparative study with a natural course. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 535.	0.8	5
3783	Physical Performance Tests Correlate With Patient-reported Outcomes After Periacetabular Osteotomy: A Prospective Study. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2021, 5, .	0.4	2
3784	Complete Capsular Closure Provides Higher Rates of Clinically Significant Outcome Improvement and Higher Survivorship Versus Partial Closure After Hip Arthroscopy at Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1833-1842.	1.3	12
3785	Effect of carbazochrome sodium sulfonate combined with tranexamic acid on blood loss and inflammatory response in patients undergoing total hip arthroplasty. <i>Bone and Joint Research</i> , 2021, 10, 354-362.	1.3	6
3786	Surgical Treatment of Internal Fixation Failure of Femoral Peritrochanteric Fracture. <i>Orthopaedic Surgery</i> , 2021, 13, 1739-1747.	0.7	6
3788	Mid-long-term results of total knee arthroplasty followed by ipsilateral total hip arthroplasty versus total hip arthroplasty subsequent to ipsilateral total knee arthroplasty: a case-control analysis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 581.	0.8	2
3789	Outcome of unstable pertrochanteric fractures in high-risk geriatric treated with external fixators. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 867-874.	0.6	0
3790	Postoperative Outcomes Following Total Hip and Knee Arthroplasty in Patients with Pain Catastrophizing, Anxiety, or Depression. <i>Journal of Arthroplasty</i> , 2021, 36, 1908-1914.	1.5	41
3791	Recombinant human FGF-2 for the treatment of early-stage osteonecrosis of the femoral head: TRION, a single-arm, multicenter, Phase II trial. <i>Regenerative Medicine</i> , 2021, 16, 535-548.	0.8	5

#	ARTICLE	IF	CITATIONS
3792	Long-Term Outcome on the Mal-Seating of Ceramic-on-Ceramic Articulation in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021, 36, 2100-2104.	1.5	7
3793	Robotic arm-assisted versus manual total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1009-1020.	1.9	57
3794	Minimum Five-Year Outcomes of Hip Resurfacing: Propensity-Score Matched Against Total Hip Arthroplasty Control Groups. <i>Journal of Arthroplasty</i> , 2021, 36, 2012-2015.	1.5	5
3795	Direct anterior approach has short-term functional benefit and higher resource requirements compared with the posterior approach in primary total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1078-1087.	1.9	25
3796	Évaluation de la morbi-mortalité après une fracture péri-prothétique de la hanche. Influence du stade de Vancouver dans une étude rétrospective monocentrique de 88 patients. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2022, 108, 26-31.	0.0	0
3797	Artroplastia total de cadera primaria en fractura de acetabulo en el paciente anciano. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2022, 66, 52-59.	0.1	1
3798	Risk factors and modes of failure in the modern dual mobility implant. A systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 541.	0.8	16
3799	Long-Term Clinical and Radiographic Results of an Ultra-Short Metaphyseal-Fitting Non-Anatomic Cementless Stem in Patients with Femoral Neck Fracture. <i>Journal of Arthroplasty</i> , 2021, 36, 2105-2109.	1.5	6
3800	Acetabular distraction hip arthroplasty in neglected transverse and T-shape acetabular fractures : a different application. <i>Acta Orthopaedica Belgica</i> , 2021, 87, 267-274.	0.1	0
3801	Is Negative Pressure Wound Therapy with Instillation Suitable for the Treatment of Acute Periprosthetic Hip Joint Infection?. <i>Journal of Clinical Medicine</i> , 2021, 10, 3246.	1.0	2
3802	Total hip arthroplasty for failed acetabular fracture: a double-center comparative study on failed proximal femur fracture. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, , 1.	0.8	1
3803	Clinical research for dose effects of ketorolac tromethamine on PCIA after hip arthroplasty. <i>Food Science and Technology</i> , 0, , .	0.8	0
3804	Our experience of total hip arthroplasty in adolescents with consequences of acute hematogenous osteomyelitis. <i>Pediatric Traumatology, Orthopaedics and Reconstructive Surgery</i> , 2021, 9, 163-174.	0.1	0
3805	Primary Total Hip Arthroplasty in Patients With Ankylosing Spondylitis. <i>Journal of Arthroplasty</i> , 2021, 36, S282-S289.	1.5	14
3806	Multicup reconstruction technique for the management of severe protrusio acetabular defects. <i>Arthroplasty</i> , 2021, 3, 26.	0.9	4
3807	Omega plate for the treatment of acetabular fractures involving the quadrilateral plate. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 1064.	0.8	5
3808	Cemented versus uncemented hemiarthroplasty for femoral neck fractures in patients with neuromuscular diseases: a minimum of 2 years' follow-up study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 418.	0.9	4
3809	Proximal femoral replacement: A salvage treatment of cephalomedullary nails' mechanical failures in the elderly population. <i>Injury</i> , 2021, 52, 1868-1874.	0.7	2

#	ARTICLE	IF	CITATIONS
3810	Total hip arthroplasty in patients with active psoriatic arthritis (preliminary report). Nauchno-Prakticheskaya Revmatologiya, 2021, 59, 344-350.	0.2	0
3811	Risk factors for implant failure of custom-made acetabular implants in patients with Paprosky III acetabular bone loss and combined pelvic discontinuity. Technology and Health Care, 2022, 30, 703-711.	0.5	4
3812	Two-Stage Revision Total Hip Arthroplasty Without Spacer Placement: A Viable Option to Manage Infection in Patients With Severe Bone Loss or Abductor Deficiency. Journal of Arthroplasty, 2021, 36, 2575-2585.	1.5	10
3813	Long-term results of hip arthroplasty and determination of unfavorable risk factors for early development of osteonecrosis in patients with systemic lupus erythematosus. Nauchno-Prakticheskaya Revmatologiya, 2021, 59, 351-356.	0.2	1
3814	Total Hip Arthroplasty for Femoral Neck Fracture: What Are the Contemporary Reasons for Failure?. Journal of Arthroplasty, 2021, 36, S272-S276.	1.5	18
3815	Total Hip Arthroplasty in Patients With Osteoarthritis Associated With Legg-Calve-Perthes Disease: Perioperative Complications and Patient-Reported Outcomes. Journal of Arthroplasty, 2021, 36, 2518-2522.	1.5	2
3816	Review of complications, functional outcome, and long-term survival following conversion of hip fusion to total hip arthroplasty. Bone and Joint Journal, 2021, 103-B, 129-134.	1.9	5
3817	Which general functional outcome measure does a better job of capturing change in clinical status in pelvic and acetabular fracture patients? An analysis of responsiveness over the first year of recovery. OTA International the Open Access Journal of Orthopaedic Trauma, 2021, 4, e137.	0.4	2
3819	Clinical and functional outcomes of posterior wall fractures of the acetabulum fixed with spring plates by a posterolateral rotator-sparing approach. Injury, 2021, 52, 2978-2985.	0.7	3
3820	Does the use of the largest possible metal head increase the wear of vitamin E-doped cross-linked polyethylene? Two-year results from a randomized controlled trial. Bone and Joint Journal, 2021, 103-B, 1206-1214.	1.9	11
3821	Comparison of cell therapy and other novel adjunctive therapies combined with core decompression for the treatment of osteonecrosis of the femoral head. Bone and Joint Research, 2021, 10, 445-458.	1.3	13
3822	Patient-Specific Implants for Pelvic Tumor Resections. Journal of Personalized Medicine, 2021, 11, 683.	1.1	6
3823	Total Femur Antibiotic Spacers: Effective Salvage for Complex Periprosthetic Joint Infections. Journal of Arthroplasty, 2021, 36, 2567-2574.	1.5	3
3824	Selected Vancouver B2 periprosthetic femoral fractures around cemented polished femoral components can be safely treated with osteosynthesis. Bone and Joint Journal, 2021, 103-B, 1222-1230.	1.9	10
3825	Total hip arthroplasty using highly cross-linked polyethylene in patients aged 50 years and younger. Bone and Joint Journal, 2021, 103-B, 78-83.	1.9	22
3826	Dual mobility cups associated with proximal femoral replacement in nontumoral indications: Results and complications. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 103029.	0.9	7
3827	Combined Strut Onlay Allografting, Reduction Osteotomy, and Extensively Porous-Coated Stem for Reconstruction of Severe Femoral Defects During Revision Hip Arthroplasty. Journal of Arthroplasty, 2021, 36, 3722-3727.	1.5	1
3828	Assessment of hip involvement in patients with ankylosing spondylitis: reliability and validity of the Hip Inflammation MRI Scoring System. BMC Musculoskeletal Disorders, 2021, 22, 705.	0.8	4



#	ARTICLE	IF	CITATIONS
3829	Comparison of periprosthetic bone mineral density between two types of short-stems in total hip arthroplasty with a mean follow-up of 4 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103044.	0.9	3
3830	Étude comparative de la densitométrie osseuse pré-prothétique de deux types de prothèse de hanche à pivot court: analyse avec un suivi moyen de 4 ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2021, 108, 40-40.	0.0	0
3831	The Patient-Specific Combined Target Zone for Morpho-Functional Planning of Total Hip Arthroplasty. <i>Journal of Personalized Medicine</i> , 2021, 11, 817.	1.1	10
3832	Evaluación de la curva de aprendizaje y resultados iniciales con un vástago corto de fijación cervicometáforica: Una serie de casos. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2022, 66, 60-67.	0.1	0
3833	Early Recovery Outcomes in Patients Undergoing Total Hip Arthroplasty Through a Posterior Approach With Modified Postoperative Precautions. <i>Journal of Arthroplasty</i> , 2021, 36, 2817-2822.	1.5	8
3834	The Impact of Race and Socioeconomic Status on Total Joint Arthroplasty Care. <i>Journal of Arthroplasty</i> , 2021, 36, 2729-2733.	1.5	20
3835	Percutaneous Cerclage Wiring Combined with Cephalomedullary Nailing for Irreducible Subtrochanteric Fractures. <i>Orthopaedic Surgery</i> , 2021, 13, 1899-1911.	0.7	3
3836	Osteosynthesis in Vancouver type B1 periprosthetic fractures. <i>Injury</i> , 2021, 52, 2451-2458.	0.7	3
3837	Short-term outcomes vary by surgical approach in total hip arthroplasty: a network meta-analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2893-2902.	1.3	18
3838	Gender and Age-Specific Differences Observed in Rates of Achieving Meaningful Clinical Outcomes 5-Years After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2488-2496.e1.	1.3	17
3839	A Comparison of Outcomes After Endoscopic Repair of Partial- Versus Full-Thickness Tears of the Gluteus Medius Tendon. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2465-2472.	1.3	13
3840	Nomogram to predict collapse-free survival after core decompression of nontraumatic osteonecrosis of the femoral head. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 519.	0.9	1
3842	Direct anterior approach (DAA) vs. conventional approaches in total hip arthroplasty: A RCT meta-analysis with an overview of related meta-analyses. <i>PLoS ONE</i> , 2021, 16, e0255888.	1.1	14
3843	Iatrogenic gluteus medius muscle insertion injury while trochanteric entry nailing due to trochanteric fractures: a comparative study in forty patients with gray-scale ultrasound and shear-wave elastography. <i>International Orthopaedics</i> , 2021, 45, 3253-3261.	0.9	1
3844	Partial two-stage exchange: an alternative method for infected total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 686.	0.8	3
3845	Femoral neck system versus inverted cannulated cancellous screw for the treatment of femoral neck fractures in adults: a preliminary comparative study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 504.	0.9	36
3846	Imaging observation of percutaneous compression plate use in promoting femoral neck fracture healing. <i>Journal of International Medical Research</i> , 2021, 49, 0300060521110335.	0.4	4
3847	Leg Length Change After Curved Periacetabular Osteotomy and Its Impact on the Clinical Outcomes. <i>Journal of Arthroplasty</i> , 2021, 36, 3089-3096.	1.5	2

#	ARTICLE	IF	CITATIONS
3848	Does 3D-Assisted Acetabular Fracture Surgery Improve Surgical Outcome and Physical Functioning?â€”A Systematic Review. <i>Journal of Personalized Medicine</i> , 2021, 11, 966.	1.1	6
3849	An algorithmic approach to total hip arthroplasty in patient with post-polio paralysis and fixed pelvic obliquity. <i>Bone &amp; Joint Open</i> , 2021, 2, 696-704.	1.1	2
3850	Hydroxyapatite-coated cementless total hip arthroplasty for patients undergoing dialysis: a study of 30 hips with a minimum follow-up period of 5â€”years. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 842.	0.8	1
3851	MRI Assessment of Muscle Damage After the Posterolateral Versus Direct Anterior Approach for THA (Polada Trial). A Randomized Controlled Trial. <i>Journal of Arthroplasty</i> , 2021, 36, 3248-3258.e1.	1.5	7
3852	Total hip arthroplasty in patients with severe hip dysplasia and congenital pubic diastasis: report of two cases. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 814.	0.8	0
3853	Total Hip Arthroplasty With the Wagner Cone Femoral Stem in Patients With Crowe IV Developmental Dysplasia of the Hip: A Retrospective Study. <i>Journal of Arthroplasty</i> , 2022, 37, 103-109.	1.5	5
3854	Total hip arthroplasty or hemiarthroplasty for femoral neck fractures in elderly patients with neuromuscular imbalance. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2825-2833.	1.4	6
3855	Cross-cultural adaptation and psychometric validation of the Indonesian version of the Oxford Hip Score. <i>Bone &amp; Joint Open</i> , 2021, 2, 765-772.	1.1	1
3856	Outcome of acetabulum fractures treated with open reduction and internal fixation through Kocher-Langenbeck Approach: A retrospective study. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2021, 23, 101599.	0.6	2
3857	Association of the lateral wall integrity with clinical outcomes in older patients with intertrochanteric hip fractures treated with the proximal femoral nail anti-rotation-Asia. <i>International Orthopaedics</i> , 2021, 45, 3233-3242.	0.9	9
3858	Improvements in lower-extremity patient-reported outcomes after lumbar interbody fusion. <i>Journal of Neurosurgery: Spine</i> , 2022, 36, 8-15.	0.9	1
3859	Influence of dual-mobility acetabular implants on revision and survivorship of cup and Kerboul-type reinforcement ring constructs in aseptic acetabular loosening. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103071.	0.9	4
3860	Injectable autologous chondrocyte implantation in acetabular cartilage defects: 2-year minimum clinical and MRI results. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 739-747.	1.3	5
3861	Highly Crosslinked Polyethylene Can Reduce Wear Rate in THA for High-Demand Patients: A Matched-Paired Controlled Study. <i>Journal of Arthroplasty</i> , 2021, 36, 3226-3232.	1.5	8
3862	Minimum 10â€”years clinical and radiological outcomes of acetabular revisions of total hip arthroplasties with tricalcium phosphate/hydroxyapatite bone graft substitute. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 835.	0.8	5
3863	Long-Term Outcome of Small Head Metal-On-Metal Total Hip Arthroplasty: A 15-to-22 Year Follow-Up. <i>Journal of Arthroplasty</i> , 2021, 36, 3214-3220.	1.5	2
3864	Posterior femoral head dislocation with ipsilateral posterior wall and anterior column acetabular fracture: a case report and review of the literature. <i>Current Orthopaedic Practice</i> , 2021, 32, 622-625.	0.1	0
3865	Acetabular reconstruction with femoral head autograft in primary total hip arthroplasty through a direct anterior approach is a reliable option for patients with secondary osteoarthritis due to developmental dysplasia of the hip. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2957-2964.	1.3	2

#	ARTICLE	IF	CITATIONS
3867	Total hip arthroplasty with ultra-short uncemented stem in patients with osteonecrosis of the femoral head: mid-term results. <i>HIP International</i> , 2023, 33, 463-470.	0.9	7
3868	Does Activity Level After Primary Total Hip Arthroplasty Affect Aseptic Survival?. <i>Arthroplasty Today</i> , 2021, 11, 68-72.	0.8	7
3869	Sequentially Irradiated and Annealed Highly Cross-Linked Polyethylene: Linear Vector and Volumetric Wear in Total Hip Arthroplasty at 10 Years. <i>Arthroplasty Today</i> , 2021, 11, 140-145.	0.8	4
3870	Editorial Commentary: Patient-Reported Outcome Measures With Established Clinically Important Outcome Values Should Be Used for Hip Arthroscopy Patients: Sifting Through the White Noise. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3122-3124.	1.3	3
3871	Outcome measures in trauma and orthopaedics: a guide to evaluating your practice. <i>Orthopaedics and Trauma</i> , 2021, 35, 260-266.	0.2	1
3872	Six-Month Outcome Scores Predicts Short-Term Outcomes After Hip Arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3081-3087.	1.3	4
3873	Malalignment and distal contact of short tapered stems could be associated with postoperative thigh pain in primary total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 67.	0.9	8
3874	Second-generation uncemented total hip arthroplasty: a minimum 20-year follow-up. <i>Bone &amp; Joint Open</i> , 2021, 2, 33-39.	1.1	16
3875	Osteotomies for avascular necrosis of the femoral head. <i>British Medical Bulletin</i> , 2021, 137, 98-111.	2.7	55
3876	Robotic arm-assisted versus manual total hip arthroplasty. <i>Bone and Joint Research</i> , 2021, 10, 22-30.	1.3	37
3877	Primary total hip arthroplasty using a short bone-conserving stem in young adult osteoporotic patients with Dorr type C femoral bone. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 17.	0.9	9
3878	Megaprosthesis Reconstruction of the Proximal Femur following Bone Tumour Resection: When Do We Need the Cup?. <i>Hip and Pelvis</i> , 2021, 33, 147-153.	0.6	6
3879	The need for a dose constraint in hip prosthesis to minimize later hip dysfunction. A retrospective analysis of relevant cases. <i>Medical Dosimetry</i> , 2021, 46, 279-282.	0.4	1
3881	Outcome with a Tapered, Polished, Anatomic Stem. , 2005, , 242-248.		4
3882	Alternative Bearing Surfaces: Alumina Ceramic Bearings for Total Hip Arthroplasty. , 2005, , 87-94.		18
3883	Ceramic-on-Ceramic versus Ceramic-on-Polyethylene Bearings in Total Hip Arthroplasty: Results of a Multicenter Prospective Randomized Study and Update of Modern Ceramic Total Hip Trials in the USA. , 2005, , 101-108.		2
3886	The Critical Role of Registries in Documenting the Outcomes of Hip Preservation Surgery. , 2017, , 967-974.		2
3887	Physical Examination of the Hip and Pelvis. , 2015, , 139-159.		1

#	ARTICLE	IF	CITATIONS
3888	Are Metal Ion Levels a Trigger for Surgical Intervention?. , 2014, , 63-82.		4
3889	Endpoints for Clinical Studies: Conventional and Innovative Variables. , 1991, , 151-168.		24
3890	Conservative total Articular Replacement Arthroplasty: Minimum 20-Year Follow-Up. , 2009, , 408-414.		1
3891	The Extent of Hydroxyapatite Coating: Proximal versus Full Coating with Customs Stems Using Compacted Bone Preparation. , 2004, , 139-145.		1
3892	Clinical Results with the Omniflex HA Femoral Stem. , 2004, , 279-284.		1
3893	Traumatic Hip Dislocation in Children. , 2019, , 445-463.		1
3895	Challenges in Total Hip Arthroplasty. Lecture Notes in Applied and Computational Mechanics, 2018, , 295-312.	2.0	2
3896	Imageless Cup and Stem Navigation in Dysplastic Hips with the Navitrack and Vector Vision Systems. , 2007, , 344-351.		3
3897	Attribute Interactions in Medical Data Analysis. Lecture Notes in Computer Science, 2003, , 229-238.	1.0	23
3898	Surgical Navigation for THR: A Report on Clinical Trial Utilizing HipNav. Lecture Notes in Computer Science, 2000, , 1185-1187.	1.0	4
3899	Heterotopic Ossification Prophylaxis - The Hip. Medical Radiology, 2008, , 357-371.	0.0	4
3900	Clinical Scores in Femoroacetabular Impingement. , 2012, , 265-269.		1
3901	Forecasting Wear of Head and Acetabulum in Hip Joint Implant. Lecture Notes in Computer Science, 2012, , 341-346.	1.0	14
3903	Morphologie, Pathomorphologie, Biomechanik, Klassifikation. , 1999, , 12-36.		1
3904	Role of Mechanical Factors in the Aetiology, Pathogenesis and Progression of Osteoarthritis. , 1999, , 101-114.		3
3905	Experience with Uncemented Polyethylene Acetabular Prostheses. , 1984, , 205-210.		2
3906	Der Weg zurÄ¼ck zur Metall-Metall-Paarung fÄ¼r die HÄ¼fttotalprothese. , 1995, , 54-66.		3
3907	The CLS Stem. , 1995, , 271-296.		7

#	ARTICLE	IF	CITATIONS
3908	The Reactivation of the Metal-Metal Pairing for the Total Hip Prosthesis. , 1995, , 49-59.		7
3909	Endpoints for Clinical Studies: Conventional and Innovative Variables. , 1986, , 53-68.		13
3910	Erfahrungen mit zementfrei implantierten PolyÄthylenpfannen. , 1983, , 210-215.		1
3911	Hip Resurfacing: Indications, Results, and Prevention of Complications. , 2007, , 195-204.		1
3912	Weighting and Aggregation. , 1993, , 45-52.		2
3913	Bone Turnover and Osteoporosis. , 1971, , 201-238.		9
3914	N-Acetyl-Cysteine Reduces Blood Chromium and Cobalt Levels in Metal-on-Metal Hip Arthroplasty. Arthroplasty Today, 2020, 6, 149-152.	0.8	14
3915	Estudio de cohortes comparativo del abordaje Superpath con abordaje convencional posterior en cirugÄa protÄ©sica primaria de cadera no cementada: curva de aprendizaje y resultados a corto plazo. Revista Espa±ola De CirugÄa OrtopÄ©dica Y TraumatologÄa, 2019, 63, 346-354.	0.1	4
3916	Total Hip Reconstruction Using Frozen Femoral Head Allografts in Patients with Acetabular Bone Loss. Orthopedic Clinics of North America, 1987, 18, 291-299.	0.5	60
3917	Biologic Fixation Arthroplasty in the Treatment of Osteonecrosis. Orthopedic Clinics of North America, 1985, 16, 771-787.	0.5	18
3918	Preoperative and Postoperative Management in Total Hip Reconstruction. Orthopedic Clinics of North America, 1973, 4, 523-531.	0.5	1
3919	Bone Grafts in Hip Replacement Surgery. Orthopedic Clinics of North America, 1993, 24, 679-695.	0.5	96
3920	A Temporary Antibiotic-Loaded Joint Replacement System for Management of Complex Infections Involving the Hip. Orthopedic Clinics of North America, 1993, 24, 751-759.	0.5	142
3922	Outcomes Assessment of Total Hip and Total Knee Arthroplasty. Clinical Nurse Specialist, 1998, 12, 122-129.	0.3	27
3923	Evaluation Criteria List for Trauma Outcome: Recommended by AO/ASIF. Journal of Orthopaedic Trauma, 2000, 14, 292-298.	0.7	1
3924	Mennen Plate Fixation for Fractures of the Femoral Shaft after Ipsilateral Hip Arthroplasty. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 42, 1157-1160.	1.1	13
3925	Acetabular Fracture Patterns: Associations with Motor Vehicle Crash Information. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 47, 1063.	1.1	45
3926	Using Neural Networks to Identify Patients Unlikely to Achieve a Reduction in Bodily Pain After Total Hip Replacement Surgery. Medical Care, 1997, 35, 1020-1030.	1.1	13

#	ARTICLE	IF	CITATIONS
3927	Reconstructive Options for Osteonecrosis of the Femoral Head. <i>Techniques in Orthopaedics</i> , 2001, 16, 66-79.	0.1	6
3928	Highly Cross-Linked Polyethylene in Cemented THA. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 126-138.	0.7	131
3929	Extended Trochanteric Osteotomy Via the Direct Lateral Approach in Revision Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 210-216.	0.7	52
3930	Treatment of Femoral Head Osteonecrosis Using Bone Impaction Grafting. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 74-83.	0.7	55
3931	Outcome of Nonvascularized Bone Grafting for Osteonecrosis of the Femoral Head. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 84-92.	0.7	117
3932	Hydroxyapatite Does Not Improve the Outcome of a Bipolar Hemiarthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2004, 421, 143-150.	0.7	15
3933	Primary Uncemented Harris-Galante Acetabular Components in Patients 50 Years Old or Younger. <i>Clinical Orthopaedics and Related Research</i> , 2004, 427, 157-161.	0.7	40
3934	Variables Affecting Initial Stability of Impaction Grafting for Hip Revision. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 174-180.	0.7	22
3935	THE OTTO AUFRANC AWARD: Highly Cross-linked Polyethylene in Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2004, 429, 6-16.	0.7	173
3936	Intermediate Follow-up of a Simple Method of Hip Arthrodesis in Adolescent Patients. <i>Journal of Pediatric Orthopaedics</i> , 1996, 16, 30-36.	0.6	31
3937	A Modified Transfemoral Approach Using Modular Cementless Revision Stems. <i>Clinical Orthopaedics and Related Research</i> , 2007, 462, 105-114.	0.7	50
3938	Second-generation Proximally Coated Titanium Femoral Component. <i>Clinical Orthopaedics and Related Research</i> , 2007, 465, 117-121.	0.7	16
3939	What Are the Long-term Results of Cemented Revision THA with Use of Both Acetabular and Femoral Impaction Bone Grafting in Patients Younger Than 55 Years?. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 84-91.	0.7	10
3941	Protocol for a randomised trial evaluating the comparative effectiveness of strategies to promote shared decision making for hip and knee osteoarthritis (DECIDE-OA study). <i>BMJ Open</i> , 2019, 9, e024906.	0.8	5
3942	Gait Adaptations in Patients with Longstanding Hip Fusion. <i>Journal of Orthopaedic Surgery</i> , 2003, 11, 154-158.	0.4	12
3943	Pre-coated femoral components in hybrid total hip arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 306-309.	3.4	10
3944	Total Hip Replacement for the Treatment of End Stage Arthritis of the Hip: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e99804.	1.1	33
3945	PROSPECTIVE STUDY OF MANAGEMENT OF FRACTURE NECK OF FEMUR BY HEMIARTHROPLASTY WITH CEMENTED BIPOLAR. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015, 4, 16309-16314.	0.1	1

#	ARTICLE	IF	CITATIONS
3946	Correlation of Functional Status of Hip with Quality of Life of Patients with Osteonecrosis of Femoral Head (ONFH). <i>MOJ Orthopedics &amp; Rheumatology</i> , 2017, 7, .	0.2	2
3947	Modes of failure of proximal femoral nail (PFN) in unstable trochanteric fractures. <i>MOJ Orthopedics &amp; Rheumatology</i> , 2019, 11, .	0.2	9
3948	Tratamento da Osteonecrose da Cabeça Femoral com células progenitoras autólogas em anemia falciforme. <i>Acta Ortopédica Brasileira</i> , 2008, 16, 23-27.	0.2	10
3950	The porous-coated anatomic total hip prosthesis, inserted without cement. Results after five to seven years in a prospective study.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 77-91.	1.4	217
3951	Primary total hip reconstruction with a titanium fiber-coated prosthesis inserted without cement.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 554-571.	1.4	295
3952	Hip and knee replacement in osteogenesis imperfecta.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 572-580.	1.4	79
3953	Revision of the acetabular component without cement after total hip arthroplasty. Three to six-year follow-up.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 663-673.	1.4	166
3954	Total hip replacement without cement for non-inflammatory osteoarthritis in patients who are less than forty-five years old.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 740-751.	1.4	69
3955	Intertrochanteric osteotomy and autogenous bone-grafting for avascular necrosis of the femoral head.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 1119-1133.	1.4	117
3956	The effect of elective total hip replacement on health-related quality of life.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 1619-1626.	1.4	519
3957	Severe osteolysis of the pelvis in association with acetabular replacement without cement.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1993, 75, 1627-1635.	1.4	156
3958	The prevalence of femoral osteolysis associated with components inserted with or without cement in total hip replacements. A retrospective matched-pair series.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1121-1129.	1.4	188
3959	The femoral component in total hip arthroplasty. Six to eight-year follow-up of one hundred consecutive patients after use of a third-generation cementing technique.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1130-1136.	1.4	120
3960	Revision total hip arthroplasty with the BIAS (Biologic Ingrowth Anatomic System) femoral component. Three to six-year results.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1137-1148.	1.4	38
3961	Micromotion of femoral stems in total hip arthroplasty. A randomized study of cemented, hydroxyapatite-coated, and porous-coated stems with roentgen stereophotogrammetric analysis.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1692-1705.	1.4	184
3962	Closed reduction for congenital dysplasia of the hip. Functional and radiographic results after an average of thirty years.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1777-1792.	1.4	236
3963	Intracapsular fractures of the femoral neck. Results of cannulated screw fixation.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1793-1803.	1.4	167
3964	Revision of the acetabulum without cement with use of the Harris-Galante porous-coated implant. Two to eight-year results.. <i>Journal of Bone and Joint Surgery - Series A</i> , 1994, 76, 1834-1839.	1.4	62

#	ARTICLE	IF	CITATIONS
3965	Periacetabular and intertrochanteric osteotomy for the treatment of osteoarthritis in dysplastic hips.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 73-85.	1.4	340
3966	Total hip replacement with insertion of an acetabular component without cement and a femoral component with cement. Four to seven-year results.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 86-96.	1.4	46
3967	Non-traumatic avascular necrosis of the femoral head.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 459-474.	1.4	1,003
3968	Treatment of osteonecrosis of the femoral head with free vascularized fibular grafting. A long-term follow-up study of one hundred and three hips.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 681-694.	1.4	396
3969	Failure of the Mecring screw-ring acetabular component in total hip arthroplasty. A three to seven-year follow-up study.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 760-766.	1.4	46
3970	Polyethylene debris in lymph nodes after a total hip arthroplasty. A report of two cases.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 772-776.	1.4	18
3971	Revision total hip arthroplasty without cement. Journal of Bone and Joint Surgery - Series A, 1995, 77, 1217-1226.	1.4	61
3972	Wear of the polyethylene of Harris-Galante acetabular components inserted without cement.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 1311-1314.	1.4	78
3973	Total hip arthroplasty with cement after renal transplantation. Long-term results.. Journal of Bone and Joint Surgery - Series A, 1995, 77, 1535-1542.	1.4	39
3974	Revision Total Hip Arthroplasty with Use of So-Called Second-Generation Cementing Techniques for Aseptic Loosening of the Femoral Component. A Fifteen-Year-Average Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 325-30.	1.4	183
3975	Revision of the Femoral Component of a Total Hip Arthroplasty with the Calcar-Replacement Femoral Component. Results after a Mean of 10.8 Years Postoperatively*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 331-9.	1.4	39
3976	Infection after Total Hip Arthroplasty. A Study of the Treatment of One Hundred and Six Infections*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 512-23.	1.4	805
3977	Primary Total Hip Replacement with Insertion of an Acetabular Component without Cement and a Femoral Component with Cement. Follow-up Study at an Average of Six Years*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 698-705.	1.4	36
3978	Evaluation of the Biomechanics of the Hip following a Triple Osteotomy of the Innominate Bone. Journal of Bone and Joint Surgery - Series A, 1996, 78, 855-62.	1.4	40
3979	Preoperative Irradiation for Prevention of Heterotopic Ossification following Total Hip Arthroplasty*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 870-81.	1.4	104
3980	Porous-Coated Acetabular Components with Screw Fixation. Five to Ten-Year Results*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 975-81.	1.4	169
3981	Corrective Osteotomy for Osteonecrosis of the Femoral Head. The Results of a Long-Term Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1032-8.	1.4	145
3982	The Bone-Implant Interface of Femoral Stems with Non-Circumferential Porous Coating. A Study of Specimens Retrieved at Autopsy*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1068-81.	1.4	114



#	ARTICLE	IF	CITATIONS
3983	A Tapered Titanium Femoral Stem Inserted without Cement in a Total Hip Arthroplasty. Radiographic Evaluation and Stability*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1214-25.	1.4	96
3984	Remodeling of Bone around Hydroxyapatite-Coated Femoral Stems*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1226-34.	1.4	123
3985	Revision of the Acetabular Component without Cement after Total Hip Arthroplasty. A Follow-up Note Regarding Results at Seven to Eleven Years*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1366-70.	1.4	120
3986	Innominate Osteotomy in Adolescents and Adults Who Have Acetabular Dysplasia*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1455-61.	1.4	33
3987	Analysis of the Gait of Adults Who Had Residua of Congenital Dysplasia of the Hip*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 1468-79.	1.4	62
3988	Infection around Joint Replacements in Patients Who Have a Renal or Liver Transplantation*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 36-43.	1.4	52
3989	Colonna Arthroplasty with Concomitant Femoral Shortening and Rotational Osteotomy. Long-Term Results*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 84-96.	1.4	8
3990	Bulk Structural Autogenous Grafts and Allografts for Reconstruction of the Acetabulum in Total Hip Arthroplasty. Sixteen-Year-Average Follow-up*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 159-68.	1.4	280
3991	Primary Total Hip Arthroplasty with a Porous-Coated Acetabular Component. Seven-to-Ten-Year Results*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 169-76.	1.4	110
3992	The Patient-Specific Index. Journal of Bone and Joint Surgery - Series A, 1997, 79, 974-83.	1.4	152
3993	Hydroxyapatite-Coated Total Hip Femoral Components in Patients Less Than Fifty Years Old. Clinical and Radiographic Results after Five to Eight Years of Follow-up*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 1023-9.	1.4	120
3994	Pseudarthrosis following Slipped Capital Femoral Epiphysis. Journal of Bone and Joint Surgery - Series A, 1997, 79, 1552-5.	1.4	3
3995	Total Hip Arthroplasty Performed with Insertion of the Femoral Component with Cement and the Acetabular Component without Cement. Ten to Thirteen-Year Results*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 1827-33.	1.4	32
3996	Impaction Bone-Grafting before Insertion of a Femoral Stem with Cement in Revision Total Hip Arthroplasty. A Minimum Two-Year Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 1834-41.	1.4	174
3997	Treatment of Infection Associated with Segmental Bone Loss in the Proximal Part of the Femur in Two Stages with Use of an Antibiotic-Loaded Interval Prosthesis*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 60-9.	1.4	111
3998	A Femoral Component Inserted without Cement in Total Hip Arthroplasty. A Study of the Tri-Lock Component with an Average Ten-Year Duration of Follow-up*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 952-60.	1.4	83
3999	Revision of a Total Hip Arthroplasty with a Harris-Galante Porous-Coated Acetabular Component Inserted without Cement. A Follow-up Note on the Results at Five to Twelve Years*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 980-84.	1.4	71
4000	Fixation of Acetabular Cups without Cement in Total Hip Arthroplasty. A Comparison of Three Different Implant Surfaces at a Minimum Duration of Follow-up of Five Years*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1175-85.	1.4	140

#	ARTICLE	IF	CITATIONS
4001	Total Hip Arthroplasty after Operative Treatment of an Acetabular Fracture*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1295-1305.	1.4	178
4002	Metal Release in Patients Who Have Had a Primary Total Hip Arthroplasty. A Prospective, Controlled, Longitudinal Study*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1447-58.	1.4	517
4003	Total Hip Arthroplasty with Use of Second-Generation Cementing Techniques. An Eighteen-Year-Average Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1632-40.	1.4	77
4004	Polyethylene Wear After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1641-7.	1.4	28
4005	Surface Replacement Hemiarthroplasty for the Treatment of Osteonecrosis of the Femoral Head*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1656-64.	1.4	87
4006	The Harris Design-2 Total Hip Replacement Fixed with So-Called Second-Generation Cementing Techniques. A Ten to Fifteen-Year Follow-up*. Journal of Bone and Joint Surgery - Series A, 1998, 80, 1775-80.	1.4	29
4007	Acetabular Involvement in Osteonecrosis of the Femoral Head*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 60-65.	1.4	47
4008	The Harris-Galante Porous-Coated Acetabular Component with Screw Fixation. An Average Ten-Year Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 66-73.	1.4	150
4009	The Porous-Coated Anatomic Total Hip Prosthesis, Inserted without Cement. A Prospective Study with a Minimum Ten Years of Follow-up*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 74-82.	1.4	119
4010	Medial Protrusio Technique for Placement of a Porous-Coated, Hemispherical Acetabular Component without Cement in a Total Hip Arthroplasty in Patients Who Have Acetabular Dysplasia*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 83-92.	1.4	146
4011	Survivorship Analysis of Hips Treated with Core Decompression for Nontraumatic Osteonecrosis of the Femoral Head*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 200-209.	1.4	166
4012	Clinical and Radiographic Outcomes of Total Hip Arthroplasty with Insertion of an Anatomically Designed Femoral Component without Cement for the Treatment of Primary Osteoarthritis. A Study with a Minimum of Six Years of Follow-up*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 210-218.	1.4	37
4013	The Hemispherical Harris-Galante Acetabular Cup, Inserted without Cement. The Results of an Eight to Eleven-Year Follow-up of One Hundred and Sixty-Eight Hips*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 219-224.	1.4	52
4014	Primary Hybrid Total Hip Replacement, Performed with Insertion of the Acetabular Component without Cement and a Precoat Femoral Component with Cement. An Average Ten-Year Follow-up Study*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 247-255.	1.4	90
4015	Total Hip Arthroplasty with Insertion of the Acetabular Component without Cement in Hips with Total Congenital Dislocation or Marked Congenital Dysplasia*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 347-54.	1.4	100
4016	Instructional Course Lectures, The American Academy of Orthopaedic Surgeons - Femoral Bone Loss in Patients Managed with Revision Hip Replacement. Journal of Bone and Joint Surgery - Series A, 1999, 81, 420-36.	1.4	12
4017	High Placement of an Acetabular Component Inserted without Cement in a Revision Total Hip Arthroplasty. Results After a Mean of Ten Years*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 469-80.	1.4	133
4018	Analysis of Routine Histological Evaluation of Tissues Removed During Primary Hip and Knee Arthroplasty*. Journal of Bone and Joint Surgery - Series A, 1999, 81, 926-31.	1.4	47

#	ARTICLE	IF	CITATIONS
4019	Impaction Allografting with Cement for Revision of the Femoral Component. <i>Journal of Bone and Joint Surgery - Series A</i> , 1999, 81, 1080-1092.	1.4	98
4020	The Fate of Stable Cemented Acetabular Components Retained During Revision of a Femoral Component of a Total Hip Arthroplasty*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1999, 81, 1682-91.	1.4	10
4021	Revision of the Acetabular Component without Cement After a Previous Acetabular Reconstruction with Use of a Bulk Femoral Head Graft in Patients Who Had Congenital Dislocation or Dysplasia. A Follow-up Note*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1999, 81, 1703-6.	1.4	20
4022	Primary Total Hip Arthroplasty with Use of the Modular S-ROM Prosthesis. Four to Seven-Year Clinical and Radiographic Results*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1999, 81, 1707-16.	1.4	109
4023	Reattachment of the Migrated Ununited Greater Trochanter After Revision Hip Arthroplasty: The Abductor Slide Technique. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 401-408.	1.4	19
4024	Dissemination of Wear Particles to the Liver, Spleen, and Abdominal Lymph Nodes of Patients with Hip or Knee Replacement*. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 457-477.	1.4	623
4025	Gait and Function After Intra-Articular Arthrodesis of the Hip in Adolescents*. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 561-569.	1.4	29
4026	Total Hip Arthroplasty with Use of the Metasul Metal-on-Metal Articulation. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 789-798.	1.4	228
4027	Bipolar Hip Arthroplasty as a Salvage Treatment for Instability of the Hip*. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 1132-1139.	1.4	78
4028	Acetabular Revision After Failed Total Hip Arthroplasty in Patients with Congenital Hip Dislocation and Dysplasia. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 1146-1153.	1.4	42
4029	Arthroplasty of the Hip in Patients with Aplastic Anemia*. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 1231-1239.	1.4	5
4030	Hybrid Total Hip Arthroplasty with a Precoated Offset Stem. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 1291-1299.	1.4	37
4031	Primary Total Hip Arthroplasty After Acetabular Fracture*â€. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000, 82, 1328-1353.	1.4	54
4032	Primary Cementless Total Hip Arthroplasty in Octogenarians. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 359-363.	1.4	119
4033	Primary Total Hip Arthroplasty After Infection. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 601-614.	1.4	8
4034	Hydroxyapatite-Coated Acetabular Components. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 817-825.	1.4	67
4035	Allogeneic Cancellous Bone Graft and a Burch-Schneider Ring for Acetabular Reconstruction in Revision Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 862-867.	1.4	141
4036	Cementless Acetabular Reconstruction After Acetabular Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2001, 83, 868-876.	1.4	156

#	ARTICLE	IF	CITATIONS
4037	Extra-Large Uncemented Hemispherical Acetabular Components for Revision Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2001, 83, 1352-1357.	1.4	201
4038	Second-Generation Cementless Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2001, 83, 1666-1673.	1.4	159
4039	Ceramic-on-Polyethylene Bearing Surfaces in Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2001, 83, 1688-1694.	1.4	162
4040	Comparison of Preoperative Radiographs and Intraoperative Findings of Fixation of Hemispheric Porous-Coated Sockets. Journal of Bone and Joint Surgery - Series A, 2001, 83, 1865-1870.	1.4	86
4041	Acute Total Hip Arthroplasty for Selected Displaced Acetabular Fractures. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1-9.	1.4	202
4042	Salter Innominate Osteotomy for the Treatment of Developmental Dysplasia of the Hip in Children. Journal of Bone and Joint Surgery - Series A, 2002, 84, 178-186.	1.4	74
4043	The Fate of Stable Femoral Components Retained During Isolated Acetabular Revision. Journal of Bone and Joint Surgery - Series A, 2002, 84, 250-255.	1.4	42
4044	ECCENTRIC ROTATIONAL ACETABULAR OSTEOTOMY FOR ACETABULAR DYSPLASIA. Journal of Bone and Joint Surgery - Series A, 2002, 84, 404-410.	1.4	80
4045	CEMENTLESS TOTAL HIP ARTHROPLASTY WITH A TAPERED, RECTANGULAR TITANIUM STEM AND A THREADED CUP. Journal of Bone and Joint Surgery - Series A, 2002, 84, 425-431.	1.4	150
4046	TOTAL HIP REPLACEMENT WITH A CEMENTLESS ACETABULAR COMPONENT AND A CEMENTED FEMORAL COMPONENT IN PATIENTS YOUNGER THAN FIFTY YEARS OF AGE. Journal of Bone and Joint Surgery - Series A, 2002, 84, 770-774.	1.4	84
4047	OSTEONECROSIS OF THE HIP. Journal of Bone and Joint Surgery - Series A, 2002, 84, 834-853.	1.4	90
4048	PERIPROSTHETIC FEMORAL FRACTURES AROUND WELL-FIXED IMPLANTS. Journal of Bone and Joint Surgery - Series A, 2002, 84, 945-950.	1.4	208
4049	PERIACETABULAR OSTEOTOMY THROUGH A MODIFIED OLLIER TRANSTROCHANTERIC APPROACH FOR TREATMENT OF PAINFUL DYSPLASTIC HIPS. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1594-1604.	1.4	39
4050	LONG-TERM RESULTS OF USE OF A COLLARED MATTE-FINISHED FEMORAL COMPONENT FIXED WITH SECOND-GENERATION CEMENTING TECHNIQUES. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1636-1641.	1.4	34
4051	EVALUATION OF A FEMORAL STEM WITH REDUCED STIFFNESS. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1651-1658.	1.4	106
4052	COMPARISON OF PATIENT AND DOCTOR RESPONSES TO A TOTAL HIP ARTHROPLASTY CLINICAL EVALUATION QUESTIONNAIRE. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1745-1752.	1.4	50
4053	COMPARISON OF TOTAL HIP ARTHROPLASTY PERFORMED WITH AND WITHOUT CEMENT. Journal of Bone and Joint Surgery - Series A, 2002, 84, 1823-1828.	1.4	93
4054	TEN TO FIFTEEN-YEAR FOLLOW-UP AFTER TOTAL HIP ARTHROPLASTY WITH A TAPERED COBALT-CHROMIUM FEMORAL COMPONENT (TRI-LOCK) INSERTED WITHOUT CEMENT. Journal of Bone and Joint Surgery - Series A, 2002, 84, 2140-2144.	1.4	102

#	ARTICLE	IF	CITATIONS
4055	PRIMARY TOTAL HIP ARTHROPLASTY WITH A SECOND-GENERATION CEMENTLESS TOTAL HIP PROSTHESIS IN PATIENTS YOUNGER THAN FIFTY YEARS OF AGE. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 109-114.	1.4	146
4056	TOTAL HIP ARTHROPLASTY IN ADULT PATIENTS WHO HAD CHILDHOOD INFECTION OF THE HIP. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 198-204.	1.4	76
4057	TOTAL HIP ARTHROPLASTY IN DIASTROPHIC DYSPLASIA. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 441-447.	1.4	28
4058	THE NATURAL HISTORY OF SYMPTOMATIC OSTEONECROSIS IN ADULTS WITH SICKLE-CELL DISEASE. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 500-504.	1.4	100
4059	OUTCOMES OF TOTAL HIP ARTHROPLASTY AND CONTRALATERAL BIPOLAR HEMIARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 523-526.	1.4	7
4060	VASCULARIZED COMPARED WITH NONVASCULARIZED FIBULAR GRAFTING FOR THE TREATMENT OF OSTEONECROSIS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 589-596.	1.4	147
4061	CONTEMPORARY TOTAL HIP ARTHROPLASTY WITH AND WITHOUT CEMENT IN PATIENTS WITH OSTEONECROSIS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 675-681.	1.4	168
4062	TREATMENT OF THE DYSPLASTIC ACETABULUM WITH WAGNER SPHERICAL OSTEOTOMY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 808-814.	1.4	44
4063	TEN-YEAR RESULTS WITH HYDROXYAPATITE-COATED TOTAL HIP FEMORAL COMPONENTS IN PATIENTS LESS THAN FIFTY YEARS OLD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 885-889.	1.4	110
4064	TWENTY-FIVE-YEAR RESULTS AFTER CHARNLEY TOTAL HIP ARTHROPLASTY IN PATIENTS LESS THAN FIFTY YEARS OLD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1066-1072.	1.4	144
4065	RESULTS OF POROUS-COATED ANATOMIC TOTAL HIP ARTHROPLASTY WITHOUT CEMENT AT FIFTEEN YEARS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1079-1083.	1.4	84
4066	COMPARISON OF ROBOTIC-ASSISTED AND MANUAL IMPLANTATION OF A PRIMARY TOTAL HIP REPLACEMENT. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1470-1478.	1.4	204
4067	COMPARISON OF POROUS-COATED TITANIUM FEMORAL STEMS WITH AND WITHOUT HYDROXYAPATITE COATING. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1682-1688.	1.4	133
4068	INTERMEDIATE-TERM RESULTS AFTER HYBRID TOTAL HIP ARTHROPLASTY FOR THE TREATMENT OF DYSPLASTIC HIPS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1725-1732.	1.4	56
4069	CLINICAL AND RADIOGRAPHIC ANALYSIS OF THE MALLORY-HEAD FEMORAL COMPONENT IN REVISION TOTAL HIP ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 1921-1926.	1.4	18
4070	SERUM COBALT LEVELS AFTER METAL-ON-METAL TOTAL HIP ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 2168-2173.	1.4	261
4071	Metal-on-Metal Hybrid Surface Arthroplasty: Two to Six-Year Follow-up Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2004, 86, 28-39.	1.4	531
4072	Minimum Ten-Year Follow-up of a Straight-Stemmed, Plasma-Sprayed, Titanium-Alloy, Uncemented Femoral Component in Primary Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2004, 86, 92-97.	1.4	96

#	ARTICLE	IF	CITATIONS
4073	Comparison of Proximal Porous-Coated and Grit-Blasted Surfaces of Hydroxyapatite-Coated Stems. Journal of Bone and Joint Surgery - Series A, 2004, 86, 124-128.	1.4	15
4074	Total Hip Arthroplasty in Patients with Dwarfism. Journal of Bone and Joint Surgery - Series A, 2004, 86, 298-304.	1.4	42
4075	Developmental Hip Dysplasia Treated with Total Hip Arthroplasty with a Straight Stem and a Threaded Cup. Journal of Bone and Joint Surgery - Series A, 2004, 86, 312-319.	1.4	95
4076	Factors Influencing the Longer-Term Survival of Uncemented Acetabular Components Used in Total Hip Revisions. Journal of Bone and Joint Surgery - Series A, 2004, 86, 342-347.	1.4	72
4077	Recurrent Anterior Dislocation of the Hip. Journal of Bone and Joint Surgery - Series A, 2004, 86, 581-583.	1.4	11
4078	An AOA Critical Issue The Outcome of the Outcomes Movement*. Journal of Bone and Joint Surgery - Series A, 2004, 86, 633-640.	1.4	77
4079	PROSPECTIVE MATCHED-PAIR ANALYSIS OF HYDROXYAPATITE-COATED AND UNCOATED FEMORAL STEMS IN TOTAL HIP ARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2004, 86, 783-786.	1.4	39
4080	Cementless Acetabular Revision with the Harris-Galante Porous Prosthesis. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1007-1011.	1.4	69
4081	Primary Total Hip Arthroplasty with a Porous-Coated Acetabular Component. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1217-1222.	1.4	44
4082	Primary Total Hip Arthroplasty with a Proximally Porous-Coated Femoral Stem. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1254-1261.	1.4	71
4083	CHIARI PELVIC OSTEOTOMY FOR ADVANCED OSTEOARTHRITIS IN PATIENTS WITH HIP DYSPLASIA. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1439-1445.	1.4	17
4084	Isolated Acetabular Revision with Use of the Harris-Galante Cementless Component. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1690-1697.	1.4	37
4085	TWO-STAGE REVISION HIP ARTHROPLASTY FOR INFECTION. Journal of Bone and Joint Surgery - Series A, 2004, 86, 1989-1997.	1.4	203
4086	Cementless Metasul Metal-on-Metal Total Hip Arthroplasty in Patients Less Than Fifty Years Old. Journal of Bone and Joint Surgery - Series A, 2004, 86, 2475-2481.	1.4	79
4087	TOTAL HIP ARTHROPLASTY WITH THE LORD PROSTHESIS. Journal of Bone and Joint Surgery - Series A, 2004, 86, 2636-2641.	1.4	43
4088	COMPARISON OF A HYDROXYAPATITE-COATED SLEEVE AND A POROUS-COATED SLEEVE WITH A MODULAR REVISION HIP STEM. Journal of Bone and Joint Surgery - Series A, 2004, 86, 2720-2725.	1.4	29
4089	PERIACETABULAR OSTEOTOMY FOR THE TREATMENT OF SEVERE ACETABULAR DYSPLASIA. Journal of Bone and Joint Surgery - Series A, 2005, 87, 254-259.	1.4	44
4090	ALUMINA-ON-ALUMINA TOTAL HIP ARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2005, 87, 530-535.	1.4	41

#	ARTICLE	IF	CITATIONS
4091	A MINIMAL-INCISION TECHNIQUE IN TOTAL HIP ARTHROPLASTY DOES NOT IMPROVE EARLY POSTOPERATIVE OUTCOMES. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 701-710.	1.4	69
4092	OSTEONECROSIS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 742-747.	1.4	23
4093	DYNAMIC HIP SCREW COMPARED WITH EXTERNAL FIXATION FOR TREATMENT OF OSTEOPOROTIC PERTROCHANTERIC FRACTURES. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 753-759.	1.4	24
4094	TOTAL HIP REPLACEMENT WITH THE CLS EXPANSION SHELL AND A STRUCTURAL FEMORAL HEAD AUTOGRAFT FOR PATIENTS WITH CONGENITAL HIP DISEASE. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 801-807.	1.4	7
4095	ILIZAROV HIP RECONSTRUCTION FOR THE LATE SEQUELAE OF INFANTILE HIP INFECTION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1007-1018.	1.4	13
4096	COMPARISON OF POLYETHYLENE WEAR ASSOCIATED WITH COBALT-CHROMIUM AND ZIRCONIA HEADS AFTER TOTAL HIP REPLACEMENT. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1769-1776.	1.4	5
4097	REVISION OF THE ACETABULAR COMPONENT WITHOUT CEMENT AFTER TOTAL HIP ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1795-1800.	1.4	30
4098	DEVELOPMENT AND VALIDATION OF A LOWER-EXTREMITY ACTIVITY SCALE. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1985-1994.	1.4	27
4099	VASCULARIZED COMPARED WITH NONVASCULARIZED FIBULAR GRAFTS FOR LARGE OSTEONECROTIC LESIONS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2012-2018.	1.4	54
4100	CEMENTLESS CALCAR-REPLACEMENT HEMIARTHROPLASTY COMPARED WITH INTRAMEDULLARY FIXATION OF UNSTABLE INTERTROCHANTERIC FRACTURES. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2186-2192.	1.4	7
4101	TREATMENT FOR OSTEONECROSIS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2380-2387.	1.4	6
4102	SURGICAL TREATMENT OF FRACTURES OF THE GREATER TROCHANTER ASSOCIATED WITH OSTEOLYTIC LESIONS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2724-2728.	1.4	5
4103	EXTRA-ARTICULAR RESECTION OF THE HIP WITH A POSTERIOR COLUMN-PRESERVING TECHNIQUE FOR TREATMENT OF AN INTRA-ARTICULAR MALIGNANT LESION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 2768-2774.	1.4	7
4104	CEMENTLESS TOTAL HIP ARTHROPLASTY IN PATIENTS WITH HIGH CONGENITAL HIP DISLOCATION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 80-91.	1.4	12
4105	CEMENTLESS ACETABULAR RECONSTRUCTION AND STRUCTURAL BONE-GRAFTING IN DYSPLASTIC HIPs. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 387-394.	1.4	11
4106	REVISION OF FAILED ACETABULAR COMPONENTS WITH USE OF SO-CALLED JUMBO NONCEMENTED COMPONENTS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 559-563.	1.4	2
4107	REVISION TOTAL HIP ARTHROPLASTY WITH A CUSTOM CEMENTLESS STEM WITH DISTAL CROSS-LOCKING SCREWS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1079-1084.	1.4	6
4108	POROUS-INGROWTH REVISION ACETABULAR IMPLANTS SECURED WITH PERIPHERAL SCREWS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1266-1271.	1.4	8

#	ARTICLE	IF	CITATIONS
4109	CLINICAL AND HISTOLOGIC RESULTS RELATED TO A LOW-MODULUS COMPOSITE TOTAL HIP REPLACEMENT STEM. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1308-1314.	1.4	10
4110	CLINICAL PRESENTATION OF PATIENTS WITH TEARS OF THE ACETABULAR LABRUM. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1448-1457.	1.4	70
4111	PRIMARY CEMENTLESS ACETABULAR COMPONENTS IN HIPS WITH SEVERE DEVELOPMENTAL DYSPLASIA OR TOTAL DISLOCATION. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1549-1552.	1.4	11
4112	MINIMUM TEN-YEAR RESULTS OF PRIMARY BIPOLAR HIP ARTHROPLASTY FOR DEGENERATIVE ARTHRITIS OF THE HIP. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 1817-1825.	1.4	11
4113	CEMENTLESS TOTAL HIP ARTHROPLASTY WITH THE RECTANGULAR TITANIUM ZWEYMÄLLER STEM. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2210-2215.	1.4	6
4114	OPERATIVE TREATMENT OF PRIMARY SYNOVIAL OSTEOCHONDROMATOSIS OF THE HIP. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2456-2464.	1.4	28
4115	USE OF METAL-ON-METAL TOTAL HIP RESURFACING FOR THE TREATMENT OF OSTEONECROSIS OF THE FEMORAL HEAD. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 90-97.	1.4	3
4116	PHYSICAL THERAPY ALONE COMPARED WITH CORE DECOMPRESSION AND PHYSICAL THERAPY FOR FEMORAL HEAD OSTEONECROSIS IN SICKLE CELL DISEASE. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2573-2582.	1.4	41
4117	Results of Metal-on-Metal Hybrid Hip Resurfacing for Crowe Type-I and II Developmental Dysplasia. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 339-346.	1.4	11
4118	Failure Analysis of a Ceramic Bearing Acetabular Component. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 367-375.	1.4	19
4119	A Comparison of the Results of Total Hip and Knee Arthroplasty Performed on a Teaching Service or a Private Practice Service. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 601-607.	1.4	14
4120	Early Results of Conversion of a Failed Femoral Component in Hip Resurfacing Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 735-741.	1.4	129
4121	Quality of Life Following Femoral Head-Neck Osteochondroplasty for Femoroacetabular Impingement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 773-779.	1.4	193
4122	Uncemented Total Hip Arthroplasty in Patients with a History of Pelvic Irradiation for Prostate Cancer. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 798-805.	1.4	13
4123	Proximal Femoral Replacement in Patients with Non-Neoplastic Conditions. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1036-1043.	1.4	36
4124	Early Pain Relief and Function After Posterior Minimally Invasive and Conventional Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1153-1160.	1.4	106
4125	Periacetabular Osteotomy for the Treatment of Acetabular Dysplasia Associated with Major Aspherical Femoral Head Deformities. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1417-1423.	1.4	75
4126	Intravenous Bisphosphonate Therapy for Traumatic Osteonecrosis of the Femoral Head in Adolescents. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1727-1734.	1.4	28



#	ARTICLE	IF	CITATIONS
4127	Minimally Invasive Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 1920-1927.	1.4	10
4128	Outcome at Forty-five Years After Open Reduction and Innominate Osteotomy for Late-Presenting Developmental Dislocation of the Hip. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 2341-2350.	1.4	66
4129	Extended Trochanteric Osteotomy in Revision Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 162-173.	1.4	22
4130	Influence of Femoral Component Design on Proximal Femoral Bone Mass After Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 74-83.	1.4	14
4131	Two Stage Hip Revision in Periprosthetic Infection: Results of 41 Cases. <i>The Open Orthopaedics Journal</i> , 2010, 4, 193-200.	0.1	31
4132	Special Issues Involving Periprosthetic Infection in Immunodeficiency Patients. <i>The Open Orthopaedics Journal</i> , 2013, 7, 211-218.	0.1	6
4133	Double Axis Cephalocondylic Fixation of Stable and Unstable Intertrochanteric Fractures: Early Results in 60 Cases with the Veronail System. <i>The Open Orthopaedics Journal</i> , 2014, 8, 60-68.	0.1	7
4134	The Dislocating Hip Replacement "Revision with a Dual Mobility Cup in 56 Consecutive Patients. <i>The Open Orthopaedics Journal</i> , 2014, 8, 268-271.	0.1	27
4135	Treatment of Unstable Intertrochanteric Fractures with Proximal Femoral Nail Antirotation II: Our Experience in Indian Patients. <i>The Open Orthopaedics Journal</i> , 2015, 9, 456-459.	0.1	8
4136	Pelvic Support Osteotomy; Salvage Procedure in Chronically Dislocated Hips Case Report: Technical Note on the On-lay Bone Positioning of a Lengthening Nail and Review of the Literature. <i>The Open Orthopaedics Journal</i> , 2016, 10, 232-240.	0.1	4
4137	REVISION HIP ARTHROPLASTY WITH USE OF THE CEMENTLESS ZWEYMULLER ENDOPROSTHESIS COMPONENTS (BICON, SL AND SLR-PLUS). <i>Travmatologi i Ortopedi Rossii</i> , 2012, , 66-72.	0.1	1
4138	CUSTOM TRIFLANGE ACETABULAR COMPONENTS IN REVISION HIP REPLACEMENT (EXPERIENCE REVIEW). <i>Travmatologi i Ortopedi Rossii</i> , 2017, 23, 101-111.	0.1	15
4139	Using Text Messaging in Long-Term Arthroplasty Follow-Up: A Pilot Study. <i>JMIR Research Protocols</i> , 2017, 6, e88.	0.5	7
4140	Recombinant human FGF-2 therapy for osteonecrosis of the femoral head: 5-year follow-up. <i>Regenerative Medicine</i> , 2020, 15, 2261-2271.	0.8	7
4141	Effect of WISH-Type Hip Brace on Dynamic Balances in Patients with Hip Osteoarthritis. <i>Kitakanto Medical Journal</i> , 2008, 58, 387-396.	0.0	1
4142	Comparative Analysis of Short and Mid-Term Results of Primary Total Hip Replacement by Serial Cemented and Uncemented Fixation Implants. <i>N N Priorov Journal of Traumatology and Orthopedics</i> , 2014, , 21-26.	0.1	5
4143	Total hip replacement and surface replacement for the treatment of pain and disability resulting from end-stage arthritis of the hip (review of technology appraisal guidance 2 and 44): systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-668.	1.3	32
4144	Improving patients' experience and outcome of total joint replacement: the RESTORE programme. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-508.	0.4	18

#	ARTICLE	IF	CITATIONS
4145	Bilateral total hip arthroplasty for secondary protrusive coxitis (clinical case). Medical Alphabet, 2020, , 29-32.	0.0	1
4146	THE BATEMAN LIPF PROSTHESIS: A 48-MONTH EXPERIENCE. Orthopedics, 1979, 2, 373-377.	0.5	14
4147	POROUS-COATED ENDOPROSTHESIS IN TREATMENT OF SUBCAPITAL FRACTURES. Orthopedics, 1980, 3, 660-666.	0.5	5
4148	Biological Fixation of a Modified Moore Prosthesis. Orthopedics, 1984, 7, 285-298.	0.5	17
4149	Total Hip Replacement in Down's Syndrome. Orthopedics, 1987, 10, 485-489.	0.5	16
4150	DECREASED PAIN WITH LOWER FLEXURAL RIGIDITY OF UNCEMENTED FEMORAL PROSTHESES. Orthopedics, 1990, 13, 1223-1228.	0.5	52
4151	PRIMARY CERAMIC HIP REPLACEMENT: A PROSPECTIVE STUDY OF 119 HIPS. Orthopedics, 1991, 14, 523-531.	0.5	19
4152	GIRDLESTONE'S MODIFIED RESECTION ARTHROPLASTY. Orthopedics, 1991, 14, 661-666.	0.5	20
4153	CEMENTLESS TOTAL HIP ARTHROPLASTY WITH PCA PROSTHESIS. Orthopedics, 1991, 14, 1135-1141.	0.5	4
4154	IMPACTION GRAFTING: PRELIMINARY REPORT OF A NEW METHOD FOR EXCHANGE FEMORAL ARTHROPLASTY. Orthopedics, 1995, 18, 107-112.	0.5	12
4155	HIP FUSION IN YOUNG ADULTS. Orthopedics, 1996, 19, 303-306.	0.5	22
4156	RESULTS OF THE TOTAL BI-METRIC CEMENTLESS HIP ARTHROPLASTY. Orthopedics, 1996, 19, 673-674.	0.5	11
4157	Metal/Metal Articulating Interfaces. Orthopedics, 1996, 19, 749-752.	0.5	7
4158	The Cost Benefit of Total Knee Arthroplasty. Orthopedics, 1996, 19, 777-779.	0.5	25
4159	Osteonecrosis of the Femoral Head in Patients With Inflammatory Arthritis or Asthma Receiving Corticosteroid Therapy. Orthopedics, 1996, 19, 941-946.	0.5	39
4160	Referral Patterns of Hip Pain in Patients Undergoing Total Hip Replacement. Orthopedics, 1998, 21, 123-126.	0.5	42
4161	Bipolar Hemiarthroplasty for Primary Osteoarthritis of the Hip: A Review of 41 Cases With 8 to 10 Years of Follow-Up. Orthopedics, 1998, 21, 425-431.	0.5	9
4162	Cortical Strut Grafting for Enigmatic Thigh Pain Following Total Hip Arthroplasty. Orthopedics, 2000, 23, 21-24.	0.5	22

#	ARTICLE	IF	CITATIONS
4163	Abductor Reattachment With a Custom Proximal Femoral Replacement Prosthesis. Orthopedics, 2002, 25, 722-726.	0.5	12
4164	Incidence of Heterotopic Ossification Following Total Hip Arthroplasty in Patients With Prior Stroke. Orthopedics, 2004, 27, 41-43.	0.5	13
4165	Fixation of Chevron Trochanteric Osteotomy With Two Wire Loops In Isolated Acetabular Component Revision. Orthopedics, 2004, 27, 1236-1239.	0.5	3
4166	Hip Fusion Takedown. Orthopedics, 2005, 28, 949-950.	0.5	2
4167	Proximal/Distal Mismatch: Type A and C Femurs. Orthopedics, 2005, 28, s1033-6.	0.5	10
4168	Modular Cementless Total Hip Arthroplasty for Hip Infection Sequelae. Orthopedics, 2005, 28, s1063-8.	0.5	11
4169	Extended Femoral Osteotomy and Proximally Coated Prosthesis for Hip Revision. Orthopedics, 2008, 31, 67.	0.5	10
4170	Treatment of Intertrochanteric Nonunion of the Proximal Femur Using the S-ROM Prosthesis. Orthopedics, 2008, 31, 125.	0.5	22
4171	S-ROM Hip Prosthesis: 10- to 14-Year Results. Orthopedics, 2008, 31, 220.	0.5	10
4172	Immediate Weight Bearing After Cementless Total Hip Arthroplasty. Orthopedics, 2008, 31, 223.	0.5	24
4173	Primary Ceramic-on-Ceramic Total Hip Replacement Versus Metal-on-Metal Hip Resurfacing in Young Active Patients. Orthopedics, 2008, 31, 1078.	0.5	14
4174	Hip Resurfacing for the Treatment of Developmental Dysplasia of the Hip. Orthopedics, 2008, 31, .	0.5	8
4175	Total Hip Arthroplasty for Alcoholic Osteonecrosis of the Femoral Head. Orthopedics, 2009, 32, 400.	0.5	12
4176	Hip Resurfacing Using the Anterolateral Watson-Jones Approach in the Supine Position. Orthopedics, 2009, 32, 406.	0.5	6
4177	No Superiority of Cemented Metal-on-Metal vs Metal-on-Polyethylene THA at 5-Year Follow-up. Orthopedics, 2009, 32, 479.	0.5	19
4178	Botulinum Toxin Type A in the Treatment of Painful Adductor Muscle Contracture After Total Hip Arthroplasty. Orthopedics, 2009, 32, .	0.5	8
4179	The Use of Locking Plates for Greater Trochanteric Fixation. Orthopedics, 2009, 32, 917.	0.5	13
4180	Clinical Significance of the Heterotopic Ossification After Total Hip Arthroplasty. Orthopedics, 2010, 33, 16-21.	0.5	54

#	ARTICLE	IF	CITATIONS
4181	No Superiority of Cemented Metal-on-Metal Over Metal-on-Polyethylene THA in a Randomized Controlled Trial at 10-Year Follow-up. <i>Orthopedics</i> , 2010, 33, 154-161.	0.5	27
4182	Uncemented Total Hip Arthroplasty in Patients Younger Than 50 Years: A 6- to 10-Year Follow-up Study. <i>Orthopedics</i> , 2010, 33, .	0.5	11
4183	One- Versus Two-Stage Bilateral Total Hip Arthroplasty. <i>Orthopedics</i> , 2010, 33, .	0.5	29
4184	Long-Term Results of Metasul Metal-on-Metal Total Hip Arthroplasty. <i>Orthopedics</i> , 2010, 33, .	0.5	32
4185	Uncemented Total Hip Arthroplasty with a Tapered Femoral Component: A 22- to 26-Year Follow-Up Study. <i>Orthopedics</i> , 2010, 33, 639.	0.5	40
4186	Ten-Year Results After Cementless THA with a Sandwich-Type Alumina Ceramic Bearing. <i>Orthopedics</i> , 2010, 33, 1-5.	0.5	30
4187	Uncemented Ceramic-On-Ceramic THA in Adults with Osteonecrosis of the Femoral Head. <i>Orthopedics</i> , 2010, 33, 1-6.	0.5	19
4188	Arthroscopic Treatment for Symptomatic Bilateral Cam-Type Femoroacetabular Impingement. <i>Orthopedics</i> , 2010, 33, 874.	0.5	29
4189	The Harris-Galante Cementless THA: A 19- to 25-Year Follow-Up Study. <i>Orthopedics</i> , 2011, 34, 12.	0.5	34
4190	The Predictive Power of Preoperative Hip Range of Motion for the Development of Heterotopic Ossification. <i>Orthopedics</i> , 2011, 34, 169.	0.5	8
4191	Femoral Head Stress Fracture: An Unknown Complication Following Sugioka's™s Transtrochanteric Rotational Osteotomy. <i>Orthopedics</i> , 2011, 34, 221.	0.5	4
4192	The New Proximal Femoral Nail Antirotation-Asia: Early Results. <i>Orthopedics</i> , 2011, 34, 351.	0.5	30
4193	Primary Total Hip Arthroplasty for Displaced Femoral Neck Fracture. <i>Orthopedics</i> , 2008, 31, .	0.5	4
4194	Long-term Results of Arthroscopic Labral Debridement: Predictors of Outcomes. <i>Orthopedics</i> , 2011, 34, e588-92.	0.5	59
4195	Cancellous Impaction Bone Grafting of Acetabular Defects in Complex Primary and Revision Total Hip Arthroplasty. <i>Orthopedics</i> , 2012, 35, e306-12.	0.5	22
4196	15-year Comparison of Cementless Total Hip Arthroplasty With Anatomical or High Cup Placement for Crowe I to III Hip Dysplasia. <i>Orthopedics</i> , 2012, 35, e313-8.	0.5	53
4197	Extensively Porous-coated Stems for Femoral Revision: Reliable Choice for Stem Revision in Paprosky Femoral Type III Defects. <i>Orthopedics</i> , 2012, 35, e1017-21.	0.5	22
4198	Stable, Dependable Fixation of Short-stem Femoral Implants at 5 Years. <i>Orthopedics</i> , 2013, 36, e301-7.	0.5	41

#	ARTICLE	IF	CITATIONS
4199	Tantalum Rod Implantation and Vascularized Iliac Grafting for Osteonecrosis of the Femoral Head. Orthopedics, 2013, 36, 789-795.	0.5	39
4200	Addition of an Anti-rotation Screw to the Dynamic Hip Screw for Femoral Neck Fractures. Orthopedics, 2013, 36, e865-8.	0.5	23
4201	Four- to Six-year Follow-up of Primary THA Using Contemporary Titanium Tapered Stems. Orthopedics, 2013, 36, e1521-6.	0.5	9
4202	Radiologic Bone Remodeling Pattern Around DCPD-coated, Metaphyseal-loading Cementless Short Stems in Elderly Patients. Orthopedics, 2014, 37, e649-55.	0.5	4
4203	Comparative 5-Year Results of Short Hip Total Hip Arthroplasty with Ti- or CoCr-Neck Adapters. Orthopedics, 2015, 38, S33-9.	0.5	10
4204	Fifty Most-Cited Articles in Anterior Cruciate Ligament Research. Orthopedics, 2015, 38, e297-304.	0.5	18
4205	Patient-Reported Outcomes Following Total Hip Arthroplasty Stratified by Body Mass Index. Orthopedics, 2016, 39, e572-7.	0.5	1
4206	Once Annealed Highly Cross-Linked Polyethylene Exhibits Low Wear at 9 to 15 Years. Orthopedics, 2016, 39, e565-71.	0.5	3
4207	Mid-term Results of Total Hip and Total Knee Arthroplasty in Patients With Human Immunodeficiency Virus. Orthopedics, 2017, 40, e699-e702.	0.5	15
4208	Conjoint Tendon Release in Direct Anterior Total Hip Arthroplasty: No Impact on Patient Outcomes. Orthopedics, 2017, 40, e971-e974.	0.5	8
4209	Ultra-Short Versus Conventional Uncemented Stems for Hip Replacement in Octogenarians. Orthopedics, 2018, 41, 28-34.	0.5	4
4210	Clinical Performance of Ultra-Short Anatomic Cementless Versus Fourth-Generation Cemented Femoral Stems for Hip Replacement in Octogenarians. Orthopedics, 2018, 41, e470-e478.	0.5	3
4211	Adapter Sleeves Are Not Needed to Reduce the Risk of Fracture of a New Ceramic Head Implanted on a Well-Fixed Stem. Orthopedics, 2018, 41, 158-163.	0.5	6
4212	Normative Functional Outcomes as a New Outcome Assessment Tool Following Hip Procedures. Orthopedics, 2018, 41, e663-e670.	0.5	2
4213	Risk Factors Associated With Short-term Clinical Results After Total Hip Arthroplasty for Patients With Rheumatoid Arthritis. Orthopedics, 2018, 41, e772-e776.	0.5	5
4214	There Is No Significant Difference in Fretting and Corrosion at the Trunion of Metal and Ceramic Heads. Orthopedics, 2019, 42, e99-e103.	0.5	7
4215	Top 100 Most-Cited Clinical Studies of Hip and Knee Arthroplasty: The Foundation of Practice. Orthopedics, 2019, 42, e151-e161.	0.5	11
4216	A 65-Year Follow-up of a Judet Prosthesis. Orthopedics, 2019, 42, e336-e338.	0.5	2

#	ARTICLE	IF	CITATIONS
4217	Prevalence and Trends of Patient-Reported Outcome Measures Used in Hip Arthroscopy. <i>Orthopedics</i> , 2019, 42, e305-e308.	0.5	12
4218	The Effect of Configuration of Rhombic Cannulated Screws on Internal Fixation of Femoral Neck Fractures. <i>Orthopedics</i> , 2020, 43, e72-e78.	0.5	3
4219	Result of a Minimum Five-Year Follow-Up of Hip Arthroplasty Using the Bencox <sup>®</sup> Hip Stem. <i>The Journal of the Korean Orthopaedic Association</i> , 2014, 49, 126.	0.0	5
4220	Short term results of cementless total hip arthroplasty in sicklers. <i>Indian Journal of Orthopaedics</i> , 2015, 49, 447-451.	0.5	11
4221	Mid term results of total hip arthroplasty using polyethylene-ceramic composite (Sandwich) liner. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 10.	0.5	4
4222	Modified Girdlestone arthroplasty and hip arthrodesis using the Ilizarov external fixator as a salvage method in the management of severely infected total hip replacement. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 16-24.	0.5	7
4223	Management of osteonecrosis of the femoral head. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 359-365.	0.5	18
4224	Iodophor-impregnated versus iodophor-free adhesive drapes for prevention and healing of wound infections after total hip arthroplasty: study protocol for a randomized controlled trial. <i>Clinical and Translational Orthopedics</i> , 2016, 1, 38.	0.4	1
4225	Does Proximally Coated Single-Wedge Cementless Stem Work Well in Dorr Type C Femurs? Minimum 10-year Followup. <i>Indian Journal of Orthopaedics</i> , 2019, 53, 94-101.	0.5	5
4226	Midterm results of conversion from failed bipolar hemiarthroplasty to total hip arthroplasty. <i>Indian Journal of Orthopaedics</i> , 2018, 52, 369.	0.5	6
4227	Early surgical outcomes after total hip replacement in systemic lupus erythematosus patients. <i>Nauchno-Prakticheskaya Revmatologiya</i> , 2020, 58, 451-455.	0.2	2
4228	Highly cross-linked versus conventional polyethylene inserts in total hip arthroplasty, a five-year Roentgen stereophotogrammetric analysis randomised controlled trial. <i>World Journal of Orthopedics</i> , 2020, 11, 442-452.	0.8	5
4229	Total hip replacement using MINIMA <sup>®</sup> short stem: A short-term follow-up study. <i>World Journal of Orthopedics</i> , 2020, 11, 232-242.	0.8	13
4230	Staged Revision of Infected-hip Arthroplasty Using an Antibiotics-loaded Intra-articular Cement Spacer: Impact on Cemented and Cementless Stem Retention. <i>Hip and Pelvis</i> , 2020, 32, 26-34.	0.6	2
4231	Comparison of Constrained Acetabular Components and Dual Mobility Cups in Revision Total Hip Arthroplasty: A Literature Review. <i>Hip and Pelvis</i> , 2020, 32, 59.	0.6	16
4232	Challenges With Health-related Quality of Life Assessment in Arthroplasty Patients: Problems and Solutions. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2010, 18, 73-82.	1.1	97
4233	INFLUENCE OF DEMOGRAPHIC, SURGICAL AND IMPLANT VARIABLES ON WEAR RATE AND OSTEOLYSIS IN ABG I HIP ARTHROPLASTY. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , 2006, 150, 135-141.	0.2	5
4234	Effectiveness of Lower Energy Density Extracorporeal Shock Wave Therapy in the Early Stage of Avascular Necrosis of the Femoral Head. <i>Annals of Rehabilitation Medicine</i> , 2016, 40, 871.	0.6	12

#	ARTICLE	IF	CITATIONS
4235	Choice of approach in hemiarthroplasty for intertrochanteric femur fractures: Anterolateral or posterolateral?. Ahi Evran Medical Journal, 0, , .	0.1	0
4236	Core Decompression with Local Administration of Zoledronate and Enriched Bone Marrow Mononuclear Cells for Treatment of Non-traumatic Osteonecrosis of Femoral Head. Orthopaedic Surgery, 2021, 13, 1843-1852.	0.7	5
4237	Relieved Low Back Pain after Total Hip Arthroplasty in Patients with Both Hip Osteoarthritis and Lumbar Degenerative Disease. Orthopaedic Surgery, 2021, 13, 1882-1889.	0.7	8
4238	Cementless total hip arthroplasty for three different degrees of hip involved secondary to ankylosing spondylitis: an analysis of 195 hips. Journal of Orthopaedic Surgery and Research, 2021, 16, 608.	0.9	2
4239	A meta-analysis on RCTs of direct anterior and conventional approaches in total hip arthroplasty. Scientific Reports, 2021, 11, 20991.	1.6	6
4240	Validation of the Dutch version of the Hip Outcome Score; validity, reliability, and responsiveness in patients with femoroacetabular impingement syndrome. Journal of Hip Preservation Surgery, 2021, 8, 298-304.	0.6	3
4241	Sports Activity and Patient-Related Outcomes after Cementless Total Hip Arthroplasty in Patients Younger than 40 Years. Journal of Clinical Medicine, 2021, 10, 4644.	1.0	4
4242	A New Type of Periprosthetic Fracture: Is It the Time to Update the Unified Classification System?. Indian Journal of Orthopaedics, 2021, 55, 1277-1285.	0.5	0
4243	Robot-assisted fracture fixation in orthopaedic trauma surgery: a systematic review. OTA International the Open Access Journal of Orthopaedic Trauma, 2021, 4, e153.	0.4	7
4244	Acetabular Coverage May Affect Radiographic and Clinical Outcomes of Osteochondral Allograft Transplantation of Focal Femoral Head Lesions: A Case Series From a Single Institution. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2021, 5, .	0.4	0
4245	The Global Research Trends and Hotspots on Developmental Dysplasia of the Hip: A Bibliometric and Visualized Study. Frontiers in Surgery, 2021, 8, 671403.	0.6	17
4246	Influence de lâ€™implant acÃ©tabulaire double-mobilitÃ© sur la survie des rÃ©visions acÃ©tabulaires par anneau de soutien pour descellement aseptique. Revue De Chirurgie Orthopedique Et Traumatologique, 2021, , .	0.0	0
4247	Midterm results and complications rates in vancouver type B2 and B3 periprosthetic femoral fractures treated with modular fluted tapered stems. Journal of Orthopaedics, 2021, 28, 1-4.	0.6	0
4250	The Pain and Function of the Hip (PFH) Scale: Patient-Based Instrument for Measuring Outcome After Total Hip Replacement. Orthopedics, 2000, 23, 1273-1278.	0.5	12
4251	Indikation, Technik und Ergebnisse der konischen Schraubpfanne bei PrimÃ¤r- und Revisionseingriffen. , 2001, , 9-15.		0
4252	The Harris-Galante Porous Acetabular Component at Intermediate Follow-Up. Orthopedics, 2001, 24, 747-751.	0.5	8
4253	Mid-Term Results in Total Hip Arthroplasty With the Basic Noncemented Hip Prosthesis. Orthopedics, 2001, 24, 1053-1056.	0.5	2
4254	Results of the Anatomic Cementless Prosthesis With Different Types of Hydroxyapatite Coating. Orthopedics, 2001, 24, 1147-1150.	0.5	13

#	ARTICLE	IF	CITATIONS
4255	10-Jahres-Ergebnisse nach konservativer Therapie der Haftreifungsstrung des Neugeborenen. , 2003, , 123-133.		0
4256	Clinical Experience with the Hedrocel Acetabular Cup. , 2003, , 171-176.		0
4257	SPONTANEOUS DECREASE IN FOCAL OSTEOLYSIS IN THE UNREVISED FEMUR AFTER REVISION OF A CONTRALATERAL BIPOLAR HEMIARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2003, 85, 122-125.	1.4	1
4259	Joint Arthroplasty Registries: Historical and Current Overview-The Hungarian Hip and Knee Registries. Orthopedics, 2003, 26, 1236-1239.	0.5	0
4260	Gait alterations on carriers of bilateral arthroplasty of the hip suffering from LES: clinical, radiographic and instrumental evaluation with gait analysis. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2004, , 111-122.	0.3	0
4261	Concepts of Clinical Studies. , 2004, , 249-256.		0
4262	Radiographic Analysis of HA-coated Hip Femoral Components at 1015 Years of Follow-up. , 2004, , 285-300.		0
4263	Low-Friction Total Hip Arthroplasties. , 2004, , 11-32.		0
4264	Ceramic/Ceramic Total Hip Replacement: The American Experience with Stryker Implants. , 2004, , 21-34.		1
4265	Peculiarities of Total Replacement in Hip Joint Severe Pathology. N N Priorov Journal of Traumatology and Orthopedics, 2004, 11, 3-12.	0.1	0
4266	Method for Evaluation of Hip Joint State Indices Before and After Surgical Treatment in Dysplastic Coxarthrosis. N N Priorov Journal of Traumatology and Orthopedics, 2004, 11, 22-26.	0.1	0
4267	Assessment of Results of Total Hip Replacement Using SFEN Implants (preliminary report). N N Priorov Journal of Traumatology and Orthopedics, 2004, 11, 35-41.	0.1	0
4268	Treatment of Coxarthrosis with Functional Myoneurostimulation. N N Priorov Journal of Traumatology and Orthopedics, 2004, 11, 20-24.	0.1	0
4269	Dor como sintoma de soltura de acetbulo rosqueado. Acta Ortopedica Brasileira, 2005, 13, 17-19.	0.2	1
4270	PROXIMAL FEMORAL REPLACEMENT FOR THE TREATMENT OF PERIPROSTHETIC FRACTURES. Journal of Bone and Joint Surgery - Series A, 2005, 87, 1777-1781.	1.4	2
4271	Outcome Assessment Following Total Hip Replacement. Orthopedics, 2005, 28, s827-30.	0.5	1
4272	The Patulous Proximal Femur. Orthopedics, 2005, 28, s1105-6.	0.5	1
4273	COMPLEX TOTAL HIP REPLACEMENT IN A PATIENT WITH EPIDERMOLYTIC HYPERKERATOSIS. Journal of Bone and Joint Surgery - Series A, 2005, 87, 2775-2779.	1.4	0



#	ARTICLE	IF	CITATIONS
4274	Total Hip Arthroplasty With Satin Finish, Tapered Stems. Orthopedics, 2005, 28, 1454-1456.	0.5	1
4275	Klinische uitkomsten na manuele therapie en oefeningen voor artrose van de heup: casuïstiek. , 2006, , 269-284.		0
4276	HIGH PLACEMENT OF NONCEMENTED ACETABULAR COMPONENTS IN REVISION TOTAL HIP ARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2006, 88, 2231-2236.	1.4	1
4277	Cementless Total Hip Arthroplasty using Cone Prosthesis for Childhood Septic Hip Sequelae. The Journal of the Korean Orthopaedic Association, 2007, 42, 718.	0.0	0
4278	Cemented Bipolar Hemiarthroplasty for the Femoral Neck or Intertrochanteric Fracture in Elderly Patients - Multicenter Study -. The Journal of the Korean Orthopaedic Association, 2007, 42, 53.	0.0	0
4279	The Twenty to Twenty-five-Year Outcomes of the Harris Design-2 Matte-Finished Cemented Total Hip Replacement. Journal of Bone and Joint Surgery - Series A, 2007, 89, 814-818.	1.4	0
4280	Progression of Acetabular Periprosthetic Osteolytic Lesions Measured with Computed Tomograph. Journal of Bone and Joint Surgery - Series A, 2007, 89, 1818-1825.	1.4	0
4281	Minimally Invasive Two-Incision Total Hip Arthroplasty for Treating Acute Displaced Femoral Neck Fractures in Active Elderly Patients. The Journal of the Korean Orthopaedic Association, 2008, 43, 643.	0.0	2
4282	Rehabilitation and Activity Following Total Hip Resurfacing. , 2008, , 245-251.		0
4283	Outcome Studies and Data Collection. , 2008, , 61-76.		0
4284	Orthopaedic Examination, Tests and Clinical Scores. Medical Radiology, 2008, , 237-259.	0.0	0
4285	Osteonecrosis: Resuscitate or Replace?. Orthopedics, 2008, 31, 893-4.	0.5	0
4286	The Consequences of Isolated Liner Exchange. Orthopedics, 2008, 31, 914-5.	0.5	0
4287	Cementless Total Hip Arthroplasty using Ceramic-on-ceramic Osteonics® System: Minimum 8-year Follow up Results. The Journal of the Korean Orthopaedic Association, 2009, 44, 520.	0.0	1
4288	Comparison of Bipolar Hemiarthroplasty and Total Hip Arthroplasty using Large Heads in Patients with Femoral Neck Fractures. The Journal of the Korean Orthopaedic Association, 2009, 44, 514.	0.0	1
4290	Bipolar Hemiarthroplasty Using the Greater Trochanter Reattachment Device (GTRD) for Comminuted Intertrochanteric Femur Fracture in Elderly Patients. Journal of the Korean Fracture Society, 2009, 22, 232.	0.1	0
4291	Result Analysis of Hip Arthroplasty Registers. , 2009, , 103-123.		0
4292	Primary Hip Replacement with Cementless «ESI» Implants. N N Priorov Journal of Traumatology and Orthopedics, 2009, 16, 14-20.	0.1	0

#	ARTICLE	IF	CITATIONS
4293	Methods for Restoration of Acetabulum Integrity in Revision Hip Replacement. N N Priorov Journal of Traumatology and Orthopedics, 2009, 16, 31-35.	0.1	0
4294	Bipolar Hip Arthroplasty vs. Total Hip Arthroplasty for Osteonecrosis of the Femoral Head. The Journal of the Korean Orthopaedic Association, 2010, 45, 273.	0.0	1
4295	Revision Total Hip Arthroplasty with a Strut Allograft and an Extensively Porous-Coated Femoral Stem. The Journal of the Korean Hip Society, 2010, 22, 197-202.	0.2	0
4296	Ceramic on Ceramic Cementless Total Hip Arthroplasty Using a Large Diameter Head. The Journal of the Korean Orthopaedic Association, 2010, 45, 342.	0.0	0
4297	Service mÃ©dical rendu, Ã©valuation et qualitÃ© de vie. , 2010, , 360-375.		0
4298	The hip. , 2010, , 235-253.		1
4299	Cementless Total Hip Arthroplasty for Osteonecrosis of the Femoral Head - A Follow-up Study for 10+ Years -. The Journal of the Korean Hip Society, 2010, 22, 129-136.	0.2	1
4300	Total Hip Arthroplasty with Bicon-Plus Cup in Patients with Dysplastic Coxarthrosis. N N Priorov Journal of Traumatology and Orthopedics, 2010, 17, 18-24.	0.1	0
4301	Diagnosis and Treatment of Osteolysis. The Journal of the Korean Hip Society, 2011, 23, 248-257.	0.2	0
4302	Rates of Osteolysis in Well-Functioning Alumina-on-Highly Cross-Linked Polyethylene Bearing Cementless THA in Patients Younger than Fifty with Femoral Head Osteonecrosis. , 2011, , 169-179.		0
4303	The Use of a Cementless Modular Stem in the Treatment of Subtrochanteric Femoral Fractures in Conjunction with Ipsilateral Coxarthrosis. Orthopedics, 2011, 34, 13.	0.5	2
4304	Treatment of Subtrochanteric Nonunion with a Blade Plate. The Journal of the Korean Orthopaedic Association, 2011, 46, 42.	0.0	1
4305	Pathophysiology of Osteolysis. The Journal of the Korean Hip Society, 2011, 23, 1.	0.2	0
4306	Cementless Total Hip Arthroplasty Using a Modular Femoral Component in Patients with Femoral Head Osteonecrosis: Comparison of Metal-on-Metal and Ceramic-on-Ceramic Articulation. The Journal of the Korean Hip Society, 2011, 23, 275-281.	0.2	0
4307	Primary Cementless Total Hip Arthroplasty with a Sandwich Type in Ceramic-Ceramic Articulation (Minimum 10-Year Follow up Results). The Journal of the Korean Hip Society, 2011, 23, 206-212.	0.2	1
4308	Treatment of the Intertrochanteric Femoral Fracture with Proximal Femoral Nail: Nailing Using the Provisional K-wire Fixation. Journal of the Korean Fracture Society, 2011, 24, 223.	0.1	2
4309	Untersuchung und Indikationsstellung. , 2012, , 91-127.		1
4310	Individuelle Ergebniskontrolle. , 2012, , 401-410.		0

#	ARTICLE	IF	CITATIONS
4311	Surgical Management of Osteoarthritis. , 2012, , 1-47.		0
4312	Total Hip Arthroplasty with a Large-Diameter Metal-on-Metal Cup (Durom) and a Standard Stem: Short-Term Results. , 2012, , 91-97.		0
4313	Femoral Head Size of 36 mm against Highly Cross-linked Polyethylene in Patients Younger than 60 Years: Minimum Three Years of Follow Up. The Journal of the Korean Orthopaedic Association, 2012, 47, 28.	0.0	1
4314	Repeated Periprosthetic Femoral Fracture in a Below Knee Amputee with Ipsilateral Cementless Total Hip Arthroplasty - A Case Report -. Hip and Pelvis, 2012, 24, 322-327.	0.6	0
4315	Proximal Femoral Locking Plate With Cannulated Screws for the Treatment of Femoral Neck Fractures. Orthopedics, 2012, 35, e1-5.	0.5	12
4316	Complex Functional Evaluation of Long-Term Results of Femoral Neck and Head Revascularization in Degenerative Dystrophic Hip Joint Diseases. N N Priorov Journal of Traumatology and Orthopedics, 2012, 19, 35-41.	0.1	0
4317	Hip Arthroplasty in Adolescents with Juvenile Rheumatoid Arthritis. N N Priorov Journal of Traumatology and Orthopedics, 2012, 19, 48-52.	0.1	0
4318	Standardized Assessment of Femoral Head and Neck Revascularization Outcomes in Degenerative Dystrophic Hip Joint Diseases at Late Terms. N N Priorov Journal of Traumatology and Orthopedics, 2012, 19, 27-31.	0.1	1
4320	CLINICAL, RADIOLOGICAL, AND MORPHOLOGICAL ASSESSMENT OF LATE RESULTS FOR REVASCULARIZATION OF THE FEMORAL HEAD AND NECK IN DEGENERATIVE AND DYSTROPHIC DISEASES OF THE HIP JOINT IN ADULTS. I P Pavlov Russian Medical Biological Herald, 2012, 20, 128.	0.2	0
4321	Hip and Knee Pain. , 2013, , 683-699.		0
4322	To Observe the Application of Health Education Path for Elderly Patients with Femoral Neck Fracture. Nursing Science, 2013, 02, 34-38.	0.0	0
4323	Total Hip Arthroplasty Using a Short, Metaphyseal-Fitting Anatomic Cementless Femoral Component in Patients with Femoral Head Osteonecrosis Who Are Less than 30 Years Old. , 2013, , 207-217.		0
4324	The Effect of Body Mass Index on Clinical Result and Life Quality after Total Hip Arthroplasty of Patients Who Were Femur Head Avascular Necrosis. Hip and Pelvis, 2013, 25, 182-188.	0.6	0
4325	Clinical follow-up of the hip resurfacing patient. , 2013, , 113-127.		0
4326	Affect of surgical approaches on functional results of total hip arthroplasty in early postoperative period. Travmatologĭ I Ortopediĭ Rossii, 2013, , 13-21.	0.1	0
4327	Classic Papers in Hip Surgery: Introduction. , 2014, , 9-12.		0
4328	Physical Examination of the Hip and Pelvis. , 2014, , 1-23.		0
4329	Hip Arthroscopy and Treatment of Acetabular Retroversion and Impingement. , 2014, , 2147-2178.		0

#	ARTICLE	IF	CITATIONS
4330	Alumina Ceramic-on-Highly Cross-Linked Polyethylene Bearing in Cementless Total Hip Arthroplasty in Young Patients with Osteonecrosis of Femoral Head. , 2014, , 355-361.		0
4331	Mid-Term Results of Metal-on-Metal Hip Resurfacing for Treatment of Osteoarthritis Secondary to Developmental Dysplasia of the Hip: A Minimum of 8-Years of Follow-Up. Medical Science Monitor, 2014, 20, 2363-2368.	0.5	2
4332	Role of proximal femoral nailing in fracture neck of femur. Journal of Orthopedics Traumatology and Rehabilitation, 2014, 7, 59.	0.1	0
4333	Cementless Total Hip Arthroplasty with Subtrochanteric Transverse Shortening Osteotomy in Patients with High Hip Dislocation. Hip and Pelvis, 2014, 26, 22-28.	0.6	0
4334	Results of Use of Compression Hip Screw with Trochanter Stabilizing Plate for Reverse Oblique Intertrochanteric Fracture. Journal of the Korean Fracture Society, 2014, 27, 120.	0.1	0
4335	Comparing Large-Diameter Metal-on-Metal and Ceramic-on-Ceramic Total Hip Replacement. , 2014, , 15-25.		0
4336	Outcome Assessment of Non-arthroplasty Hip Disease. , 2014, , 1-26.		1
4337	THE EARLY RESULTS OF CLINICAL TRIALS WITH A MICROPOROUS METAL HIP PROSTHESIS. , 1979, , 91-93.		0
4338	THE EARLY RESULTS OF HIP RESURFACING. , 1980, , 355-360.		0
4339	'SINGLE-SIDE' GRAFT HIP RECONSTRUCTION IN THE DEFICIENT ACETABULUM: A CASE REPORT DEMONSTRATING A SURGICAL TECHNIQUE. Orthopedics, 1980, 3, 22-24.	0.5	0
4341	Langzeitresultate der valgusierenden Entspannungsosteotomie nach Pauwels (P II). , 1986, , 407-422.		0
4342	A Method for the Comparative Evaluation of the Initial Stability of Cementless Hip Prostheses. , 1987, , 353-358.		0
4343	Calcium-Regulating Hormones: General. ILSI Human Nutrition Reviews, 1988, , 69-92.	0.3	0
4344	Die FrÃ¼hbelastbarkeit zementfrei implantierter isoelastischer HÃ¼ftpfannen. , 1989, , 610-618.		0
4345	The Lower Limb. , 1991, , 113-182.		0
4346	Conservative Treatment of Acetabular Fractures. , 1992, , 164-172.		1
4347	THE INFLUENCE OF AGE, SEX, AND INITIAL FIT ON BONY INGROWTH STABILIZATION WITH THE AML FEMORAL COMPONENT IN PRIMARY THA. Orthopedics, 1992, 15, 687-692.	0.5	7
4348	ASSESSING COST EFFECTIVENESS IN ORTHOPEDIC OUTCOME STUDIES. Orthopedics, 1992, 15, 1275-1277.	0.5	1

#	ARTICLE	IF	CITATIONS
4349	Die posttraumatische H $\frac{1}{4}$ ftkopfnekrose nach Luxationen und Luxationsfrakturen des H $\frac{1}{4}$ ftgelenkes. Hefte Zur Zeitschrift Der Unfallchirurg, 1993, , 385-390.	0.0	0
4350	A NEW NECK PRESERVING TOTAL HIP ARTHROPLASTY FOR THE YOUNG PATIENT. Orthopedics, 1994, 17, 253-259.	0.5	4
4351	THE POROUS-COATED ANATOMIC (PCA) TOTAL HIP ARTHROPLASTY: A REVIEW OF 73 UNCEMENTED CASES WITH 2-YEAR FOLLOW UP. Orthopedics, 1995, 18, 37-43.	0.5	1
4352	Das CLS-System. , 1995, , 291-318.		0
4353	SOLUTION OPTIONS: MODULAR HIP STEM DESIGN. Orthopedics, 1995, 18, 824-826.	0.5	2
4354	Intermediate Follow-up of a Simple Method of Hip Arthrodesis in Adolescent Patients. Journal of Pediatric Orthopaedics, 1996, 16, 30-36.	0.6	6
4355	Revision Arthroplasty of the Acetabulum with Restoration of Bone Stock. , 1996, , 101-111.		20
4356	Prognostische Bedeutung der Operationsmorbidity in der Versorgung der koxalen Femurfraktur des betagten Menschen. , 1996, , 977-980.		0
4357	Application of Materials in Medicine, Biology, and Artificial Organs. , 1996, , 455-XVI.		1
4358	Operationstechniken zur Korrektur posttraumatischer Fehlstellungen. , 1997, , 175-187.		2
4359	Articulating Metal Interfaces. Orthopedics, 1997, 20, 811-814.	0.5	2
4360	Joint Prostheses. Medical Radiology, 1998, , 341-358.	0.0	0
4361	Assessment of Press-Fit Hip Femoral Components Retrieved at Autopsy. Orthopedics, 1998, 21, 27-33.	0.5	18
4362	MuskulÄre Auswirkungen des hohen H $\frac{1}{4}$ ftzentrums auf die Abduktoren des H $\frac{1}{4}$ ftgelenks. , 1999, , 193-206.		0
4363	Heterotopic Ossification. , 1999, , 464-474.		0
4364	Outcome Studies. , 1999, , 553-561.		0
4365	Total Hip Replacement Following Prior Surgeries. , 1999, , 477-491.		4
4366	Assessing the Outcomes: What Really Works?. Orthopedics, 1999, 22, 823-825.	0.5	5

#	ARTICLE	IF	CITATIONS
4367	Core Decompression by Laser Osteoperforation: A Preliminary Report of New and Minimally Invasive Modality for the Treatment of Avascular Necrosis of the Femoral Head. Malaysian Journal of Medical and Biological Research, 2014, 1, 9-17.	0.2	3
4368	Comparative Analysis of Short and Mid-Term Results of Primary Total Hip Replacement by Serial Cemented and Uncemented Fixation Implants. N N Priorov Journal of Traumatology and Orthopedics, 2014, 21, 21-26.	0.1	2
4369	Outcome Assessment of Non-Arthroplasty Hip Disease. , 2015, , 255-278.		0
4370	Analysis of the Results of Implantation of Total Hip Endoprosthesis in Severe Dysplastic Coxarthrosis. Prilozi (Makedonska Akademija Na Naukite I Umetnostite Oddelenie Za Medicinski Nauki), 2014, 35, 111-116.	0.3	0
4371	External Fixation vs. Skeletal Traction for Treatment of Intertrochanteric Fractures in the Elderly. Trauma Monthly, 2014, 19, e15477.	0.2	6
4372	Adaptive bone remodeling around cementless femoral stems with two different designs: fitmore and Alloclassic. Travmatologija I Ortopediya Rossii, 2015, 21, 15-28.	0.1	2
4373	Qualitätssicherung und Ergebnisevaluation. , 2015, , 371-389.		2
4374	Minimally Invasive Anterolateral (Watson-Jones) Approach in the Supine Position. , 2015, , 1-13.		0
4375	Cementless arthroplasty with a distal femoral shortening for the treatment of Crowe type IV developmental hip dysplasia. Indian Journal of Orthopaedics, 2015, 49, 442.	0.5	0
4376	Spezifische Behandlungsstrategien. , 2015, , 155-301.		0
4377	The Result of Total Hip Arthroplasty after Failure of Multiple Screw Fixation for Femoral Neck Fracture. The Journal of the Korean Orthopaedic Association, 2015, 50, 280.	0.0	0
4378	Experience in Treatment of Femoral Neck Fractures by means of the Cannulated Screws. Journal of New Medical Technologies, 2015, 22, 46-50.	0.0	0
4379	SURGICAL AND FUNCTIONAL OUTCOMES OF HEMI ARTHROPLASTY IN FRACTURE NECK OF FEMUR. Journal of Evidence Based Medicine and Healthcare, 2015, 2, 859-864.	0.0	0
4380	Early and Mid-Term Results of Primary Hip Arthroplasty Using Ilâ€™za Endoprosthesis. N N Priorov Journal of Traumatology and Orthopedics, 2015, , 5-12.	0.1	2
4381	Early and Mid-Term Results of Primary Hip Arthroplasty Using Ilâ€™za Endoprosthesis. N N Priorov Journal of Traumatology and Orthopedics, 2015, 22, 5-12.	0.1	0
4382	Anterior Longitudinal Osteotomy of the Greater Trochanter in Total Hip Arthroplasty. Orthopedics, 2015, 38, 490-493.	0.5	4
4383	A STUDY OF PRIMARY CEMENTED BIPOLAR HEMIARTHROPLASTY OF HIP IN ELDERLY PATIENTS WITH OSTEOPOROTIC, UNSTABLE INTERTROCHANTERIC FRACTURE. Journal of Evidence Based Medicine and Healthcare, 2015, 2, 5447-5458.	0.0	0
4384	PRIMARY CEMENTLESS TOTAL HIP ARTHROPLASTY IN ANKYLOSING SPONDYLITIS. Journal of Evolution of Medical and Dental Sciences, 2015, 4, 16846-16849.	0.1	0

#	ARTICLE	IF	CITATIONS
4385	Use of Perfotran at Conservative Treatment of Early Stages of Femoral Head Avascular Necrosis. N N Priorov Journal of Traumatology and Orthopedics, 2015, 22, 26-31.	0.1	0
4386	Use of Perfotran at Conservative Treatment of Early Stages of Femoral Head Avascular Necrosis. N N Priorov Journal of Traumatology and Orthopedics, 2015, , 26-31.	0.1	2
4387	Local administration of enriched mononuclear cells, platelets and zoledronic acid for preventing collapse of the femoral head in the early stage of osteonecrosis: study protocol for a prospective randomized parallel-controlled clinical trial. Clinical and Translational Degenerative Diseases, 2016, 1, 32.	0.0	1
4388	Lower Extremity Outcome Measures. , 2016, , 1-32.		0
4389	Safety and effectiveness of proximal femoral nail antirotation for the treatment of intertrochanteric femoral fracture: study protocol for a prospective case series. Clinical and Translational Orthopedics, 2016, 1, 90.	0.4	0
4390	Minimally Invasive Anterolateral (Watson-Jones) Approach in the Supine Position. , 2016, , 485-497.		1
4391	Experiences of a Peripheral Unit in Using a Tripolar Constrained Acetabular Component for Recurrent Dislocations following Total Hip Joint Replacements. Advances in Orthopedic Surgery, 2016, 2016, 1-5.	0.5	0
4392	Quality of Life as a Biomarker in Hip Fractures. Biomarkers in Disease, 2016, , 1-15.	0.0	0
4393	Combo Method of Managing Neglected Fracture Neck of Femur. MOJ Orthopedics & Rheumatology, 2016, 4, .	0.2	0
4394	Cognitive Impairment in Hip Fracture Patients without Underlying Neurologic Diseases: Risk Factors and Relationship to Early Functional Recovery: Preliminary Study. Journal of the Korean Fracture Society, 2016, 29, 34.	0.1	0
4395	Feasibility of implantation of a cemented femoral stem in the treatment of osteoporotic femoral neck fracture in elderly patients: study protocol of a randomized controlled trial. Clinical and Translational Degenerative Diseases, 2016, 1, 127.	0.0	0
4396	UNCEMENTED PRIMARY TOTAL HIP ARTHROPLASTY FOR OSTONECROSIS OF HIP WITH SECONDARY OSTEOARTHRITIS IN YOUNG ADULTS. Journal of Evolution of Medical and Dental Sciences, 2016, 5, 1156-1159.	0.1	0
4397	CALCAR PRESERVING OSTEOTOMY IN CEMENTED BIPOLAR HEMIARTHROPLASTY FOR UNSTABLE TROCHANTERIC FRACTURES. Journal of Evidence Based Medicine and Healthcare, 2016, 3, 1414-1421.	0.0	0
4398	FEATURES OF REHABILITATION OF THE PATIENTS AFTER NONINFECTIOUS COMPLICATIONS OF TOTAL HIP ARTHROPLASTY. Vestnik Khirurgii Imeni I I Grekova, 2016, 175, 66-72.	0.0	1
4399	A Rehabilitation for Total Hip Replacement in Korean Medicine: A Report of Three Cases. Journal of Korean Medicine Rehabilitation, 2016, 26, 153-164.	0.2	11
4400	COMPARISON OF RESULTS OF TOTAL HIP ARTHROPLASTY DONE WITH MINI INCISION (POSTERIOR MODIFIED) AND TRADITIONAL POSTERIOR APPROACH. Journal of Evidence Based Medicine and Healthcare, 2016, 3, 3390-3394.	0.0	0
4401	CALCAR RECONSTRUCTION IN BIPOLAR HEMIARTHROPLASTY IN ELDERLY PATIENTS. Journal of Evolution of Medical and Dental Sciences, 2016, 5, 5701-5704.	0.1	1
4402	Outcomes Following Hip Surgery. , 2017, , 961-966.		0

#	ARTICLE	IF	CITATIONS
4403	Comparison of Polyethylene Wear before and after Hip Revision with Liner Exchange Fixed with the Original Locking Mechanism. PLoS ONE, 2016, 11, e0167607.	1.1	2
4404	Outcome Instruments for Assessment of Hip Function. , 2017, , 91-114.		0
4405	Cartilage Grafting. , 2017, , 671-679.		0
4406	A COMPARATIVE STUDY OF FUNCTIONAL AND RADIOLOGICAL OUTCOME OF PERTROCHANTERIC FRACTURE IN ELDERLY PATIENTS TREATED WITH DYNAMIC HIP SCREW AND PROXIMAL FEMORAL NAIL. Journal of Evolution of Medical and Dental Sciences, 2017, 6, 387-394.	0.1	1
4408	Physiotherapeutischer Prozess. , 2017, , 11-42.		0
4409	Profile of Traumatic Hip Dislocations in a West African Teaching Hospital. Open Journal of Orthopedics, 2017, 07, 345-355.	0.0	0
4410	HÄ¼ftgelenk. , 2017, , 251-310.		0
4411	Quality of Life as a Biomarker in Hip Fractures. Biomarkers in Disease, 2017, , 1155-1168.	0.0	0
4412	Impact and publishing: your journals need you!. Bone and Joint 360, 2017, 6, 1-1.	0.1	0
4413	The Establishment of Digital Orthopedics. , 2018, , 3-7.		1
4414	A Case Report- Tuberculous Dislocation of Pediatric Hip Managed by Naseer Awais External Fixator. MOJ Orthopedics & Rheumatology, 2017, 9, .	0.2	0
4415	Study of effectiveness of coxofemoral bypass in comparison to proximal femoral nail in the treatment of unstable intertrochanteric fractures in the elderly. Journal of Orthopedics Traumatology and Rehabilitation, 2018, 10, 19.	0.1	0
4416	Total hip arthroplasty via the direct anterior approach versus lateral approach: study protocol for a randomized controlled trial. Clinical Trials in Orthopedic Disorders, 2018, 3, 18.	0.2	1
4417	Using Ceramic-on-Ceramic Bearings in Total Hip Arthroplasty Necessitating 44- or 46-mm Metal Shells. Orthopedics, 2018, 41, e354-e359.	0.5	0
4418	Rescate de osteosíntesis intertrocantericas y subtrocantáricas fallidas con un reemplazo articular. Técnica y resultados de una serie de 61 casos. [Rescue of failed inter - and subtrocantartic osteosynthesis with a joint replacement. Technique and results of a series of 61 cases.]. Revista De La Asociación Argentina De Ortopedia Y Traumatología, 2018, 83, 85-93.	0.0	1
4419	Relatively High Complication and Revision Rates of the Mayo <sup>®</sup> Metaphysical Conservative Femoral Stem in Young Patients. Orthopedics, 2018, 41, e516-e522.	0.5	1
4420	POST-OPERATIVE MORTALITY IN INTERTROCHANTERIC FRACTURES IN ELDERLY. Journal of Evidence Based Medicine and Healthcare, 2018, 5, 2280-2284.	0.0	0
4421	Fibrous hip ankylosis in adolescents: non-standard approach to treatment (clinical observation). Pediatric Traumatology, Orthopaedics and Reconstructive Surgery, 2018, 6, 70-77.	0.1	0



#	ARTICLE	IF	CITATIONS
4422	Clinical Examination of the Patient with Posterior Hip Pain. , 2019, , 41-49.		0
4423	Short-Term Outcome of Shelf-Autograft in Uncemented Total Hip Arthroplasty. Shafa Orthopedic Journal, 2018, 5, .	0.1	0
4424	Differential mRNA Expression of <i>COX</i>-2 and Proinflammatory Mediators in Patients with Rotator Cuff Tears and Osteoarthritis of the Hip. Open Journal of Orthopedics, 2019, 09, 254-263.	0.0	0
4425	Cell technologies in the treatment of femoral head osteonecrosis. Proceedings of the National Academy of Sciences of Belarus, Medical Series, 2019, 15, 429-441.	0.2	0
4426	Effects of the WISH-type S-form Hip Brace on Muscle Strength in Patients with Osteoarthritis of the Hip: A Short-term Longitudinal Study. Progress in Rehabilitation Medicine, 2019, 4, n/a.	0.3	2
4427	Comparison of the Outcomes after Primary Total Hip Arthroplasty Using a Short Stem between the Modified Anterolateral Approach and Direct Anterior Approach with a Standard Operation Table. The Journal of the Korean Orthopaedic Association, 2019, 54, 244.	0.0	0
4428	Clinical Study of Proximal Femoral Interlocking Intramedullary Nail in the Treatment of Proximal Femoral Fractures in the Elderly. Hans Journal of Surgery, 2019, 08, 44-50.	0.0	0
4429	Mid-Term Outcomes of Revision Hip Arthroplasty with Acetabular Augments. Travmatologiya i Ortopediya Rossii, 2019, 25, 9-18.	0.1	4
4432	Intraoperative Cultures in Reimplantation of a Two-Stage Protocol: Only 1 vs. At Least 2 Positive Microbiological Results. The Open Orthopaedics Journal, 2019, 13, 159-165.	0.1	1
4433	COMPARATIVE STUDY OF FRACTURES OF PELVI-ACETABULUM INVOLVING ANTERIOR WALL AND ANTERIOR COLUMN BETWEEN CONSERVATIVE AND OPERATIVE PROCEDURE. Journal of Evolution of Medical and Dental Sciences, 2019, 8, 1935-1939.	0.1	0
4434	Surgically Treated Posterior Acetabular Fractures Via Iselin's Modified Approach with A Short-Term Follow-Up. Middle Black Sea Journal of Health Science, 0, , 93-99.	0.2	1
4435	Étude comparative à long terme du couple métall-métall en grand diamètre: resurfage versus prothèse totale à grand diamètre du couple Duromac. Revue De Chirurgie Orthopedique Et Traumatologique, 2019, 105, 600-605.	0.0	0
4436	Successful total hip arthroplasty in patients with anca-associated systemic vasculitis. Nauchno-Prakticheskaya Revmatologiya, 2019, 57, 597-603.	0.2	0
4437	Survie à long terme de l'arthroplastie totale de hanche hybride à cupule CLS sans ciment et pivot cimenté en chrome-cobalt de Müller utilisant un couple Metasulac en calibre 28 mm: analyse rétrospective de 115 hanches au recul minimal de 17,8 ans. Revue De Chirurgie Orthopedique Et Traumatologique, 2019, 105, 845-851.	0.0	0
4438	Önterokanterik femur kırıklarında ekstremiteler tespit, fonksiyonel sonuçlar ve genel literatür. Süleyman Demirel Üniversitesi Tıp Fakültesi Dergisi, 0, , .	0.0	0
4439	Radiotherapy for Painful Skeletal Disorders. , 2020, , 1-12.		0
4440	Comparison of external fixation and intramedullary nailing in geriatric patients with intertrochanteric fractures of the femur. Journal of Surgery and Medicine, 0, , .	0.0	1
4441	Clinical Study of Treating Elderly Patients' Femoral Intertrochanteric Fracture with Biotype Common Handle (Short Handle) Artificial Femoral Head Arthroplasty. Hans Journal of Surgery, 2020, 09, 18-27.	0.0	0

#	ARTICLE	IF	CITATIONS
4442	Blade type nails cause more varus collapse than screw type nails in the treatment of elderly trochanteric fractures. <i>Ortado</i> Dergisi, 2020, 12, 45-51.	0.1	1
4443	Traumatic dislocations of the hip in children About 11 cases and literature review. <i>Journal of Surgery and Surgical Research</i> , 2020, 6, 022-026.	0.1	0
4444	Reverse reaming distraction for acetabular reconstruction of chronic pelvic discontinuity. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 184.	0.9	1
4445	Étude prospective randomisée comparant par EBRA-FCA la fixation osseuse des implants fémoraux sans ciment type Zweymüller SL-PLUS versus SL-PLUS MIA dans l'arthroplastie primaire, avec suivi clinique au recul minimal de 5 ans. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 261-268.	0.0	0
4446	Peut-on implanter des prothèses totales de hanche de première intention en ambulatoire? Étude prospective de faisabilité et de sécurité chez 321 patients dans une unité de chirurgie ambulatoire. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 295-300.	0.0	0
4447	Highly Cross-Linked Polyethylene in Cementless Total Hip Arthroplasty in Patients with Previous Acetabular Fractures: A Minimum 5-Year Follow-Up Study. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 239-245.	0.5	2
4448	Total hip replacement in femoral head osteonecrosis. <i>Proceedings of the National Academy of Sciences of Belarus, Medical Series</i> , 2020, 17, 203-210.	0.2	0
4449	Femoral nerve status during the anterolateral approach for total hip arthroplasty: Motor-evoked potential analysis and an influencing factor. <i>Journal of Orthopaedic Science</i> , 2021, , .	0.5	0
4450	Palisade Technique – the New Method for Open Reduction of Pelvic Fractures. <i>Travmatologiya i Ortopediya Rossii</i> , 2021, 27, 94-100.	0.1	1
4451	Tönnis Grade 1 dysplastic hips have improved patient-reported outcome scores when intraarticular pathology is treated during periacetabular osteotomy. <i>Journal of Hip Preservation Surgery</i> , 2021, 8, 282-292.	0.6	2
4452	Segmental and Circumferential Acetabular Labral Reconstruction Have Comparable Outcomes in the Treatment of Irreparable or Unsalvageable Labral Pathology: A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1341-1350.	1.3	8
4453	High-Dose Vitamin D Supplementation Can Correct Hypovitaminosis D Prior to Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, 274-278.	1.5	8
4455	Retrospective Comparative Study of the Intraoperative Fracture Gap Compression in the Treatment of Intertrochanteric Fracture Using Proximal Femoral Nail Antirotation. <i>Journal of the Korean Fracture Society</i> , 2020, 33, 179.	0.1	1
4456	Mid-term gender-specific differences in periprosthetic bone remodelling after implantation of a curved bone-preserving hip stem. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 1495-1500.	0.9	6
4457	The Effect of Travel Distance on Outcomes for Hip Resurfacing Arthroplasty at a High-Volume Center. <i>Arthroplasty Today</i> , 2020, 6, 1033-1037.e2.	0.8	4
4458	Assessment of Hip Pain. , 2021, , 25-38.		0
4459	Traumatic obturator anterior type dislocation of the hip with an ipsilateral ischial tuberosity and greater trochanter fractures: Case report. <i>Journal of Orthopaedics, Trauma and Rehabilitation</i> , 0, , 221049172097898.	0.1	1
4460	The relationship of coronal trunk motion on the hip abductor moment impulse in pre-operative hip pathology patients during walking. <i>Clinical Biomechanics</i> , 2020, 80, 105196.	0.5	1

#	ARTICLE	IF	CITATIONS
4461	Mid-term results after <i>in situ</i> pinning and hip arthroscopy for mild slipped capital femoral epiphysis: A minimum five-year follow-up. <i>Journal of Children's Orthopaedics</i> , 2020, 14, 521-528.	0.4	2
4462	Understanding transient osteoporosis of hip (Asthi-Majjagatavata) and management through Ayurveda. <i>Journal of Ayurveda Case Reports</i> , 2020, 3, 108.	0.0	0
4465	Bone remodeling features in elderly and senile patients with the proximal femur fractures after hip replacement. <i>Wiadomości Lekarskie</i> , 2020, 73, 259-265.	0.1	3
4466	Midterm Results of Bipolar Hemiarthroplasty for Unstable Intertrochanteric Femoral Fractures Using a Type 3C Cementless Stem. <i>The Journal of the Korean Orthopaedic Association</i> , 2020, 55, 503.	0.0	0
4467	Clinical, functional and instrumental results of total hip arthroplasty in primary osteoarthritis. <i>Medical Alphabet</i> , 2020, 2, 34-39.	0.0	0
4468	Techniques et résultats des reconstructions de l'appareil abducteur de la hanche en chirurgie oncologique chez l'adulte. , 2020, , 209-221.		0
4470	A Prospective Comparative Study of Unstable Inter Trochanteric Fracture by Proximal Femoral Nail and Proximal Femoral Nail Antirotation in Elderly Patients in Terms of Functional and Radiological Outcomes. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2020, 9, 909-912.	0.1	0
4471	Comparative Assessment of Subtrochanteric Shortening Osteotomy and Paavilainen's Proximal Osteotomy in Total Hip Arthroplasty for Crowe III-IV Dysplasia. <i>Travmatologija i Ortopediya Rossii</i> , 2020, 26, 21-35.	0.1	1
4473	The minimal clinically important difference for the nonarthritic hip score at 2-years following hip arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2419-2423.	2.3	5
4474	Comparison of Gait Symmetry and Joint Moments in Unilateral and Bilateral Hip Osteoarthritis Patients and Healthy Controls. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 756460.	2.0	10
4475	Posterior versus lateral surgical approach: functionality and quality of life after total hip arthroplasty in a matched cohort study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 932.	0.8	5
4476	Unintended Retention of Temporary Articulating Spacers in the Treatment of Periprosthetic Hip Joint Infection. <i>Orthopedics</i> , 2020, 43, e251-e257.	0.5	3
4477	Comparison of polythene liners with alumina liners in hydroxyapatite hip arthroplasty. , 2006, , 207-212.		0
4480	Reasons for our Preference for Ceramic over Metal Bearing – clinical, radiological and biological evidences. , 2007, , 249-259.		0
4483	Methodische Bewertung der orthopädisch-traumatologischen Rehabilitation. , 2005, , 313-328.		0
4486	How Have I Done It? Evaluation Criteria. , 2005, , 332-339.		0
4488	Häftarthroplastik bei Erkrankungen des rheumatischen Formenkreises. , 2005, , 402-418.		1
4489	Cementless Implantation of the Stem of Different Types of Standard Hip Endoprosthesis. , 1992, , 261-268.		1

#	ARTICLE	IF	CITATIONS
4490	CLINICAL EVALUATION OF UNSTABLE INTER-TROCHANTERIC HIP FRACTURE BY INTRAMEDULLARY NAIL (PROXIMAL FEMORAL NAIL) - A PROSPECTIVE CLINICAL STUDY. , 2020, , 1-3.		0
4491	Minimum ten-year follow-up of a randomized trial comparing acetabular component fixation of two porous in-growth surfaces using radiostereometric analysis. Bone & Joint Open, 2020, 1, 653-662.	1.1	1
4492	Comparison of long-stemmed cementless hemiarthroplasty with proximal femur nail in unstable intertrochanteric femur fractures over 85 years of age. Journal of Surgery and Medicine, 2020, 4, 857-860.	0.0	0
4493	Efficacy of Periarticular Multimodal Drug Injection Without NSAIDs in Elderly Patients With Displaced Femoral Neck Fractures Undergoing Bipolar Hemiarthroplasty: A Prospective Triple-Blinded RCT. Cureus, 2020, 12, e10271.	0.2	1
4496	Clinical and Radiological Outcomes of Trochanteric AO/OTA 31A2 Fractures: Comparison between Helical Blade and Lag Screw – A Retrospective Cohort Study. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2020, , .	0.4	4
4497	PrÃ³tesis bipolares en pacientes aÃ±os con fractura lateral inestable de cadera. Resultados funcionales y tasa de reoperaciÃ³n luego de los primeros 100 casos. Revista De La AsociaciÃ³n Argentina De Ortopedia Y TraumatologÃa, 2020, 85, 317-324.	0.0	0
4498	Revision Total Hip Arthroplasty in Patients With Ankylosing Spondylitis: Long-Term Results. Journal of Arthroplasty, 2020, 35, 2573-2580.	1.5	4
4499	Reconstruction of Acetabular Deficiency Utilizing Iliac Bone Graft. Orthopedics, 1983, 6, 973-977.	0.5	2
4500	Long-Term Follow-Up of Cemented Total Hip Replacement for Osteoarthritis. Rheumatic Disease Clinics of North America, 1988, 14, 565-577.	0.8	5
4501	AML Bipolar Arthroplasty for Degenerative Hip Arthritis. Orthopedics, 1987, 10, 1363-1373.	0.5	21
4502	Femoral Endoprosthesis Fixation With a Soft, Flexible Low Modulus Stem Coating Four to Six Year Clinical Results. Orthopedics, 1989, 12, 529-535.	0.5	12
4503	Socket and Cup Surface Replacement. Orthopedic Clinics of North America, 1982, 13, 843-856.	0.5	4
4504	Total Hip Replacement. Orthopedic Clinics of North America, 1975, 6, 801-810.	0.5	6
4505	HIP RESURFACING - FIRST IMPRESSIONS AND NEW OPPORTUNITIES. TravmatologÃi I OrtopediÃ Rossii, 2010, 16, 18-21.	0.1	0
4506	Cementation of a dual mobility cup in a well-fixed acetabular component- a reliable option in revision total hip arthroplasty?. BMC Musculoskeletal Disorders, 2021, 22, 982.	0.8	5
4507	Prolonged Postoperative Opioid Use After Arthroscopic Femoroacetabular Impingement Syndrome Surgery: Predictors and Outcomes at Minimum 2-Year Follow-up. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110389.	0.8	2
4508	Minimally invasive anterolateral approach versus lateral transmuscular approach for total hip arthroplasty: A systematic review and meta-analysis. Journal of the Royal College of Surgeons of Edinburgh, 2021, , .	0.8	5
4509	Traumatic Hip Dislocations in Patients Younger Than 16 Years Old: A Single Center Experience with Mean Follow-Up of 10.4 Years. Indian Journal of Orthopaedics, 2022, 56, 587-591.	0.5	1

#	ARTICLE	IF	CITATIONS
4510	Gibson approach and surgical hip dislocation according to Ganz in the treatment of femoral head fractures. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 961.	0.8	9
4511	Changing Pain Management Strategy from Opioid-centric Towards Improve Postoperative Cognitive Dysfunction with Dexmedetomidine. <i>Current Drug Metabolism</i> , 2022, 23, 57-65.	0.7	2
4512	Platelet-Rich Plasma Versus Hyaluronic Acid for Hip Osteoarthritis Yields Similarly Beneficial Short-Term Clinical Outcomes: A Systematic Review and Meta-analysis of Level I and II Randomized Controlled Trials. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2035-2046.	1.3	21
4513	Clinical Outcome of Primary Total Hip Arthroplasty in Patients with Morbid Obesity – Retrospective and Prospective Follow-Up Studies. <i>Medicina (Lithuania)</i> , 2021, 57, 1247.	0.8	2
4514	Treatment of Osteoarthritis Secondary to Severe Coxa Vara with Modular Total Hip Arthroplasty. <i>Therapeutics and Clinical Risk Management</i> , 2021, Volume 17, 1199-1207.	0.9	2
4515	Hip decompression combined with bone marrow concentrate and platelet-rich plasma for corticosteroid-induced osteonecrosis of the femoral head. <i>Bone &amp; Joint Open</i> , 2021, 2, 926-931.	1.1	5
4516	Comparison of the clinical efficacy of a femoral neck system versus cannulated screws in the treatment of femoral neck fracture in young adults. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 994.	0.8	29
4517	The Effect of Anatomical Reduction on Functional Outcomes in Femoral Neck Fracture: A Novel Modified Garden Index. <i>Cureus</i> , 2021, 13, e19863.	0.2	2
4518	Short- and Midterm Comparison of Platelet-Rich Plasma with Hyaluronic Acid versus Leucocyte and Platelet-Rich Plasma on Pain and Function to Treat Hip Osteoarthritis. A Retrospective Study. <i>Gels</i> , 2021, 7, 222.	2.1	8
4519	Mid-term outcomes following transfemoral revision of total hip arthroplasty for Vancouver B2/B3 periprosthetic fractures. <i>Injury</i> , 2022, 53, 653-660.	0.7	2
4520	Two-stage arthroplasty for septic arthritis of the hip and knee: A systematic review on infection control and clinical functional outcomes. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2022, 24, 101720.	0.6	5
4521	Short vs. long intramedullary nail systems in trochanteric fractures: A randomized prospective single center study. <i>Experimental and Therapeutic Medicine</i> , 2021, 23, 106.	0.8	7
4522	Leg length measures appear inaccurate in the early phase following total hip arthroplasty. <i>Scientific Reports</i> , 2021, 11, 23262.	1.6	3
4523	Asymmetry of the Cross-sectional Area of the Gluteus Medius Muscle Persists Eight Years after Total Hip Arthroplasty for Osteoarthritis of the Hip. <i>Progress in Rehabilitation Medicine</i> , 2021, 6, n/a.	0.3	5
4525	Outcome Assessment of Non-Arthroplasty Hip Disease. , 2021, , 1-25.		0
4526	A Paradigm Shift in Osteonecrosis Treatment with Bisphosphonates. <i>JBJS Open Access</i> , 2021, 6, .	0.8	8
4527	The quality of life of the elderly is negatively affected by pertrochanteric femoral fractures: a comparative study. <i>The European Research Journal</i> , 2022, 8, 24-30.	0.1	0
4528	Impaired bone quality in the superolateral femoral neck occurs independent of hip geometry and bone mineral density. <i>Acta Biomaterialia</i> , 2022, 141, 233-243.	4.1	7

#	ARTICLE	IF	CITATIONS
4529	Management of anterior associated types of acetabular fractures utilizing the modified Stoppa and the pararectus approaches: a prospective cohort study and early experience from a level one Egyptian trauma centre. <i>International Orthopaedics</i> , 2022, 46, 897-909.	0.9	8
4530	Outcome of total hip arthroplasty for avascular necrosis of femoral head in systemic lupus erythematosus patients: A comparative study. <i>Egyptian Rheumatologist</i> , 2022, 44, 181-184.	0.5	0
4531	LONG-TERM RESULTS OF ENHANCED TAPERED STEM VerSys ET USE IN PRIMARY TOTAL HIP ARTHROPLASTY. <i>Traumatologiya i Ortopediya Rossii</i> , 2010, 16, 7-15.	0.1	0
4532	Application of Porous Tantalum in Osteonecrosis of the Femoral Head. <i>Science of Advanced Materials</i> , 2021, 13, 1976-1982.	0.1	0
4533	Rate of Return to Work After Periacetabular Osteotomy and Its Influencing Factors. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 732-738.	1.4	4
4534	Survival and complications of total hip arthroplasty using third-generation dual-mobility cups with non-cross-linked polyethylene liners in patients younger than 55 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103208.	0.9	11
4535	Radiological and Functional Assessment of Treatment Outcomes in Patients after Open Reduction with Internal Fixation (ORIF) of Acetabular Fractures. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1277.	1.2	0
4536	Total hip arthroplasty through the direct anterior approach in morbidly obese patients. <i>Bone &amp; Joint Open</i> , 2022, 3, 4-11.	1.1	6
4537	Quantitative gait analysis after total hip arthroplasty through a minimally invasive direct anterior approach: A case control study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103214.	0.9	5
4538	[Translated article] Primary total hip arthroplasty for acetabular fractures in elderly patients. <i>Revista Española De Cirugía Ortopédica y Traumatología</i> , 2022, 66, T52-T59.	0.1	1
4540	The anterior center edge angle has limited ability to predict three-dimensional coverage of the femoral head in patients with developmental dysplasia of the hip undergoing curved periacetabular osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, , 1.	1.3	2
4541	Efficacy and cost-effectiveness analysis of post-acute care for elderly patients with hip fractures. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1596-1604.	0.8	7
4542	A self-efficacy-enhancing intervention for Chinese patients after total hip arthroplasty: study protocol for a randomized controlled trial with 6-month follow-up. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 1.	0.9	21
4543	Treatment of Coronal Plane Femoral Intertrochanteric Fractures with a Microexternal Fixator Combined with Proximal Femoral Nail Antirotation. <i>Journal of Healthcare Engineering</i> , 2022, 2022, 1-6.	1.1	2
4544	Incidence of and Risk Factors for Lateral Trochanteric Pain After Direct Anterior Approach Total Hip Arthroplasty. <i>Orthopedics</i> , 2022, , 1-7.	0.5	1
4545	Differences among the observers in the assessments of Japanese orthopedic association hip scores between surgeons and physical therapists and the correlations to patients' reported outcomes after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 27.	0.8	0
4546	Incidences and circumstances of falls among women following total hip arthroplasty on long-term follow-up. <i>Journal of Orthopaedic Science</i> , 2022, , .	0.5	0
4547	Open reduction and locked compression plate fixation, with or without allograft strut, for periprosthetic fractures in patients who had a well-fixed femoral stem: a retrospective study with an average 2-year follow-up. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 69.	0.8	3

#	ARTICLE	IF	CITATIONS
4548	Operative Management of Avascular Necrosis of the Femoral Head in Skeletally Immature Patients: A Systematic Review. <i>Life</i> , 2022, 12, 179.	1.1	23
4549	[Translated article] Evaluation of the learning curve and initial outcomes with a short cervicometaphyseal fixation stem: A case series. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2022, 66, T60-T67.	0.1	0
4550	Leaving half the acetabulum in pelvic resections improves hip function. Is there a need to revisit conventional pelvic resections?. <i>Journal of Surgical Oncology</i> , 2022, , .	0.8	1
4551	Use of a Trochanteric Fixation Nail-Advanced (TFNA) with cement augmentation for treatment of trochanteric fractures in patients greater than sixty five years of age. <i>International Orthopaedics</i> , 2022, 46, 645-651.	0.9	2
4552	The role of the medial buttress plate in the treatment of Pauwels type II and III femoral neck fracture in nonelderly patients: a retrospective study and preliminary results. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 100.	0.8	4
4553	Clinical Outcome and Biomechanical Analysis of Dynamic Hip Screw Combined with Derotation Screw in Treating Displaced Femoral Neck Fractures Based on Different Reduction Qualities in Young Patients (â‰¥65 Years of Age). <i>BioMed Research International</i> , 2022, 2022, 1-15.	0.9	3
4554	Varus stem positioning does not affect long-term functional outcome in cementless anatomical total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 511-518.	1.3	5
4555	The effect of rehabilitation support on male and female after intertrochanteric femoral fracture treatment. <i>Journal of Health Sciences and Medicine</i> , 2022, 5, 32-37.	0.0	0
4556	Modern total hip arthroplasty: peak of perfection or room for improvement?. <i>Bone and Joint Journal</i> , 2022, 104-B, 189-192.	1.9	17
4557	Effect of periacetabular osteotomy on the distribution pattern of subchondral bone mineral density in patients with hip dysplasia. <i>Journal of Orthopaedic Research</i> , 2022, , .	1.2	1
4558	A 2â€year prospective clinical and bone density evaluation, with a subset undergoing radiostereometric analysis, using the Absolut cemented stem. <i>ANZ Journal of Surgery</i> , 2022, 92, 830-836.	0.3	1
4559	Influence of shelf acetabuloplasty on the outcomes of total hip arthroplasty in hips with dysplasia: a caseâ€control study. <i>International Orthopaedics</i> , 2022, 46, 989-997.	0.9	2
4560	The Impact of Metabolic Syndrome on Reoperations and Complications After Primary Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, 1092-1097.	1.5	3
4561	Clinical Performance of an Ultrashort, Proximally Porous-Coated and Tapered Metaphyseal-Fitting Cementless Femoral Stem Among Octogenarians. <i>Orthopedics</i> , 2022, , 1-6.	0.5	0
4562	Rate of continued conservative management versus progression to surgery at minimum 1â€year followâ€up in patients with preâ€arthritic hip pain. <i>PM and R</i> , 2022, 14, 575-586.	0.9	4
4563	Fully hydroxyapatite-coated distal locking cementless femoral modular implant for revision total hip arthroplasty: A retrospective study of 94 Renaissanceâ„¢ stems at a minimum 10 yearsâ€™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103233.	0.9	5
4564	Cementless Extensive Porous-Coated Mono-block Long Stem Hemiarthroplasty versus Proximal femoral Nail for Unstable Osteoporotic Intertrochanteric Fracture in the Elderly Patients: a retrospective study. <i>International Journal of Scientific Research and Management</i> , 2022, 10, 531-538.	0.0	0
4565	Comparisons of Ultrasound-Guided Platelet-Rich Plasma Intra-Articular Injection and Extracorporeal Shock Wave Therapy in Treating ARCO Iâ€III Symptomatic Non-Traumatic Femoral Head Necrosis: A Randomized Controlled Clinical Trial. <i>Journal of Pain Research</i> , 2022, Volume 15, 341-354.	0.8	4

#	ARTICLE	IF	CITATIONS
4566	Clinical evaluation of the cemented Exeter Short 125Âmm stem at a minimum of 3 years: A prospective cohort study. <i>Journal of Orthopaedics</i> , 2022, 30, 18-24.	0.6	3
4568	Average 22-Year Results of Total Hip Arthroplasty Using Harris-Galante Prosthesis in Patients under 50 Years. <i>Clinics in Orthopedic Surgery</i> , 0, 14, .	0.8	0
4569	A Study of Management of Subtrochanteric Fractures Treated by Proximal Femoral Nail - A Prospective Study. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2022, 11, 189-193.	0.1	0
4571	Morscherâ€™s femoral neck lengthening osteotomy through surgical hip dislocation approach for preservation of Perthes and Perthes-like deformities. <i>Journal of Children's Orthopaedics</i> , 2022, 16, 5-18.	0.4	3
4573	Quality of life from return to work and sports activities to sexual dysfunction after surgical treatment of acetabular fractures. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 1491-1497.	1.3	2
4574	Functional Symmetry after Surgical Treatment of Pertrochanteric Fractures in the Elderly. <i>Symmetry</i> , 2022, 14, 393.	1.1	1
4575	Survivorship of a Metal-on-Metal Total Hip Implant With Modular Titanium Adapter. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	2
4576	The Significance of Race/Ethnicity and Income in Predicting Preoperative Patient-Reported Outcome Measures in Primary Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, S428-S433.	1.5	11
4577	Surgical treatment options for femoral neck fractures in the elderly. <i>International Orthopaedics</i> , 2022, 46, 1111-1122.	0.9	14
4579	Revision Total Hip Arthroplasty with Primary Stem or Full-Porous-Coated Long Stem for Aseptic Femoral Component Loosening: A Matched-Pair Study. <i>Orthopedic Research and Reviews</i> , 2022, Volume 14, 25-33.	0.7	0
4580	Mid-Term Survival of Total Hip Arthroplasty in Patients Younger Than 55-year-old. <i>Journal of Arthroplasty</i> , 2022, 37, S517-S523.	1.5	3
4581	Proximal femoral replacement for non-neoplastic conditions: a systematic review on current outcomes. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, 18.	1.0	8
4582	Short-term results of total hip arthroplasty using a tapered cone stem for patients with previous femoral osteotomy. <i>Journal of Orthopaedics</i> , 2022, 30, 83-87.	0.6	0
4583	The Clinical and Radiological Outcomes of Subtrochanteric Osteotomy in Crowe Type IV Hip Dysplasia: A Comparison of Three Different Stem Designs. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2022, Publish Ahead of Print, .	1.1	0
4584	Ask patients what they expect! A survey among patients awaiting total hip arthroplasty in Germany. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	3
4585	Inflammation and nutrition based screening tests for detection of infection in cases of rapid hip destruction. <i>Scientific Reports</i> , 2022, 12, 3586.	1.6	2
4586	Instability After Primary Total Hip Arthroplasty: Dual Mobility Versus Jumbo Femoral Heads. <i>Journal of Arthroplasty</i> , 2022, 37, S571-S576.	1.5	4
4587	Short- and long-term prognostic factors associated with functional recovery in elderly patients with hip fracture: A systematic review. <i>Osteoporosis International</i> , 2022, 33, 1429-1444.	1.3	15



#	ARTICLE	IF	CITATIONS
4588	Should We Use Bipolar Hemiarthroplasty in Patients $\geq 70$ Years Old With a Femoral Neck Fracture? A Review of Literature and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Arthroplasty</i> , 2022, 37, 601-608.e1.	1.5	5
4589	Implant positioning in total hip arthroplasty: influence of horizontal and vertical offset on functionality of prosthetic hip joint. <i>International Orthopaedics</i> , 2022, 46, 1501-1506.	0.9	1
4590	An Updated Meta-Analysis of Randomized Controlled Trials on Total Hip Arthroplasty through <i>SuperPATH</i> versus Conventional Approaches. <i>Orthopaedic Surgery</i> , 2022, 14, 807-823.	0.7	13
4591	Improvement of surgical time and functional results after do-it-yourself 3D-printed model preoperative planning in acetabular defects Paprosky IIA-III B. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103277.	0.9	3
4592	Mid-term improvement of cognitive performance after total hip arthroplasty in patients with osteoarthritis of the hip. <i>Bone and Joint Journal</i> , 2022, 104-B, 331-340.	1.9	3
4593	Cementless modular total hip arthroplasty with subtrochanteric transverse shortening osteotomy for high hip dislocations. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 139.	0.9	3
4594	In Silico Finite Element Modeling of Stress Distribution in Osteosynthesis after Pertrochanteric Fractures. <i>Journal of Clinical Medicine</i> , 2022, 11, 1885.	1.0	2
4595	Long-Term Follow-Up of Management of the Hypoplastic Femur With Femoral Episiotomy and Onlay Allograft During Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
4596	Long-Term (up to 38 Years) Failure Modes of Total Hip Arthroplasty in Adult Patients Who Had Childhood Infection of Hip. <i>Journal of Arthroplasty</i> , 2022, 37, 1612-1617.	1.5	1
4597	In the fixation of adult femoral neck fractures, does percutaneous hematoma drainage have an effect on bone union?. <i>Journal of Surgery and Medicine</i> , 2022, 6, 1-1.	0.0	0
4598	Clinical outcome in total hip arthroplasty for septic sequelae in childhood. <i>Bone &amp; Joint Open</i> , 2022, 3, 314-320.	1.1	1
4599	MINIMA Short Stem Versus Standard Profemur (TL) Stem in Primary Total Hip Replacement: A Comparative Study. <i>Cureus</i> , 2022, 14, e23771.	0.2	2
4600	Function, sarcopenia and osteoporosis 10 years after a femoral neck fracture in patients younger than 70 years. <i>Injury</i> , 2022, 53, 1496-1503.	0.7	0
4601	Relationship Between Blood Flow and Collapse of Nontraumatic Osteonecrosis of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 13-18.	1.4	4
4602	Outcomes of minimally invasive osteosynthesis of intertrochanteric fractures with dynamic hip screw: A prospective case series. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2022, 27, 101824.	0.6	0
4604	On the design evolution of hip implants: A review. <i>Materials and Design</i> , 2022, 216, 110552.	3.3	60
4605	Femur boyun kırılması nedeniyle hemiarthroplasti yapılan hastalarda Dorr tipinin klinik sonuçlara ve perioperatif komplikasyonlara etkisi. <i>Mustafa Kemal Üniversitesi Tıp Dergisi</i> , 2022, 13, 18-24.	0.1	0
4606	Relative Femoral Neck Lengthening in Legg-Calvé-Perthes Total Hip Arthroplasty. <i>Arthroplasty Today</i> , 2022, 15, 61-67.	0.8	0

#	ARTICLE	IF	CITATIONS
4607	A novel revision system for complex pelvic defects utilizing 3D-printed custom prosthesis. <i>Journal of Orthopaedic Translation</i> , 2021, 31, 102-109.	1.9	7
4608	Influence of Timing of Postoperative Weight-Bearing on Implant Failure Rate Among Older Patients With Intertrochanteric Hip Fractures: A Propensity Score Matching Cohort Study. <i>Frontiers in Medicine</i> , 2021, 8, 795595.	1.2	1
4609	Cementless hydroxyapatite-coated stem with dual mobility and posterior approach in over-80 year-old patients with osteoarthritis: Rates of dislocation and periprosthetic fracture at a mean 8 yearsâ€™ follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103196.	0.9	11
4610	The outcome of the uncemented acetabular component in delayed total hip arthroplasty following acetabular fractures. <i>Bone &amp; Joint Open</i> , 2021, 2, 1067-1074.	1.1	7
4611	Ten-year comparison of two different techniques for femoral bone cavity preparationâ€”broaching versus compaction in patients with cementless total hip arthroplasty. <i>Bone &amp; Joint Open</i> , 2021, 2, 1035-1042.	1.1	6
4612	Long-Term Outcomes of Staged Revision Surgery for Chronic Periprosthetic Joint Infection of Total Hip Arthroplasty. <i>Journal of Clinical Medicine</i> , 2022, 11, 122.	1.0	7
4613	Extended Trochanteric Osteotomy with Intermediate Resection Arthroplasty Is Safe for Use in Two-Stage Revision Total Hip Arthroplasty for Infection. <i>Journal of Clinical Medicine</i> , 2022, 11, 36.	1.0	5
4614	Ultra-short cementless anatomical stem for intracapsular femoral neck fractures in patients younger than 60 years. <i>Acta Orthopaedica Belgica</i> , 2021, 87, 619-627.	0.1	11
4615	SPECT-CT metabolic and morphological study of 2 types of cemented hip stem prostheses in primary total hip arthroplasty patients. <i>Medicine (United States)</i> , 2021, 100, e28299.	0.4	0
4616	Effects of Perioperative Fascia Iliaca Compartment Block on Postoperative Pain and Hip Function in Elderly Patients With Hip Fracture. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2022, 13, 215145932210928.	0.6	1
4617	When to Reduce and Fix Displaced Lesser Trochanter in Treatment of Trochanteric Fracture: A Systematic Review. <i>Frontiers in Surgery</i> , 2022, 9, 855851.	0.6	1
4618	Impaction Bone Grafting Combined with Titanium Mesh for Acetabular Bone Defects Reconstruction in Total Hip Arthroplasty Revision: A Retrospective and Miniâ€”Review Study. <i>Orthopaedic Surgery</i> , 2022, , .	0.7	0
4619	Medial Buttress Plate and Allograft Boneâ€”Assisted Cannulated Screw Fixation for Unstable Femoral Neck Fracture with Posteromedial Comminution: A Retrospective Controlled Study. <i>Orthopaedic Surgery</i> , 2022, 14, 911-918.	0.7	6
4620	<scp>Fourthâ€”Generation Ceramicâ€”onâ€”Ceramic THA</scp> in Patients with Ankylosing Spondylitis: A Minimum <scp>10â€”Year Followâ€”Up</scp>. <i>Orthopaedic Surgery</i> , 2022, , .	0.7	3
4621	Tapered wedge stems decrease early postoperative subsidence following cementless total hip arthroplasty in Dorr type C femurs compared to fit-and-fill stems. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 223.	0.9	4
4622	Comparison of Functional and Radiographic Outcomes Between Two Fixation Methods for Extended Trochanteric Osteotomy in Revision Total Hip Arthroplasty: A Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2022, 37, 1844-1850.	1.5	3
4623	The Pararectus approach in acetabular fractures treatment: functional and radiological results. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 370.	0.8	2
4624	Cerclaje con alambre en fracturas subtrocantÃ©ricas de cadera. AnÃ¡lisis de beneficios y complicaciones. <i>Revista De La AsociaciÃ³n Argentina De Ortopedia Y TraumatologÃ­a</i> , 2022, 87, 143-151.	0.0	0

#	ARTICLE	IF	CITATIONS
4625	Effectiveness of self-efficacy-enhancing interventions on rehabilitation following total hip replacement: a randomized controlled trial with six-month follow-up. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, 225.	0.9	5
4626	Cementless, modular, titanium stem in Vancouver B2 and B3 periprosthetic femoral fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, , 1.	0.6	1
4627	A larger sized cup accelerates cartilage erosion of acetabulum after bipolar hemiarthroplasty in elderly with femur neck fracture. <i>Medicine (United States)</i> , 2022, 101, e29081.	0.4	1
4628	Change of Pelvic Sagittal Tilt after Total Hip Arthroplasty in Patients with Bilateral Crowe Type <sc>IV</sc> Developmental Dysplasia of the Hip. <i>Orthopaedic Surgery</i> , 2022, , .	0.7	1
4629	Outcome of percutaneous compression plate for treatment of femoral neck fractures: mean follow-up of 4.4Åyears. <i>International Orthopaedics</i> , 2022, 46, 1891-1898.	0.9	2
4630	Clinical and radiological outcomes of antegrade posterior column screw fixation of the acetabulum. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103288.	0.9	4
4631	Long-Term Function After Charnley Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 148-156.	0.7	31
4632	The Frank Stinchfield Award: Demographic Factors Affecting Long-Term Outcome of Total Hip Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 62-73.	0.7	79
4633	Femoral Head Resurfacing for the Treatment of Osteonecrosis in the Young Patient. <i>Clinical Orthopaedics and Related Research</i> , 2003, 417, 93-101.	0.7	58
4634	Comparison of Femoral Bone Mineral Density Changes around 3 Common Designs of Cementless Stems after Total Hip <sc>Arthroplastyâ€™A</sc> Retrospective Cohort Study. <i>Orthopaedic Surgery</i> , 2022, 14, 1059-1070.	0.7	5
4635	Protocol for a single-centre prospective observational study of postoperative delirium following total joint arthroplasties among South East Asians. <i>BMJ Open</i> , 2018, 8, e019426.	0.8	3
4636	Functional outcomes are preserved in adult acetabular dysplasia with radiographic evidence of lumbosacral spine anomalies: an investigation in hip-spine syndrome. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 385.	0.8	1
4637	Comparison of Highly Intensive Home-Based Post-acute Care to Inpatient Program for Patients With Fragility Fractures After Surgery. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2022, 13, 215145932210813.	0.6	1
4638	Early postoperative results analysis of standard and mini-incision posterolateral approach in total hip arthroplasty. <i>Vojnosanitetski Pregled</i> , 2022, 79, 1137-1141.	0.1	0
4640	Clinical Outcomes, Metal Ion Levels, Lymphocyte Profiles, and Implant Survival Following Five Different Bearings of Total Hip Arthroplasty: A Mean 10-year Follow-up Study. <i>Journal of Arthroplasty</i> , 2022, 37, 2053-2062.	1.5	1
4641	Effects of Chuna Manual Therapy after Hip Arthroplasty: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of Korean Medicine Rehabilitation</i> , 2022, 32, 95-103.	0.2	2
4642	Management of femoral head fracture by Ganz surgical dislocation of the hip. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, 24.	1.0	2
4643	No difference in outcome or migration but greater loss of bone mineral density with the Collum Femoris Preserving stem compared with the Corail stem: a randomized controlled trial with five-year follow-up. <i>Bone and Joint Journal</i> , 2022, 104-B, 581-588.	1.9	3

#	ARTICLE	IF	CITATIONS
4644	Liner malseating is rare with two modular dual-mobility designs. Bone and Joint Journal, 2022, 104-B, 598-603.	1.9	8
4645	Reasons for hip revision artroplasty in patients with rheumatoid arthritis. , 2022, 21, 63-66.	0.0	0
4646	Evaluation of the Outcomes of Proximal Femoral Nail Antirotation II in the Treatment of Trochanteric Fracture in Elderly Patients. Cureus, 2022, , .	0.2	0
4647	Pre- and intraoperative decision-making challenges in hip arthroscopy for femoroacetabular impingement. Bone and Joint Journal, 2022, 104-B, 532-540.	1.9	2
4648	A combination of the K-L and S-P approaches for treating acetabular posterior wall factures accompanied by femoral head fractures with open reduction and internal fixation. BMC Surgery, 2022, 22, 165.	0.6	4
4650	Evaluation of joint function in hiparthritits with harris score and gait analysis. N N Priorov Journal of Traumatology and Orthopedics, 1999, 6, 38-43.	0.1	0
4651	Total hiparthroplasty by implants of new generation. N N Priorov Journal of Traumatology and Orthopedics, 1999, 6, 28-34.	0.1	0
4652	Clinical Results from the Calcitite-Coated Press Fit APR Hip System. Dental Clinics of North America, 1992, 36, 239-246.	0.8	14
4653	Articulated bipolar vs non-articulated conventional spacers: a comparative study of results from two-stage treatment of chronic septic arthritis in prosthetic or native hips. Orthopaedics and Traumatology: Surgery and Research, 2022, , 103302.	0.9	2
4654	Comparison of the functional outcomes after treatment of periprosthetic hip fractures with femoral stem loosening: Locking plate fixation with or without femoral stem revision. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 103300.	0.9	3
4655	Multiple cannulated screw fixation of femoral neck fractures with comminution in young- and middle-aged patients. Journal of Orthopaedic Surgery and Research, 2022, 17, 280.	0.9	4
4658	Accuracy of Acetabular Cup Placement During Total Hip Arthroplasty in Supine Position Using a Pelvic Rotation Correction Device. Arthroplasty Today, 2022, 16, 46-52.	0.8	1
4659	Use of Customized 3D-Printed Titanium Augment With Tantalum Trabecular Cup for Large Acetabular Bone Defects in Revision Total Hip Arthroplasty: A Midterm Follow-Up Study. Frontiers in Bioengineering and Biotechnology, 2022, 10, .	2.0	6
4660	Are the Harris Hip Score and the Hip Outcome Score valid patient-reported outcome measures for femoroacetabular impingement syndrome?. Brazilian Journal of Physical Therapy, 2022, 26, 100422.	1.1	4
4661	The impact of surgical trainee involvement in total hip arthroplasty: a systematic review of surgical efficacy, patient safety, and outcomes. European Journal of Orthopaedic Surgery and Traumatology, 0, .	0.6	0
4662	Effect of anterior approach compared to posterolateral approach on readiness for discharge and thrombogenic markers in patients undergoing unilateral total hip arthroplasty: a prospective cohort study. Archives of Orthopaedic and Trauma Surgery, 2023, 143, 2217-2226.	1.3	2
4663	A multi-center retrospective comparative study of third generation Ceramic-on- Ceramic total hip arthroplasty in patients younger than 45 years with or without the sandwich liner: A ten-year minimum. Journal of Orthopaedic Surgery, 2022, 30, 102255362211099.	0.4	1
4664	Traumatic Hip Dislocations in the Pediatric Patient: Injury Patterns, Need for Axial Imaging, Outcomes, and Selective Hip Arthroscopy. , 2022, 4, 403.		0

#	ARTICLE	IF	CITATIONS
4665	Total Hip Arthroplasty Leads to Better Results After Low-Energy Displaced Femoral Neck Fracture in Patients Aged 55 to 70 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1341-1351.	1.4	8
4666	Does transepiphyseal drilling and closure of the greater trochanter in early Legg-Calve-Perthes disease improve natural history?. <i>Musculoskeletal Surgery</i> , 2023, 107, 279-285.	0.7	2
4667	Revision Total Hip Arthroplasty for Aseptically Failed Metal-on-Metal Hip Resurfacing Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	3
4668	Global Trends and Current Status in Osteonecrosis of the Femoral Head: A Bibliometric Analysis of Publications in the Last 30 Years. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	7
4669	Quantitative Magnetic Resonance Imaging of Femoral Head Articular Cartilage Change in Patients with Hip Osteonecrosis Treated with Extracorporeal Shock Wave Therapy. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-9.	0.8	1
4670	Total Hip Arthroplasties for Hartofilakidis Type C1 and C2 High Hip Dislocations Demonstrate Similar Survivorship and Clinical Function at Minimum 10-year Follow-up With Cementless Implants. <i>Journal of Arthroplasty</i> , 2022, 37, 2374-2380.	1.5	2
4671	Does an Ultra-Short Anatomic Cementless Femoral Stem Improve Long-Term (Up to 17 Years) Results in Patients Younger Than 30 Years?. <i>Journal of Arthroplasty</i> , 2022, 37, 2225-2232.	1.5	1
4672	The effect of CKD on intertrochanteric fracture treated with proximal femoral nail anti-rotation: A 7-year study. <i>Journal of Orthopaedics</i> , 2022, 32, 151-155.	0.6	0
4673	Modular Fluted Tapered Stems for Periprosthetic Femoral Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1188-1196.	1.4	5
4674	The Impact of Psychological Health on Patient Recovery After Arthroplasty. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	5
4675	Effects of pericapsular soft tissue and realignment exercises for patients with osteoarthritis of the hip and Harris Hip Score below 60 points. <i>Current Medical Research and Opinion</i> , 2022, 38, 1567-1578.	0.9	1
4676	Comparison of a Minimally Invasive Tissue-Sparing Posterior Superior (TSPS) Approach and the Standard Posterior Approach for Hip Replacement. <i>BioMed Research International</i> , 2022, 2022, 1-7.	0.9	0
4677	Análisis clínico y radiográfico del vÃ¡stago de cadera no cementado â€œCEMENTFREEâ€ de fabricaciÃ³n nacional. Resultados a corto plazo. <i>Revista De La AsociaciÃ³n Argentina De Ortopedia Y TraumatologÃ­a</i> , 2022, 87, 316-324.	0.0	0
4678	Clinical results after open gluteus medius repair in single-row technique. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, .	0.8	1
4679	Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations. , 2022, 10, 1-172.		2
4680	Anatomic acetabular reconstruction with femoral head autograft for developmental dysplasia of the hip (DDH) with a minimum follow-up of 10â€™s years. <i>HIP International</i> , 2023, 33, 736-742.	0.9	1
4681	Identification and treatment of potentially destabilizing Vancouver B-lesser trochanter periprosthetic fracture (â€œNew B2â€): a 33-case series. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, , 103357.	0.9	1
4682	Comparative study of bilateral total hip arthroplasty in one or two stages. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103359.	0.9	5

#	ARTICLE	IF	CITATIONS
4683	Effect of Home-based Telerehabilitation on the Postoperative Rehabilitation Outcome of Hip Fracture in the Aging Population. <i>Orthopaedic Surgery</i> , 2022, 14, 1768-1777.	0.7	12
4684	The incidence of adverse local tissue reaction due to head taper corrosion after total hip arthroplasty using V40 taper and 36 mm CoCr head. <i>Bone and Joint Journal</i> , 2022, 104-B, 852-858.	1.9	1
4685	Effective single-stage revision using intra-articular antibiotic infusion after multiple failed surgery for periprosthetic joint infection. <i>Bone and Joint Journal</i> , 2022, 104-B, 867-874.	1.9	8
4686	Guided growth versus varus osteotomy for type II avascular necrosis following surgery for developmental dysplasia of the hip. <i>Bone and Joint Journal</i> , 2022, 104-B, 902-908.	1.9	0
4687	Hip dysplasia in adolescence: osteotomy in childhood improves the results of periacetabular osteotomy in adolescents and young adults. <i>Bone and Joint Journal</i> , 2022, 104-B, 775-780.	1.9	5
4688	A New Method to Protect Blood Supply in the Treatment of Femoral Neck Fractures: Bidirectional Compression Porous Tantalum Screws. <i>Orthopaedic Surgery</i> , 0, , .	0.7	2
4689	20-year hip survivorship and patient-reported outcome measures after transpositional osteotomy of the acetabulum for dysplastic hips. <i>Bone and Joint Journal</i> , 2022, 104-B, 767-774.	1.9	8
4690	Effects of Hip Bracing on Gait Biomechanics, Pain and Function in Subjects With Mild to Moderate Hip Osteoarthritis. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .	2.0	2
4691	Prediction of Change in Pelvic Tilt After Total Hip Arthroplasty Using Machine Learning. <i>Journal of Arthroplasty</i> , 2023, 38, 2009-2016.e3.	1.5	4
4692	Patients with femoral neck fractures treated by bipolar hemiarthroplasty have superior to unipolar hip function and lower erosion rates and pain: a systematic review and meta-analysis of randomized controlled studies. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 0, , .	0.6	0
4693	Conversion total hip arthroplasty after previous intertrochanteric hip fractures: a review of the epidemiology, technical issues, and outcomes. <i>Current Orthopaedic Practice</i> , 0, Publish Ahead of Print, .	0.1	1
4694	Dual-Energy X-Ray Absorptiometry (DEXA) Evaluation of the Bone Remodeling Effects of a Low-Modulus Composite Hip Stem After 2 Decades of Follow-Up. <i>HSS Journal</i> , 0, , 155633162211081.	0.7	0
4695	Drilling and cancellous bone grafting for avascular necrosis of the femoral head. <i>Orthopedics and Traumatology</i> , 2000, 8, 37-47.	0.0	0
4696	What are the Outcomes after Primary Total Hip and Knee Arthroplasty in Patients with Prior Cerebrovascular Accidents?. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
4697	Does the Periprosthetic Fracture Pattern Depend on the Stem Fixation Method in Total Hip Arthroplasty?. <i>Clinics in Orthopedic Surgery</i> , 2023, 15, 42.	0.8	2
4698	Effect of implant composition on periprosthetic bone mineral density after total hip arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 2763-2771.	1.3	4
4699	Length doesn't play a role in Sexual activity in men after short stem Total hip Arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	2
4700	Revision total hip arthroplasty for aseptic loosening compared with primary total hip arthroplasty for osteoarthritis: long-term clinical, functional and quality of life outcome data. <i>HIP International</i> , 0, , 112070002211153.	0.9	1

#	ARTICLE	IF	CITATIONS
4701	The ability and factors related with floor sitting after total hip arthroplasty with a posterolateral approach. <i>Orthopedic Reviews</i> , 2022, 14, .	0.3	0
4702	Combination effect of intraoperative and postoperative intravenous tranexamic acid in hip hemiarthroplasty. A propensity score matched analysis. <i>Injury</i> , 2022, 53, 3401-3406.	0.7	1
4703	Total hip arthroplasty with femoral shortening osteotomy using polished cemented stem vs. modular cementless stem in patients with Crowe type IV developmental dysplasia of the hip. <i>Archives of Orthopaedic and Trauma Surgery</i> , 0, , .	1.3	1
4705	Is Robotic-Assisted Technology Still Accurate in Total Hip Arthroplasty for Fibrous-Fused Hips?. <i>Journal of Arthroplasty</i> , 2023, 38, 129-134.	1.5	2
4706	Borderline Developmental Dysplasia of the Hip: A Risk Factor Predicting the Development and Poor Prognosis after Core Decompression for Idiopathic Osteonecrosis of the Femoral Head. <i>Orthopaedic Surgery</i> , 0, , .	0.7	0
4707	A waterproof, low-cost dressing system reduces postoperative wound dressing changes in primary total hip arthroplasty: An efficacy study. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	1
4708	Extended Ischiopubic Fixation Using Porous Metal Augments in Cementless Acetabular Reconstruction during Revision Total Hip Arthroplasty. <i>Orthopaedic Surgery</i> , 2022, 14, 2480-2488.	0.7	0
4709	Efficacy and Safety of Acetabular Cup without Screw Fixation in Total Hip Arthroplasty: A Systematic Review and Meta-Analysis. <i>Medicina (Lithuania)</i> , 2022, 58, 1058.	0.8	2
4710	Cementless primary or revision stem in revision hip arthroplasty for aseptic stem loosening with Paprosky type I/II femoral defect?. <i>Journal of the Chinese Medical Association</i> , 2022, 85, 1068-1075.	0.6	1
4711	Compared learning curves of the direct anterior and anterolateral approach for minimally invasive hip replacement. <i>Orthopedic Reviews</i> , 2022, 14, .	0.3	1
4712	The lesser trochanter "sling fixation technique" in proximal intramedullary nailing of unstable intertrochanteric fractures: A polymer-based cerclage wiring. <i>Journal of Orthopaedics</i> , 2022, 34, 94-99.	0.6	2
4713	The outcomes of total hip arthroplasty in rapidly progressive osteoarthritis: a systematic review. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 1505-1514.	0.6	3
4714	Hip arthrodesis in children. <i>Bone and Joint Journal</i> , 2022, 104-B, 1089-1094.	1.9	2
4717	Intramedullary Nail or Primary Arthroplasty? A System Review and Meta-Analysis on the Prognosis of Intertrochanteric Femoral Fractures Based on Randomized Controlled Trials. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2022, 13, 215145932211182.	0.6	2
4718	Early functional outcome of hemiarthroplasty in the elderly with neck of femur fracture: A single centre's experience. <i>Journal of the West African Colleges of Surgeons</i> , 2022, 12, 40.	0.0	0
4719	Acute Surgical Repair of Simultaneous Bilateral Proximal Hamstring Tendon Avulsion. <i>JBJS Case Connector</i> , 2022, 12, .	0.1	1
4720	Clinical results at 10 years of minimum follow-up with the ABC 2 hip arthroplasty, matched with ceramic-on-ceramic bearings. <i>Sicot-j</i> , 2022, 8, 32.	0.8	0
4721	Outcome Assessment of Non-Arthroplasty Hip Disease. , 2022, , 207-230.		0

#	ARTICLE	IF	CITATIONS
4722	Periacetabular osteotomy: A novel application of modified Stoppa approach. <i>Sicot-j</i> , 2022, 8, 33.	0.8	2
4723	Physical Examination of the Hip and Pelvis. , 2022, , 113-141.		1
4724	Proximal femoral nail antirotation versus external fixation for unstable intertrochanteric fractures in elderly patients: A randomized controlled trial. <i>Medicine (United States)</i> , 2022, 101, e29384.	0.4	1
4725	Application of 3D-printed osteotomy guides in periacetabular osteotomy: A short-term clinical study. <i>International Journal of Artificial Organs</i> , 2022, 45, 945-951.	0.7	3
4726	Holistic Symmetry Assessment Using Pedobarography after Treatment of Pertrochanteric Fractures in Elderly Patients. <i>Symmetry</i> , 2022, 14, 1798.	1.1	0
4727	Does surgery change pelvic tilt?. <i>Bone and Joint Journal</i> , 2022, 104-B, 1025-1031.	1.9	5
4728	Function and employment after total hip replacement in older adults: A narrative review. <i>Maturitas</i> , 2022, , .	1.0	0
4729	The Direct Anterior Approach versus the Posterolateral Approach on the Outcome of Total Hip Arthroplasty: A Retrospective Clinical Study. <i>Orthopaedic Surgery</i> , 2022, 14, 2563-2570.	0.7	2
4730	Increasing age does not influence hip-specific functional outcome or health-related quality of life following total hip arthroplasty. <i>Bone &amp; Joint Open</i> , 2022, 3, 692-700.	1.1	0
4731	New polyethylenes in total hip arthroplasty. <i>Bone and Joint Journal</i> , 2022, 104-B, 1032-1038.	1.9	1
4732	Clinical and Radiological Outcomes of Revision Total Hip Arthroplasty for Patients with Prior Hartofilakidis Type C Hip Dysplasia. <i>Orthopaedic Surgery</i> , 2022, 14, 2571-2579.	0.7	0
4733	Functional and Radiological Outcome in Atypical Subtrochanteric Femur Fracture After Surgical Fixation: A Retrospective Observational Study. <i>Cureus</i> , 2022, , .	0.2	0
4735	Translation, reliability, and validity of the Turkish version of the Victorian Institute of Sports Assessment For Gluteal Tendinopathy (VISA-G) questionnaire in individuals with greater trochanteric pain syndrome. <i>Physiotherapy Theory and Practice</i> , 2024, 40, 617-624.	0.6	1
4736	Thirty years of experience with instrumented femoral impaction bone grafting and a cemented polished Exeter stem. <i>Bone and Joint Journal</i> , 2022, 104-B, 1039-1046.	1.9	1
4737	Correlating Biomechanical Gait Analysis With Patient-Reported Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211213.	0.8	3
4738	Prediction of clinical orthopaedic scores based on instrumental gait analysis. <i>Gait and Posture</i> , 2022, 97, S91-S92.	0.6	2
4739	Vitamin D status-associated postoperative complications in patients with hip dysplasia after periacetabular osteotomy: A case-control study. <i>Modern Rheumatology</i> , 0, , .	0.9	0
4740	Direct and indirect comparisons in network meta-analysis of SuperPATH, direct anterior and posterior approaches in total hip arthroplasty. <i>Scientific Reports</i> , 2022, 12, , .	1.6	4



#	ARTICLE	IF	CITATIONS
4741	Muscle recovery after total hip arthroplasty: prospective MRI comparison of anterior and posterior approaches. <i>HIP International</i> , 2023, 33, 611-619.	0.9	1
4742	Benefits of a Demineralized Bone Matrix in Osteoporotic Intertrochanteric Femoral Fracture Patients. <i>Journal of the Korean Fracture Society</i> , 2022, 35, 151.	0.1	0
4743	Possible Duration of WISH-type Hip Brace Use: Prognostic Value of Timed Up and Go Test. <i>Progress in Rehabilitation Medicine</i> , 2022, 7, n/a.	0.3	0
4744	Dynamic hip screw with stabilization plate in unstable intertrochanteric fractures: a case series. <i>Current Orthopaedic Practice</i> , 2022, 33, 530-537.	0.1	0
4745	Prognostic factors between the proximal femoral nail and bipolar hemiarthroplasty in femoral intertrochanteric fractures. <i>Anatolian Current Medical Journal</i> , 2022, 4, 438-443.	0.1	0
4746	Puntajes IV. <i>Revista De La Asociaci3n Argentina De Ortopedia Y Traumatolog3a</i> , 2022, 87, 731-736.	0.0	0
4747	Measurement of Mobility and Physical Function in Patients Who Are Hospitalized With Hip Fracture: A Systematic Review of Instruments and Their Measurement Properties. <i>Physical Therapy</i> , 0, , .	1.1	1
4748	Constrained acetabular liners are a viable option in second-stage re-implantation for chronic infected total hip arthroplasty with abductor or greater trochanter deficiency and large acetabular bone defects. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	1
4749	Reduction of posterior dislocated hip prosthesis using a modified lateral position maneuver: a retrospective, clinical comparative, and follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, .	0.8	1
4750	Autologous Costal Cartilage Grafting for a Large Osteochondral Lesion of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 2108-2116.	1.4	7
4751	Continuous glycemia monitoring in perioperative period in patients undergoing total knee or hip arthroplasty: A protocol for a prospective observational study. <i>Medicine (United States)</i> , 2022, 101, e31107.	0.4	0
4752	Simultaneous femoral head reduction osteotomy (FHRO) combined with periacetabular osteotomy (PAO) for the treatment of severe femoral head asphericity in Perthes disease. <i>Journal of Orthopaedic Surgery and Research</i> , 2022, 17, .	0.9	0
4753	Angular changes in pelvic tilt and cup orientation at a minimum of eighteen years after primary total hip arthroplasty with an uncemented cup. <i>International Orthopaedics</i> , 0, , .	0.9	0
4754	Two-stage revision for periprosthetic joint infection in cemented total hip arthroplasty: an increased risk for failure?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 4481-4490.	1.3	1
4755	Hip resurfacing for small-sized osteonecrosis: 73 cases at a median 8 years follow-up. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, 109, 103471.	0.9	1
4756	Survival and radioclinical evaluation of the Optimys short stem at more than 6 years mean follow-up: A retrospective study of 108 cases. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, 109, 103470.	0.9	0
4757	Cementless metal-on-metal versus ceramic-on-polyethylene hip arthroplasty in under-50 year-olds with 20 to 22 years follow-up: Was it a good idea to abandon the small-diameter metal-on-metal bearing?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, 109, 103472.	0.9	0
4758	Long-Term Results (Minimum of 20 Years) of a Pure Proximal-Loading Metaphyseal-Fitting Anatomic Cementless Stem Without Distal Stem Fixation in Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2023, 38, 743-750.	1.5	1

#	ARTICLE	IF	CITATIONS
4759	Evaluating the Functional and Psychological Outcomes Following Periprosthetic Femoral Fracture After Total Hip Arthroplasty. <i>Arthroplasty Today</i> , 2022, 18, 57-62.	0.8	4
4760	OSTEOTOMY AT THE BASE OF FEMORAL NECK AND OSTEOPLASTY FOR THE TREATMENT OF SCFE. <i>Acta Ortopedica Brasileira</i> , 2022, 30, .	0.2	0
4761	Femoral Head Autograft to the Iliac for Use in Future Revisions of Total Hip Arthroplasty: 15-Year Follow-Up. <i>Open Journal of Orthopedics</i> , 2022, 12, 420-431.	0.0	0
4762	Cross-Cultural Adaptation and Validation of the Arabic Version of the Harris Hip Score. <i>Arthroplasty Today</i> , 2023, 19, 100990.	0.8	1
4764	Custom-made triflanged implants in reconstruction of severe acetabular bone loss with pelvic discontinuity after total hip arthroplasty consecutive cohort study. <i>Bone &amp; Joint Open</i> , 2022, 3, 867-876.	1.1	3
4765	Effects of early home-based strength and sensory-motor training after total hip arthroplasty: study protocol for a multicenter randomized controlled trial. <i>Trials</i> , 2022, 23, .	0.7	0
4766	Does acetabular robotic-assisted total hip arthroplasty with femoral navigation improve clinical outcomes at 1-year post-operative? A case-matched propensity score study comparing 98 robotic-assisted versus 98 manual implantation hip arthroplasties. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, 109, 103477.	0.9	2
4767	Long-term physical and psychological outcome following traumatic hemipelvectomy. <i>European Journal of Trauma and Emergency Surgery</i> , 0, , .	0.8	0
4768	Direct anterior approach for Crowe grade III developmental dysplasia in total hip arthroplasty. , 2022, 1, 100108.		0
4769	Minimum 30 Year Results of Bilaterally Implanted Cemented and Cementless Total Hip Arthroplasty in Patients Younger Than 50 Years. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
4770	An innovative scoring system for predicting an excellent Harris hip score after proximal femoral nail anti-rotation in elderly patients with intertrochanteric fracture. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
4771	A retrospective observational study to compare the outcome of various treatment modalities of idiopathic avascular necrosis of hip. <i>International Journal of Applied &amp; Basic Medical Research</i> , 2022, 12, 265.	0.2	0
4772	Bisphosphonates for Post-COVID Osteonecrosis of the Femoral Head. <i>JBJS Open Access</i> , 2022, 7, .	0.8	5
4773	Adult Proximal Humeral Locking Plate Is a Good Alternative Option in the Treatment of Adolescent Subtrochanteric Femur Fractures: A Case Series and Literature Review. <i>Hip and Pelvis</i> , 2022, 34, 245-254.	0.6	0
4774	Results of Hip Arthroplasty Using a COREN Stem at a Minimum of Ten Years. <i>Hip and Pelvis</i> , 2022, 34, 211-218.	0.6	1
4776	Clinical Effectiveness of <sc>Home-Based</sc> Telerehabilitation Program for Geriatric Hip Fracture Following Total Hip Replacement. <i>Orthopaedic Surgery</i> , 2023, 15, 423-431.	0.7	4
4777	An objective analysis of composite free flap donor site morbidity in head and neck surgery: Prospective series. <i>Head and Neck</i> , 0, , .	0.9	3
4779	Could Short Stems THA Be a Good Bone-Saving Option Even in Obese Patients?. <i>Journal of Clinical Medicine</i> , 2022, 11, 7114.	1.0	3

#	ARTICLE	IF	CITATIONS
4780	â€œOutâ€•Percutaneous Reduction Technique for Treatment of Valgusâ€•Impacted Femoral Neck Fractures: A Technical Trick and Case Series. <i>Orthopaedic Surgery</i> , 2023, 15, 214-222.	0.7	1
4781	Primary Total Hip Arthroplasty With Ceramic-On-Ceramic Articulations: Analysis of a Single-Center Series of 1,083 Hips at a Minimum of 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2023, 38, 1539-1544.	1.5	3
4782	How are adults who had Perthesâ€™ disease functioning?. <i>Bone and Joint Journal</i> , 2022, 104-B, 1304-1312.	1.9	1
4783	Revision total hip arthroplasty in patients with ankylosing spondylitis: Mid-term results. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, 109, 103504.	0.9	1
4785	Functional Outcome of Hemiarthroplasty of the Hip for Unstable Intertrochanteric Fractures of the Femur in Elderly Patients: A Prospective Study. <i>Cureus</i> , 2022, , .	0.2	2
4786	Clinical performance of the Femoral Neck System within 1â€•year in 125 patients with acute femoral neck fractures, a prospective observational case series. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 4155-4164.	1.3	4
4787	Outcomes of free vascularized iliac bone flap for severe traumatic osteonecrosis of femoral head in young adults. <i>European Journal of Trauma and Emergency Surgery</i> , 0, , .	0.8	0
4788	Predictors of Total Hip Arthroplasty Following Pediatric Surgical Treatment of Developmental Hip Dysplasia at 20-Year Follow-Up. <i>Journal of Clinical Medicine</i> , 2022, 11, 7198.	1.0	4
4789	Gait analysis after total hip arthroplasty by direct minimally invasive anterolateral approach: a controlled study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, , 103521.	0.9	0
4790	Is a THA stem in varus a risk factor of long-term mechanical complication?. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	1
4791	Primary and Revision Total Hip Arthroplasty in Patients with Pulmonary Hypertension: High Perioperative Mortality and Medical Complications. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
4793	Optimal position and apexâ€™ subchondral bone distance of cannulated screws for internal fixation of femoral neck fracture: A radiological study. <i>Journal of Orthopaedic Research</i> , 0, , .	1.2	0
4795	Validity and Reliability of the Thai Version of the Modified Harris Hip Score for Patients With Hip Abnormalities. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211410.	0.8	0
4796	Biphasic bone graft substitute in revision total hip arthroplasty with significant acetabular bone defects. <i>Bone &amp; Joint Open</i> , 2022, 3, 991-997.	1.1	1
4797	Comparative Study Between Closed Reduction Internal Fixation Alone Versus Closed Reduction Internal Fixation and Addition of Muscle Pedicle Bone Graft for Prevention of Osteonecrosis in Cases of Displaced Femoral Neck Fractures. <i>Indian Journal of Orthopaedics</i> , 2023, 57, 52-61.	0.5	0
4798	Mid-term results of subcapital realignment of chronic slipped capital femoral epiphysis using surgical hip dislocation: a prospective case series. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, .	1.0	1
4799	Taper-wedge stem suitable for anterior approach total hip arthroplasty: Adequate biomechanical reconstruction parameters and excellent clinical outcome at mid-term follow-up. <i>World Journal of Orthopedics</i> , 0, 13, 1047-1055.	0.8	1
4800	A Comparison of Hip Muscle Mass, Muscle Power, and Clinical Outcomes with Long-Term Follow-Up in Patients with Metal-on-Metal Hip Arthroplasty Compared to Metal-on-Polyethylene Hip Arthroplasty. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 12772.	1.3	0

#	ARTICLE	IF	CITATIONS
4802	Clinical evaluation of a new technique for custom-made spacers in septic two-stage revision of total hip arthroplasties. Archives of Orthopaedic and Trauma Surgery, 0, , .	1.3	0
4804	Clinical Outcomes for Total Hip Arthroplasty with and without Previous Curved Periacetabular Osteotomy. Journal of Clinical Medicine, 2023, 12, 694.	1.0	0
4805	Do we still need to screen our patients?â€”Orthopaedic scoring based on motion tracking. International Orthopaedics, 0, , .	0.9	0
4806	Spring Plates as a Valid Additional Fixation in Comminuted Posterior Wall Acetabular Fractures: A Retrospective Multicenter Study. Journal of Clinical Medicine, 2023, 12, 576.	1.0	6
4807	Outcomes following Total Hip and Knee Arthroplasty in Patients Who Have Paget's Disease of Bone: A Systematic Review. Journal of Arthroplasty, 2023, 38, 1400-1408.	1.5	1
4808	Core decompression with Î²-tri-calcium phosphate grafts in combination with platelet-rich plasma for the treatment of avascular necrosis of femoral head. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	3
4809	A Cross-Sectional Study on Gluteal Muscles in Patients with Ankylosing Spondylitis at Different Stages of Hip Involvement. Journal of Clinical Medicine, 2023, 12, 464.	1.0	0
4810	Case report: adiposeâ€”derived mesenchymal stem cells combined with core decompression in the treatment of early-stage avascular necrosis of the femoral head. International Journal of Surgery Case Reports, 2023, 102, 107861.	0.2	2
4811	A 10- to 12-year follow-up study of delta ceramic-on-ceramic total hip arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2023, 143, 5385-5394.	1.3	1
4813	The Impact of Varying Femoral Head Length on Hip External Rotation During Posterior-approach Total Hip Arthroplasty. Arthroplasty Today, 2023, 19, 101072.	0.8	1
4814	Outcomes of Periacetabular Osteotomy for Borderline Acetabular Dysplasia. Journal of Bone and Joint Surgery - Series A, 2023, 105, 137-144.	1.4	12
4815	Internal Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures: A Systematic Review and Meta-Analysis. Journal of Orthopaedic Trauma, 2023, 37, e219-e226.	0.7	5
4816	Labral tears in hip dysplasia and femoroacetabular impingement: A systematic review. Orthopaedics and Traumatology: Surgery and Research, 2023, 109, 103539.	0.9	4
4818	Short-term outcomes of curved periacetabular osteotomy and factors influencing patient dissatisfaction. Journal of Hip Preservation Surgery, 0, , .	0.6	0
4820	A Comparison Between 3 Functional Hip Scores for Evaluation of the Pediatric Hip. Journal of Pediatric Orthopaedics, 0, Publish Ahead of Print, .	0.6	0
4821	Proximal femoral bionic nail (PFBN)â€”an innovative surgical method for unstable femoral intertrochanteric fractures. International Orthopaedics, 2023, 47, 1089-1099.	0.9	3
4822	Using mesh in capsule anatomical reconstruction to enhance the stability of high-dislocation-risk hip arthroplasty: a randomized controlled trial. Journal of Orthopaedic Surgery and Research, 2023, 18, .	0.9	0
4823	Medial wall reconstruction using metal disc augments in revision total hip arthroplasty. International Orthopaedics, 2023, 47, 1203-1212.	0.9	0

#	ARTICLE	IF	CITATIONS
4824	Can Selected Use of Cemented and Uncemented Femoral Components in a Broad Population Produce Comparable Results Following Primary Total Hip Arthroplasty for Osteoarthritis?. <i>Journal of Arthroplasty</i> , 2023, 38, S166-S173.	1.5	3
4825	Association between stem bypass and union failure of subtrochanteric shortening osteotomy in total hip arthroplasty for high hip dislocations. , 2023, 1, 80-85.		0
4826	Distal fixation modular stem hemiarthroplasty versus proximal femoral nailing for unstable intertrochanteric fractures: a retrospective cohort study. <i>Acta Orthopaedica Belgica</i> , 2022, 88, 599-608.	0.1	0
4827	The association of postoperative global femoral offset with total hip arthroplasty outcomes. <i>Scientific Reports</i> , 2023, 13, .	1.6	3
4828	Custom-made acetabular revision arthroplasty for pelvic discontinuity: Can we handle the challenge?. <i>Bone &amp; Joint Open</i> , 2023, 4, 53-61.	1.1	0
4829	Comparison of femoral neck system vs. dynamic hip system blade for the treatment of femoral neck fracture in young patients: A retrospective study. <i>Frontiers in Surgery</i> , 0, 10, .	0.6	0
4830	Comparative Study of Proximal Femur Bone Tumor Patients Undergoing Hemiarthroplasty versus Total Hip Arthroplasty: A Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2023, 12, 1209.	1.0	3
4831	Effectiveness of two-stage revision with commercial polymethylmethacrylate articulated hip spacer: similar outcomes against monomicrobial and polymicrobial hip periprosthetic joint infections. <i>Journal of Bone and Joint Infection</i> , 2023, 8, 51-57.	0.6	0
4832	Uncemented total hip arthroplasty with a tapered titanium femoral component: a minimum 30-year follow-up. <i>Bone &amp; Joint Open</i> , 2023, 4, 79-86.	1.1	0
4833	Long-term functional results of revision hip replacement using Burch-Schneider cages. <i>Journal of Orthopaedics</i> , 2023, 37, 53-58.	0.6	0
4834	The role of clinical parameters and cathepsin S gene expression in predicting the development of postoperative pain in patients with hip osteoarthritis. <i>Sovremennaya Revmatologiya</i> , 2023, 17, 38-44.	0.1	0
4835	A New Dressing System for Wound in Enhanced-Recovery Total Hip Arthroplasty: A Randomized and Controlled Trial. <i>Journal of Arthroplasty</i> , 2023, , .	1.5	0
4836	Total hip arthroplasty through the direct anterior approach for sequelae of Legg-Å©alv-Å©Perthes disease. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 5935-5944.	1.3	0
4837	Clinical Outcomes and Complication Rate after Single-Stage Hardware Removal and Total Hip Arthroplasty: A Matched-Pair Controlled Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 1666.	1.0	1
4838	The anatomical location of cystic pseudotumors and muscle atrophy in metal-on-metal resurfacing hip arthroplasty is related to the surgical approach used for implantation. A subgroup analyses of a randomized controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 0, , .	1.3	1
4839	Comparison of retrograde anatomy iliac bone flap grafting versus anterograde anatomy iliac bone flap grafting for treatment of osteonecrosis of the femoral head. <i>Journal of Orthopaedic Surgery and Research</i> , 2023, 18, .	0.9	0
4840	Medial buttress plate augmented fixation of femoral neck fractures. <i>Minerva Orthopedics</i> , 2023, 74, .	0.1	0
4841	Revision total hip arthroplasty by a ceramic bearing surface after a third- and fourth-generation ceramic head or liner fracture. <i>International Orthopaedics</i> , 2023, 47, 1197-1202.	0.9	0

#	ARTICLE	IF	CITATIONS
4842	Trochanteric and subtrochanteric fractures irreducible by closed reduction: a retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2023, 18, .	0.9	1
4843	Radiologic Predictors for Clinical Improvement in PAOâ€™A Perspective Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 1837.	1.0	0
4844	One-stage revision using intra-articular carbapenem infusion effectively treats chronic periprosthetic joint infection caused by Gram-negative organisms. <i>Bone and Joint Journal</i> , 2023, 105-B, 284-293.	1.9	4
4845	Femoral Neck Fractures in Elderly Patients With Coxarthrosis and High Dislocation: The Application of Conservative Treatment. <i>Cureus</i> , 2023, , .	0.2	0
4846	Extensively Porous-Coated Stems Demonstrate Excellent Long-Term Survivorship in Revision Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2023, , .	1.5	0
4847	Comparative Study of Different Entry Spots on Postoperative Gluteus Medius Muscle Cross-Sectional Area in Patients With Intertrochanteric Fractures Nailing. <i>Cureus</i> , 2023, , .	0.2	0
4849	Femoral Anteversion in Total Hip Arthroplasty: Retrospective Comparison of Short- and Straight-Stem Models Using CT Scans. <i>Journal of Clinical Medicine</i> , 2023, 12, 2391.	1.0	0
4850	Early Clinical and Radiographic Outcomes of Total Hip Arthroplasty with DELTA ST-C Cup and MINIMA S Stem. <i>Medicina (Lithuania)</i> , 2023, 59, 607.	0.8	2
4851	Intussusception Allograft Prosthetic Composites in Total Hip Arthroplasty: A Salvage Operation for Extensive Femoral Bone Loss. <i>Journal of Arthroplasty</i> , 2023, 38, 1827-1838.	1.5	0
4852	Custom Triflange Acetabular Implants: Average 10-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2023, 38, S201-S205.	1.5	2
4853	Ten to 13-Year Results of Delta Ceramic-on-Ceramic Total Hip Arthroplasty in Patients Less Than 30 Years Old. <i>Journal of Bone and Joint Surgery - Series A</i> , 2023, 105, 789-796.	1.4	3
4854	Intermediate-Term Survivorship of Total Hip Arthroplasty With a Proximally Coated Tapered-Wedge Femoral Stem: A Retrospective, Multi-Center Registry Review. <i>Cureus</i> , 2023, , .	0.2	0
4855	Fully constrained acetabular liner vs. dual mobility hip joint in the surgical treatment of metastatic bone disease of the hip: study protocol for a randomized, open-label, two-arm, non-inferiority trial evaluating the post-operative hip dislocation rate. <i>Trials</i> , 2023, 24, .	0.7	3
4856	Staged replacement of both hips and both knees in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2023, 24, .	0.8	0
4857	Pain and rehabilitation after total hip arthroplasty are approach dependent: results 6Âweeks and 2Âyears after surgery in a multisurgeon, single-center, and prospective cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 6431-6437.	1.3	1
4858	Survival and complications at a minimum 5 yearsâ€™ follow-up of the modular Mark-2 Extremeâ„¢ cementless femoral stem: Does the reduced modularity resolve the mechanical issues of the Mark-I stem?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2023, , 103613.	0.9	0
4859	A Short Course of Celecoxib Prevents Heterotopic Ossification Following Cementless Total Hip Arthroplasty. <i>Life</i> , 2023, 13, 944.	1.1	1
4860	Clinical and Radiological Results of Minimally Invasive Two-Hole Dynamic Hip Screw Fixation of Stable Intertrochanteric Fractures: A Prospective Study of 50 Patients. <i>International Journal of Recent Surgical and Medical Sciences</i> , 0, , .	0.1	0

#	ARTICLE	IF	CITATIONS
4861	Outcome of different reconstruction options using allografts in revision total hip arthroplasty for severe acetabular bone loss: a systematic review and meta-analysis. Archives of Orthopaedic and Trauma Surgery, 0, , .	1.3	1
4862	Evidence-based objective performance criteria for the evaluation of hip and knee replacement devices and technologies. International Journal of Surgery, 2023, 109, 1125-1135.	1.1	1
4863	Cementless total hip arthroplasty for treatment of acetabular protrusion secondary to rheumatoid arthritis. Journal of Orthopaedic Surgery and Research, 2023, 18, .	0.9	0
4864	Five- to 12-Year Outcomes of a Short, Tapered, Highly Porous, Proximally Coated Cementless Femoral Stem. Journal of Arthroplasty, 2023, 38, S162-S165.	1.5	1
4866	In-hospital waiting time to surgery and functional outcomes in geriatric hip fractures: a directed acyclic graph-based preplanned analysis from a prospective multicenter cohort study. International Journal of Surgery, 2023, 109, 1612-1619.	1.1	0
4867	Comparison of femoral neck system versus cannulated screws for treatment of femoral neck fractures: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	3
4868	The Relationship Between Pelvic Tilt and Clinical Outcomes After Hip Preservation Surgery in Femoroacetabular Impingement Syndrome and Hip Dysplasia. Orthopedics, 0, , 1-6.	0.5	0
4869	Long-term survivorship and results in lower limb arthroplasty: a registry-based comparison study. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	1
4870	Functional Ability, Psychological Factors, and Rehabilitation Outcomes After Elective Total Hip Replacement. Canadian Journal of Occupational Therapy, 2023, 90, 405-412.	0.8	1
4871	Modular Proximal Body Exchange for Re-Revision Total Hip Arthroplasty: Rarely Utilized and Moderately Successful. Journal of Arthroplasty, 2023, 38, S229-S234.e1.	1.5	2
4872	The use of intraoperative cell salvage in total hip arthroplasty with subtrochanteric shortening osteotomy for the treatment of high hip dislocation: a retrospective cohort study. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	0
4923	Assessment of Outcome Scores of the Hip. , 2023, , 385-390.		0
5070	Les sÃ©ries cliniques Ã plus de 10 ans. , 2018, , 251-259.		0