

Remarks on regularities for the 3D MHD equations

Discrete and Continuous Dynamical Systems

12, 881-886

DOI: [10.3934/dcds.2005.12.881](https://doi.org/10.3934/dcds.2005.12.881)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Regularity criteria for the 3D MHD equations in terms of the pressure. International Journal of Non-Linear Mechanics, 2006, 41, 1174-1180.	1.4	101
2	Regularity criteria for the generalized viscous MHD equations. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2007, 24, 491-505.	0.7	169
3	Existence theorem and blow-up criterion of the strong solutions to the two-fluid MHD equation in <math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.. Journal of The Beale-Kato-Majda Criterion for the 3D Magneto-Hydrodynamics Equations. Communications in Mathematical Physics, 2007, 275, 861-872.	1.1	32
4	On the Regularity Criterion of Weak Solution for the 3D Viscous Magneto-Hydrodynamics Equations. Communications in Mathematical Physics, 2008, 284, 919-930.	1.0	120
5	Existence theorem and blow-up criterion of the strong solutions to the magneto-micropolar fluid equations. Mathematical Methods in the Applied Sciences, 2008, 31, 1113-1130.	1.0	163
6	Remarks on the blow-up criteria for three-dimensional ideal magnetohydrodynamics equations. Journal of Mathematical Physics, 2009, 50, 023507.	1.2	52
7	Regularity criteria of weak solutions to the three-dimensional micropolar flows. Journal of Mathematical Physics, 2009, 50, .	0.5	10
8	Energy equality and uniqueness of weak solutions to MHD equations in $L^{\infty}(0,T;L^n(\hat{\mathbb{R}}^3))$. Acta Mathematica Sinica, English Series, 2009, 25, 803-814.	0.5	55
9	On the self-similar solutions of the magneto-hydro-dynamic equations. Acta Mathematica Scientia, 2009, 29, 583-598.	0.2	8
10	Regularity criteria for the 3D magneto-micropolar fluid equations in the Morrey-Campanato space. Nonlinear Differential Equations and Applications, 2010, 17, 181-194.	0.5	1
11	Regularity criteria for the solutions to the 3D MHD equations in the multiplier space. Zeitschrift Fur Angewandte Mathematik Und Physik, 2010, 61, 193-199.	0.4	46
12	Limiting case for the regularity criterion of the Navier-Stokes equations and the magnetohydrodynamic equations. Science China Mathematics, 2010, 53, 1767-1774.	0.7	118
13	Global well-posedness for two modified Leray-MHD models with partial viscous terms. Mathematical Methods in the Applied Sciences, 2010, 33, 856-862.	0.8	9
14	A regularity criterion for the density-dependent magnetohydrodynamic equations. Mathematical Methods in the Applied Sciences, 2010, 33, 1350-1355.	1.2	12
15	Extension criterion on regularity for weak solutions to the 3D MHD equations. Mathematical Methods in the Applied Sciences, 2010, 33, 1496-1503.	1.2	20
16	On the regularity of generalized MHD equations. Journal of Mathematical Analysis and Applications, 2010, 365, 806-808.	1.2	23
17	A new regularity criterion for weak solutions to the viscous MHD equations in terms of the vorticity field. Nonlinear Analysis: Theory, Methods & Applications, 2010, 72, 3643-3648.	0.5	11
18		0.6	48

#	ARTICLE	IF	CITATIONS
19	A blow-up criterion for 3D Boussinesq equations in Besov spaces. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2010, 73, 806-815.	0.6	29
20	Existence theorem and regularity criteria for the generalized MHD equations. <i>Nonlinear Analysis: Real World Applications</i> , 2010, 11, 1640-1649.	0.9	21
21	On the regularity criterion for three-dimensional micropolar fluid flows in Besov spaces. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2010, 73, 2334-2341.	0.6	27
22	Remark on the regularity criterion for three-dimensional magnetohydrodynamic equations. <i>Applied Mathematics Letters</i> , 2010, 23, 64-67.	1.5	2
23	A note on regularity criteria for the viscous Camassa-Holm equations in multiplier spaces. <i>Applied Mathematics Letters</i> , 2010, 23, 821-823.	1.5	2
24	Regularity of weak solutions to magneto-micropolar fluid equations. <i>Acta Mathematica Scientia</i> , 2010, 30, 1469-1480.	0.5	38
25	A Regularity Criterion for the Nematic Liquid Crystal Flows. <i>Journal of Inequalities and Applications</i> , 2010, 2010, 589697.	0.5	28
26	On regularity criteria for weak solutions to the micropolar fluid equations in Lorentz space. <i>Proceedings of the American Mathematical Society</i> , 2010, 138, 2025-2036.	0.4	43
27	Regularity Criteria in Terms of the Pressure for the Navier-Stokes Equations in the Critical Morrey-Campanato Space. <i>Zeitschrift Fur Analysis Und Ihre Anwendung</i> , 2011, 30, 83-93.	0.8	14
28	A Beale-Kato-Madja Criterion for Magneto-Micropolar Fluid Equations with Partial Viscosity. <i>Boundary Value Problems</i> , 2011, 2011, 1-14.	0.3	10
29	A blow-up criterion for 3D non-resistive compressible magnetohydrodynamic equations with initial vacuum. <i>Nonlinear Analysis: Real World Applications</i> , 2011, 12, 3442-3451.	0.9	24
30	Regularity criteria for the three-dimensional MHD equations. <i>Acta Mathematicae Applicatae Sinica</i> , 2011, 27, 581-594.	0.4	4
31	A New Regularity Criterion in Terms of the Direction of the Velocity for the MHD Equations. <i>Acta Applicandae Mathematicae</i> , 2011, 113, 207-213.	0.5	9
32	Logarithmically Improved Regularity Criteria for the Navier-Stokes and MHD Equations. <i>Journal of Mathematical Fluid Mechanics</i> , 2011, 13, 557-571.	0.4	105
33	Remarks on the regularity criteria for generalized MHD equations. <i>Journal of Mathematical Analysis and Applications</i> , 2011, 375, 799-802.	0.5	23
34	Blow-up criterion for compressible MHD equations. <i>Journal of Mathematical Analysis and Applications</i> , 2011, 379, 425-438.	0.5	19
35	Regularity criteria for a Lagrangian-averaged magnetohydrodynamic- model. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2011, 74, 1410-1420.	0.6	7
36	Blow-up criterion of smooth solutions for magneto-micropolar fluid equations with partial viscosity. <i>Boundary Value Problems</i> , 2011, 2011, .	0.3	9

#	ARTICLE	IF	CITATIONS
37	A remark on the logarithmically improved regularity criterion for the micropolar fluid equations in terms of the pressure. <i>Mathematical Methods in the Applied Sciences</i> , 2011, 34, 1945-1953.	1.2	9
38	On the uniqueness of weak solutions for the 3D viscous magneto-hydrodynamic equations. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2011, 74, 5000-5007.	0.6	1
39	On the Cauchy problem for a Leray–MHD model. <i>Nonlinear Analysis: Real World Applications</i> , 2011, 12, 648-657.	0.9	25
40	A regularity criterion for the 3D magneto-micropolar fluid equations in Triebel–Lizorkin spaces. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2011, 74, 2220-2225.	0.6	33
41	On regularity criteria for the three-dimensional micropolar fluid equations in the critical Morrey–Campanato space. <i>Nonlinear Analysis: Real World Applications</i> , 2011, 12, 2142-2150.	0.9	23
42	ON THE REGULARITY CRITERIA FOR THE GENERALIZED VISCOUS MHD EQUATIONS. <i>Asian-European Journal of Mathematics</i> , 2011, 04, 403-411.	0.2	0
43	A LOGARITHMALLY IMPROVED BLOW-UP CRITERION OF SMOOTH SOLUTIONS FOR THE THREE-DIMENSIONAL MHD EQUATIONS. <i>International Journal of Mathematics</i> , 2012, 23, 1250027.	0.2	11
44	Logarithmically improved regularity criteria for the 3D viscous MHD equations. <i>Forum Mathematicum</i> , 2012, 24, 691-708.	0.3	67
45	A note on the blow-up criterion of smooth solutions to the 3D incompressible MHD equations. <i>Acta Mathematicae Applicatae Sinica</i> , 2012, 28, 639-642.	0.4	7
46	On regularity criteria in terms of pressure for the 3D viscous MHD equations. <i>Applicable Analysis</i> , 2012, 91, 947-952.	0.6	37
47	Remarks on the blow-up criterion for smooth solutions of the Boussinesq equations with zero diffusion. <i>Communications on Pure and Applied Analysis</i> , 2012, 12, 923-937.	0.4	15
48	Regularity criteria for the 3D magneto-micropolar fluid equations in Besov spaces with negative indices. <i>Applied Mathematics and Computation</i> , 2012, 218, 10755-10758.	1.4	9
49	Regularity and uniqueness for the 3D incompressible Navier–Stokes equations with damping. <i>Applied Mathematics Letters</i> , 2012, 25, 1822-1825.	1.5	56
50	A blow-up criterion for 3-D non-resistive compressible heat-conductive magnetohydrodynamic equations with initial vacuum. <i>Acta Mathematica Scientia</i> , 2012, 32, 1883-1900.	0.5	0
51	Some new regularity criteria for the 3D MHD equations. <i>Journal of Mathematical Analysis and Applications</i> , 2012, 396, 108-118.	0.5	55
52	A new regularity criterion for the 3D incompressible MHD equations in terms of one component of the gradient of pressure. <i>Journal of Mathematical Analysis and Applications</i> , 2012, 396, 345-350.	0.5	34
53	A new Beale–Kato–Majda criteria for the 3D magneto-micropolar fluid equations in the Orlicz–Morrey space. <i>Mathematical Methods in the Applied Sciences</i> , 2012, 35, 1321-1334.	1.2	10
54	A remark on the Beale-Kato-Majda criterion for the 3D MHD equations with zero kinematic viscosity. <i>Acta Mathematicae Applicatae Sinica</i> , 2012, 28, 209-214.	0.4	1

#	ARTICLE	IF	CITATIONS
55	Regularity criterion of weak solution for the 3D Magneto-micropolar fluid equations in Besov spaces. Communications in Nonlinear Science and Numerical Simulation, 2012, 17, 2426-2433.	1.7	15
56	Regularity criteria for the 3D MHD equations involving partial components. Nonlinear Analysis: Real World Applications, 2012, 13, 410-418.	0.9	83
57	An improved regularity criterion of three-dimensional magnetohydrodynamic equations. Nonlinear Analysis: Real World Applications, 2012, 13, 1159-1169.	0.9	12
58	Limiting case for the regularity criterion to the 3-D Magneto-hydrodynamics equations. Journal of Differential Equations, 2012, 252, 5751-5762.	1.1	13
59	Regularity criteria of the magnetohydrodynamic equations in bounded domains or a half space. Journal of Differential Equations, 2012, 253, 764-794.	1.1	23
60	Regularity criteria for weak solution to the 3D magnetohydrodynamic equations. Acta Mathematica Scientia, 2012, 32, 1063-1072.	0.5	6
61	Regularity criterion for a weak solution to the three-dimensional magneto-micropolar fluid equations. Boundary Value Problems, 2013, 2013, .	0.3	5
62	Regularity criteria of axisymmetric weak solutions to the 3D magnetohydrodynamic equations. Acta Mathematicae Applicatae Sinica, 2013, 29, 289-302.	0.4	6
63	Regularity criteria in terms of the pressure for the three-dimensional MHD equations. Applied Mathematics and Computation, 2013, 221, 164-168.	1.4	3
64	On the non-resistive limit of the 2D Maxwell-Navier-Stokes equations. Journal of Mathematical Analysis and Applications, 2013, 404, 150-160.	0.5	1
65	Regularity criteria for the 3D MHD equations via one directional derivative of the pressure. Journal of Mathematical Analysis and Applications, 2013, 401, 66-71.	0.5	18
66	Blow-up criterion for 3D viscous-resistive compressible magnetohydrodynamic equations. Mathematical Methods in the Applied Sciences, 2013, 36, 1145-1156.	1.2	16
67	Regularity criteria for incompressible magnetohydrodynamics equations in three dimensions. Nonlinearity, 2013, 26, 219-239.	0.6	70
68	On the uniqueness of weak solutions of the 3D MHD equations in the Orlicz-Morrey space. Applicable Analysis, 2013, 92, 776-783.	0.6	11
69	On the Interior Regularity Criteria for Suitable Weak Solutions of the Magnetohydrodynamics Equations. SIAM Journal on Mathematical Analysis, 2013, 45, 2666-2677.	0.9	26
70	Refined blow-up criterion for the 3D magnetohydrodynamics equations. Applicable Analysis, 2013, 92, 2590-2599.	0.6	4
71	Blow-up criteria for smooth solutions to the generalized 3D MHD equations. Boundary Value Problems, 2013, 2013, .	0.3	1
72	Remarks on the regularity criteria for the 3D MHD equations in the multiplier spaces. Boundary Value Problems, 2013, 2013, .	0.3	3

#	ARTICLE	IF	CITATIONS
73	A Remark on the Regularity Criterion for the MHD Equations via Two Components in Morrey-Campanato Spaces. <i>Journal of Difference Equations</i> , 2014, 2014, 1-4.	0.1	1
74	MHD Equations with Regularity in One Direction. <i>International Journal of Partial Differential Equations</i> , 2014, 2014, 1-5.	0.4	0
75	Blow-up Criteria for the 2D Full Compressible MHD system. <i>Applicable Analysis</i> , 2014, 93, 1339-1357.	0.6	5
76	An Osgood type regularity criterion for the liquid crystal flows. <i>Nonlinear Differential Equations and Applications</i> , 2014, 21, 253-262.	0.4	5
77	A New Regularity Criterion for the 3D MHD Equations Involving Partial Components. <i>Acta Applicandae Mathematicae</i> , 2014, 134, 161-171.	0.5	11
78	Remarks on the global regularity of the two-dimensional magnetohydrodynamics system with zero dissipation. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2014, 94, 194-205.	0.6	55
79	On some new global existence results for 3D magnetohydrodynamic equations. <i>Nonlinearity</i> , 2014, 27, 343-352.	0.6	22
80	Global well-posedness for the generalized magneto-hydrodynamic equations in the critical Fourier-Herz spaces. <i>Journal of Mathematical Analysis and Applications</i> , 2014, 420, 1301-1315.	0.5	16
81	On the blow-up criterion of smooth solutions for Hall-magnetohydrodynamics system with partial viscosity. <i>Communications on Pure and Applied Analysis</i> , 2014, 13, 1327-1336.	0.4	13
82	Global existence of strong solutions to incompressible MHD. <i>Communications on Pure and Applied Analysis</i> , 2014, 13, 1553-1561.	0.4	11
83	Global existence of solutions for the thermoelastic Bresse system. <i>Communications on Pure and Applied Analysis</i> , 2014, 13, 1395-1406.	0.4	11
84	Global existence of strong solutions to incompressible MHD. <i>Communications on Pure and Applied Analysis</i> , 2014, 13, 1337-1345.	0.4	2
85	Regularity Criteria of MHD System Involving One Velocity and One Current Density Component. <i>Journal of Mathematical Fluid Mechanics</i> , 2014, 16, 551-570.	0.4	29
86	Uniqueness of weak solution to the generalized magneto-hydrodynamic system. <i>Annali Di Matematica Pura Ed Applicata</i> , 2014, 193, 699-722.	0.5	2
87	Logarithmically improved regularity criterion for the 3D generalized magneto-hydrodynamic equations. <i>Acta Mathematica Scientia</i> , 2014, 34, 568-574.	0.5	0
88	Regularity criterion for 3D MHD fluid passing through the porous medium in terms of gradient pressure. <i>Journal of Computational and Applied Mathematics</i> , 2014, 270, 88-99.	1.1	5
89	On the global regularity of two-dimensional generalized magnetohydrodynamics system. <i>Journal of Mathematical Analysis and Applications</i> , 2014, 416, 99-111.	0.5	56
90	Global regularity of the logarithmically supercritical MHD system with zero diffusivity. <i>Applied Mathematics Letters</i> , 2014, 29, 46-51.	1.5	52

#	ARTICLE	IF	CITATIONS
109	Regularity criteria of the three-dimensional MHD system involving one velocity and one vorticity component. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2016, 135, 73-83.	0.6	8
110	On regularity criteria for the 3D Hall-MHD equations in terms of the velocity. <i>Nonlinear Analysis: Real World Applications</i> , 2016, 32, 35-51.	0.9	47
111	Space-time decay estimates for the incompressible viscous resistive MHD and Hall-MHD equations. <i>Journal of Functional Analysis</i> , 2016, 270, 2168-2187.	0.7	60
112	Regularity results on the Leray-alpha magnetohydrodynamics systems. <i>Nonlinear Analysis: Real World Applications</i> , 2016, 32, 178-197.	0.9	8
113	Regularity criterion for the 3D Hall-magnetohydrodynamic equations involving the vorticity. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2016, 144, 182-193.	0.6	9
114	A logarithmic regularity criterion for the two-dimensional MHD equations. <i>Journal of Mathematical Analysis and Applications</i> , 2016, 444, 1752-1758.	0.5	18
115	Global regularity of the 2D magneto-micropolar fluid flows with partial magnetic diffusion. <i>Journal of Mathematical Analysis and Applications</i> , 2016, 443, 1267-1292.	0.5	1
116	Global regularity for unsteady flow of MHD Sisko fluid in a porous medium. <i>Canadian Journal of Physics</i> , 2016, 94, 1297-1304.	0.4	1
117	Remarks on the uniqueness of weak solution for the 3D viscous magneto-hydrodynamics equations in $B^1_{\infty, \infty}$. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2016, 67, 1.	0.7	1
118	On the three-dimensional magnetohydrodynamics system in scaling-invariant spaces. <i>Bulletin Des Sciences Mathematiques</i> , 2016, 140, 575-614.	0.5	12
119	On Regularity Criteria for the 3D Incompressible MHD Equations Involving One Velocity Component. <i>Journal of Mathematical Fluid Mechanics</i> , 2016, 18, 187-206.	0.4	31
120	Global existence and temporal decay for the 3D compressible Hall-magnetohydrodynamic system. <i>Journal of Mathematical Analysis and Applications</i> , 2016, 438, 285-310.	0.5	15
121	The blow-up criterion via horizontal component of velocity for the Hall-MHD equations. <i>Applicable Analysis</i> , 2016, 95, 2578-2589.	0.6	3
122	A Regularity Criterion in Terms of Pressure for the 3D Viscous MHD Equations. <i>Bulletin of the Malaysian Mathematical Sciences Society</i> , 2017, 40, 1677-1690.	0.4	13
123	Regularity criteria for unsteady MHD third grade fluid due to rotating porous disk. <i>Analysis and Mathematical Physics</i> , 2017, 7, 93-105.	0.6	1
124	A remark on regularity criterion for the 3D Hall-MHD equations based on the vorticity. <i>Applied Mathematics and Computation</i> , 2017, 301, 70-77.	1.4	10
125	Global regularity for MHD Sisko fluid in annular pipe. <i>Analysis and Mathematical Physics</i> , 2017, 7, 417-435.	0.6	2
126	Global strong solution to the 3D incompressible magnetohydrodynamic system in the scaling invariant Besov-Sobolev-type spaces. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2017, 68, 1.	0.7	1

#	ARTICLE	IF	CITATIONS
127	Global regularity to the 3D generalized MHD equations with large initial data. Applied Mathematics Letters, 2017, 68, 117-121.	1.5	2
128	The anisotropic integrability regularity criterion to 3D magnetohydrodynamics equations. Mathematical Methods in the Applied Sciences, 2017, 40, 5461-5469.	1.2	3
129	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="inline" overflow="scroll" \rangle \langle \text{mml:mn} \rangle 3 \langle \text{mml:mn} \rangle \langle \text{mml:math} \rangle$ D axisymmetric MHD system with regularity in the swirl component of the vorticity. Computers and Mathematics With Applications, 2017, 73, 2573-2580.	1.4	6
130	On global regularity of incompressible MHD equations in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi mathvariant="double-struck" \rangle} R \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 3 \langle \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:math} \rangle$. Journal of Mathematical Analysis and Applications, 2017, 454, 936-941.	0.5	6
131	Local regularity criteria of a suitable weak solution to MHD equations. Acta Mathematica Scientia, 2017, 37, 1033-1047.	0.5	4
132	Note on the blow-up criterion for generalized MHD equations. AIP Conference Proceedings, 2017, , .	0.3	5
133	A logarithmically improved regularity criterion for the MHD equations in terms of one directional derivative of the pressure. Applicable Analysis, 2017, 96, 2140-2148.	0.6	7
134	Global solution of 3D axially symmetric nonhomogeneous incompressible MHD equations. Journal of Differential Equations, 2017, 263, 8032-8073.	1.1	4
135	Interior Condition on Suitable Weak Solutions to the 3D MHD Equations Via Pressure. Acta Applicandae Mathematicae, 2017, 152, 83-91.	0.5	1
136	Remarks on regularity criteria for 2D generalized MHD equations. Rocky Mountain Journal of Mathematics, 2017, 47, .	0.2	4
137	On the regularity criterion of weak solutions for the 3D MHD equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2017, 68, 1.	0.7	15
138	Non blow-up criterion for the 3-D Magneto-hydrodynamics equations in the limiting case. Acta Mathematica Sinica, English Series, 2017, 33, 969-980.	0.2	4
139	Time decay rate of weak solutions to the generalized MHD equations in $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi mathvariant="double-struck" \rangle} R \langle \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 2 \langle \text{mml:mn} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:math} \rangle$. Applied Mathematics and Computation, 2017, 292, 1-8.	1.4	10
140	Ergodicity of stochastic Magneto-Hydrodynamic equations driven by $\hat{1}\pm$ -stable noise. Journal of Mathematical Analysis and Applications, 2017, 446, 746-769.	0.5	9
141	Refined regularity criteria for the MHD system involving only two components of the solution. Applicable Analysis, 2017, 96, 2130-2139.	0.6	7
142	Regularity criteria for the 3D generalized MHD and Hall-MHD systems. Bulletin of the Malaysian Mathematical Sciences Society, 2018, 41, 105-122.	0.4	13
143	Remarks on global regularity for the 3D MHD system with damping. Applied Mathematics and Computation, 2018, 333, 1-7.	1.4	5
144	On the energy inequality for weak solutions to the three-dimensional compressible magnetohydrodynamic equations. Journal of Mathematical Physics, 2018, 59, .	0.5	0

#	ARTICLE	IF	CITATIONS
145	Blow-up Criteria of Classical Solutions of Three-Dimensional Compressible Magnetohydrodynamic Equations. <i>Mathematical Physics Analysis and Geometry</i> , 2018, 21, 1.	0.4	1
146	On the Global Regularity for the 3D Magnetohydrodynamics Equations Involving Partial Components. <i>Journal of Mathematical Fluid Mechanics</i> , 2018, 20, 117-131.	0.4	7
147	On the blow-up criterion of magnetohydrodynamics equations in homogeneous Sobolev spaces. <i>Applicable Analysis</i> , 2018, 97, 1677-1687.	0.6	2
148	Global regularity for the 3D MHD system with partial viscosity and magnetic diffusion terms. <i>Journal of Mathematical Analysis and Applications</i> , 2018, 458, 980-991.	0.5	4
149	On the interior regularity criteria for liquid crystal flows. <i>Nonlinear Analysis: Real World Applications</i> , 2018, 40, 1-13.	0.9	3
150	An improved regularity criterion for the 3D Hall-MHD equations via the vorticity. <i>Computers and Mathematics With Applications</i> , 2018, 75, 821-836.	1.4	1
151	Remarks on pressure regularity criterion for the 3D Boussinesq equations. <i>Computers and Mathematics With Applications</i> , 2018, 76, 1661-1668.	1.4	0
152	On 3D MHD equations with regularity in one directional derivative of the velocity. <i>Computers and Mathematics With Applications</i> , 2018, 76, 2375-2383.	1.4	1
153	Global well-posedness of the generalized magnetohydrodynamic equations. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2018, 69, 1.	0.7	7
154	Regularity of Weak Solutions to the 3D Magneto-Micropolar Equations in Besov Spaces. <i>Acta Applicandae Mathematicae</i> , 2019, 163, 207-223.	0.5	5
155	The 3D Boussinesq Equations with Regularity in One Directional Derivative of the Pressure. <i>Bulletin of the Malaysian Mathematical Sciences Society</i> , 2019, 42, 3005-3019.	0.4	1
156	Global existence and decay estimate of solutions to magneto-micropolar fluid equations. <i>Journal of Differential Equations</i> , 2019, 266, 4137-4169.	1.1	32
157	Regularity and Global Existence on the 3D Tropical Climate Model. <i>Bulletin of the Malaysian Mathematical Sciences Society</i> , 2020, 43, 641-650.	0.4	10
158	A new regularity criterion for the 3D incompressible MHD equations via partial derivatives. <i>Journal of Mathematical Analysis and Applications</i> , 2020, 481, 123497.	0.5	14
159	The Energy Conservations and Lower Bounds for Possible Singular Solutions to the 3D Incompressible MHD Equations. <i>Acta Mathematica Scientia</i> , 2020, 40, 237-244.	0.5	4
160	Conditional regularity for the 3D MHD equations in the critical Besov space. <i>Applied Mathematics Letters</i> , 2020, 102, 106119.	1.5	15
161	Global well-posedness and decay characterization of solutions to 3D MHD equations with Hall and ion-slip effects. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2020, 71, 1.	0.7	4
162	A regularity criterion of the 3D MHD equations involving one velocity and one current density component in Lorentz space. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2020, 71, 1.	0.7	16

#	ARTICLE	IF	CITATIONS
163	Regularity criteria for the 3D magnetohydrodynamics system involving only two velocity components. <i>Mathematical Methods in the Applied Sciences</i> , 2020, 43, 9014-9023.	1.2	7
164	An optimal regularity criterion for the 3D MHD equations in homogeneous Besov spaces. <i>Mathematical Methods in the Applied Sciences</i> , 2021, 44, 2130-2139.	1.2	4
165	A refined regularity criteria of weak solutions to the magneto-micropolar fluid equations. <i>Journal of Evolution Equations</i> , 2021, 21, 725-734.	0.6	5
166	Energy equality for weak solutions to the 3D magnetohydrodynamic equations in a bounded domain. <i>Discrete and Continuous Dynamical Systems - Series B</i> , 2022, 27, 1001.	0.5	3
167	New regularity criteria for the 3D magneto-micropolar fluid equations in Lorentz spaces. <i>Mathematical Methods in the Applied Sciences</i> , 2021, 44, 6056-6066.	1.2	2
168	Regularity Criterion of the Weak Solution for the 3D Incompressible MHD Equations. <i>Pure Mathematics</i> , 2021, 11, 640-646.	0.0	0
169	On Conditional Regularity for the MHD Equations via Partial Components. <i>Journal of Mathematical Fluid Mechanics</i> , 2021, 23, 1.	0.4	3
170	A double-logarithmically improved regularity criterion of weak solutions for the 3D MHD equations. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2021, 72, 1.	0.7	5
171	An improved regularity criterion for the 3D magneto-micropolar equations in homogeneous Besov space. <i>Journal of Mathematical Analysis and Applications</i> , 2021, 499, 125022.	0.5	0
172	A New Regularity Criterion for the Three-Dimensional Incompressible Magnetohydrodynamic Equations in the Besov Spaces. <i>Journal of Function Spaces</i> , 2021, 2021, 1-7.	0.4	1
173	On the regularity of weak solutions of the MHD equations in BMO^1 and $\dot{B}^{1,2}_z$. <i>Journal of Mathematical Physics</i> , 2021, 62, 091509.	0.5	1
174	Well-posedness and long time behavior for the electron inertial Hall-MHD system in Besov and Kato-Herz spaces. <i>Journal of Mathematical Analysis and Applications</i> , 2021, 501, 125208.	0.5	2
175	A new sufficient condition for local regularity of a suitable weak solution to the MHD equations. <i>Journal of Mathematical Analysis and Applications</i> , 2021, 502, 125258.	0.5	2
176	On regularity of the 3D MHD equations based on one velocity component in anisotropic Lebesgue spaces. <i>Applied Mathematics Letters</i> , 2021, 120, 107230.	1.5	6
177	Regularity Criteria for the Generalized Magnetohydrodynamic Equations and the Quasi-geostrophic Equations. <i>Taiwanese Journal of Mathematics</i> , 2011, 15, .	0.2	18
178	A Beale-Kato-Majda regularity criteria to the 2D viscous MHD equations in BMO space. <i>International Journal of Contemporary Mathematical Sciences</i> , 0, 8, 117-123.	0.3	1
179	A blow-up criterion for the 3D compressible MHD equations. <i>Communications on Pure and Applied Analysis</i> , 2012, 11, 1167-1183.	0.4	8
180	A new regularity criterion for the 3D MHD equations in R^3 . <i>Communications on Pure and Applied Analysis</i> , 2012, 11, 973-980.	0.4	8

#	ARTICLE	IF	CITATIONS
181	Liouville type theorems for the steady axially symmetric Navier-Stokes and magnetohydrodynamic equations. <i>Discrete and Continuous Dynamical Systems</i> , 2016, 36, 5267-5285.	0.5	33
182	Regularity criteria for the 3D MHD equations via partial derivatives. <i>Kinetic and Related Models</i> , 2012, 5, 505-516.	0.5	41
183	Regularity criteria for the 3D MHD equations via partial derivatives. II. <i>Kinetic and Related Models</i> , 2014, 7, 291-304.	0.5	45
184	$(N-1)$ velocity components condition for the generalized MHD system in N -dimension. <i>Kinetic and Related Models</i> , 2014, 7, 779-792.	0.5	7
185	A logarithmically improved regularity criterion for the 3D MHD equations in Morrey-Campanato space. <i>AIMS Mathematics</i> , 2016, 2, 16-23.	0.7	3
186	Logarithmically improved blow-up criterion for smooth solutions to the Leray- α magnetohydrodynamic equations. <i>Archivum Mathematicum</i> , 2019, , 55-68.	0.1	4
187	REMARKS ON LOGARITHMICALLY REGULARITY CRITERIA FOR THE 3D VISCOUS MHD EQUATIONS. <i>Journal of the Korean Mathematical Society</i> , 2011, 48, 465-474.	0.4	1
188	Global Existence of Solutions for the Thermoelastic Bresse System. , 2016, , 97-109.		0
189	Remark on local boundary regularity condition of suitable weak solutions to the 3D MHD equations. <i>Electronic Journal of Qualitative Theory of Differential Equations</i> , 2019, , 1-11.	0.2	2
190	An improved regularity criteria for the MHD system based on two components of the solution. , 2021, 66, 451-460.		0
193	Regularity criteria of axisymmetric weak solutions to the 3D MHD equations. <i>Journal of Mathematical Physics</i> , 2021, 62, .	0.5	6
194	Serrinâ€™type regularity criteria for the 3D MHD equations via one velocity component and one magnetic component. <i>Calculus of Variations and Partial Differential Equations</i> , 2022, 61, 1.	0.9	2
195	Global well-posedness for axisymmetric MHD equations with vertical dissipation and vertical magnetic diffusion. <i>Nonlinearity</i> , 2022, 35, 2147-2174.	0.6	6
196	A Blow-Up Criterion for 3D Nonhomogeneous Incompressible Magnetohydrodynamic Equations with Vacuum. <i>Journal of Function Spaces</i> , 2022, 2022, 1-8.	0.4	1
197	A new improved regularity criterion of solutions to Leray- α -MHD model and Navier-Stokes equation. <i>Proceedings of the American Mathematical Society</i> , 0, , .	0.4	0
198	Global weighted regularity for the 3D axisymmetric MHD equations. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2022, 73, .	0.7	1
199	Global Axisymmetric Solutions to the 3D MHD Equations with Nonzero Swirl. <i>Journal of Geometric Analysis</i> , 2022, 32, .	0.5	4
200	Remarks on the global regularity issue of the two-and-a-half-dimensional Hall-magnetohydrodynamics system. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2022, 73, .	0.7	1

#	ARTICLE	IF	CITATIONS
201	Regularity criteria for 3D Hall-MHD equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, .	0.7	1
202	Local existence for the non-resistive magnetohydrodynamic system with fractional dissipation in the L^p framework. SN Partial Differential Equations and Applications, 2022, 3, .	0.3	0
203	Existence and regularity of solutions for a 3D coupled parabolic-elliptic equations related to magnetic relaxation. Journal of Mathematical Analysis and Applications, 2023, 519, 126735.	0.5	0
205	Regularity via one vorticity component for the 3D axisymmetric MHD equations. Mathematische Nachrichten, 2023, 296, 675-688.	0.4	0
206	Remark on regularity criterion for the 3D Hall-MHD equations involving only the vorticity. Zeitschrift Fur Angewandte Mathematik Und Physik, 2023, 74, .	0.7	0
207	Global solutions to the damped MHD system. Mathematische Nachrichten, 0, , .	0.4	0
208	Regularity criteria for 3D MHD equations via mixed velocity-magnetic gradient tensors. Nonlinearity, 2023, 36, 1279-1301.	0.6	0
212	A regularity criterion of 3D incompressible MHD system with mixed pressure-velocity-magnetic field. AIP Conference Proceedings, 2023, , .	0.3	0