Remarks on regularities for the 3D MHD equations

Discrete and Continuous Dynamical Systems 12, 881-886 DOI: 10.3934/dcds.2005.12.881

Citation Report

#	Article	IF	CITATIONS
1	Regularity criteria for the 3D MHD equations in terms of the pressure. International Journal of Non-Linear Mechanics, 2006, 41, 1174-1180.	2.6	101
2	Regularity criteria for the generalized viscous MHD equations. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2007, 24, 491-505. Existence theorem and blow-up criterion of the strong solutions to the two-fluid MHD equation in	1.4	169
3	<pre><mml:math <="" altimg="si1.gif" overflow="scroll" pre="" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"></mml:math></pre>	2.2	32
4	xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier Journal of The Beale-Kato-Majda Criterion for the 3D Magneto-Hydrodynamics Equations. Communications in Mathematical Physics, 2007, 275, 861-872.	2.2	120
5	On the Regularity Criterion of Weak Solution for the 3D Viscous Magneto-Hydrodynamics Equations. Communications in Mathematical Physics, 2008, 284, 919-930.	2.2	163
6	Existence theorem and blowâ€up criterion of the strong solutions to the magnetoâ€micropolar fluid equations. Mathematical Methods in the Applied Sciences, 2008, 31, 1113-1130.	2.3	52
7	Remarks on the blow-up criteria for three-dimensional ideal magnetohydrodynamics equations. Journal of Mathematical Physics, 2009, 50, 023507.	1.1	10
8	Regularity criteria of weak solutions to the three-dimensional micropolar flows. Journal of Mathematical Physics, 2009, 50, .	1.1	55
9	Energy equality and uniqueness of weak solutions to MHD equations in L â^ž(0,T;L n (Ω)). Acta Mathematica Sinica, English Series, 2009, 25, 803-814.	0.6	8
10	On the self-similar solutions of the magneto-hydro-dynamic equations. Acta Mathematica Scientia, 2009, 29, 583-598.	1.0	1
11	Regularity criteria for the 3D magneto-micropolar fluid equations in the Morrey–Campanato space. Nonlinear Differential Equations and Applications, 2010, 17, 181-194.	0.8	46
12	Regularity criteria for the solutions to the 3D MHD equations in the multiplier space. Zeitschrift Fur Angewandte Mathematik Und Physik, 2010, 61, 193-199.	1.4	118
13	Limiting case for the regularity criterion of the Navier-Stokes equations and the magnetohydrodynamic equations. Science China Mathematics, 2010, 53, 1767-1774.	1.7	9
14	Global wellâ€posedness for two modified‣erayâ€Î±â€MHD models with partial viscous terms. Mathematical Methods in the Applied Sciences, 2010, 33, 856-862.	2.3	12
15	A regularity criterion for the density-dependent magnetohydrodynamic equations. Mathematical Methods in the Applied Sciences, 2010, 33, 1350-1355.	2.3	20
16	Extension criterion on regularity for weak solutions to the 3D MHD equations. Mathematical Methods in the Applied Sciences, 2010, 33, 1496-1503.	2.3	23
17	On the regularity of generalized MHD equations. Journal of Mathematical Analysis and Applications, 2010, 365, 806-808.	1.0	11
18	A new regularity criterion for weak solutions to the viscous MHD equations in terms of the vorticity field. Nonlinear Analysis: Theory, Methods & Applications, 2010, 72, 3643-3648.	1.1	48

#	Article	IF	CITATIONS
19	A blow-up criterion for 3D Boussinesq equations in Besov spaces. Nonlinear Analysis: Theory, Methods & Applications, 2010, 73, 806-815.	1.1	29
20	Existence theorem and regularity criteria for the generalized MHD equations. Nonlinear Analysis: Real World Applications, 2010, 11, 1640-1649.	1.7	21
21	On the regularity criterion for three-dimensional micropolar fluid flows in Besov spaces. Nonlinear Analysis: Theory, Methods & Applications, 2010, 73, 2334-2341.	1.1	27
22	Remark on the regularity criterion for three-dimensional magnetohydrodynamic equations. Applied Mathematics Letters, 2010, 23, 64-67.	2.7	2
23	A note on regularity criteria for the viscous Camassa–Holm equations in multiplier spaces. Applied Mathematics Letters, 2010, 23, 821-823.	2.7	2
24	Regularity of weak solutions to magneto-micropolar fluid equations. Acta Mathematica Scientia, 2010, 30, 1469-1480.	1.0	38
25	A Regularity Criterion for the Nematic Liquid Crystal Flows. Journal of Inequalities and Applications, 2010, 2010, 589697.	1.1	28
26	On regularity criteria for weak solutions to the micropolar fluid equations in Lorentz space. Proceedings of the American Mathematical Society, 2010, 138, 2025-2036.	0.8	43
27	Regularity Criteria in Terms of the Pressure for the Navier-Stokes Equations in the Critical Morrey-Campanato Space. Zeitschrift Fur Analysis Und Ihre Anwendung, 2011, 30, 83-93.	0.6	14
28	A Beale-Kato-Madja Criterion for Magneto-Micropolar Fluid Equations with Partial Viscosity. Boundary Value Problems, 2011, 2011, 1-14.	0.7	10
29	A blow-up criterion for 3D non-resistive compressible magnetohydrodynamic equations with initial vacuum. Nonlinear Analysis: Real World Applications, 2011, 12, 3442-3451.	1.7	24
30	Regularity criteria for the three-dimensional MHD equations. Acta Mathematicae Applicatae Sinica, 2011, 27, 581-594.	0.7	4
31	A New Regularity Criterion in Terms of the Direction ofÂtheÂVelocity for the MHD Equations. Acta Applicandae Mathematicae, 2011, 113, 207-213.	1.0	9
32	Logarithmically Improved Regularity Criteria for the Navier–Stokes and MHD Equations. Journal of Mathematical Fluid Mechanics, 2011, 13, 557-571.	1.0	105
33	Remarks on the regularity criteria for generalized MHD equations. Journal of Mathematical Analysis and Applications, 2011, 375, 799-802.	1.0	23
34	Blow-up criterion for compressible MHD equations. Journal of Mathematical Analysis and Applications, 2011, 379, 425-438.	1.0	19
35	Regularity criteria for a Lagrangian-averaged magnetohydrodynamic- model. Nonlinear Analysis: Theory, Methods & Applications, 2011, 74, 1410-1420.	1.1	7
36	Blow-up criterion of smooth solutions for magneto-micropolar fluid equations with partial viscosity. Boundary Value Problems, 2011, 2011, .	0.7	9

#	Article	IF	CITATIONS
37	A remark on the logarithmically improved regularity criterion for the micropolar fluid equations in terms of the pressure. Mathematical Methods in the Applied Sciences, 2011, 34, 1945-1953.	2.3	9
38	On the uniqueness of weak solutions for the 3D viscous magneto-hydrodynamic equations. Nonlinear Analysis: Theory, Methods & Applications, 2011, 74, 5000-5007.	1.1	1
39	On the Cauchy problem for a LerayMHD model. Nonlinear Analysis: Real World Applications, 2011, 12, 648-657.	1.7	25
40	A regularity criterion for the 3D magneto-micropolar fluid equations in Triebel–Lizorkin spaces. Nonlinear Analysis: Theory, Methods & Applications, 2011, 74, 2220-2225.	1.1	33
41	On regularity criteria for the three-dimensional micropolar fluid equations in the critical Morrey–Campanato space. Nonlinear Analysis: Real World Applications, 2011, 12, 2142-2150.	1.7	23
42	ON THE REGULARITY CRITERIA FOR THE GENERALIZED VISCOUS MHD EQUATIONS. Asian-European Journal of Mathematics, 2011, 04, 403-411.	0.5	0
43	A LOGARITHMALLY IMPROVED BLOW-UP CRITERION OF SMOOTH SOLUTIONS FOR THE THREE-DIMENSIONAL MHD EQUATIONS. International Journal of Mathematics, 2012, 23, 1250027.	0.5	11
44	Logarithmically improved regularity criteria forÂtheÂ3DÂviscous MHD equations. Forum Mathematicum, 2012, 24, 691-708.	0.7	67
45	A note on the blow-up criterion of smooth solutions to the 3D incompressible MHD equations. Acta Mathematicae Applicatae Sinica, 2012, 28, 639-642.	0.7	7
46	On regularity criteria in terms of pressure for the 3D viscous MHD equations. Applicable Analysis, 2012, 91, 947-952.	1.3	37
47	Remarks on the blow-up criterion for smooth solutions of the Boussinesq equations with zero diffusion. Communications on Pure and Applied Analysis, 2012, 12, 923-937.	0.8	15
48	Regularity criteria for the 3D magneto-micropolar fluid equations in Besov spaces with negative indices. Applied Mathematics and Computation, 2012, 218, 10755-10758.	2.2	9
49	Regularity and uniqueness for the 3D incompressible Navier–Stokes equations with damping. Applied Mathematics Letters, 2012, 25, 1822-1825.	2.7	56
50	A blow-up criterion for 3-D non-resistive compressible heat-conductive magnetohydrodynamic equations with initial vacuum. Acta Mathematica Scientia, 2012, 32, 1883-1900.	1.0	0
51	Some new regularity criteria for the 3D MHD equations. Journal of Mathematical Analysis and Applications, 2012, 396, 108-118.	1.0	55
52	A new regularity criterion for the 3D incompressible MHD equations in terms of one component of the gradient of pressure. Journal of Mathematical Analysis and Applications, 2012, 396, 345-350.	1.0	34
53	A new Beale–Kato–Majda criteria for the 3D magnetoâ€nicropolar fluid equations in the Orlicz–Morrey space. Mathematical Methods in the Applied Sciences, 2012, 35, 1321-1334.	2.3	10
54	A remark on the Beale-Kato-Majda criterion for the 3D MHD equations with zero kinematic viscosity. Acta Mathematicae Applicatae Sinica, 2012, 28, 209-214.	0.7	1

ARTICLE IF CITATIONS # Regularity criterion of weak solution for the 3D Magneto-micropolar fluid equations in Besov spaces. 55 3.3 15 Communications in Nonlinear Science and Numerical Simulation, 2012, 17, 2426-2433. Regularity criteria for the 3D MHD equations involving partial components. Nonlinear Analysis: Real 1.7 World Applications, 2012, 13, 410-418. An improved regularity criterion of three-dimensional magnetohydrodynamic equations. Nonlinear 57 1.7 12 Analysis: Real World Applications, 2012, 13, 1159-1169. Limiting case for the regularity criterion to the 3-D Magneto-hydrodynamics equations. Journal of Differential Equations, 2012, 252, 5751-5762. Regularity criteria of the magnetohydrodynamic equations in bounded domains or a half space. 59 2.2 23 Journal of Differential Equations, 2012, 253, 764-794. Regularity criteria for weak solution to the 3D magnetohydrodynamic equations. Acta Mathematica 1.0 Scientia, 2012, 32, 1063-1072. Regularity criterion for a weak solution to the three-dimensional magneto-micropolar fluid 61 0.7 5 equations. Boundary Value Problems, 2013, 2013, . Regularity criteria of axisymmetric weak solutions to the 3D magnetohydrodynamic equations. Acta Mathemáticae Applicatae Sinica, 2013, 29, 289-302. Regularity criteria in terms of the pressure for the three-dimensional MHD equations. Applied 63 2.2 3 Mathematics and Computation, 2013, 221, 164-168. On the non-resistive limit of the 2D Maxwell–Navier–Stokes equations. Journal of Mathematical 64 1.0 Analysis and Applications, 2013, 404, 150-160. Regularity criteria for the 3D MHD equations via one directional derivative of the pressure. Journal of 65 1.0 18 Mathemátical Analysis and Applications, 2013, 401, 66-71. Blow $\hat{a} \in up$ criterion for 3D viscous $\hat{a} \in vesistive$ compressible magnetohydrodynamic equations. 2.3 Mathematical Methods in the Applied Sciences, 2013, 36, 1145-1156. Regularity criteria for incompressible magnetohydrodynamics equations in three dimensions. 67 1.4 70 Nonlinearity, 2013, 26, 219-239. On the uniqueness of weak solutions of the 3D MHD equations in the Orlicz–Morrey space. Applicable 1.3 Analysis, 2013, 92, 776-783. On the Interior Regularity Criteria for Suitable Weak Solutions of the Magnetohydrodynamics 69 1.9 26 Equations. SIAM Journal on Mathematical Analysis, 2013, 45, 2666-2677. Refined blow-up criterion for the 3D magnetohydrodynamics equations. Applicable Analysis, 2013, 92, 2590-2599. Blow-up criteria for smooth solutions to the generalized 3D MHD equations. Boundary Value 71 0.7 1 Problems, 2013, 2013, . Remarks on the regularity criteria for the 3D MHD equations in the multiplier spaces. Boundary Value Problems, 2013, 2013, .

#	Article	IF	CITATIONS
73	A Remark on the Regularity Criterion for the MHD Equations via Two Components in Morrey-Campanato Spaces. Journal of Difference Equations, 2014, 2014, 1-4.	0.1	1
74	MHD Equations with Regularity in One Direction. International Journal of Partial Differential Equations, 2014, 2014, 1-5.	0.4	0
75	Blow-up Criteria for the 2D Full Compressible MHD system. Applicable Analysis, 2014, 93, 1339-1357.	1.3	5
76	An Osgood type regularity criterion for the liquid crystal flows. Nonlinear Differential Equations and Applications, 2014, 21, 253-262.	0.8	5
77	A New Regularity Criterion for the 3D MHD Equations Involving Partial Components. Acta Applicandae Mathematicae, 2014, 134, 161-171.	1.0	11
78	Remarks on the global regularity of the two-dimensional magnetohydrodynamics system with zero dissipation. Nonlinear Analysis: Theory, Methods & Applications, 2014, 94, 194-205.	1.1	55
79	On some new global existence results for 3D magnetohydrodynamic equations. Nonlinearity, 2014, 27, 343-352.	1.4	22
80	Global well-posedness for the generalized magneto-hydrodynamic equations in the critical Fourier–Herz spaces. Journal of Mathematical Analysis and Applications, 2014, 420, 1301-1315.	1.0	16
81	On the blow-up criterion of smooth solutions for Hall-magnetohydrodynamics system with partial viscosity. Communications on Pure and Applied Analysis, 2014, 13, 1327-1336.	0.8	13
82	Global existence of strong solutions to incompressible MHD. Communications on Pure and Applied Analysis, 2014, 13, 1553-1561.	0.8	11
83	Global existence of solutions for the thermoelastic Bresse system. Communications on Pure and Applied Analysis, 2014, 13, 1395-1406.	0.8	11
84	Global existence of strong solutions to incompressible MHD. Communications on Pure and Applied Analysis, 2014, 13, 1337-1345.	0.8	2
85	Regularity Criteria of MHD System Involving One Velocity and One Current Density Component. Journal of Mathematical Fluid Mechanics, 2014, 16, 551-570.	1.0	29
86	Uniqueness of weak solution to the generalized magneto-hydrodynamic system. Annali Di Matematica Pura Ed Applicata, 2014, 193, 699-722.	1.0	2
87	Logarithmically improved regularity criterion for the 3D generalized magneto-hydrodynamic equations. Acta Mathematica Scientia, 2014, 34, 568-574.	1.0	0
88	Regularity criterion for 3D MHD fluid passing through the porous medium in terms of gradient pressure. Journal of Computational and Applied Mathematics, 2014, 270, 88-99.	2.0	5
89	On the global regularity of two-dimensional generalized magnetohydrodynamics system. Journal of Mathematical Analysis and Applications, 2014, 416, 99-111.	1.0	56
90	Global regularity of the logarithmically supercritical MHD system with zero diffusivity. Applied Mathematics Letters, 2014, 29, 46-51.	2.7	52

#	Article	IF	CITATIONS
91	Remarks on the regularity criteria of three-dimensional magnetohydrodynamics system in terms of two velocity field components. Journal of Mathematical Physics, 2014, 55, .	1.1	13
92	Existence and regularizing rate estimates of mild solutions to a generalized magneto-hydrodynamic system in Q-spaces. Asian-European Journal of Mathematics, 2015, 08, 1550049.	0.5	2
93	A regularity criterion for the three-dimensional MHD equations in terms of one directional derivative of the pressure. Computers and Mathematics With Applications, 2015, 70, 3057-3061.	2.7	5
94	Regularity criteria for the 3D MHD equations in term of velocity. Mathematical Methods in the Applied Sciences, 2015, 38, 2506-2516. Global regularity of <mml:math <="" altimg="si1.gif" display="inline" overflow="scroll" td=""><td>2.3</td><td>4</td></mml:math>	2.3	4
95	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	1.1	9
96	Regularity criteria for suitable weak solutions to the four dimensional incompressible magneto-hydrodynamic equations near boundary. Journal of Differential Equations, 2015, 259, 1354-1378.	2.2	4
97	Remarks on the global regularity criteria for the 3D MHD equations via two components. Zeitschrift Fur Angewandte Mathematik Und Physik, 2015, 66, 977-987.	1.4	19
98	Global well-posedness for MHD system with mixed partial dissipation and magnetic diffusion in <mml:math <br="" altimg="si1.gif" xmlns:mml="http://www.w3.org/1998/Math/MathML">overflow="scroll"><mml:mrow><mml:mn>2</mml:mn><mml:mfrac><mml:mrow><mml:mn>1</mml:mn>dimensions. Applied Mathematics and Computation. 2015. 258. 325-341.</mml:mrow></mml:mfrac></mml:mrow></mml:math>	:mrow> <r< td=""><td>nm⁵:mrow><r< td=""></r<></td></r<>	nm ⁵ :mrow> <r< td=""></r<>
99	Clobal well-posedness for the 3-D incompressible MHD equations in the critical Besov spaces. Communications on Pure and Applied Analysis, 2015, 14, 1865-1884.	0.8	1
100	Ladyzhenskaya–Prodi–Serrin type regularity criteria for the 3D incompressible MHD equations in terms of 3 × 3 mixture matrices. Nonlinearity, 2015, 28, 3289-3307.	1.4	35
101	Regularity criteria for the <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si1.gif" display="inline" overflow="scroll"><mml:mn>3</mml:mn></mml:math> D MHD equations involving one current density and the gradient of one velocity component. Nonlinear Analysis: Theory, Methods & Applications, 2015, 115, 41-49.	1.1	20
102	A new scaling invariant regularity criterion for the 3D MHD equations in terms of horizontal gradient of horizontal components. Applied Mathematics Letters, 2015, 50, 1-4.	2.7	13
103	Regularity criteria for the 3D magneto-micropolar fluid equations via the direction of the velocity. Proceedings of the Indian Academy of Sciences: Mathematical Sciences, 2015, 125, 37-43.	0.1	0
104	A regularity criterion for the 3D MHD equations in terms of the gradient of the pressure in the multiplier spaces. Arabian Journal of Mathematics, 2015, 4, 153-157.	0.9	5
105	A Beale–Kato–Majda criterion for the 3D viscous magnetohydrodynamic equations. Mathematical Methods in the Applied Sciences, 2015, 38, 701-707.	2.3	2
106	Regularity criteria and small data global existence to the generalized viscous Hall-magnetohydrodynamics. Computers and Mathematics With Applications, 2015, 70, 2137-2154.	2.7	28
107	A remark on the Beale-Kato-Majda criterion for the 3D MHD equations with zero magnetic diffusivity. AIP Conference Proceedings, 2016, , .	0.4	2
108	Global regularity to the 3D MHD equations with large initial data in bounded domains. Journal of Mathematical Physics, 2016, 57, .	1.1	2

#	Article	IF	CITATIONS
109	Regularity criteria of the three-dimensional MHD system involving one velocity and one vorticity component. Nonlinear Analysis: Theory, Methods & Applications, 2016, 135, 73-83.	1.1	8
110	On regularity criteria for the 3D Hall-MHD equations in terms of the velocity. Nonlinear Analysis: Real World Applications, 2016, 32, 35-51.	1.7	47
111	Space–time decay estimates for the incompressible viscous resistive MHD and Hall-MHD equations. Journal of Functional Analysis, 2016, 270, 2168-2187.	1.4	60
112	Regularity results on the Leray-alpha magnetohydrodynamics systems. Nonlinear Analysis: Real World Applications, 2016, 32, 178-197.	1.7	8
113	Regularity criterion for the 3D Hall-magnetohydrodynamic equations involving the vorticity. Nonlinear Analysis: Theory, Methods & Applications, 2016, 144, 182-193.	1.1	9
114	A logarithmic regularity criterion for the two-dimensional MHD equations. Journal of Mathematical Analysis and Applications, 2016, 444, 1752-1758.	1.0	18
115	Global regularity of the 212D magneto-micropolar fluid flows with partial magnetic diffusion. Journal of Mathematical Analysis and Applications, 2016, 443, 1267-1292.	1.0	1
116	Clobal regularity for unsteady flow of MHD Sisko fluid in a porous medium. Canadian Journal of Physics, 2016, 94, 1297-1304.	1.1	1
117	Remarks on the uniqueness of weak solution for the 3D viscous magneto-hydrodynamics equations in \$\${B^{1}_{infty,infty}}\$\$ B â^ž , â^ž 1. Zeitschrift Fur Angewandte Mathematik Und Physik, 2016, 67, 1.	1.4	1
118	On the three-dimensional magnetohydrodynamics system in scaling-invariant spaces. Bulletin Des Sciences Mathematiques, 2016, 140, 575-614.	1.0	12
119	On Regularity Criteria for the 3D Incompressible MHD Equations Involving One Velocity Component. Journal of Mathematical Fluid Mechanics, 2016, 18, 187-206.	1.0	31
120	Global existence and temporal decay for the 3D compressible Hall-magnetohydrodynamic system. Journal of Mathematical Analysis and Applications, 2016, 438, 285-310.	1.0	15
121	The blow-up criterion via horizontal component of velocity for the Hall-MHD equations. Applicable Analysis, 2016, 95, 2578-2589.	1.3	3
122	A Regularity Criterion in Terms of Pressure for the 3D Viscous MHD Equations. Bulletin of the Malaysian Mathematical Sciences Society, 2017, 40, 1677-1690.	0.9	13
123	Regularity criteria for unsteady MHD third grade fluid due to rotating porous disk. Analysis and Mathematical Physics, 2017, 7, 93-105.	1.3	1
124	A remark on regularity criterion for the 3D Hall-MHD equations based on the vorticity. Applied Mathematics and Computation, 2017, 301, 70-77.	2.2	10
125	Global regularity for MHD Sisko fluid in annular pipe. Analysis and Mathematical Physics, 2017, 7, 417-435.	1.3	2
126	Global strong solution to the 3D incompressible magnetohydrodynamic system in the scaling invariant Besov–Sobolev-type spaces. Zeitschrift Fur Angewandte Mathematik Und Physik, 2017, 68, 1.	1.4	1

#	Article	IF	CITATIONS
127	Global regularity to the 3D generalized MHD equations with large initial data. Applied Mathematics Letters, 2017, 68, 117-121.	2.7	2
128	The anisotropic integrability regularity criterion to 3D magnetohydrodynamics equations. Mathematical Methods in the Applied Sciences, 2017, 40, 5461-5469.	2.3	3
129	<mml:math <br="" altimg="si1.gif" display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML">overflow="scroll"><mml:mn>3</mml:mn></mml:math> D axisymmetric MHD system with regularity in the swirl component of the vorticity. Computers and Mathematics With Applications, 2017, 73, 2573-2580.	2.7	6
130	On global regularity of incompressible MHD equations in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" <mml:msup> <mml:mrow> <mml:mi mathvariant="double-struck" >R </mml:mi </mml:mrow> <mml:mrow> <mml:mn>3</mml:mn> </mml:mrow> <td>1.0 Iml:msup></td><td>6 </td></mml:msup></mml:math 	1.0 Iml:msup>	6
131	Local regularity criteria of a suitable weak solution to MHD equations. Acta Mathematica Scientia, 2017, 37, 1033-1047.	1.0	4
132	Note on the blow-up criterion for generalized MHD equations. AIP Conference Proceedings, 2017, , .	0.4	5
133	A logarithmically improved regularity criterion for the MHD equations in terms of one directional derivative of the pressure. Applicable Analysis, 2017, 96, 2140-2148.	1.3	7
134	Global solution of 3D axially symmetric nonhomogeneous incompressible MHD equations. Journal of Differential Equations, 2017, 263, 8032-8073.	2.2	4
135	Interior Condition on Suitable Weak Solutions to the 3D MHD Equations Via Pressure. Acta Applicandae Mathematicae, 2017, 152, 83-91.	1.0	1
136	Remarks on regularity criteria for 2D generalized MHD equations. Rocky Mountain Journal of Mathematics, 2017, 47, .	0.4	4
137	On the regularity criterion of weak solutions for the 3D MHD equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2017, 68, 1.	1.4	15
138	Non blow-up criterion for the 3-D Magneto-hydrodynamics equations in the limiting case. Acta Mathematica Sinica, English Series, 2017, 33, 969-980.	0.6	4
139	Time decay rate of weak solutions to the generalized MHD equations in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mi mathvariant="double-struck">R<mml:mn>2</mml:mn></mml:mi </mml:msup>. Applied</mml:math 	2.2	10
140	Mathematics and Computation, 2017, 292, 1-8. Ergodicity of stochastic Magneto-Hydrodynamic equations driven by α-stable noise. Journal of Mathematical Analysis and Applications, 2017, 446, 746-769.	1.0	9
141	Refined regularity criteria for the MHD system involving only two components of the solution. Applicable Analysis, 2017, 96, 2130-2139.	1.3	7
142	Regularity criteria for the 3D generalized MHD and Hall-MHD systems. Bulletin of the Malaysian Mathematical Sciences Society, 2018, 41, 105-122.	0.9	13
143	Remarks on global regularity for the 3D MHD system with damping. Applied Mathematics and Computation, 2018, 333, 1-7.	2.2	5
144	On the energy inequality for weak solutions to the three-dimensional compressible magnetohydrodynamic equations. Journal of Mathematical Physics, 2018, 59, .	1.1	0

#	Article	IF	CITATIONS
145	Blow-up Criteria of Classical Solutions of Three-Dimensional Compressible Magnetohydrodynamic Equations. Mathematical Physics Analysis and Geometry, 2018, 21, 1.	1.0	1
146	On the Global Regularity for the 3D Magnetohydrodynamics Equations Involving Partial Components. Journal of Mathematical Fluid Mechanics, 2018, 20, 117-131.	1.0	7
147	On the blow-up criterion of magnetohydrodynamics equations in homogeneous Sobolev spaces. Applicable Analysis, 2018, 97, 1677-1687.	1.3	2
148	Global regularity for the 3D MHD system with partial viscosity and magnetic diffusion terms. Journal of Mathematical Analysis and Applications, 2018, 458, 980-991.	1.0	4
149	On the interior regularity criteria for liquid crystal flows. Nonlinear Analysis: Real World Applications, 2018, 40, 1-13.	1.7	3
150	An improved regularity criterion for the 3D Hall–MHD equations via the vorticity. Computers and Mathematics With Applications, 2018, 75, 821-836.	2.7	1
151	Remarks on pressure regularity criterion for the 3D Boussinesq equations. Computers and Mathematics With Applications, 2018, 76, 1661-1668.	2.7	0
152	On 3D MHD equations with regularity in one directional derivative of the velocity. Computers and Mathematics With Applications, 2018, 76, 2375-2383.	2.7	1
153	Global well-posedness of the generalized magnetohydrodynamic equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2018, 69, 1.	1.4	7
154	Regularity of Weak Solutions to the 3D Magneto-Micropolar Equations in Besov Spaces. Acta Applicandae Mathematicae, 2019, 163, 207-223.	1.0	5
155	The 3D Boussinesq Equations with Regularity in One Directional Derivative of the Pressure. Bulletin of the Malaysian Mathematical Sciences Society, 2019, 42, 3005-3019.	0.9	1
156	Global existence and decay estimate of solutions to magneto-micropolar fluid equations. Journal of Differential Equations, 2019, 266, 4137-4169.	2.2	32
157	Regularity and Global Existence on the 3D Tropical Climate Model. Bulletin of the Malaysian Mathematical Sciences Society, 2020, 43, 641-650.	0.9	10
158	A new regularity criterion for the 3D incompressible MHD equations via partial derivatives. Journal of Mathematical Analysis and Applications, 2020, 481, 123497.	1.0	14
159	The Energy Conservations and Lower Bounds for Possible Singular Solutions to the 3D Incompressible MHD Equations. Acta Mathematica Scientia, 2020, 40, 237-244.	1.0	4
160	Conditional regularity for the 3D MHD equations in the critical Besov space. Applied Mathematics Letters, 2020, 102, 106119.	2.7	15
161	Global well-posedness and decay characterization of solutions to 3D MHD equations with Hall and ion-slip effects. Zeitschrift Fur Angewandte Mathematik Und Physik, 2020, 71, 1.	1.4	4
162	A regularity criterion of the 3D MHD equations involving one velocity and one current density component in Lorentz space. Zeitschrift Fur Angewandte Mathematik Und Physik, 2020, 71, 1.	1.4	16

ARTICLE IF CITATIONS # Regularity criteria for the 3D magnetohydrodynamics system involving only two velocity components. 163 2.3 7 Mathemátical Methods in the Applied Sciences, 2020, 43, 9014-9023. An optimal regularity criterion for the 3D MHD equations in homogeneous Besov spaces. 164 2.3 Mathematical Methods in the Applied Sciences, 2021, 44, 2130-2139. A refined regularity criteria of weak solutions to the magneto-micropolar fluid equations. Journal of 165 1.1 5 Evolution Equations, 2021, 21, 725-734. Energy equality for weak solutions to the 3D magnetohydrodynamic equations in a bounded domain. 0.9 Discréte and Continuous Dynamical Systems - Series B, 2022, 27, 1001. New regularity criteria for the 3D magnetoâ€micropolar fluid equations in Lorentz spaces. 167 2.3 2 Mathematical Methods in the Applied Sciences, 2021, 44, 6056-6066. Regularity Criterion of the Weak Solution for the 3D Incompressible MHD Equations. Pure Mathematics, 2021, 11, 640-646. On Conditional Regularity for the MHD Equations via Partial Components. Journal of Mathematical 169 1.0 3 Fluid Mechanics, 2021, 23, 1. A double-logarithmically improved regularity criterion of weak solutions for the 3D MHD equations. 1.4 Zeitschrift Fur Angewandte Mathematik Und Physik, 2021, 72, 1. An improved regularity criterion for the 3D magneto-micropolar equations in homogeneous Besov space. Journal of Mathematical Analysis and Applications, 2021, 499, 125022. 171 0 1.0 A New Regularity Criterion for the Three-Dimensional Incompressible Magnetohydrodynamic Equations in the Besov Spaces. Journal of Function Spaces, 2021, 2021, 1-7. On the regularity of weak solutions of the MHD equations in BMOa[^]1 and Ḃa[^]ž,a[^]ža[^]1. Journal of 173 1.1 1 Mathematical Physics, 2021, 62, 091509. Well-posedness and long time behavior for the electron inertial Hall-MHD system in Besov and 174 1.0 Kato-Herz spaces. Journal of Mathematical Analysis and Applications, 2021, 501, 125208. A new sufficient condition for local regularity of a suitable weak solution to the MHD equations. 175 1.0 2 Journal of Mathematical Analysis and Applications, 2021, 502, 125258. On regularity of the 3D MHD equations based on one velocity component in anisotropic Lebesgue spaces. Applied Mathematics Letters, 2021, 120, 107230. 2.7 Regularity Criteria for the Generalized Magnetohydrodynamic Equations and the Quasi-geostrophic 177 0.4 18 Equations. Taiwanese Journal of Mathematics, 2011, 15, . A Beale-Kato-Majda regularity criteria to the 2D viscous MHD equations in BMO space. International Journal of Contemporary Mathematical Sciences, 0, 8, 117-123. A blow-up criterion for the 3D compressible MHD equations. Communications on Pure and Applied 179 0.8 8 Analysis, 2012, 11, 1167-1183. A new regularity criterion for the 3D MHD equations in \$R^3\$. Communications on Pure and Applied Analysis, 2012, 11, 973-980.

#	Article	IF	CITATIONS
181	Liouville type theorems for the steady axially symmetric Navier-Stokes and magnetohydrodynamic equations. Discrete and Continuous Dynamical Systems, 2016, 36, 5267-5285.	0.9	33
182	Regularity criteria for the 3D MHD equations via partial derivatives. Kinetic and Related Models, 2012, 5, 505-516.	0.9	41
183	Regularity criteria for the 3D MHD equations via partial derivatives. II. Kinetic and Related Models, 2014, 7, 291-304.	0.9	45
184	\$(N-1)\$ velocity components condition for the generalized MHD system in \$N-\$dimension. Kinetic and Related Models, 2014, 7, 779-792.	0.9	7
185	A logarithmically improved regularity criterion for the 3D MHD equations in Morrey-Campanato space. AIMS Mathematics, 2016, 2, 16-23.	1.6	3
186	Logarithmically improved blow-up criterion for smooth solutions to the Leray-\$alpha \$-magnetohydrodynamic equations. Archivum Mathematicum, 2019, , 55-68.	0.3	4
187	REMARKS ON LOGARITHMICALLY REGULARITY CRITERIA FOR THE 3D VISCOUS MHD EQUATIONS. Journal of the Korean Mathematical Society, 2011, 48, 465-474.	0.4	1
188	Global Existence of Solutions for the Thermoelastic Bresse System. , 2016, , 97-109.		0
189	Remark on local boundary regularity condition of suitable weak solutions to the 3D MHD equations. Electronic Journal of Qualitative Theory of Differential Equations, 2019, , 1-11.	0.5	2
190	An improved regularity criteria for the MHD system based on two components of the solution. , 2021, 66, 451-460.		0
191	A new regularity criterion for the 3D MHD equations in \$R^3\$. Communications on Pure and Applied Analysis, 2011, 11, 973-980.	0.8	0
192	Global existence of solutions for the thermoelastic Bresse system. Communications on Pure and Applied Analysis, 2014, 13, 1395-1406.	0.8	0
193	Regularity criteria of axisymmetric weak solutions to the 3D MHD equations. Journal of Mathematical Physics, 2021, 62, .	1.1	6
194	Serrin–type regularity criteria for the 3D MHD equations via one velocity component and one magnetic component. Calculus of Variations and Partial Differential Equations, 2022, 61, 1.	1.7	2
195	Global well-posedness for axisymmetric MHD equations with vertical dissipation and vertical magnetic diffusion. Nonlinearity, 2022, 35, 2147-2174.	1.4	6
196	A Blow-Up Criterion for 3D Nonhomogeneous Incompressible Magnetohydrodynamic Equations with Vacuum. Journal of Function Spaces, 2022, 2022, 1-8.	0.9	1
197	A new improved regularity criterion of solutions to Leray-?-MHD model and Navier-Stokes equation. Proceedings of the American Mathematical Society, 0, , .	0.8	0
198	Global weighted regularity for the 3D axisymmetric MHD equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, .	1.4	1

#	Article	IF	CITATIONS
199	Clobal Axisymmetric Solutions to the 3D MHD Equations with Nonzero Swirl. Journal of Geometric Analysis, 2022, 32, .	1.0	4
200	Remarks on the global regularity issue of the two-and-a-half-dimensional Hall-magnetohydrodynamics system. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, .	1.4	1
201	Regularity criteria for 3D Hall-MHD equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, .	1.4	1
202	Local existence for the non-resistive magnetohydrodynamic system with fractional dissipation in the \$\$L^p\$\$ framework. SN Partial Differential Equations and Applications, 2022, 3, .	0.6	0
203	Existence and regularity of solutions for a 3D coupled parabolic-elliptic equations related to magnetic relaxation. Journal of Mathematical Analysis and Applications, 2023, 519, 126735.	1.0	0
205	Regularity via one vorticity component for the 3D axisymmetric MHD equations. Mathematische Nachrichten, 2023, 296, 675-688.	0.8	0
206	Remark on regularity criterion for the 3D Hall-MHD equations involving only the vorticity. Zeitschrift Fur Angewandte Mathematik Und Physik, 2023, 74, .	1.4	0
207	Global solutions to the damped MHD system. Mathematische Nachrichten, 0, , .	0.8	0
208	Regularity criteria for 3D MHD equations via mixed velocity-magnetic gradient tensors. Nonlinearity, 2023, 36, 1279-1301.	1.4	0
209	The Regularity of Very Weak Solutions to Magneto-Hydrodynamics Equations. Journal of Mathematical Fluid Mechanics, 2023, 25, .	1.0	0
210	A new class of regularity criteria for the MHD and Navier–Stokes equations. Nonlinear Analysis: Real World Applications, 2023, 73, 103916.	1.7	0
211	On regularity criteria for MHD system in anisotropic Lebesgue spaces. Electronic Research Archive, 2023, 31, 4669-4682.	0.9	0
212	A regularity criterion of 3D incompressible MHD system with mixed pressure-velocity-magnetic field. AIP Conference Proceedings, 2023, , .	0.4	0
213	A new regularity criterion for the 3D MHD equations in Triebel-Lizorkin spaces. Journal of Mathematical Analysis and Applications, 2024, 531, 127842.	1.0	0
214	A Blow-Up Criterion for 3D Compressible Isentropic Magnetohydrodynamic Equations with Vacuum. Mathematics, 2024, 12, 687.	2.2	0