

Ulrike Philippar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11772334/publications.pdf>

Version: 2024-02-01

21
papers

2,491
citations

430874

18
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

4338
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of a Novel ERK Inhibitor with Activity in Models of Acquired Resistance to BRAF and MEK Inhibitors. <i>Cancer Discovery</i> , 2013, 3, 742-750.	9.4	559
2	Filopodia are required for cortical neurite initiation. <i>Nature Cell Biology</i> , 2007, 9, 1347-1359.	10.3	276
3	A Mena Invasion Isoform Potentiates EGF-Induced Carcinoma Cell Invasion and Metastasis. <i>Developmental Cell</i> , 2008, 15, 813-828.	7.0	242
4	Ena/VASP Is Required for Neuritogenesis in the Developing Cortex. <i>Neuron</i> , 2007, 56, 441-455.	8.1	204
5	Serum response factor is crucial for actin cytoskeletal organization and focal adhesion assembly in embryonic stem cells. <i>Journal of Cell Biology</i> , 2002, 156, 737-750.	5.2	176
6	DLK1-DIO3 Genomic Imprinted MicroRNA Cluster at 14q32.2 Defines a Stemlike Subtype of Hepatocellular Carcinoma Associated with Poor Survival. <i>Journal of Biological Chemistry</i> , 2011, 286, 30706-30713.	3.4	147
7	The SRF Target Gene Fhl2 Antagonizes RhoA/MAL-Dependent Activation of SRF. <i>Molecular Cell</i> , 2004, 16, 867-880.	9.7	137
8	Neuronal migration in the murine rostral migratory stream requires serum response factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6148-6153.	7.1	131
9	Simultaneous imaging of GFP, CFP and collagen in tumors in vivo using multiphoton microscopy. <i>BMC Biotechnology</i> , 2005, 5, 14.	3.3	119
10	Identification of invasion specific splice variants of the cytoskeletal protein Mena present in mammary tumor cells during invasion in vivo. <i>Clinical and Experimental Metastasis</i> , 2009, 26, 153-159.	3.3	107
11	Predictive Genes in Adjacent Normal Tissue Are Preferentially Altered by sCNV during Tumorigenesis in Liver Cancer and May Rate Limiting. <i>PLoS ONE</i> , 2011, 6, e20090.	2.5	68
12	SRF regulates Bcl-2 expression and promotes cell survival during murine embryonic development. <i>EMBO Journal</i> , 2004, 23, 1834-1844.	7.8	67
13	Human Mena+11a Isoform Serves as a Marker of Epithelial Phenotype and Sensitivity to Epidermal Growth Factor Receptor Inhibition in Human Pancreatic Cancer Cell Lines. <i>Clinical Cancer Research</i> , 2008, 14, 4943-4950.	7.0	63
14	Specific covalent inhibition of MALT1 paracaspase suppresses B cell lymphoma growth. <i>Journal of Clinical Investigation</i> , 2018, 128, 4397-4412.	8.2	51
15	PTP1B-dependent regulation of receptor tyrosine kinase signaling by the actin-binding protein Mena. <i>Molecular Biology of the Cell</i> , 2015, 26, 3867-3878.	2.1	31
16	Assessing IRAK4 Functions in ABC DLBCL by IRAK4 Kinase Inhibition and Protein Degradation. <i>Cell Chemical Biology</i> , 2020, 27, 1500-1509.e13.	5.2	31
17	Discovery of 1-(1 <i>H</i> -Pyrazolo[4,3- <i>c</i>]pyridin-6-yl)urea Inhibitors of Extracellular Signal-Regulated Kinase (ERK) for the Treatment of Cancers. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 6501-6511.	6.4	26
18	Gene Signatures Derived from a c-MET-Driven Liver Cancer Mouse Model Predict Survival of Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2011, 6, e24582.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Discovery of Highly Potent and Selective IRAK1 Degradors to Probe Scaffolding Functions of IRAK1 in ABC DLBCL. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 10878-10889.	6.4	12
20	Influence of the bispecific antibody IgG subclass on T cell redirection. <i>MAbs</i> , 2019, 11, 1012-1024.	5.2	11
21	Degeneration of the mouse retina upon dysregulated activity of serum response factor. <i>Molecular Vision</i> , 2011, 17, 1110-27.	1.1	7