

# H John Cooper

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11842647/publications.pdf>

Version: 2024-02-01

27  
papers

1,557  
citations

516710

16  
h-index

580821

25  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1192  
citing authors

#	ARTICLE	IF	CITATIONS
1	Imageless robotic-assisted total knee arthroplasty leads to similar 24-month WOMAC scores as compared to conventional total knee arthroplasty: a retrospective cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2631-2638.	4.2	17
2	Risk Factors for Periprosthetic Femoral Fracture in Non-cemented Total Hip Arthroplasty Through the Direct Anterior Approach. <i>HSS Journal</i> , 2022, 18, 368-375.	1.7	4
3	Randomized Controlled Trial of Incisional Negative Pressure Following High-Risk Direct Anterior Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, S931-S936.	3.1	8
4	Cost-Effectiveness of Closed Incision Negative Pressure Therapy for Surgical Site Management After Revision Total Knee Arthroplasty: Secondary Analysis of a Randomized Clinical Trial. <i>Journal of Arthroplasty</i> , 2022, 37, S790-S795.	3.1	8
5	How much does a surgical site complication cost after Medicare total joint arthroplasty?. <i>Journal of Wound Care</i> , 2021, 30, 880-883.	1.2	4
6	Direct anterior versus mini-anterolateral approach for primary total hip arthroplasty: early postoperative outcomes and complications. <i>Arthroplasty Today</i> , 2020, 6, 257-261.	1.6	19
7	Polyester Mesh Dressings Reduce Delayed Wound Healing and Reoperations Compared with Silver-Impregnated Occlusive Dressings after Knee Arthroplasty. <i>Arthroplasty Today</i> , 2020, 6, 350-353.	1.6	9
8	Polyester mesh dressings reduce delayed wound healing rates after total hip arthroplasty compared with silver-impregnated occlusive dressings. <i>Arthroplasty Today</i> , 2020, 6, 158-162.	1.6	9
9	Risk Factors for Wound Complications After Periprosthetic Fractures. <i>Orthopedics</i> , 2020, 43, e258-e262.	1.1	5
10	Trends in Length of Stay and 30-Day Complications After Total Knee Arthroplasty: An Analysis From 2006 to 2016. <i>Journal of Arthroplasty</i> , 2019, 34, 1575-1580.	3.1	73
11	CORR Insights®: What is the Diagnostic Accuracy of MRI for Component Loosening in THA?. <i>Clinical Orthopaedics and Related Research</i> , 2019, 477, 2095-2096.	1.5	0
12	Consensus on Reducing Risk in Total Joint Arthroplasty: Revision Surgery. <i>Techniques in Orthopaedics</i> , 2019, 34, 216-221.	0.2	0
13	Decreasing Length of Hospital Stay and Postoperative Complications After Primary Total Hip Arthroplasty: A Decade Analysis From 2006 to 2016. <i>Journal of Arthroplasty</i> , 2019, 34, 422-425.	3.1	51
14	Closed incision negative pressure therapy decreases complications after periprosthetic fracture surgery around the hip and knee. <i>Injury</i> , 2018, 49, 386-391.	1.7	42
15	A risk-stratification algorithm to reduce superficial surgical site complications in primary hip and knee arthroplasty. <i>Arthroplasty Today</i> , 2018, 4, 493-498.	1.6	15
16	Management of Soft Tissue Defects. , 2018, , 387-414.		0
17	CORR Insights®: Exchangeable Femoral Neck (Dual-Modular) THA Prostheses Have Poorer Survivorship than Other Designs: A Nationwide Cohort of 324,108 Patients. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2060-2062.	1.5	2
18	Pin Site Complications Associated With Computer-Assisted Navigation in Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 2842-2846.	3.1	53

#	ARTICLE	IF	CITATIONS
19	Applied Anatomy of the Direct Anterior Approach for Femoral Mobilization. JBJS Essential Surgical Techniques, 2017, 7, e18.	0.8	18
20	Risk Factors for Wound Complications After Direct Anterior Approach Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2583-2587.	3.1	75
21	Closed-Incision Negative-Pressure Therapy Versus Antimicrobial Dressings After Revision Hip and Knee Surgery: A Comparative Study. Journal of Arthroplasty, 2016, 31, 1047-1052.	3.1	82
22	Midterm Results of a Femoral Stem With a Modular Neck Design: Clinical Outcomes and Metal Ion Analysis. Journal of Arthroplasty, 2014, 29, 1768-1773.	3.1	38
23	Adverse Local Tissue Reaction Arising from Corrosion at the Femoral Neck-Body Junction in a Dual-Taper Stem with a Cobalt-Chromium Modular Neck. Journal of Bone and Joint Surgery - Series A, 2013, 95, 865-872.	3.0	333
24	Corrosion at the Head-Neck Taper as a Cause for Adverse Local Tissue Reactions After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2012, 94, 1655-1661.	3.0	527
25	Distal Fixation of Proximally Coated Tapered Stems May Predispose to a Failure of Osteointegration. Journal of Arthroplasty, 2011, 26, 78-83.	3.1	65
26	Early Reactive Synovitis and Osteolysis after Total Hip Arthroplasty. Clinical Orthopaedics and Related Research, 2010, 468, 3278-3285.	1.5	41
27	Magnetic Resonance Imaging in the Diagnosis and Management of Hip Pain After Total Hip Arthroplasty. Journal of Arthroplasty, 2009, 24, 661-667.	3.1	25