

Jacques-E Moser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11942251/publications.pdf>

Version: 2024-02-01

69
papers

12,198
citations

53660

45
h-index

95083

68
g-index

71
all docs

71
docs citations

71
times ranked

11159
citing authors

#	ARTICLE	IF	CITATIONS
1	A molecular photosensitizer achieves a Voc of 1.24 V enabling highly efficient and stable dye-sensitized solar cells with copper(II)-based electrolyte. <i>Nature Communications</i> , 2021, 12, 1777.	5.8	196
2	Blue Photosensitizer with Copper(II) Redox Mediator for Efficient and Stable Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2004804.	7.8	30
3	Phenanthrene-Fused Quinoxaline as a Key Building Block for Highly Efficient and Stable Sensitizers in Copper-Electrolyte-Based Dye-Sensitized Solar Cells. <i>Angewandte Chemie</i> , 2020, 132, 9410-9415.	1.6	17
4	Phenanthrene-Fused Quinoxaline as a Key Building Block for Highly Efficient and Stable Sensitizers in Copper-Electrolyte-Based Dye-Sensitized Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9324-9329.	7.2	59
5	Liquid State and Zombie Dye Sensitized Solar Cells with Copper Bipyridine Complexes Functionalized with Alkoxy Groups. <i>Journal of Physical Chemistry C</i> , 2020, 124, 7071-7081.	1.5	24
6	A tandem redox system with a cobalt complex and 2-azaadamantane-N-oxyl for fast dye regeneration and open circuit voltages exceeding 1 V. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10998-11006.	5.2	8
7	Comprehensive control of voltage loss enables 11.7% efficient solid-state dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2018, 11, 1779-1787.	15.6	148
8	Lateral Intermolecular Electronic Interactions of Diketopyrrolopyrrole Dye Sensitizers Adsorbed on Mesoporous Alumina. <i>Journal of Physical Chemistry C</i> , 2018, 122, 19348-19358.	1.5	9
9	Effect of Coordination Sphere Geometry of Copper Redox Mediators on Regeneration and Recombination Behavior in Dye-Sensitized Solar Cell Applications. <i>ACS Applied Energy Materials</i> , 2018, 1, 4950-4962.	2.5	49
10	Donor Effect on the Photoinduced Interfacial Charge Transfer Dynamics of Dye Sensitizers Adsorbed on Titanium Dioxide. <i>Journal of Physical Chemistry C</i> , 2018, 122, 19359-19369.	1.5	7
11	Dye-sensitized solar cells for efficient power generation under ambient lighting. <i>Nature Photonics</i> , 2017, 11, 372-378.	15.6	871
12	11% efficiency solid-state dye-sensitized solar cells with copper(II) hole transport materials. <i>Nature Communications</i> , 2017, 8, 15390.	5.8	229
13	Charge separation and carrier dynamics in donor-acceptor heterojunction photovoltaic systems. <i>Structural Dynamics</i> , 2017, 4, 061503.	0.9	13
14	Unraveling the Dual Character of Sulfur Atoms on Sensitizers in Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26827-26833.	4.0	16
15	Dynamics of Photocarrier Separation in MAPbI ₃ Perovskite Multigrain Films under a Quasistatic Electric Field. <i>Journal of Physical Chemistry C</i> , 2016, 120, 19595-19602.	1.5	22
16	Ultrafast charge separation dynamics in opaque, operational dye-sensitized solar cells revealed by femtosecond diffuse reflectance spectroscopy. <i>Scientific Reports</i> , 2016, 6, 24465.	1.6	22
17	Copper Bipyridyl Redox Mediators for Dye-Sensitized Solar Cells with High Photovoltage. <i>Journal of the American Chemical Society</i> , 2016, 138, 15087-15096.	6.6	239
18	The fate of electron-hole pairs in polymer:fullerene blends for organic photovoltaics. <i>Nature Communications</i> , 2016, 7, 12556.	5.8	68

#	ARTICLE	IF	CITATIONS
19	Ligand Engineering for the Efficient Dye-Sensitized Solar Cells with Ruthenium Sensitizers and Cobalt Electrolytes. <i>Inorganic Chemistry</i> , 2016, 55, 6653-6659.	1.9	80
20	Dynamics of Interfacial Charge Transfer States and Carriers Separation in Dye-Sensitized Solar Cells: A Time-Resolved Terahertz Spectroscopy Study. <i>Journal of Physical Chemistry C</i> , 2015, 119, 26266-26274.	1.5	31
21	A Close Look at Charge Generation in Polymer:Fullerene Blends with Microstructure Control. <i>Journal of the American Chemical Society</i> , 2015, 137, 2908-2918.	6.6	75
22	Dissociation of Charge Transfer States and Carrier Separation in Bilayer Organic Solar Cells: A Time-Resolved Electroabsorption Spectroscopy Study. <i>Journal of the American Chemical Society</i> , 2015, 137, 8192-8198.	6.6	86
23	Using the Stark effect to understand charge generation in organic solar cells. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
24	Investigation of Interfacial Charge Separation at PbS QDs/(001) TiO ₂ Nanosheets Heterojunction Solar Cell. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 483-488.	1.2	17
25	New pyrido[3,4-b]pyrazine-based sensitizers for efficient and stable dye-sensitized solar cells. <i>Chemical Science</i> , 2014, 5, 206-214.	3.7	102
26	Unravelling the mechanism of photoinduced charge transfer processes in lead iodide perovskite solar cells. <i>Nature Photonics</i> , 2014, 8, 250-255.	15.6	648
27	Kinetics of the Regeneration by Iodide of Dye Sensitizers Adsorbed on Mesoporous Titania. <i>Journal of Physical Chemistry C</i> , 2014, 118, 17108-17115.	1.5	26
28	Effect of Extended π -Conjugation of the Donor Structure of Organic π -Aromatic Dyes on the Photovoltaic Performance of Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2014, 118, 16486-16493.	1.5	63
29	Engineering of thiocyanate-free Ru(II) sensitizers for high efficiency dye-sensitized solar cells. <i>Chemical Science</i> , 2013, 4, 2423.	3.7	67
30	Molecular Engineering of a Fluorene Donor for Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , 2013, 25, 2733-2739.	3.2	154
31	Position-Dependent Extension of π -Conjugation in D-A Dye Sensitizers and the Impact on the Charge-Transfer Properties. <i>Journal of Physical Chemistry C</i> , 2013, 117, 13805-13815.	1.5	50
32	Unravelling the Potential for Dithienopyrrole Sensitizers in Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , 2013, 25, 2642-2648.	3.2	49
33	Towards Compatibility between Ruthenium Sensitizers and Cobalt Electrolytes in Dye-Sensitized Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 8731-8735.	7.2	61
34	Effect of Posttreatment of Titania Mesoscopic Films by TiCl ₄ in Solid-State Dye-Sensitized Solar Cells: A Time-Resolved Spectroscopy Study. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26721-26727.	1.5	20
35	Photoinduced Interfacial Electron Injection Dynamics in Dye-Sensitized Solar Cells under Photovoltaic Operating Conditions. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 3786-3790.	2.1	52
36	A cobalt complex redox shuttle for dye-sensitized solar cells with high open-circuit potentials. <i>Nature Communications</i> , 2012, 3, 631.	5.8	554

#	ARTICLE	IF	CITATIONS
37	Temperature-Dependent Ordering Phenomena of a Polyiodide System in a Redox-Active Ionic Liquid. <i>Journal of Physical Chemistry C</i> , 2012, 116, 7989-7992.	1.5	23
38	Influence of the Anchoring Modes on the Electronic and Photovoltaic Properties of Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2012, 116, 16876-16884.	1.5	53
39	Significant Improvement of Dye-Sensitized Solar Cell Performance by Small Structural Modification in Conjugated Donor-Acceptor Dyes. <i>Advanced Functional Materials</i> , 2012, 22, 1291-1302.	7.8	404
40	Conduction Through Viscoelastic Phase in a Redox-Active Ionic Liquid at Reduced Temperatures. <i>Advanced Materials</i> , 2012, 24, 781-784.	11.1	17
41	Energy and Hole Transfer between Dyes Attached to Titania in Cosensitized Dye-Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2011, 133, 10662-10667.	6.6	96
42	Butyronitrile-Based Electrolyte for Dye-Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2011, 133, 13103-13109.	6.6	75
43	The Effect of Hole Transport Material Pore Filling on Photovoltaic Performance in Solid-State Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2011, 1, 407-414.	10.2	130
44	Extraordinarily Efficient Conduction in a Redox-Active Ionic Liquid. <i>ChemPhysChem</i> , 2011, 12, 145-149.	1.0	65
45	An organic redox electrolyte to rival triiodide/iodide in dye-sensitized solar cells. <i>Nature Chemistry</i> , 2010, 2, 385-389.	6.6	510
46	Application of Cu(ii) and Zn(ii) coproporphyrins as sensitizers for thin film dye sensitized solar cells. <i>Energy and Environmental Science</i> , 2010, 3, 956.	15.6	37
47	Enhanced Electron Collection Efficiency in Dye-Sensitized Solar Cells Based on Nanostructured TiO ₂ Hollow Fibers. <i>Nano Letters</i> , 2010, 10, 1632-1638.	4.5	234
48	Conductivity in Dye-Sensitized TiO ₂ probed by Optical-Pump THz-Probe Spectroscopy. , 2010, , .		0
49	Influence of Iodide Concentration on the Efficiency and Stability of Dye-Sensitized Solar Cell Containing Non-Volatile Electrolyte. <i>ChemPhysChem</i> , 2009, 10, 1834-1838.	1.0	54
50	Dynamics of Photoinduced Interfacial Electron Transfer and Charge Transport in Dye-Sensitized Mesoscopic Semiconductors. <i>Chimia</i> , 2007, 61, 631.	0.3	35
51	Stable, High-Efficiency Ionic-Liquid-Based Mesoscopic Dye-Sensitized Solar Cells. <i>Small</i> , 2007, 3, 2094-2102.	5.2	191
52	High Molar Extinction Coefficient Heteroleptic Ruthenium Complexes for Thin Film Dye-Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2006, 128, 4146-4154.	6.6	538
53	Ion Coordinating Sensitizer for High Efficiency Mesoscopic Dye-Sensitized Solar Cells: Influence of Lithium Ions on the Photovoltaic Performance of Liquid and Solid-State Cells. <i>Nano Letters</i> , 2006, 6, 769-773.	4.5	161
54	Electron donor-acceptor distance dependence of the dynamics of light-induced interfacial charge transfer in the dye-sensitization of nanocrystalline oxide semiconductors. , 2006, , .		3

#	ARTICLE	IF	CITATIONS
55	Electrochemical Impedance Spectroscopic Analysis of Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry B</i> , 2005, 109, 14945-14953.	1.2	1,855
56	Later rather than sooner. <i>Nature Materials</i> , 2005, 4, 723-724.	13.3	25
57	Rationale for Kinetic Heterogeneity of Ultrafast Light-Induced Electron Transfer from Ru(II) Complex Sensitizers to Nanocrystalline TiO ₂ . <i>Journal of the American Chemical Society</i> , 2005, 127, 12150-12151.	6.6	213
58	Charge Separation and Efficient Light Energy Conversion in Sensitized Mesoscopic Solar Cells Based on Binary Ionic Liquids. <i>Journal of the American Chemical Society</i> , 2005, 127, 6850-6856.	6.6	383
59	Amphiphilic Ruthenium Sensitizer with 4,4'-Diphosphonic Acid-2,2'-bipyridine as Anchoring Ligand for Nanocrystalline Dye Sensitized Solar Cells. <i>Journal of Physical Chemistry B</i> , 2004, 108, 17553-17559.	1.2	105
60	A Solvent-Free, SeCN ⁻ /(SeCN) ₃ ⁻ Based Ionic Liquid Electrolyte for High-Efficiency Dye-Sensitized Nanocrystalline Solar Cells. <i>Journal of the American Chemical Society</i> , 2004, 126, 7164-7165.	6.6	364
61	An Alternative Efficient Redox Couple for the Dye-Sensitized Solar Cell System. <i>Chemistry - A European Journal</i> , 2003, 9, 3756-3763.	1.7	304
62	A New Ionic Liquid Electrolyte Enhances the Conversion Efficiency of Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry B</i> , 2003, 107, 13280-13285.	1.2	607
63	Femtosecond Dynamics of Interfacial and Intermolecular Electron Transfer at Eosin-Sensitized Metal Oxide Nanoparticles. <i>Journal of Physical Chemistry B</i> , 2003, 107, 3215-3224.	1.2	98
64	Real-Time Observation of Photoinduced Adiabatic Electron Transfer in Strongly Coupled Dye/Semiconductor Colloidal Systems with a 6 fs Time Constant. <i>Journal of Physical Chemistry B</i> , 2002, 106, 6494-6499.	1.2	239
65	Coll(dbpip) ₂ ²⁺ Complex Rivals Tri-iodide/Iodide Redox Mediator in Dye-Sensitized Photovoltaic Cells. <i>Journal of Physical Chemistry B</i> , 2001, 105, 10461-10464.	1.2	402
66	Cooperative Effect of Adsorbed Cations and Iodide on the Interception of Back Electron Transfer in the Dye Sensitization of Nanocrystalline TiO ₂ . <i>Journal of Physical Chemistry B</i> , 2000, 104, 1791-1795.	1.2	341
67	Long-Lived Photoinduced Charge Separation and Redox-Type Photochromism on Mesoporous Oxide Films Sensitized by Molecular Dyads. <i>Journal of the American Chemical Society</i> , 1999, 121, 1324-1336.	6.6	253
68	Charge Separation in Solid-State Dye-Sensitized Heterojunction Solar Cells. <i>Journal of the American Chemical Society</i> , 1999, 121, 7445-7446.	6.6	195
69	On the kinetics and mechanism of light-induced electron transfer at the semiconductor/electrolyte interface. <i>Solar Energy Materials and Solar Cells</i> , 1995, 38, 343-345.	3.0	7