

Ruth Tachezy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1288078/publications.pdf>

Version: 2024-02-01

81
papers

3,385
citations

147801

31
h-index

149698

56
g-index

81
all docs

81
docs citations

81
times ranked

4301
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcomes After Human Papillomavirus Vaccination in Patients With Recurrent Respiratory Papillomatosis. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 654.	2.2	7
2	ARG1 mRNA Level Is a Promising Prognostic Marker in Head and Neck Squamous Cell Carcinomas. <i>Diagnostics</i> , 2021, 11, 628.	2.6	5
3	Lack of Conserved miRNA Deregulation in HPV-Induced Squamous Cell Carcinomas. <i>Biomolecules</i> , 2021, 11, 764.	4.0	5
4	Why to vaccinate boys against papillomaviruses?. <i>Pediatric Pro Praxi</i> , 2021, 22, 263-267.	0.0	0
5	Aspartate Î²-hydroxylase as a target for cancer therapy. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 163.	8.6	34
6	Detailed Characteristics of Tonsillar Tumors with Extrachromosomal or Integrated Form of Human Papillomavirus. <i>Viruses</i> , 2020, 12, 42.	3.3	2
7	Prevalence and Risk Factors for Oral HPV in Healthy Population, in Central Europe. <i>Anticancer Research</i> , 2020, 40, 1597-1604.	1.1	6
8	Prognostic value of posttreatment HPV-specific antibodies in patients with oropharyngeal tumors. <i>Journal of Surgical Oncology</i> , 2019, 120, 117-124.	1.7	2
9	Implementation of Mass Cytometry for Immunoprofiling of Patients with Solid Tumors. <i>Journal of Immunology Research</i> , 2019, 2019, 1-10.	2.2	3
10	Genome-wide miRNA profiling reinforces the importance of miR-9 in human papillomavirus associated oral and oropharyngeal head and neck cancer. <i>Scientific Reports</i> , 2019, 9, 2306.	3.3	37
11	Experimental Combined Immunotherapy of Tumours with Major Histocompatibility Complex Class I Downregulation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3693.	4.1	3
12	The Role of miRNAs in Virus-Mediated Oncogenesis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1217.	4.1	49
13	Dysfunction of HPV16-specific CD8+ T cells derived from oropharyngeal tumors is related to the expression of Tim-3 but not PD-1. <i>Oral Oncology</i> , 2018, 82, 75-82.	1.5	13
14	Concordance of HPV-DNA in cervical dysplasia or genital warts in women and their monogamous long-term male partners. <i>Journal of Medical Virology</i> , 2017, 89, 1662-1670.	5.0	5
15	Expression of genes encoding centrosomal proteins and the humoral response against these proteins in chronic myeloid leukemia. <i>Oncology Reports</i> , 2017, 37, 547-554.	2.6	4
16	The prevalence of HPV infections in HPV-vaccinated women from the general population. <i>Apmis</i> , 2017, 125, 585-595.	2.0	7
17	Prevalence of HPV infection in racial/ethnic subgroups of head and neck cancer patients. <i>Carcinogenesis</i> , 2017, 38, 218-229.	2.8	33
18	High prevalence of genital HPV infection among long-term monogamous partners of women with cervical dysplasia or genital warts-Another reason for HPV vaccination of boys. <i>Dermatologic Therapy</i> , 2017, 30, e12435.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Comparison of the miRNA expression profiles in fresh frozen and formalin-fixed paraffin-embedded tonsillar tumors. <i>PLoS ONE</i> , 2017, 12, e0179645.	2.5	11
20	Analysis of the integration of human papillomaviruses in head and neck tumours in relation to patients' prognosis. <i>International Journal of Cancer</i> , 2016, 138, 386-395.	5.1	49
21	Comparison of the miRNA profiles in HPV-positive and HPV-negative tonsillar tumors and a model system of human keratinocyte clones. <i>BMC Cancer</i> , 2016, 16, 382.	2.6	31
22	Global Genomic Diversity of Human Papillomavirus 11 Based on 433 Isolates and 78 Complete Genome Sequences. <i>Journal of Virology</i> , 2016, 90, 5503-5513.	3.4	20
23	Beta-HPV types in patients with head and neck pathology and in healthy subjects. <i>Journal of Clinical Virology</i> , 2016, 82, 159-165.	3.1	17
24	Detection of human polyomaviruses MCPyV, HPyV6, and HPyV7 in malignant and non-malignant tonsillar tissues. <i>Journal of Medical Virology</i> , 2016, 88, 695-702.	5.0	36
25	Distinct patterns of intratumoral immune cell infiltrates in patients with HPV-associated compared to non-virally induced head and neck squamous cell carcinoma. <i>Oncolmunology</i> , 2015, 4, e965570.	4.6	189
26	Cervical cancer: what is the optimal age for routine testing?. <i>Future Oncology</i> , 2015, 11, 1137-1140.	2.4	0
27	High-Throughput Analysis of Human Cytomegalovirus Genome Diversity Highlights the Widespread Occurrence of Gene-Disrupting Mutations and Pervasive Recombination. <i>Journal of Virology</i> , 2015, 89, 7673-7695.	3.4	148
28	What are the implications of human papillomavirus status in oropharyngeal tumors for clinical practice?. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2014, 22, 90-94.	1.8	7
29	High Level of Tregs Is a Positive Prognostic Marker in Patients with HPV-Positive Oral and Oropharyngeal Squamous Cell Carcinomas. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	48
30	Global Genomic Diversity of Human Papillomavirus 6 Based on 724 Isolates and 190 Complete Genome Sequences. <i>Journal of Virology</i> , 2014, 88, 7307-7316.	3.4	33
31	Distinct patterns of intratumoral immune cell infiltrates in patients with HPV-positive versus HPV-negative head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 6010-6010.	1.6	2
32	Loss of adhesion/growth-regulatory galectin-9 from squamous cell epithelium in head and neck carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 166-173.	2.7	12
33	OP089. <i>Oral Oncology</i> , 2013, 49, S40.	1.5	0
34	Thirty years of research on infection and prostate cancer: No conclusive evidence for a link. A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 951-965.	1.6	33
35	Markers of HPV infection and survival in patients with head and neck tumors. <i>International Journal of Cancer</i> , 2013, 133, 1832-1839.	5.1	55
36	Cross-sectional study on the prevalence of HPV antibodies in the general population of the Czech Republic. <i>Sexually Transmitted Infections</i> , 2013, 89, 133-137.	1.9	14

#	ARTICLE	IF	CITATIONS
37	Nodal status is not a prognostic factor in patients with HPV-positive oral/oropharyngeal tumors. <i>Journal of Surgical Oncology</i> , 2013, 107, 625-633.	1.7	54
38	Human Papillomavirus Type-Specific Prevalence in the Cervical Cancer Screening Population of Czech Women. <i>PLoS ONE</i> , 2013, 8, e79156.	2.5	22
39	Properties of bcr-abl-transformed mouse 12B1 cells secreting interleukin-2 and granulocyte-macrophage colony-stimulating factor: I. Derivation, genetic stability, oncogenicity and immunogenicity. <i>International Journal of Oncology</i> , 2012, 40, 1668-76.	3.3	1
40	HPV persistence and its oncogenic role in prostate tumors. <i>Journal of Medical Virology</i> , 2012, 84, 1636-1645.	5.0	26
41	Serum antibodies against genitourinary infectious agents in prostate cancer and benign prostate hyperplasia patients: a case-control study. <i>BMC Cancer</i> , 2011, 11, 53.	2.6	43
42	HPV involvement in tonsillar cancer: Prognostic significance and clinically relevant markers. <i>International Journal of Cancer</i> , 2011, 129, 101-110.	5.1	66
43	Human Papillomavirus Genotype Distribution in Czech Women and Men with Diseases Etiologically Linked to HPV. <i>PLoS ONE</i> , 2011, 6, e21913.	2.5	19
44	Human papillomavirus in head and neck tumors: epidemiological, molecular and clinical aspects. <i>Wiener Medizinische Wochenschrift</i> , 2010, 160, 305-309.	1.1	13
45	Demographic and risk factors in patients with head and neck tumors. <i>Journal of Medical Virology</i> , 2009, 81, 878-887.	5.0	75
46	TTV and HPV co-infection in cervical smears of patients with cervical lesions. <i>BMC Infectious Diseases</i> , 2009, 9, 118.	2.9	11
47	Challenges in starting organised screening programmes for cervical cancer in the new member states of the European Union. <i>European Journal of Cancer</i> , 2009, 45, 2679-2684.	2.8	50
48	TP53 codon 72 polymorphism and cervical cancer: a pooled analysis of individual data from 49 studies. <i>Lancet Oncology</i> , The, 2009, 10, 772-784.	10.7	133
49	DNA vaccination against bcr-abl-positive cells in mice. <i>International Journal of Oncology</i> , 2009, 35, 941-51.	3.3	6
50	HPV status and regional metastasis in the prognosis of oral and oropharyngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008, 265, 75-82.	1.6	79
51	Evaluation of Different Techniques for Identification of Human Papillomavirus Types of Low Prevalence. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1606-1613.	3.9	31
52	Consensus recommendations for cervical cancer prevention in the Czech Republic: a report of the International Conference on Human Papillomavirus in Human Pathology (Prague, 1-3 May 2008). <i>Journal of Medical Screening</i> , 2008, 15, 207-210.	2.3	6
53	Human Papillomavirus (HPV) Profiles of Vulvar Lesions. <i>American Journal of Surgical Pathology</i> , 2007, 31, 1834-1843.	3.7	56
54	Ancient papillomavirus-host co-speciation in Felidae. <i>Genome Biology</i> , 2007, 8, R57.	9.6	152

#	ARTICLE	IF	CITATIONS
55	Marker profiling of normal keratinocytes identifies the stroma from squamous cell carcinoma of the oral cavity as a modulatory microenvironment in co-culture. <i>International Journal of Radiation Biology</i> , 2007, 83, 837-848.	1.8	29
56	Human papillomavirus infection and tumours of the anal canal: correlation of histology, PCR detection in paraffin sections and serology. <i>Apmis</i> , 2007, 115, 195-203.	2.0	27
57	Cervical cancer screening in the Czech Republic. <i>Collegium Antropologicum</i> , 2007, 31 Suppl 2, 27-9.	0.2	0
58	Quality assurance of human papillomavirus testing. <i>Collegium Antropologicum</i> , 2007, 31 Suppl 2, 61-5.	0.2	0
59	Longitudinal study of patients after surgical treatment for cervical lesions: detection of HPV DNA and prevalence of HPV-specific antibodies. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2006, 25, 492-500.	2.9	21
60	Cutaneous Papillomatosis in Cattle. <i>Journal of Comparative Pathology</i> , 2005, 132, 70-81.	0.4	52
61	Isolation and cloning of a papillomavirus from a North American porcupine by using multiply primed rolling-circle amplification: the <i>Erethizon dorsatum</i> papillomavirus type 1. <i>Virology</i> , 2005, 331, 449-456.	2.4	45
62	A Sequence-Independent Strategy for Detection and Cloning of Circular DNA Virus Genomes by Using Multiply Primed Rolling-Circle Amplification. <i>Journal of Virology</i> , 2004, 78, 4993-4998.	3.4	152
63	Age-specific prevalence, transmission and phylogeny of TT virus in the Czech Republic. <i>BMC Infectious Diseases</i> , 2004, 4, 56.	2.9	27
64	Prospective study on cervical neoplasia: presence of HPV DNA in cytological smears precedes the development of cervical neoplastic lesions. <i>Sexually Transmitted Infections</i> , 2003, 79, 191-196.	1.9	10
65	Human Papillomavirus Infection of the Epididymis and Ductus Deferens: An Evaluation by Nested Polymerase Chain Reaction. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 1471-1474.	2.5	27
66	Avian papillomaviruses: the parrot <i>Psittacus erithacus</i> papillomavirus (PePV) genome has a unique organization of the early protein region and is phylogenetically related to the chaffinch papillomavirus. <i>BMC Microbiology</i> , 2002, 2, 19.	3.3	59
67	Cattle Pathogen <i>Trichomonas foetus</i> (Riedmuller, 1928) and Pig Commensal <i>Trichomonas suis</i> (Gruby & Delafond, 1843) Belong to the Same Species. <i>Journal of Eukaryotic Microbiology</i> , 2002, 49, 154-163.	1.7	82
68	Cloning and Genomic Characterization of <i>Felis domesticus</i> Papillomavirus Type 1. <i>Virology</i> , 2002, 301, 313-321.	2.4	72
69	Human papillomavirus 16 E6 polymorphisms in cervical lesions from different European populations and their correlation with human leukocyte antigen class II haplotypes. <i>International Journal of Cancer</i> , 2001, 94, 711-716.	5.1	109
70	Longitudinal follow-up of antibody response to selected antigens of human papillomaviruses and herpesviruses in patients with invasive cervical carcinoma. , 2000, 86, 351-355.		20
71	Correlation between human papillomavirus-associated cervical cancer and p53 codon 72 arginine/proline polymorphism. <i>Human Genetics</i> , 1999, 105, 564-566.	3.8	9
72	Human papillomavirus genotype spectrum in Czech women: Correlation of HPV DNA presence with antibodies against HPV-16, 18, and 33 virus-like particles. , 1999, 58, 378-386.		31

#	ARTICLE	IF	CITATIONS
73	Human Papillomavirus in Squamous Metaplastic Epithelium With Dysplasia of the Epididymis Detected by PCR Method. <i>American Journal of Surgical Pathology</i> , 1999, 23, 1437.	3.7	5
74	Lack of Efficacy of Interferon- α Therapy in Recurrent, Advanced Cervical Cancer. <i>Journal of Interferon and Cytokine Research</i> , 1995, 15, 1011-1016.	1.2	14
75	Persistent Genital Human Papillomavirus Infection as a Risk Factor for Persistent Cervical Dysplasia. <i>Journal of the National Cancer Institute</i> , 1995, 87, 1365-1371.	6.3	703
76	Antibody response to a synthetic peptide derived from the human papillomavirus type 6/11 L2 protein in recurrent respiratory papillomatosis: Correlation between southern blot hybridization, polymerase chain reaction, and serology. <i>Journal of Medical Virology</i> , 1994, 42, 52-59.	5.0	13
77	The <i>Mastomys natalensis</i> Papillomavirus: Nucleotide Sequence, Genome Organization, and Phylogenetic Relationship of a Rodent Papillomavirus Involved in Tumorigenesis of Cutaneous Epithelia. <i>Virology</i> , 1994, 198, 534-541.	2.4	48
78	Analysis of Short Novel Human Papillomavirus Sequences. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 820-827.	2.1	50
79	Seroreactivity to a L2-Derived Synthetic Peptide Correlates with the Number of Surgery-Necessitating Recurrences in Patients with Laryngeal Papillomatosis. , 1994, , 139-145.		0
80	Primary structure of the E6 protein of <i>Micromys minutus</i> papillomavirus and <i>Mastomys natalensis</i> papillomavirus. <i>Nucleic Acids Research</i> , 1992, 20, 2889-2889.	14.5	9
81	Analysis of tumor progression by transcriptional profiling of mouse MK16 cell lines transformed with human papillomavirus type 16 E6 and E7 oncogenes and activated H-ras. <i>Oncology Reports</i> , 0, , .	2.6	1