

Gera E Nagelhout

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1316157/publications.pdf>

Version: 2024-02-01

96
papers

2,205
citations

218677

26
h-index

276875

41
g-index

103
all docs

103
docs citations

103
times ranked

2593
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of national smoke-free legislation on home smoking bans: findings from the International Tobacco Control Policy Evaluation Project Europe Surveys. <i>Tobacco Control</i> , 2013, 22, e2-e9.	3.2	118
2	Trends in socioeconomic inequalities in smoking prevalence, consumption, initiation, and cessation between 2001 and 2008 in the Netherlands. Findings from a national population survey. <i>BMC Public Health</i> , 2012, 12, 303.	2.9	105
3	Mediational pathways of the impact of cigarette warning labels on quit attempts.. <i>Health Psychology</i> , 2014, 33, 1410-1420.	1.6	102
4	How economic recessions and unemployment affect illegal drug use: A systematic realist literature review. <i>International Journal of Drug Policy</i> , 2017, 44, 69-83.	3.3	102
5	Healthcare financing systems for increasing the use of tobacco dependence treatment. <i>The Cochrane Library</i> , 2017, 2017, CD004305.	2.8	94
6	Socioeconomic inequalities in adolescent smoking across 35 countries: a multilevel analysis of the role of family, school and peers. <i>European Journal of Public Health</i> , 2015, 25, 457-463.	0.3	82
7	Influences of Self-Efficacy, Response Efficacy, and Reactance on Responses to Cigarette Health Warnings: A Longitudinal Study of Adult Smokers in Australia and Canada. <i>Health Communication</i> , 2016, 31, 1517-1526.	3.1	80
8	The effect of tobacco control policies on smoking prevalence and smoking-attributable deaths. Findings from the Netherlands SimSmoke Tobacco Control Policy Simulation Model. <i>Addiction</i> , 2012, 107, 407-416.	3.3	64
9	Prevalence and reasons for use of electronic cigarettes among smokers: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2015, 26, 601-608.	3.3	57
10	The population impact of smoke-free workplace and hospitality industry legislation on smoking behaviour. Findings from a national population survey. <i>Addiction</i> , 2011, 106, 816-823.	3.3	55
11	Is web interviewing a good alternative to telephone interviewing? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>BMC Public Health</i> , 2010, 10, 351.	2.9	54
12	Comprehensive smoke-free policies attract more support from smokers in Europe than partial policies. <i>European Journal of Public Health</i> , 2012, 22, 10-16.	0.3	48
13	Prevalence and predictors of smoking in "smoke-free" bars. Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Social Science and Medicine</i> , 2011, 72, 1643-1651.	3.8	45
14	Comparative impact of smoke-free legislation on smoking cessation in three European countries. <i>European Journal of Public Health</i> , 2012, 22, 4-9.	0.3	45
15	The influence of newspaper coverage and a media campaign on smokers' support for smoke-free bars and restaurants and on secondhand smoke harm awareness: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Tobacco Control</i> , 2012, 21, 24-29.	3.2	43
16	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. <i>Health Education and Behavior</i> , 2015, 42, 480-486.	2.5	43
17	Effect of a workplace-based group training programme combined with financial incentives on smoking cessation: a cluster-randomised controlled trial. <i>Lancet Public Health</i> , The, 2018, 3, e536-e544.	10.0	42
18	Trends and socioeconomic differences in roll-your-own tobacco use: findings from the ITC Europe Surveys. <i>Tobacco Control</i> , 2015, 24, iii11-iii16.	3.2	36

#	ARTICLE	IF	CITATIONS
19	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1474-1482.	2.6	33
20	Evaluating the Effectiveness of France's Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. <i>PLoS ONE</i> , 2013, 8, e66692.	2.5	32
21	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. <i>Tobacco Control</i> , 2014, 23, i30-i38.	3.2	32
22	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1101-1108.	2.6	32
23	Comparing three stages of addiction recovery: long-term recovery and its relation to housing problems, crime, occupation situation, and substance use. <i>Drugs: Education, Prevention and Policy</i> , 2020, 27, 387-396.	1.3	32
24	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. <i>European Journal of Public Health</i> , 2012, 22, 693-699.	0.3	31
25	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.6	31
26	Exploring the gateway hypothesis of e-cigarettes and tobacco: a prospective replication study among adolescents in the Netherlands and Flanders. <i>Tobacco Control</i> , 2023, 32, 170-178.	3.2	30
27	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Health Education Research</i> , 2014, 29, 72-82.	1.9	29
28	Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. <i>Nicotine and Tobacco Research</i> , 2018, 20, 888-896.	2.6	29
29	REC-PATH (Recovery Pathways): Overview of a Four-Country Study of Pathways to Recovery from Problematic Drug Use. <i>Alcoholism Treatment Quarterly</i> , 2018, 36, 517-529.	0.8	28
30	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. <i>European Journal of Public Health</i> , 2016, 26, 693-699.	0.3	25
31	Public Health Effects of Restricting Retail Tobacco Product Displays and Ads. <i>Tobacco Regulatory Science (discontinued)</i> , 2015, 1, 61-75.	0.2	25
32	Widening educational inequalities in adolescent smoking following national tobacco control policies in the Netherlands in 2003: a time-series analysis. <i>Addiction</i> , 2014, 109, 1750-1759.	3.3	24
33	The Association of Peer Smoking Behavior and Social Support with Quit Success in Employees Who Participated in a Smoking Cessation Intervention at the Workplace. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2831.	2.6	24
34	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.3	21
35	Concern about passive smoking and tobacco control policies in European countries: An ecological study. <i>BMC Public Health</i> , 2012, 12, 876.	2.9	20
36	Prevalence of hardcore smoking in the Netherlands between 2001 and 2012: a test of the hardening hypothesis. <i>BMC Public Health</i> , 2016, 16, 754.	2.9	20

#	ARTICLE	IF	CITATIONS
37	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. <i>Tobacco Control</i> , 2016, 25, 325-332.	3.2	20
38	The Strengths and Barriers Recovery Scale (SABRS): Relationships Matter in Building Strengths and Overcoming Barriers. <i>Frontiers in Psychology</i> , 2021, 12, 663447.	2.1	20
39	Age and educational inequalities in smoking cessation due to three population-level tobacco control interventions: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health Education Research</i> , 2013, 28, 83-91.	1.9	19
40	Understanding Smokers' Motivations to Use Evidence-based Smoking Cessation Aids. <i>Nicotine and Tobacco Research</i> , 2013, 15, 167-176.	2.6	18
41	Do smokers support smoke-free laws to help themselves quit smoking? Findings from a longitudinal study. <i>Tobacco Control</i> , 2015, 24, 233-237.	3.2	18
42	Barriers and Facilitators for Health Behavior Change among Adults from Multi-Problem Households: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1229.	2.6	18
43	Is smoking an independent risk factor for developing cervical intra-epithelial neoplasia and cervical cancer? A systematic review and meta-analysis. <i>Expert Review of Anticancer Therapy</i> , 2021, 21, 781-794.	2.4	18
44	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2016, 29, 73-79.	3.3	17
45	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. <i>European Journal of Public Health</i> , 2012, 22, 17-22.	0.3	16
46	Cost-effectiveness and cost-utility analysis of a workplace smoking cessation intervention with and without financial incentives. <i>Addiction</i> , 2020, 115, 534-545.	3.3	16
47	“I Need to Do This on My Own”-Resilience and Self-Reliance in Urban At-Risk Youths. <i>Deviant Behavior</i> , 2020, 41, 1330-1345.	1.7	15
48	How Financial Incentives Increase Smoking Cessation: A Two-Level Path Analysis. <i>Nicotine and Tobacco Research</i> , 2021, 23, 99-106.	2.6	15
49	Effectiveness of a national reimbursement policy and accompanying media attention on use of cessation treatment and on smoking cessation: a real-world study in the Netherlands. <i>Tobacco Control</i> , 2015, 24, 455-461.	3.2	14
50	At-risk youths' self-sufficiency: The role of social capital and help-seeking orientation. <i>Children and Youth Services Review</i> , 2018, 91, 263-270.	1.9	14
51	The Association Between Tobacco Control Policy and Educational Inequalities in Smoking Cessation in the Netherlands from 1988 Through 2011. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1369-1376.	2.6	13
52	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii91-iii97.	0.3	13
53	Was the media campaign that supported Australia's new pictorial cigarette warning labels and plain packaging policy associated with more attention to and talking about warning labels?. <i>Addictive Behaviors</i> , 2015, 49, 64-67.	3.0	12
54	Are members of mutual aid groups better equipped for addiction recovery? European cross-sectional study into recovery capital, social networks, and commitment to sobriety. <i>Drugs: Education, Prevention and Policy</i> , 2021, 28, 389-398.	1.3	12

#	ARTICLE	IF	CITATIONS
55	Language and stigmatization of individuals with mental health problems or substance addiction in the Netherlands: An experimental vignette study. <i>Health and Social Care in the Community</i> , 2020, 28, 1504-1513.	1.6	11
56	“Secretly, it’s a competition”: a qualitative study investigating what helped employees quit smoking during a workplace smoking cessation group training programme with incentives. <i>BMJ Open</i> , 2018, 8, e023917.	1.9	10
57	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
58	Educational differences in associations of noticing anti-tobacco information with smoking-related attitudes and quit intentions: findings from the International Tobacco Control Europe Surveys. <i>Health Education Research</i> , 2015, 30, 719-730.	1.9	8
59	Country Differences and Changes in Focus of Scientific Tobacco Control Publications between 2000 and 2012 in Europe. <i>European Addiction Research</i> , 2016, 22, 52-58.	2.4	8
60	Behavioural and psychological responses of lower educated smokers to the smoke-free legislation in Dutch hospitality venues: A qualitative study. <i>Psychology and Health</i> , 2013, 28, 49-66.	2.2	7
61	Are there income differences in the impact of a national reimbursement policy for smoking cessation treatment and accompanying media attention? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Drug and Alcohol Dependence</i> , 2014, 140, 183-190.	3.2	7
62	Pictorial Cigarette Warning Labels: Effects of Severity and Likelihood of Risk Messages. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1315-1323.	2.6	7
63	Implementation of Financial Incentives for Successful Smoking Cessation in Real-Life Company Settings: A Qualitative Needs Assessment among Employers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5135.	2.6	7
64	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107818.	3.2	7
65	Which smoking cessation aids are proven effective according to smokers who want to quit smoking? A report from the Netherlands: Table A1. <i>Tobacco Control</i> , 2014, 23, 525-526.	3.2	6
66	Experiential peer support and its effects on desistance from delinquent behavior: protocol paper for a systematic realist literature review. <i>Systematic Reviews</i> , 2019, 8, 119.	5.3	6
67	Does free or lower cost smoking cessation medication stimulate quitting? Findings from the International Tobacco Control (ITC) Netherlands and UK Surveys. <i>Tobacco Control</i> , 2019, 28, s61-s67.	3.2	6
68	“I (really) know what you mean”: Mechanisms of experiential peer support for young people with criminal behavior: a qualitative study. <i>Journal of Crime and Justice</i> , 2021, 44, 535-552.	1.1	6
69	Evaluation of the smoking ban in public places in France one year and five years after its implementation: Findings from the ITC France survey. <i>Bulletin Epidemiologique Hebdomadaire</i> , 2013, 20, 217-223.	0.0	6
70	Population Support Before and After the Implementation of Smoke-Free Laws in the United States: Trends From 1992 to 2007. <i>Nicotine and Tobacco Research</i> , 2015, 17, 350-355.	2.6	5
71	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii10-iii17.	0.3	5
72	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , 2020, 30, iii84-iii90.	0.3	5

#	ARTICLE	IF	CITATIONS
73	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 85-92.	2.6	5
74	A quasi-experimental study evaluating a health promotion program targeting healthy nutrition, physical activity and social network enhancement for low-income multi-problem households: study protocol. <i>International Journal of Clinical Trials</i> , 2018, 5, 132.	0.2	5
75	How can vulnerable groups be recruited to participate in a community-based smoking cessation program and perceptions of effective elements: A qualitative study among participants and professionals. <i>Tobacco Prevention and Cessation</i> , 2020, 6, 1-9.	0.4	5
76	Social Acceptance of Smoking Restrictions During 10 Years of Policy Implementation, Reversal, and Reenactment in the Netherlands: Findings From a National Population Survey. <i>Nicotine and Tobacco Research</i> , 2017, 19, 231-238.	2.6	4
77	How Do Health and Social Networks Compare between Low-Income Multiproblem Households and the General Population?. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4967.	2.6	4
78	Differences in smokers' awareness of the health risks of smoking before and after introducing pictorial tobacco health warnings: findings from the 2012-2017 international tobacco control (ITC) Netherlands surveys. <i>BMC Public Health</i> , 2020, 20, 512.	2.9	4
79	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.3	4
80	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii98-iii107.	0.3	4
81	Instrumental Mentoring for Young Adults: A Multi-Method Study. <i>Journal of Adolescent Research</i> , 2021, 36, 398-424.	2.1	4
82	Reasons for (not) participating in a community-based health promotion program for low-income multi-problem households in the Netherlands: A qualitative study. <i>Health and Social Care in the Community</i> , 2021, 29, 241-249.	1.6	4
83	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health and Place</i> , 2012, 18, 1436-1440.	3.3	3
84	Why Are New Tobacco Control Interventions Needed?. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 658.	2.6	3
85	Inequalities in the Impact of National Reimbursement of Smoking Cessation Pharmacotherapy and the Influence of Injunctive Norms: An Explorative Study. <i>Substance Abuse: Research and Treatment</i> , 2016, 10, SART.S32225.	0.9	2
86	Support for a point-of-sale cigarette display ban among smokers: findings from the international tobacco control (ITC) Netherlands survey. <i>BMC Public Health</i> , 2018, 18, 740.	2.9	2
87	Did E-Cigarette Users Notice the New European Union's E-Cigarette Legislation? Findings from the 2015-2017 International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2917.	2.6	2
88	How the New European Union's (Pictorial) Tobacco Health Warnings Influence Quit Attempts and Smoking Cessation: Findings from the 2016-2017 International Tobacco Control (ITC) Netherlands Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4260.	2.6	2
89	Als de inspecteurs slapen. <i>Tijdschrift Voor Toezicht</i> , 2014, 5, .	0.1	2
90	Addiction and Recovery in Dutch Governmental and Practice-Level Drug Policy: What's the Problem Represented to be?. <i>Journal of Drug Issues</i> , 2022, 52, 547-567.	1.2	1

#	ARTICLE	IF	CITATIONS
91	“Ik wed dat ik het kan!” Bereik en effect van een televisieprogramma over stoppen met roken bij laag-, middelbaar en hoogopgeleide rokers. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2014, 92, 84-92.	0.1	0
92	Drinking until Intoxication: A Qualitative Study among Underage Adolescents Admitted to the Emergency Room. Alcoholism Treatment Quarterly, 2020, 38, 364-378.	0.8	0
93	The long road to smokefree bars in the Netherlands: findings from the ITC Netherlands Survey 2008-2016. Tobacco Induced Diseases, 2018, 16, .	0.6	0
94	Does free or lower cost smoking cessation medication stimulate quitting? Findings from the International Tobacco Control (ITC) Netherlands and United Kingdom Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	0
95	The role of income and psychological distress in the relationship between work loss and smoking cessation: Findings from three International Tobacco Control (ITC) Europe countries. Tobacco Prevention and Cessation, 2019, 5, 42.	0.4	0
96	Do e-cigarettes attract youths who are otherwise unlikely to use addictive substances? Cross-sectional analyses of Dutch and Flemish secondary school students. Tobacco Prevention and Cessation, 2021, 7, 1-14.	0.4	0