
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1356103/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	C-Reactive Protein/Albumin Ratio as a Novel Predictor of Contrast Induced Nephropathy in Patients With Stable Angina Pectoris. Angiology, 2023, 74, 189-196.	1.8	7
2	The high dose unfractionated heparin is related to less radial artery occlusion rates after diagnostic cardiac catheterisation: a single centre experience. Acta Cardiologica, 2021, 76, 168-174.	0.9	4
3	Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. Revista Portuguesa De Cardiologia, 2021, 40, 5-10.	0.5	11
4	Relationships between paroxysmal atrial fibrillation, total oxidant status, and DNA damage. Revista Portuguesa De Cardiologia (English Edition), 2021, 40, 5-10.	0.2	1
5	Effect of anemia on the frontal QRS-T angle. Minerva Cardiology and Angiology, 2021, 69, 36-42.	0.7	3
6	Association between the No-Reflow Phenomenon and Soluble CD40 Ligand Level in Patients with Acute ST-Segment Elevation Myocardial Infarction. Medicina (Lithuania), 2019, 55, 376.	2.0	6
7	The importance of frontal QRS-T angle for predicting non-dipper status in hypertensive patients without left ventricular hypertrophy. Clinical and Experimental Hypertension, 2018, 40, 318-323.	1.3	33
8	Inferior vena cava assessment can predict contrastâ€induced nephropathy in patients undergoing cardiac catheterization: A singleâ€center prospective study. Echocardiography, 2018, 35, 1915-1921.	0.9	3
9	The relationship between fragmented QRS and non-dipper status in hypertensive patients without left ventricular hypertrophy. Clinical and Experimental Hypertension, 2017, 39, 680-684.	1.3	10
10	Evaluation of thiol levels, thiol/disulfide homeostasis and their relation with inflammation in cardiac syndrome X. Coronary Artery Disease, 2016, 27, 295-301.	0.7	22
11	Evaluation of Pulmonary Artery Stiffness in Patients with Obstructive Sleep Apnea Syndrome. Echocardiography, 2016, 33, 362-371.	0.9	14
12	The relation of serum thiol levels and thiol/disulphide homeostasis with the severity of coronary artery disease. Kardiologia Polska, 2016, 74, 1346-1353.	0.6	58
13	Atrial fibrillation due to licorice root syrup. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 237-9.	0.5	2
14	Relation of elastic properties of pulmonary artery with left ventricular abnormalities and aortic stiffness in patients with moderate to severe obstructive sleep apnea: A cross-sectional echocardiographic study. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 289-99.	0.5	6
15	Turkish Registry for Diagnosis and Treatment of Acute Heart Failure: TAKTIK Study. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 637-646.	0.5	5
16	High aortic pulse-wave velocity may be responsible for elevated red blood cell distribution width in overweight and obese people: a community-based, cross-sectional study. Cardiovascular Journal of Africa, 2016, 27, 246-251.	0.4	5
17	Effects of Ramadan fasting on body composition and arterial stiffness. JPMA the Journal of the Pakistan Medical Association, 2016, 66, 1522-1527.	0.2	14
18	A very rare coronary artery anomaly, intercoronary communication, that may be lucky for some patients. Revista Portuguesa De Cardiologia (English Edition), 2015, 34, 709-710.	0.2	0

#	Article	IF	CITATIONS
19	Serum prolidase activity in patients with left ventricular diastolic dysfunction. Acta Cardiologica, 2015, 70, 51-57.	0.9	5
20	Association of Meteorological Variables and Coronary Blood Flow. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 570-578.	1.7	3
21	A very rare coronary artery anomaly, intercoronary communication, that may be lucky for some patients. Revista Portuguesa De Cardiologia, 2015, 34, 709-710.	0.5	Ο
22	A curable cause of hypertension: renal artery pseudoaneurysm. Wiener Klinische Wochenschrift, 2015, 127, 893-895.	1.9	0
23	Mean platelet volume is not associated with coronary slow flow: A retrospective cohort study. Anatolian Journal of Cardiology, 2015, 15, 18-24.	0.4	2
24	Mean platelet volume in acute coronary syndrome. Indian Heart Journal, 2015, 67, 409-410.	0.5	2
25	Preoperative Evaluation Before Non-Cardiac Surgery in Patients with Percutaneous Coronary Intervention: Review. Turkiye Klinikleri Journal of Medical Sciences, 2015, 35, 118-124.	0.1	0
26	2014 ESC Guidelines on the diagnosis and treatment of aortic diseases. European Heart Journal, 2014, 35, 2873-2926.	2.2	3,549
27	Serum paraoxonase-1 activity in children: the eff ects of obesity and insulin resistance. Acta Cardiologica, 2014, 69, 679-685.	0.9	11
28	Investigation of Aortic Elastic Parameters [Aortic Distensibility and Aortic Strain] and Aorta Propagation Velocity in the Coronary Ectasia Patients with or without Critical Coronary Artery Disease. Journal of the American College of Cardiology, 2013, 62, C11.	2.8	1
29	Global Left Ventricle Myocardial Deformation Observed by Four-Dimensional Echocardiographic Evaluation was Impaired in Patients with Vitamin B12 Deficiency and Normal Conventional Echocardiographic Findings. Journal of the American College of Cardiology, 2013, 62, C1.	2.8	Ο
30	Eggshell-Like Appearance Around the Heart Mimicking Left Ventricular Mass. Circulation, 2013, 127, e660-2.	1.6	0
31	The Turkish registry of heart valve disease. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 1-10.	0.5	35
32	Using the D-dimer test in infective endocarditis. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 595-597.	0.5	2
33	One of every three cases of infective endocarditis followed in our center is Brucella endocarditis. Gaziantep Medical Journal, 2013, 19, 103.	0.2	Ο
34	Association of aortic flow propagation velocity with ankle/brachial blood pressure-index in patients with hypertension: an observational study. Anatolian Journal of Cardiology, 2012, 12, 568-73.	0.4	6
35	The relationship between the existence of angiographic coronary artery calcification and the severity of coronary artery disease. Postepy W Kardiologii Interwencyjnej, 2012, 2, 91-95.	0.2	1
36	Paraoxonase and arylesterase activities in stent restenosis in bare metal stent. Coronary Artery Disease, 2011, 22, 289-293.	0.7	3

#	Article	IF	CITATIONS
37	Thymosin beta 4 is associated with collateral development in coronary artery disease. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 625-630.	1.2	11
38	Multivesicular intrapericardial hydatidosis. European Journal of Cardio-thoracic Surgery, 2011, 39, 605-605.	1.4	1
39	De Novo Arteriovenous Fistula as a Cause of Secondary Hypertension. Eurasian Journal of Medicine, 2010, 42, 164-164.	0.6	Ο
40	PP-046 ASSOCIATION OF CORONARY ARTERY CALCIFICATION AND SERUM PROLIDASE ACTIVITY. International Journal of Cardiology, 2010, 140, S55.	1.7	0
41	Effects of statin use on total oxidant and antoxidant capacity and ceruloplasmin activity. Clinical and Investigative Medicine, 2010, 33, 313.	0.6	15
42	Multiple spontaneous coronary artery dissection presenting in association with coronary ectasia. European Journal of Cardio-thoracic Surgery, 2009, 35, 907-907.	1.4	4
43	N-terminal pro-brain natriuretic peptide in cases with metabolic syndrome and its relationship with components of metabolic syndrome and left ventricular mass index. Clinical Biochemistry, 2009, 42, 1500-1503.	1.9	9
44	Biventricular myocardial noncompaction presenting with complete atrioventricular block. International Journal of Cardiology, 2009, 132, e34-e36.	1.7	11
45	ST–T changes in patients with acute ischemic stroke. International Journal of Cardiology, 2009, 133, 397.	1.7	3
46	Diagnosis of the left circumflex coronary artery fistula drainage into the left ventricle by echocardiographic color Doppler flow imaging. International Journal of Cardiology, 2009, 134, e85-e86.	1.7	3
47	What seals the inflammation in acute coronary syndromes?. International Journal of Cardiology, 2009, 135, 107.	1.7	1
48	Paraoxonase and arylesterase activities in untreated dipper and non-dipper hypertensive patients. Clinical Biochemistry, 2008, 41, 779-784.	1.9	27
49	Association of Prolidase Activity, Oxidative Parameters, and Presence of Atrial Fibrillation in Patients with Mitral Stenosis. Archives of Medical Research, 2008, 39, 519-524.	3.3	16
50	Rare coronary artery anomaly: left circumflex coronary artery fistula draining into the pulmonary artery. Cardiovascular Revascularization Medicine, 2008, 9, 182-183.	0.8	0
51	Relation between P-wave dispersion and left ventricular geometric patterns in newly diagnosed essential hypertension. Journal of Electrocardiology, 2008, 41, 54.e1-54.e6.	0.9	7
52	Association of paraoxonase activity and coronary blood flow. Atherosclerosis, 2008, 197, 257-263.	0.8	50
53	Relation of Serum Uric Acid Levels With the Presence and Severity of Angiographic Coronary Artery Disease. Angiology, 2008, 59, 166-171.	1.8	23
54	The large and multiple spontaneous coronary artery dissections of a 54-year-old man. European Journal of Cardio-thoracic Surgery, 2008, 34, 453-453.	1.4	0

#	Article	IF	CITATIONS
55	The association of elasticity indexes of ascending aorta and the presence and the severity of coronary artery disease. Coronary Artery Disease, 2008, 19, 311-317.	0.7	26
56	Association of paraoxonase activity and coronary collateral flow. Coronary Artery Disease, 2008, 19, 441-447.	0.7	13
57	The association of serum prolidase activity with the presence and severity of coronary artery disease. Coronary Artery Disease, 2008, 19, 319-325.	0.7	53
58	Effect of Coronary Angiography on Oxidative DNA Damage Observed in Circulating Lymphocytes. Angiology, 2007, 58, 141-147.	1.8	11
59	Cardiac autonomic dysfunction and inflammation in type 1 diabetic patients. European Heart Journal, 2007, 28, 2041-2041.	2.2	0
60	The Relationship Between Plasma C-Reactive Protein Levels and Presence and Severity of Coronary Stenosis in Patients With Stable Angina. Angiology, 2007, 58, 657-662.	1.8	9
61	Paraoxonase and arylesterase activities in patients with cardiac syndrome X, and their relationship with oxidative stress markers. Coronary Artery Disease, 2007, 18, 89-95.	0.7	27
62	Association of serum uric acid level and coronary blood flow. Coronary Artery Disease, 2007, 18, 607-613.	0.7	41
63	Acute chromosomal DNA damage after radiation exposure. European Heart Journal, 2007, 28, 2688-2689.	2.2	0
64	Influence of oxidative stress on the development of collateral circulation in total coronary occlusions. International Journal of Cardiology, 2007, 116, 14-19.	1.7	68
65	Recurrent Pulmonary Microemboli Secondary to Primary Cardiac Hydatidosis. Heart Lung and Circulation, 2007, 16, 457-459.	0.4	2
66	Serum prolidase activity in patients with hypertension and its relation with left ventricular hypertrophy. Clinical Biochemistry, 2007, 40, 1020-1025.	1.9	49
67	N-terminal pro-brain natriuretic peptide and coronary artery stenosis. European Journal of Clinical Investigation, 2007, 37, 596-596.	3.4	0
68	Relationship between myocardial performance index and aortic distensibility in patients with essential hypertension. International Journal of Clinical Practice, 2007, 62, 138-142.	1.7	11
69	Relationship between Slow Coronary Flow and Left Atrial Appendage Blood Flow Velocities. Echocardiography, 2007, 24, 9-13.	0.9	6
70	Increased lymphocyte deoxyribonucleic acid damage in patients with cardiac syndrome X. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 617, 8-15.	1.0	17
71	Lymphocyte DNA damage is associated with increased aortic intima-media thickness. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 617, 111-118.	1.0	11
72	Relationship between left ventricle geometric patterns and lymphocyte DNA damage in patients with untreated essential hypertension. Clinical Biochemistry, 2007, 40, 454-459.	1.9	12

#	Article	IF	CITATIONS
73	Relationship between impaired elastic properties of aorta with left ventricle geometric patterns and left ventricle diastolic functions in patients with newly diagnosed essential hypertension. International Journal of Clinical Practice, 2006, 60, 1357-1363.	1.7	15
74	DNA damage in metabolic syndrome and its association with antioxidative and oxidative measurements. International Journal of Clinical Practice, 2006, 60, 1187-1193.	1.7	57
75	Relationship Between Plasma Total Antioxidant Capacity and Thoracic Aortic Intimaâ€Media Thickness. Echocardiography, 2006, 23, 183-188.	0.9	17
76	The Association of QT Dispersion and QT Dispersion Ratio with Extent and Severity of Coronary Artery Disease. Annals of Noninvasive Electrocardiology, 2006, 11, 43-51.	1.1	13
77	Paraoxonase and arylesterase activities in coronary artery disease. European Journal of Clinical Investigation, 2006, 36, 779-787.	3.4	76
78	Large atherosclerotic plaque related severe right coronary artery dissection during coronary angiography. International Journal of Cardiovascular Imaging, 2006, 22, 321-325.	1.5	11
79	Unidirectional communication between the circumflex and right coronary arteries: a very rare coronary anomaly and cause of ischemia. International Journal of Cardiovascular Imaging, 2006, 22, 339-342.	1.5	20
80	Effects of treadmill exercise test on oxidative/antioxidative parameters and DNA damage. Anatolian Journal of Cardiology, 2006, 6, 135-40.	0.4	16
81	P-wave dispersion in patients with stable coronary artery disease and its relationship with severity of the disease. Journal of Electrocardiology, 2005, 38, 279-284.	0.9	52
82	Relationship between DNA damage, total antioxidant capacity and coronary artery disease. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2005, 570, 197-203.	1.0	93
83	Lymphocyte DNA damage in patients with acute coronary syndrome and its relationship with severity of acute coronary syndrome. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2005, 578, 298-307.	1.0	39
84	Effects of the shape of coronary arteries on the presence, extent, and severity of their disease. Heart and Vessels, 2005, 20, 224-229.	1.2	8
85	Systolic Compression of Anomalous Large Septal Branch: an Unusual Cause of Myocardial Ischemia. International Journal of Cardiovascular Imaging, 2005, 21, 487-490.	1.5	2
86	Echocardiographic Diagnosis of a Right Coronary Artery-Coronary Sinus Fistula. International Journal of Cardiovascular Imaging, 2005, 21, 649-654.	1.5	5
87	Impact of Chronic Obstructive Pulmonary Disease with Pulmonary Hypertension on Both Left Ventricular Systolic and Diastolic Performance. Journal of the American Society of Echocardiography, 2005, 18, 873-881.	2.8	58
88	The Inverse Relationship Between Thoracic Aortic Intima Media Thickness and Testosterone Level. Endocrine Research, 2005, 31, 335-344.	1.2	28
89	The association of total antioxidant capacity with sex hormones. Scandinavian Cardiovascular Journal, 2005, 39, 172-176.	1.2	52
90	The diagnosis of patent ductus arteriosus with Eisenmenger's syndrome by three-dimensional computed tomography: A case report. International Journal of Cardiology, 2005, 105, 96-97.	1.7	1

#	Article	IF	CITATIONS
91	Coronary Endarterectomy with Beating Heart in Patients with Diffuse Atheromatous Coronary Artery Disease and Poor Ventricular Function: Early and Midterm Results. Heart Surgery Forum, 2005, 8, E124-E128.	0.5	11
92	The relationship between potency of oxidative stress and severity of dilated cardiomyopathy. Canadian Journal of Cardiology, 2005, 21, 851-5.	1.7	36
93	Association of Stage of Left Ventricular Diastolic Dysfunction with P Wave Dispersion and Occurrence of Atrial Fibrillation after First Acute Anterior Myocardial Infarction. Annals of Noninvasive Electrocardiology, 2004, 9, 330-338.	1.1	15
94	Intrapericardial Streptokinase for Purulent Pericarditis. Surgery Today, 2004, 34, 569-572.	1.5	21
95	Clinical and echocardiographic predictors of left atrial appendage dysfunction in patients with mitral stenosis in sinus rhythm. Journal of the American Society of Echocardiography, 2004, 17, 819-823.	2.8	7
96	A case of successful six consecutive deliveries in a 41-year-old woman with Uhl's anomaly. International Journal of Cardiology, 2003, 87, 283-285.	1.7	7