

Ruth Kelly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1428773/publications.pdf>

Version: 2024-02-01

15
papers

510
citations

840776

11
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

1144
citing authors

#	ARTICLE	IF	CITATIONS
1	Global gene flow releases invasive plants from environmental constraints on genetic diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4218-4227.	7.1	108
2	Plant protection product residues in plant pollen and nectar: A review of current knowledge. <i>Environmental Research</i> , 2020, 189, 109873.	7.5	100
3	On the contextâ€dependent scaling of consumer feeding rates. <i>Ecology Letters</i> , 2016, 19, 668-678.	6.4	62
4	Expertly Validated Models and Phylogenetically-Controlled Analysis Suggests Responses to Climate Change Are Related to Species Traits in the Order Lagomorpha. <i>PLoS ONE</i> , 2015, 10, e0122267.	2.5	45
5	Combining global climate and regional landscape models to improve prediction of invasion risk. <i>Diversity and Distributions</i> , 2014, 20, 884-894.	4.1	43
6	Methods and approaches to advance soil macroecology. <i>Global Ecology and Biogeography</i> , 2020, 29, 1674-1690.	5.8	28
7	Levels and patterns of population genetic diversity in the red seaweed <i>Chondrus crispus</i> (Florideophyceae): a direct comparison of single nucleotide polymorphisms and microsatellites. <i>Biological Journal of the Linnean Society</i> , 2013, 108, 251-262.	1.6	21
8	Phenotypic plasticity masks rangeâ€wide genetic differentiation for vegetative but not reproductive traits in a shortâ€lived plant. <i>Ecology Letters</i> , 2021, 24, 2378-2393.	6.4	21
9	Effects of <i>Elodea nuttallii</i> on temperate freshwater plants, microalgae and invertebrates: small differences between invaded and uninvaded areas. <i>Biological Invasions</i> , 2015, 17, 2123-2138.	2.4	19
10	Climatic and evolutionary contexts are required to infer plant life history strategies from functional traits at a global scale. <i>Ecology Letters</i> , 2021, 24, 970-983.	6.4	19
11	Historical data reveal powerâ€law dispersal patterns of invasive aquatic species. <i>Ecography</i> , 2014, 37, 581-590.	4.5	16
12	Differences in soil chemistry remain following wildfires on temperate heath and blanket bog sites of conservation concern. <i>Geoderma</i> , 2018, 315, 20-26.	5.1	10
13	The role of the seed bank in recovery of temperate heath and blanket bog following wildfires. <i>Applied Vegetation Science</i> , 2016, 19, 620-633.	1.9	9
14	Plant diversity and community composition in temperate northeast Atlantic salt marshes are linked to nutrient concentrations. <i>Applied Vegetation Science</i> , 2020, 23, 3-13.	1.9	4
15	Population enumeration and assessing conservation status in a widespread amphibian: a case study of <i>Rana temporaria</i> in Ireland. <i>Animal Conservation</i> , 2013, 16, 519-527.	2.9	3