

Dejan Zurovac

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1565621/publications.pdf>

Version: 2024-02-01

29
papers

1,571
citations

516710

16
h-index

477307

29
g-index

29
all docs

29
docs citations

29
times ranked

2146
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in health workers' malaria diagnosis and treatment practices in Kenya. <i>Malaria Journal</i> , 2011, 10, 1.	2.3	330
2	The effect of mobile phone text-message reminders on Kenyan health workers' adherence to malaria treatment guidelines: a cluster randomised trial. <i>Lancet</i> , The, 2011, 378, 795-803.	13.7	311
3	Malaria case-management under artemether-lumefantrine treatment policy in Uganda. <i>Malaria Journal</i> , 2008, 7, 181.	2.3	98
4	Mobile Phone Text Messaging: Tool for Malaria Control in Africa. <i>PLoS Medicine</i> , 2012, 9, e1001176.	8.4	92
5	Paediatric malaria case-management with artemether-lumefantrine in Zambia: a repeat cross-sectional study. <i>Malaria Journal</i> , 2007, 6, 31.	2.3	80
6	Treatment of paediatric malaria during a period of drug transition to artemether-lumefantrine in Zambia: cross sectional study. <i>BMJ: British Medical Journal</i> , 2005, 331, 734.	2.3	69
7	Reducing Stock-Outs of Life Saving Malaria Commodities Using Mobile Phone Text-Messaging: SMS for Life Study in Kenya. <i>PLoS ONE</i> , 2013, 8, e54066.	2.5	67
8	Assessing the feasibility of eHealth and mHealth: a systematic review and analysis of initiatives implemented in Kenya. <i>BMC Research Notes</i> , 2017, 10, 90.	1.4	66
9	Costs and Cost-Effectiveness of a Mobile Phone Text-Message Reminder Programmes to Improve Health Workers' Adherence to Malaria Guidelines in Kenya. <i>PLoS ONE</i> , 2012, 7, e52045.	2.5	62
10	Ownership and use of mobile phones among health workers, caregivers of sick children and adult patients in Kenya: cross-sectional national survey. <i>Globalization and Health</i> , 2013, 9, 20.	4.9	59
11	Major Improvements in the Quality of Malaria Case-Management under the "Test and Treat" Policy in Kenya. <i>PLoS ONE</i> , 2014, 9, e92782.	2.5	50
12	Adherence to prescribed artemisinin-based combination therapy in Garissa and Bunyala districts, Kenya. <i>Malaria Journal</i> , 2011, 10, 281.	2.3	45
13	Malaria Case-Management following Change of Policy to Universal Parasitological Diagnosis and Targeted Artemisinin-Based Combination Therapy in Kenya. <i>PLoS ONE</i> , 2011, 6, e24781.	2.5	41
14	Progress towards implementation of ACT malaria case-management in public health facilities in the Republic of Sudan: a cluster-sample survey. <i>BMC Public Health</i> , 2012, 12, 11.	2.9	35
15	The magnitude and trend of artemether-lumefantrine stock-outs at public health facilities in Kenya. <i>Malaria Journal</i> , 2012, 11, 37.	2.3	26
16	The feasibility, patterns of use and acceptability of using mobile phone text-messaging to improve treatment adherence and post-treatment review of children with uncomplicated malaria in western Kenya. <i>Malaria Journal</i> , 2014, 13, 44.	2.3	18
17	Monitoring health systems readiness and inpatient malaria case-management at Kenyan county hospitals. <i>Malaria Journal</i> , 2018, 17, 213.	2.3	17
18	The effect of mobile phone text message reminders on health workers' adherence to case management guidelines for malaria and other diseases in Malawi: lessons from qualitative data from a cluster-randomized trial. <i>Malaria Journal</i> , 2018, 17, 481.	2.3	15

#	ARTICLE	IF	CITATIONS
19	Understanding mSOS: A qualitative study examining the implementation of a text-messaging outbreak alert system in rural Kenya. PLoS ONE, 2017, 12, e0179408.	2.5	13
20	Efficacy of text-message reminders on paediatric malaria treatment adherence and their post-treatment return to health facilities in Kenya: a randomized controlled trial. Malaria Journal, 2017, 16, 46.	2.3	11
21	Health worker knowledge of Integrated Disease Surveillance and Response standard case definitions: a cross-sectional survey at rural health facilities in Kenya. BMC Public Health, 2018, 18, 146.	2.9	11
22	Trends in health workers' compliance with outpatient malaria case-management guidelines across malaria epidemiological zones in Kenya, 2010–2016. Malaria Journal, 2020, 19, 406.	2.3	11
23	Development of a text-messaging intervention to improve treatment adherence and post-treatment review of children with uncomplicated malaria in western Kenya. Malaria Journal, 2015, 14, 320.	2.3	10
24	Health systems readiness and management of febrile outpatients under low malaria transmission in Vanuatu. Malaria Journal, 2015, 14, 489.	2.3	9
25	Health systems readiness and quality of inpatient malaria case-management in Kano State, Nigeria. Malaria Journal, 2020, 19, 384.	2.3	9
26	“We were being treated like the Queen” understanding trial factors influencing high paediatric malaria treatment adherence in western Kenya. Malaria Journal, 2018, 17, 8.	2.3	6
27	Predictors of health workers' knowledge about artesunate-based severe malaria treatment recommendations in government and faith-based hospitals in Kenya. Malaria Journal, 2020, 19, 267.	2.3	5
28	The Effect of Text Message Reminders to Health Workers on Quality of Care for Malaria, Pneumonia, and Diarrhea in Malawi: A Cluster-Randomized, Controlled Trial. American Journal of Tropical Medicine and Hygiene, 2019, 100, 460-469.	1.4	4
29	Efficacy of Mobile Phone Short Message Service (SMS) Reminders on Malaria Treatment Adherence and Day 3 Post-Treatment Reviews (SMS-RES-MAL) in Kenya: A Study Protocol. Journal of Clinical Trials, 2014, 05, 217.	0.1	1