
Ching-Lin Hsieh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2140394/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of responsiveness of the Barthel Index and modified Barthel Index in patients with stroke. Disability and Rehabilitation, 2023, 45, 1097-1102.	1.8	11
2	A comparison of test–retest reliability and random measurement error of the Barthel Index and modified Barthel Index in patients with chronic stroke. Disability and Rehabilitation, 2022, 44, 2099-2103.	1.8	29
3	Improving the utility of the European Health Literacy Survey Questionnaire: a computerized adaptive test for patients with stroke. Disability and Rehabilitation, 2022, 44, 3211-3220.	1.8	5
4	Error patterns of facial emotion recognition in patients with schizophrenia. Journal of Affective Disorders, 2022, 300, 441-448.	4.1	10
5	Assessment of Low Back Pain: Reliability and Minimal Detectable Change of the Brief Pain Inventory. American Journal of Occupational Therapy, 2022, 76, .	0.3	1
6	Using Machine Learning to Develop a Short-Form Measure Assessing 5 Functions in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1574-1581.	0.9	5
7	Test–retest reliability and convergent validity of the test of nonverbal intelligence-fourth edition in patients with schizophrenia. BMC Psychiatry, 2021, 21, 39.	2.6	8
8	Cross-Validation of the Factorial Validity of the Stroke Impact Scale 3.0 in Patients With Stroke. American Journal of Occupational Therapy, 2021, 75, 7502205070p1-7502205070p10.	0.3	1
9	A 10-item Fugl-Meyer Motor Scale Based on Machine Learning. Physical Therapy, 2021, 101, .	2.4	7
10	Using machine learning to improve the discriminative power of the FERD screener in classifying patients with schizophrenia and healthy adults. Journal of Affective Disorders, 2021, 292, 102-107.	4.1	3
11	Practice Effects, Test–Retest Reliability, and Minimal Detectable Change of the Ruff 2 and 7 Selective Attention Test in Patients with Schizophrenia. International Journal of Environmental Research and Public Health, 2021, 18, 9440.	2.6	1
12	Development of the CAT–FER: A Computerized Adaptive Test of Facial Emotion Recognition for Adults With Schizophrenia. American Journal of Occupational Therapy, 2021, 75, 7501205140p1-7501205140p11.	0.3	5
13	Correlations between subjective rating and objective assessment of balance function in individuals with stroke. Disability and Rehabilitation, 2021, 43, 3757-3763.	1.8	4
14	A Comparison of the Responsiveness of the Postural Assessment Scale for Stroke and the Berg Balance Scale in Patients With Severe Balance Deficits After Stroke. Journal of Geriatric Physical Therapy, 2020, 43, 194-198.	1.1	13
15	Sensitivity and specificity of a facial emotion recognition test in classifying patients with schizophrenia. Journal of Affective Disorders, 2020, 275, 224-229.	4.1	9
16	Practice Effects and Test–Retest Reliability of the Continuous Performance Test, Identical Pairs Version in Patients with Schizophrenia over Four Serial Assessments. Archives of Clinical Neuropsychology, 2020, 35, 545-552.	0.5	6
17	Development of a battery of phase-adaptive health literacy tests for stroke survivors. Patient Education and Counseling, 2020, 103, 2342-2346.	2.2	4
18	Development of a Computerized Adaptive Testing System for Assessing Social Knowledge in People With Schizophrenia. American Journal of Occupational Therapy, 2020, 74, 7404205050p1-7404205050p9.	0.3	2

Ching-Lin Hsieh

#	Article	IF	CITATIONS
19	Response Speed in Executive Tasks Predicts Social Motivation and Communication in School-Aged Children With Autism Spectrum Disorder (ASD). American Journal of Occupational Therapy, 2020, 74, 7411515400p1-7411515400p1.	0.3	0
20	Exploring the Association Between Executive Function (EF) and Social Interaction in Preschool-Age Children With Autism Spectrum Disorder (ASD). American Journal of Occupational Therapy, 2020, 74, 7411515447p1-7411515447p1.	0.3	0
21	Responsiveness and predictive validity of the computerized digit vigilance test in patients with stroke. Disability and Rehabilitation, 2019, 41, 2683-2687.	1.8	0
22	Cultural Values: Can They Explain Differences in Health Utilities between Countries?. Medical Decision Making, 2019, 39, 605-616.	2.4	42
23	Proteomic characterization of outer membrane vesicles from gut mucosa-derived fusobacterium nucleatum. Journal of Proteomics, 2019, 195, 125-137.	2.4	44
24	Computerized Adaptive Testing System of Functional Assessment of Stroke. Journal of Visualized Experiments, 2019, , .	0.3	1
25	Development of a Computerized Adaptive Testing System for Assessing 5 Functions in Patients with Stroke: A Simulation and Validation Study. Archives of Physical Medicine and Rehabilitation, 2019, 100, 899-907.	0.9	8
26	Development and Validation of the Occupational Therapy Engagement Scale for Patients with Stroke. Occupational Therapy International, 2019, 2019, 1-10.	0.7	0
27	P.3.07â€Prognosis and quality of life in workers with occupational upper limb injury. Occupational and Environmental Medicine, 2019, 76, A98.3-A99.	2.8	0
28	The effect of insoles on symptomatic flatfoot in preschool-aged children. Medicine (United States), 2019, 98, e17074.	1.0	13
29	Comparative screening of recombinant antigen thermostability for improved leptospirosis vaccine design. Biotechnology and Bioengineering, 2019, 116, 260-271.	3.3	6
30	Responsiveness and predictive validity of the Tablet-based Symbol Digit Modalities Test in patients with stroke. European Journal of Physical and Rehabilitation Medicine, 2019, 55, 29-34.	2.2	3
31	Rasch Analysis of the 9-Item Shared Decision Making Questionnaire in Women With Breast Cancer. Cancer Nursing, 2019, 42, E34-E42.	1.5	16
32	Construct Validity and Reliability of the Comprehensive Occupational Therapy Evaluation Scale (COTES) in People With Schizophrenia. American Journal of Occupational Therapy, 2019, 73, 7306205060p1.	0.3	4
33	Development and Validation of a Computerized Alternating Attention Test (CAAT) in Patients With Schizophrenia. American Journal of Occupational Therapy, 2019, 73, 7311500017p1-7311500017p1.	0.3	1
34	Development and Validation of a Chinese Facial Emotion Recognition Test (CFERT) in Patients With Schizophrenia. American Journal of Occupational Therapy, 2019, 73, 7311500026p1-7311500026p1.	0.3	0
35	Interrater and Intrarater Reliability of the Balance Computerized Adaptive Test in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2018, 99, 1499-1506.	0.9	1
36	Prediction of lower extremity motor recovery in persons with severe lower extremity paresis after stroke. Brain Injury, 2018, 32, 627-633.	1.2	7

#	Article	IF	CITATIONS
37	Test–Retest Reliability and Minimal Detectable Change of the D2 Test of Attention in Patients with Schizophrenia. Archives of Clinical Neuropsychology, 2018, 33, 1060-1068.	0.5	16
38	Validation of the European Health Literacy Survey Questionnaire in Women With Breast Cancer. Cancer Nursing, 2018, 41, E40-E48.	1.5	18
39	Improving the utility of the fine motor skills subscale of the comprehensive developmental inventory for infants and toddlers: a computerized adaptive test. Disability and Rehabilitation, 2018, 40, 2803-2809.	1.8	3
40	Evaluating the European Health Literacy Survey Questionnaire in Patients with Stroke: A Latent Trait Analysis Using Rasch Modeling. Patient, 2018, 11, 83-96.	2.7	13
41	Development of a Social Functioning Assessment Using Computerized Adaptive Testing for Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2018, 99, 306-313.	0.9	5
42	Development of a Computerized Adaptive Testing System of the Functional Assessment of Stroke. Archives of Physical Medicine and Rehabilitation, 2018, 99, 676-683.	0.9	6
43	Development of a Computerized Adaptive Test of Children's Gross Motor Skills. Archives of Physical Medicine and Rehabilitation, 2018, 99, 512-520.	0.9	6
44	Validation of the Integrated Model of Health Literacy in Patients With Breast Cancer. Cancer Nursing, 2018, 41, 498-505.	1.5	15
45	Group- and Individual-Level Responsiveness of the 3-Point Berg Balance Scale and 3-Point Postural Assessment Scale for Stroke Patients. Archives of Physical Medicine and Rehabilitation, 2018, 99, 529-533.	0.9	6
46	A comparison between the original and Tablet-based Symbol Digit Modalities Test in patients with schizophrenia: Test-retest agreement, random measurement error, practice effect, and ecological validity. Psychiatry Research, 2018, 260, 199-206.	3.3	7
47	Responsiveness of the Personal and Social Performance scale in patients with schizophrenia. Psychiatry Research, 2018, 260, 338-342.	3.3	10
48	A Reliable and Valid Assessment of Sustained Attention for Patients With Schizophrenia: The Computerized Digit Vigilance Test. Archives of Clinical Neuropsychology, 2018, 33, 227-237.	0.5	5
49	Pain quality descriptors and sex-related differences in patients with shoulder pain. Journal of Pain Research, 2018, Volume 11, 1803-1809.	2.0	5
50	Impaired Callosal Motor Fiber Integrity and Upper Extremity Motor Impairment Are Associated With Stroke Lesion Location. Neurorehabilitation and Neural Repair, 2018, 32, 602-612.	2.9	6
51	Item-saving assessment of self-care performance in children with developmental disabilities: A prospective caregiver-report computerized adaptive test. PLoS ONE, 2018, 13, e0193936.	2.5	1
52	Reducing the time needed to administer a sustained attention test in patients with stroke. PLoS ONE, 2018, 13, e0192922.	2.5	2
53	Minimal Detectable Change on the Lawton Instrumental Activities of Daily Living Scale in Community-Dwelling Patients With Schizophrenia. American Journal of Occupational Therapy, 2018, 72, 7205195020p1-7205195020p7.	0.3	3
54	A Systematic Review of Tests Assessing Stroke Knowledge. Journal of Cardiovascular Nursing, 2017, 32, 271-280.	1.1	6

#	Article	IF	CITATIONS
55	Refining 3 Measures to Construct an Efficient Functional Assessment of Stroke. Stroke, 2017, 48, 1630-1635.	2.0	17
56	No Difference Between Noxious and Innocuous Thermal Stimulation on Motor Recovery of Upper Extremity in Patients With Acute Stroke: A Randomized Controlled Trial With 6â€Month Followâ€up. PM and R, 2017, 9, 1191-1199.	1.6	3
57	Psychometric properties of three measures assessing advanced theory of mind: Evidence from people with schizophrenia. Psychiatry Research, 2017, 257, 490-496.	3.3	20
58	Effects of Transcranial Direct Current Stimulation With Sensory Modulation on Stroke Motor Rehabilitation: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2477-2484.	0.9	25
59	Test-retest reliability and responsiveness of the Barthel Index-based Supplementary Scales in patients with stroke. European Journal of Physical and Rehabilitation Medicine, 2017, 53, 710-718.	2.2	11
60	Leptospira Immunoglobulin-Like Protein B Interacts with the 20th Exon of Human Tropoelastin Contributing to Leptospiral Adhesion to Human Lung Cells. Frontiers in Cellular and Infection Microbiology, 2017, 7, 163.	3.9	9
61	Test-retest reliability and minimal detectable change of two simplified 3-point balance measures in patients with stroke. European Journal of Physical and Rehabilitation Medicine, 2017, 53, 719-724.	2.2	4
62	Test-retest reliability and minimal detectable change of the Beck Depression Inventory and the Taiwan Geriatric Depression Scale in patients with Parkinson's disease. PLoS ONE, 2017, 12, e0184823.	2.5	26
63	Comparison of construct validity of two short forms of Stroke-Specific Quality of Life scale. PLoS ONE, 2017, 12, e0188478.	2.5	10
64	Extended low-resolution structure of a Leptospira antigen offers high bactericidal antibody accessibility amenable to vaccine design. ELife, 2017, 6, .	6.0	12
65	Convergent validity and responsiveness of the EQ-5D utility weights for stroke survivors. Journal of Rehabilitation Medicine, 2016, 48, 346-351.	1.1	10
66	Leptospira Immunoglobulin-Like Protein B (LigB) Binds to Both the C-Terminal 23 Amino Acids of Fibrinogen αC Domain and Factor XIII: Insight into the Mechanism of LigB-Mediated Blockage of Fibrinogen α Chain Cross-Linking. PLoS Neglected Tropical Diseases, 2016, 10, e0004974.	3.0	13
67	Minimal detectable change of the Personal and Social Performance scale in individuals with schizophrenia. Psychiatry Research, 2016, 246, 725-729.	3.3	6
68	Improving the utility of the Brunnstrom recovery stages in patients with stroke. Medicine (United) Tj ETQq0 0	0 rgBT /Ove 1.0	rlock 10 Tf 50
69	Relative and Absolute Reliabilities of the Conners' Continuous Performance Test II in Schizophrenia. Archives of Clinical Neuropsychology, 2016, 31, 769-779.	0.5	4
70	Intrarater and Interrater Reliability of the Hierarchical Balance Short Forms in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2016, 97, 2137-2145.e2.	0.9	4
71	Rasch Analysis of the General Self-Efficacy Scale in Workers with Traumatic Limb Injuries. Journal of Occupational Rehabilitation, 2016, 26, 332-339.	2.2	4
72	Trajectories of quality of life in patients with traumatic limb injury: a 2-year follow-up study. Quality of Life Research, 2016, 25, 2283-2293.	3.1	4

#	Article	IF	CITATIONS
73	Validation of the Brief Pain Inventory in Patients With Low Back Pain. Spine, 2016, 41, E937-E942.	2.0	45
74	Validation and Establishment of an Interval-Level Measure of the Balance Assessment in Sitting and Standing Positions in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2016, 97, 938-946.	0.9	7
75	Development of a Tablet-based symbol digit modalities test for reliably assessing information processing speed in patients with stroke. Disability and Rehabilitation, 2016, 38, 1952-1960.	1.8	19
76	Developing a short form of the Psychoeducational Profile-Third Edition for children with autism spectrum disorder. Research in Autism Spectrum Disorders, 2016, 21, 37-50.	1.5	3
77	Psychometric properties of the Five-Digit Test in patients with stroke. Disability and Rehabilitation, 2016, 38, 97-102.	1.8	2
78	Development of a Computerized Digit Vigilance Test and validation in patients with stroke. Journal of Rehabilitation Medicine, 2015, 47, 311-317.	1.1	12
79	Predicting Recovery of Voluntary Upper Extremity Movement in Subacute Stroke Patients with Severe Upper Extremity Paresis. PLoS ONE, 2015, 10, e0126857.	2.5	25
80	The Effects of Extracorporeal Shock Wave Therapy in Patients with Coccydynia: A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0142475.	2.5	27
81	Construct Validity of the Chinese Version of the Activities of Daily Living Rating Scale III in Patients with Schizophrenia. PLoS ONE, 2015, 10, e0130702.	2.5	3
82	Development of a Performance-Based Measure of Executive Functions in Patients with Schizophrenia. PLoS ONE, 2015, 10, e0142790.	2.5	9
83	A prospective study of the responsiveness of the original and the short form Berg Balance Scale in people with stroke. Clinical Rehabilitation, 2015, 29, 468-476.	2.2	15
84	Development and Validation of the Standard Chinese Version of the CARE Item Set (CARE-C) for Stroke Patients. Medicine (United States), 2015, 94, e1828.	1.0	3
85	A developmental screening tool for toddlers with multiple domains based on Rasch analysis. Journal of the Formosan Medical Association, 2015, 114, 23-34.	1.7	6
86	Examining unidimensionality and improving reliability for the eight subscales of the SF-36 in opioid-dependent patients using Rasch analysis. Quality of Life Research, 2015, 24, 279-285.	3.1	9
87	Validation of the EQ-5D in Patients with Traumatic Limb Injury. Journal of Occupational Rehabilitation, 2015, 25, 387-393.	2.2	49
88	Validation of the short-form Health Literacy Scale in patients with stroke. Patient Education and Counseling, 2015, 98, 762-770.	2.2	10
89	Comparison of the Responsiveness of the Long-Form and Simplified Stroke Rehabilitation Assessment of Movement: Group- and Individual-Level Analysis. Physical Therapy, 2015, 95, 1172-1183.	2.4	6
90	A controlled pilot trial of two commercial video games for rehabilitation of arm function after stroke. Clinical Rehabilitation, 2015, 29, 674-682.	2.2	43

Ching-Lin Hsieh

#	Article	IF	CITATIONS
91	Fine Mapping of the Interaction between C4b-Binding Protein and Outer Membrane Proteins LigA and LigB of Pathogenic Leptospira interrogans. PLoS Neglected Tropical Diseases, 2015, 9, e0004192.	3.0	33
92	Development of Two Barthel Index-Based Supplementary Scales for Patients with Stroke. PLoS ONE, 2014, 9, e110494.	2.5	15
93	Recombinant Antigens rLipL21, rLoa22, rLipL32 and rLigACon4-8 for Serological Diagnosis of Leptospirosis by Enzyme-Linked Immunosorbent Assays in Dogs. PLoS ONE, 2014, 9, e111367.	2.5	19
94	Practice effects and test–re-test reliability of the Five Digit Test in patients with stroke over four serial assessments. Brain Injury, 2014, 28, 1726-1733.	1.2	11
95	Effect of Thermal Stimulation on Corticomotor Excitability in Patients with Stroke. American Journal of Physical Medicine and Rehabilitation, 2014, 93, 801-808.	1.4	13
96	NMR Solution Structure of the Terminal Immunoglobulin-like Domain from the Leptospira Host-Interacting Outer Membrane Protein, LigB. Biochemistry, 2014, 53, 5249-5260.	2.5	20
97	Role of Stoichiometry in the Dimer-Stabilizing Effect of AMPA Receptor Allosteric Modulators. ACS Chemical Biology, 2014, 9, 128-133.	3.4	9
98	Validation of a Chinese Version of the Frenchay Activities Index in Patients with Traumatic Limb Injury. Journal of Occupational Rehabilitation, 2014, 24, 439-445.	2.2	3
99	Is the Long Form of the Fugl-Meyer Motor Scale More Responsive Than the Short Form in Patients With Stroke?. Archives of Physical Medicine and Rehabilitation, 2014, 95, 941-949.	0.9	24
100	Tests of data quality, scaling assumptions, reliability, and construct validity of the SF-36 health survey in people who abuse heroin. Journal of the Formosan Medical Association, 2014, 113, 234-241.	1.7	11
101	Comparison of the Test-Retest Reliability of the Balance Computerized Adaptive Test and a Computerized Posturography Instrument in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1477-1483.	0.9	16
102	Reliability and Responsiveness of the Activities of Daily Living Computerized Adaptive Testing System in Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2014, 95, 2055-2063.	0.9	5
103	Measurement precision of the disability for back pain scale-by applying Rasch analysis. Health and Quality of Life Outcomes, 2013, 11, 119.	2.4	23
104	Integrating health-related quality of life with sickness leave days for return-to-work assessment in traumatic limb injuries. Quality of Life Research, 2013, 22, 2307-2314.	3.1	6
105	Return to Work and Quality of Life in Workers With Traumatic Limb Injuries: A 2-Year Repeated-Measurements Study. Archives of Physical Medicine and Rehabilitation, 2013, 94, 703-710.	0.9	20
106	Estimating quality weights for EQ-5D (EuroQol-5 dimensions) health states with the time trade-off method in Taiwan. Journal of the Formosan Medical Association, 2013, 112, 699-706.	1.7	68
107	Elastin, a Novel Extracellular Matrix Protein Adhering to Mycobacterial Antigen 85 Complex. Journal of Biological Chemistry, 2013, 288, 3886-3896.	3.4	36
108	Validating and Improving the Reliability of the EORTC QLQ-C30 Using a Multidimensional Rasch Model. Value in Health, 2013, 16, 848-854.	0.3	36

#	Article	IF	CITATIONS
109	The test–retest reliability and the minimal detectable change of the Purdue pegboard test in schizophrenia. Journal of the Formosan Medical Association, 2013, 112, 332-337.	1.7	45
110	Effects of Noxious Versus Innocuous Thermal Stimulation on Lower Extremity Motor Recovery 3 Months After Stroke. Archives of Physical Medicine and Rehabilitation, 2013, 94, 633-641.	0.9	20
111	The Perturbation of Tryptophan Fluorescence by Phenylalanine to Alanine Mutations Identifies the Hydrophobic Core in a Subset of Bacterial Ig-like Domains. Biochemistry, 2013, 52, 4589-4591.	2.5	4
112	Individual-Level Responsiveness of the Original and Short-Form Postural Assessment Scale for Stroke Patients. Physical Therapy, 2013, 93, 1377-1382.	2.4	18
113	Responsiveness and Predictive Validity of the Hierarchical Balance Short Forms in People With Stroke. Physical Therapy, 2013, 93, 798-808.	2.4	9
114	Dynamics of Cleft Closure of the GluA2 Ligand-binding Domain in the Presence of Full and Partial Agonists Revealed by Hydrogen-Deuterium Exchange. Journal of Biological Chemistry, 2013, 288, 27658-27666.	3.4	27
115	Upper Extremity Rehabilitation Equipment for Stroke Patients in Taiwan: Usage Problems and Improvement Needs. Occupational Therapy International, 2013, 20, 205-214.	0.7	5
116	Test of Everyday Attention in patients with chronic stroke: Test–retest reliability and practice effects. Brain Injury, 2013, 27, 1148-1154.	1.2	4
117	Development of a Computerized Adaptive Test for Assessing Activities of Daily Living in Outpatients With Stroke. Physical Therapy, 2013, 93, 681-693.	2.4	27
118	Sensory integration dysfunction affects efficacy of speech therapy on children with functional articulation disorders. Neuropsychiatric Disease and Treatment, 2013, 9, 87.	2.2	8
119	Estimation of the Long-Term Care Needs of Stroke Patients by Integrating Functional Disability and Survival. PLoS ONE, 2013, 8, e75605.	2.5	27
120	Effects of Stroke Rehabilitation on Incidence of Poststroke Depression. Journal of Clinical Psychiatry, 2013, 74, e859-e866.	2.2	15
121	Are higher total serum cholesterol levels associated with better long-term motor function after ischemic stroke?. Nutritional Neuroscience, 2012, 15, 239-243.	3.1	5
122	Test–retest reproducibility of two short-form balance measures used in individuals with stroke. International Journal of Rehabilitation Research, 2012, 35, 256-262.	1.3	13
123	Test-retest reliability and validity of the comprehensive activities of daily living measure in patients with stroke. Journal of Rehabilitation Medicine, 2012, 44, 637-641.	1.1	11
124	Novel Mycobacteria Antigen 85 Complex Binding Motif on Fibronectin. Journal of Biological Chemistry, 2012, 287, 1892-1902.	3.4	37
125	Dosage of neuromuscular electrical stimulation: Is it a determinant of upper limb functional improvement in stroke patients?. Journal of Rehabilitation Medicine, 2012, 44, 125-130.	1.1	20
126	Reliability and validity of the Psychoeducational Profile-third edition Caregiver Report in children with Autism Spectrum Disorders. Research in Autism Spectrum Disorders, 2012, 6, 115-122.	1.5	13

#	Article	IF	CITATIONS
127	Development of a Computerized Adaptive Testing System of the Fugl-Meyer Motor Scale in Stroke Patients. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1014-1020.	0.9	31
128	Smallest Real Difference of 2 Instrumental Activities of Daily Living Measures in Patients With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1097-1100.	0.9	13
129	Effects and predictors of shoulder muscle massage for patients with posterior shoulder tightness. BMC Musculoskeletal Disorders, 2012, 13, 46.	1.9	34
130	The diverse constructs use of activities of daily living measures in stroke randomized controlled trials in the years 2005–2009. Journal of Rehabilitation Medicine, 2012, 44, 720-726.	1.1	14
131	A comparison of responsiveness and predictive validity of two balance measures in patients with stroke. Journal of Rehabilitation Medicine, 2012, 44, 176-180.	1.1	11
132	Trajectories and predictors of return to work after traumatic limb injury – a 2-year follow-up study. Scandinavian Journal of Work, Environment and Health, 2012, 38, 456-466.	3.4	28
133	Construct Validity of the Stroke-Specific Quality of Life Questionnaire in Ischemic Stroke Patients. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1113-1118.	0.9	36
134	Development of a Set of Functional Hierarchical Balance Short Forms for Patients With Stroke. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1119-1125.	0.9	5
135	Responsiveness of the Psychoeducational Profile-third Edition for Children with Autism Spectrum Disorders. Journal of Autism and Developmental Disorders, 2011, 41, 1658-1664.	2.7	23
136	Footprint analysis of flatfoot in preschool-aged children. European Journal of Pediatrics, 2011, 170, 611-617.	2.7	58
137	Optimal scoring methods of hand-strength tests in patients with stroke. International Journal of Rehabilitation Research, 2011, 34, 178-180.	1.3	7
138	Minimal Detectable Change of the Timed "Up & Go―Test and the Dynamic Gait Index in People With Parkinson Disease. Physical Therapy, 2011, 91, 114-121.	2.4	275
139	Test-Retest Reliability and Practice Effect of the Oral-format Symbol Digit Modalities Test in Patients with Stroke. Archives of Clinical Neuropsychology, 2011, 26, 356-363.	0.5	32
140	Test-Retest Reliability of Two Attention Tests in Schizophrenia. Archives of Clinical Neuropsychology, 2011, 26, 405-411.	0.5	11
141	Excellent Reliability of the Sollerman Hand Function Test for Patients With Burned Hands. Journal of Burn Care and Research, 2010, 31, 904-910.	0.4	25
142	Validation of EQ-5D in patients with cervical cancer in Taiwan. Supportive Care in Cancer, 2010, 18, 1279-1286.	2.2	46
143	Measurement of quality of life using EQ-5D in patients on prolonged mechanical ventilation: comparison of patients, family caregivers, and nurses. Quality of Life Research, 2010, 19, 721-727.	3.1	26
144	The impact of stroke: insights from patients in Taiwan. Occupational Therapy International, 2010, 17, 152-158.	0.7	13

#	Article	IF	CITATIONS
145	Relationships between posterior shoulder muscle stiffness and rotation in patients with stiff shoulder. Journal of Rehabilitation Medicine, 2010, 42, 216-220.	1.1	37
146	Development of a Computerized Adaptive Test for Assessing Balance Function in Patients With Stroke. Physical Therapy, 2010, 90, 1336-1344.	2.4	39
147	Dose-Response Relation Between Neuromuscular Electrical Stimulation and Upper-Extremity Function in Patients With Stroke. Stroke, 2010, 41, 821-824.	2.0	71
148	Effect of Thermal Stimulation on Upper Extremity Motor Recovery 3 Months After Stroke. Stroke, 2010, 41, 2378-2380.	2.0	22
149	Psychometric Comparisons of 3 Functional Ambulation Measures for Patients With Stroke. Stroke, 2010, 41, 2021-2025.	2.0	134
150	Optimizing the Usability of Mobile Phones for Individuals Who Are Deaf. Assistive Technology, 2010, 22, 115-127.	2.0	11
151	Essential Needs and Requirements of Mobile Phones for the Deaf. Assistive Technology, 2010, 22, 172-185.	2.0	7
152	Inter-rater reliability and smallest real difference of the Chinese Psychoeducational Profile-third edition for children with Autism Spectrum Disorder. Research in Autism Spectrum Disorders, 2010, 4, 89-94.	1.5	25
153	Reliability and validity of a chinese version of the pediatric evaluation of disability inventory in children with cerebral palsy. Journal of Rehabilitation Medicine, 2009, 41, 273-278.	1.1	39
154	Test–re-test reliability of two sustained attention tests in persons with chronic stroke. Brain Injury, 2009, 23, 715-722.	1.2	14
155	Psychometric Comparisons of 4 Measures for Assessing Upper-Extremity Function in People With Stroke. Physical Therapy, 2009, 89, 840-850.	2.4	211
156	Several Trials Are Useful to Reduce the Value of Minimal Detectable Change. Archives of Physical Medicine and Rehabilitation, 2009, 90, 181-182.	0.9	1
157	Test-Retest Reproducibility and Smallest Real Difference of 5 Hand Function Tests in Patients With Stroke. Neurorehabilitation and Neural Repair, 2009, 23, 435-440.	2.9	327
158	Influence of Testing Position on the Reliability of Hip Extensor Strength Measured by a Handheld Dynamometer. Kaohsiung Journal of Medical Sciences, 2009, 25, 126-132.	1.9	17
159	Agreement Between the WHOQOL-BREF Chinese and Taiwanese Versions in the Elderly. Journal of the Formosan Medical Association, 2009, 108, 164-169.	1.7	11
160	Reliability of Two Visual–Perceptual Tests for Children With Cerebral Palsy. American Journal of Occupational Therapy, 2009, 63, 473-480.	0.3	13
161	A Review of Psychometric Properties of Feeding Assessment Tools Used in Neonates. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2008, 37, 338-349.	0.5	59
162	The Competence of Fieldwork Students in Administering the Barthel Index. Hong Kong Journal of Occupational Therapy, 2008, 18, 28-33.	0.9	0

#	Article	IF	CITATIONS
163	The relative and absolute reliability of two balance performance measures in chronic stroke patients. Disability and Rehabilitation, 2008, 30, 656-661.	1.8	98
164	Estimating the Minimal Clinically Important Difference of the Stroke Rehabilitation Assessment of Movement Measure. Neurorehabilitation and Neural Repair, 2008, 22, 723-727.	2.9	21
165	Psychometric Comparisons of 2 Versions of the Fugl-Meyer Motor Scale and 2 Versions of the Stroke Rehabilitation Assessment of Movement. Neurorehabilitation and Neural Repair, 2008, 22, 737-744.	2.9	97
166	Development of a Chinese Version of the Oswestry Disability Index Version 2.1. Spine, 2008, 33, 2354-2360.	2.0	65
167	The minimal detectable change of the simplified stroke rehabilitation assessment of movement measure. Journal of Rehabilitation Medicine, 2008, 40, 615-619.	1.1	56
168	The Test-Retest Reliability of 2 Mobility Performance Tests in Patients With Chronic Stroke. Neurorehabilitation and Neural Repair, 2007, 21, 347-352.	2.9	53
169	Establishing the Minimal Clinically Important Difference of the Barthel Index in Stroke Patients. Neurorehabilitation and Neural Repair, 2007, 21, 233-238.	2.9	225
170	Development and Validation of a Short Form of the Fugl-Meyer Motor Scale in Patients With Stroke. Stroke, 2007, 38, 3052-3054.	2.0	79
171	Differences between patient and proxy reports in the assessment of disability after stroke. Clinical Rehabilitation, 2007, 21, 351-356.	2.2	30
172	Developing a Short Form of the Postural Assessment Scale for People With Stroke. Neurorehabilitation and Neural Repair, 2007, 21, 81-90.	2.9	41
173	Cooccurrence of problems in activity level, attention, psychosocial adjustment, reading and writing in children with developmental coordination disorder. International Journal of Rehabilitation Research, 2007, 30, 327-332.	1.3	61
174	A Rasch Analysis of the Frenchay Activities Index in Patients With Spinal Cord Injury. Spine, 2007, 32, 437-442.	2.0	15
175	A Comparison of Psychometric Properties of the Smart Balance Master System and the Postural Assessment Scale for Stroke in People Who Have Had Mild Stroke. Archives of Physical Medicine and Rehabilitation, 2007, 88, 374-380.	0.9	92
176	Taiwanese Version of the EQ-5D: Validation in a Representative Sample of the Taiwanese Population. Journal of the Formosan Medical Association, 2007, 106, 1023-1031.	1.7	86
177	Discriminative, predictive and evaluative properties of the simplified stroke rehabilitation assessment of movement instrument in patients with stroke. Acta Dermato-Venereologica, 2007, 39, 454-460.	1.3	17
178	Psychometric characteristics of the Neonatal Oralâ€Motor Assessment Scale in healthy preterm infants. Developmental Medicine and Child Neurology, 2007, 49, 915-919.	2.1	35
179	Development and validation of a WHOQOL-BREF Taiwanese audio player-assisted interview version for the elderly who use a spoken dialect. Quality of Life Research, 2007, 16, 1375-1381.	3.1	22
180	Psychometric Properties of the Berg Balance Scale in a Community-dwelling Elderly Resident Population in Taiwan. Journal of the Formosan Medical Association, 2006, 105, 992-1000.	1.7	64

#	Article	IF	CITATIONS
181	A Simplified Stroke Rehabilitation Assessment of Movement Instrument. Physical Therapy, 2006, 86, 936-943.	2.4	29
182	Developing a Short Form of the Berg Balance Scale for People With Stroke. Physical Therapy, 2006, 86, 195-204.	2.4	149
183	Validating, Improving Reliability, and Estimating Correlation of the Four Subscales in the WHOQOL-BREF using Multidimensional Rasch Analysis. Quality of Life Research, 2006, 15, 607-620.	3.1	86
184	VALIDATION OF THE ACTION RESEARCH ARM TEST USING ITEM RESPONSE THEORY IN PATIENTS AFTER STROKE. Journal of Rehabilitation Medicine, 2006, 38, 375-380.	1.1	41
185	Psychometric properties of the modified Emory Functional Ambulation Profile in stroke patients. Clinical Rehabilitation, 2006, 20, 429-437.	2.2	23
186	Reliability, Sensitivity to Change, and Responsiveness of the Peabody Developmental Motor Scales–Second Edition for Children With Cerebral Palsy. Physical Therapy, 2006, 86, 1351-1359.	2.4	113
187	Developing a short form of the Berg Balance Scale for people with stroke. Physical Therapy, 2006, 86, 195-204.	2.4	50
188	A simplified stroke rehabilitation assessment of movement instrument. Physical Therapy, 2006, 86, 936-43.	2.4	7
189	A Rasch Analysis of a Self-perceived Change in Quality of Life Scale in Patients with Mild Stroke. Quality of Life Research, 2005, 14, 2259-2263.	3.1	10
190	Discriminative, Predictive, and Evaluative Properties of a Trunk Control Measure in Patients With Stroke. Physical Therapy, 2005, 85, 887-894.	2.4	48
191	Why the Hamilton Depression Rating Scale Endures. American Journal of Psychiatry, 2005, 162, 2395-2395.	7.2	3
192	Rasch Analysis of Combining Two Indices to Assess Comprehensive ADL Function in Stroke Patients. Stroke, 2004, 35, 721-726.	2.0	56
193	Psychometric properties of the sensory scale of the Fugl-Meyer Assessment in stroke patients. Clinical Rehabilitation, 2004, 18, 391-397.	2.2	75
194	Functional independence of residents in urban and rural long-term care facilities in Taiwan. Disability and Rehabilitation, 2004, 26, 176-181.	1.8	2
195	A validity study of the WHOQOL-BREF assessment in persons with traumatic spinal cord injury. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1890-1895.	0.9	151
196	Preliminary Study of the Effect of Low-Intensity Home-Based Physical Therapy in Chronic Stroke Patients. Kaohsiung Journal of Medical Sciences, 2004, 20, 18-22.	1.9	25
197	Psychometric Properties of 2 Simplified 3-Level Balance Scales Used for Patients With Stroke. Physical Therapy, 2004, 84, 430-438.	2.4	44
198	Comparison of Psychometric Properties of Three Mobility Measures for Patients With Stroke. Stroke, 2003, 34, 1741-1745.	2.0	74

#	Article	IF	CITATIONS
199	Prediction of functional outcomes in stroke inpatients receiving rehabilitation. Journal of the Formosan Medical Association, 2003, 102, 695-700.	1.7	23
200	Trunk Control as an Early Predictor of Comprehensive Activities of Daily Living Function in Stroke Patients. Stroke, 2002, 33, 2626-2630.	2.0	294
201	Inter-rater reliability and validity of the stroke rehabilitation assessment of movement (STREAM) instrument. Journal of Rehabilitation Medicine, 2002, 34, 20-24.	1.1	54
202	The Action Research Arm Test: is it necessary for patients being tested to sit at a standardized table?. Clinical Rehabilitation, 2002, 16, 382-388.	2.2	19
203	Comparison of the psychometric characteristics of the functional independence measure, 5 item Barthel index, and 10 item Barthel index in patients with stroke. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 188-190.	1.9	325
204	Analysis and Comparison of the Psychometric Properties of Three Balance Measures for Stroke Patients. Stroke, 2002, 33, 1022-1027.	2.0	375
205	Responsiveness of two upper extremity function instruments for stroke inpatients receiving rehabilitation. Clinical Rehabilitation, 2002, 16, 617-624.	2.2	82
206	Psychometric characteristics of the Barthel activities of daily living index in stroke patients. Journal of the Formosan Medical Association, 2001, 100, 526-32.	1.7	144
207	Evaluation of stroke patients with the extended activities of daily living scale in Taiwan. Disability and Rehabilitation, 2000, 22, 495-500.	1.8	17
208	VALIDITY AND RESPONSIVENESS OF THE RIVERMEAD MOBILITY INDEX IN STROKE PATIENTS. Journal of Rehabilitation Medicine, 2000, 32, 140-142.	1.1	84
209	A CROSS-VALIDATION OF THE COMPREHENSIVE ASSESSMENT OF ACTIVITIES OF DAILY LIVING AFTER STROKE. Journal of Rehabilitation Medicine, 1999, 31, 83-88.	1.1	30
210	Inter-rater reliability and validity of the Action Research arm test in stroke patients. Age and Ageing, 1998, 27, 107-113.	1.6	236
211	Factors influencing vocational outcomes following stroke in Taiwan: a medical centre-based study. Journal of Rehabilitation Medicine, 1997, 29, 113-20.	1.1	10
212	A Comparison of Performance in Added-Purpose Occupations and Rote Exercise for Dynamic Standing Balance in Persons With Hemiplegia. American Journal of Occupational Therapy, 1996, 50, 10-16.	0.3	49