## Rodrigo Grassi-Oliveira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2352115/publications.pdf

Version: 2024-02-01

192 papers

5,925 citations

36 h-index 98622 67 g-index

200 all docs

200 docs citations

200 times ranked

7665 citing authors

#	Article	IF	CITATIONS
1	Allostatic load in bipolar disorder: Implications for pathophysiology and treatment. Neuroscience and Biobehavioral Reviews, 2008, 32, 675-692.	2.9	416
2	Childhood maltreatment and inflammatory markers: a systematic review. Acta Psychiatrica Scandinavica, 2014, 129, 180-192.	2.2	329
3	Clinical implications of a staging model for bipolar disorders. Expert Review of Neurotherapeutics, 2009, 9, 957-966.	1.4	214
4	An overview of maternal separation effects on behavioural outcomes in mice: Evidence from a four-stage methodological systematic review. Neuroscience and Biobehavioral Reviews, 2016, 68, 489-503.	2.9	203
5	Childhood maltreatment and clinical outcomes of bipolar disorder. Acta Psychiatrica Scandinavica, 2011, 124, 427-434.	2.2	191
6	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. Expert Review of Neurotherapeutics, 2008, 8, 1101-1113.	1.4	146
7	The theory of bipolar disorder as an illness of accelerated aging: Implications for clinical care and research. Neuroscience and Biobehavioral Reviews, 2014, 42, 157-169.	2.9	146
8	Low Plasma Brain-Derived Neurotrophic Factor and Childhood Physical Neglect Are Associated with Verbal Memory Impairment in Major Depression—A Preliminary Report. Biological Psychiatry, 2008, 64, 281-285.	0.7	113
9	The influence of geographical and economic factors in estimates of childhood abuse and neglect using the Childhood Trauma Questionnaire: A worldwide meta-regression analysis. Child Abuse and Neglect, 2016, 51, 1-11.	1.3	111
10	Childhood Trauma Questionnaire (CTQ) in Brazilian Samples of Different Age Groups: Findings from Confirmatory Factor Analysis. PLoS ONE, 2014, 9, e87118.	1.1	108
11	Reduced regulatory T cells are associated with higher levels of Th1/TH17 cytokines and activated MAPK in type 1 bipolar disorder. Psychoneuroendocrinology, 2013, 38, 667-676.	1.3	103
12	Cognitive impairment effects of early life stress in adolescents can be predicted with early biomarkers: Impacts of sex, experience, and cytokines. Psychoneuroendocrinology, 2016, 71, 19-30.	1.3	88
13	Psychobiology of childhood maltreatment: effects of allostatic load?. Revista Brasileira De Psiquiatria, 2008, 30, 60-68.	0.9	82
14	Increased soluble tumor necrosis factorâ€Î± receptors in patients with major depressive disorder. Psychiatry and Clinical Neurosciences, 2009, 63, 202-208.	1.0	79
15	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. Revista Brasileira De Psiquiatria, 2012, 34, 71-75.	0.9	75
16	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. American Journal of Psychiatry, 2018, 175, 555-563.	4.0	75
17	Impact of Childhood Stress on Psychopathology. Revista Brasileira De Psiquiatria, 2012, 34, 480-488.	0.9	74
18	How Early Life Stress Impact Maternal Care: A Systematic Review of Rodent Studies. Frontiers in Behavioral Neuroscience, 2019, 13, 197.	1.0	68

#	Article	IF	Citations
19	Interplay between Neuroimmunoendocrine Systems during Post-Traumatic Stress Disorder: A Minireview. NeuroImmunoModulation, 2010, 17, 192-195.	0.9	65
20	Bipolar Disorder and Metabolic Syndrome: A Systematic Review. Revista Brasileira De Psiquiatria, 2013, 35, 88-93.	0.9	65
21	MicroRNA-Mediated Rescue of Fear Extinction Memory by miR-144-3p in Extinction-Impaired Mice. Biological Psychiatry, 2017, 81, 979-989.	0.7	59
22	Immunosenescence is associated with human cytomegalovirus and shortened telomeres in type I bipolar disorder. Bipolar Disorders, 2013, 15, 832-838.	1.1	58
23	Insulin dysfunction and allostatic load in bipolar disorder. Expert Review of Neurotherapeutics, 2011, 11, 1017-1028.	1.4	54
24	Childhood maltreatment associated with PTSD and emotional distress in low-income adults: The burden of neglect. Child Abuse and Neglect, 2008, 32, 1089-1094.	1.3	52
25	Intimate partner violence is associated with increased maternal hair cortisol in mother–child dyads. Comprehensive Psychiatry, 2017, 72, 18-24.	1.5	51
26	The DNA modification N6-methyl-2'-deoxyadenosine (m6dA) drives activity-induced gene expression and is required for fear extinction. Nature Neuroscience, 2019, 22, 534-544.	7.1	51
27	Cytokines in Bipolar Disorder: <i>Recent Findings, Deleterious Effects But Promise for Future Therapeutics</i> . CNS Spectrums, 2011, 16, 157-168.	0.7	50
28	Differential neuroendocrine and immune responses to acute psychosocial stress in women with type 1 bipolar disorder. Brain, Behavior, and Immunity, 2013, 34, 47-55.	2.0	49
29	Child maltreatment and later cognitive functioning: a systematic review. Psicologia: Reflexao E Critica, 2013, 26, 376-387.	0.4	48
30	Childhood maltreatment and executive functions in adolescents. Child and Adolescent Mental Health, 2015, 20, 56-62.	1.8	48
31	Evidence for Immune Activation and Resistance to Glucocorticoids Following Childhood Maltreatment in Adolescents Without Psychopathology. Neuropsychopharmacology, 2017, 42, 2272-2282.	2.8	47
32	Neuroimmunoendocrine Interactions in Post-Traumatic Stress Disorder: Focus on Long-Term Implications of Childhood Maltreatment. NeuroImmunoModulation, 2014, 21, 145-151.	0.9	43
33	Brazilian preliminary norms and investigation of age and education effects on the Modified Wisconsin Card Sorting Test, Stroop Color and Word test and Digit Span test in adults. Dementia E Neuropsychologia, 2015, 9, 120-127.	0.3	42
34	Executive functions rehabilitation for schizophrenia: A critical systematic review. Journal of Psychiatric Research, 2013, 47, 91-104.	1.5	40
35	Self-reported inhibition predicts history of suicide attempts in bipolar disorder and major depression. Comprehensive Psychiatry, 2018, 82, 89-94.	1.5	40
36	Cognitive impairment in rheumatoid arthritis: role of lymphocyte subsets, cytokines and neurotrophic factors. Clinical Rheumatology, 2018, 37, 1171-1181.	1.0	40

#	Article	IF	CITATIONS
37	Neuroimmune Impacts of Early-Life Stress on Development and Psychopathology. Current Topics in Behavioral Neurosciences, 2018, 43, 423-447.	0.8	39
38	Substance related disorders are associated with impaired valuation of delayed gratification and feedback processing: A multilevel meta-analysis and meta-regression. Neuroscience and Biobehavioral Reviews, 2020, 108, 295-307.	2.9	39
39	Neuroimmunoendocrine Interactions in Patients with Recurrent Major Depression, Increased Early Life Stress and Long-Standing Posttraumatic Stress Disorder Symptoms. NeuroImmunoModulation, 2012, 19, 33-42.	0.9	38
40	Impaired decision-making after traumatic brain injury: The Iowa Gambling Task. Brain Injury, 2014, 28, 1070-1075.	0.6	37
41	Hair Cortisol and Stressful Life Events Retrospective Assessment in Crack Cocaine Users. American Journal of Drug and Alcohol Abuse, 2012, 38, 535-538.	1.1	36
42	Maternal behavior of the mouse dam toward pups: implications for maternal separation model of early life stress. Stress, 2018, 21, 19-27.	0.8	36
43	Childhood neglect and increased withdrawal and depressive severity in crack cocaine users during early abstinence. Child Abuse and Neglect, 2013, 37, 883-889.	1.3	34
44	Premature Immunosenescence Is Associated with Memory Dysfunction in Rheumatoid Arthritis. NeuroImmunoModulation, 2015, 22, 130-137.	0.9	34
45	Crack cocaine addiction, early life stress and accelerated cellular aging among women. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 71, 83-89.	2.5	34
46	Microbiota abnormalities and the therapeutic potential of probiotics in the treatment of mood disorders. Reviews in the Neurosciences, 2017, 28, 739-749.	1.4	34
47	Neurotrophic factors in women with crack cocaine dependence during early abstinence: the role of early life stress. Journal of Psychiatry and Neuroscience, 2014, 39, 206-214.	1.4	32
48	Cocaine Use Disorder Is Associated With Changes in Th1/Th2/Th17 Cytokines and Lymphocytes Subsets. Frontiers in Immunology, 2019, 10, 2435.	2.2	32
49	Childhood physical neglect associated with executive functions impairments in crack cocaine-dependent women. Drug and Alcohol Dependence, 2013, 132, 271-276.	1.6	31
50	Influence of family socioeconomic status on IQ, language, memory and executive functions of Brazilian children. Psicologia: Reflexao E Critica, 2016, 29, .	0.4	31
51	Plasma interleukin-6 and executive function in crack cocaine-dependent women. Neuroscience Letters, 2016, 628, 85-90.	1.0	31
52	Increased cocaine-induced conditioned place preference during periadolescence in maternally separated male BALB/c mice: the role of cortical BDNF, microRNA-212, and MeCP2. Psychopharmacology, 2016, 233, 3279-3288.	1.5	30
53	Distinct behavioral and immunoendocrine parameters during crack cocaine abstinence in women reporting childhood abuse and neglect. Drug and Alcohol Dependence, 2016, 167, 140-148.	1.6	29
54	History of Childhood Abuse and Neglect and Suicidal Behavior at Hospital Admission. Crisis, 2008, 29, 154-158.	0.9	29

#	Article	IF	Citations
55	Interleukin-6 and verbal memory in recurrent major depressive disorder. Neuroendocrinology Letters, 2011, 32, 540-4.	0.2	29
56	Autoantibodies against myelin sheath and $\rm S100\hat{l}^2$ are associated with cognitive dysfunction in patients with rheumatoid arthritis. Clinical Rheumatology, 2017, 36, 1959-1968.	1.0	28
57	Features of Immunosenescence in Women Newly Diagnosed With Breast Cancer. Frontiers in Immunology, 2018, 9, 1651.	2.2	28
58	Toll-like receptor expression and function in type I bipolar disorder. Brain, Behavior, and Immunity, 2016, 54, 110-121.	2.0	26
59	Early life stress and tumor necrosis factor superfamily in crack cocaine withdrawal. Journal of Psychiatric Research, 2014, 53, 180-186.	1.5	25
60	Corticosteroid receptor genes and childhood neglect influence susceptibility to crack/cocaine addiction and response to detoxification treatment. Journal of Psychiatric Research, 2015, 68, 83-90.	1.5	25
61	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. Journal of Psychiatric Research, 2017, 92, 24-30.	1.5	25
62	Inflammatory cytokines as an underlying mechanism of the comorbidity between bipolar disorder and migraine. Medical Hypotheses, 2012, 78, 601-605.	0.8	24
63	The Effects of Intimate Partner Violence Exposure on the Maternal Bond and PTSD Symptoms of Children. Journal of Interpersonal Violence, 2017, 32, 1127-1142.	1.3	24
64	Corticotropin Releasing Factor in the Bed Nucleus of the Stria Terminalis in Socially Defeated and Non-stressed Mice with a History of Chronic Alcohol Intake. Frontiers in Pharmacology, 2017, 8, 762.	1.6	24
65	Schedule for Affective Disorders and Schizophrenia for School-Age Children – Present and Lifetime Version (K-SADS-PL), DSM-5 update: translation into Brazilian Portuguese. Revista Brasileira De Psiquiatria, 2017, 39, 384-386.	0.9	24
66	The impact of childhood maltreatment on redox state: Relationship with oxidative damage and antioxidant defenses in adolescents with no psychiatric disorder. Neuroscience Letters, 2016, 617, 173-177.	1.0	23
67	Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. Neurobiology of Aging, 2019, 82, 10-17.	1.5	23
68	MR and GR functional SNPs may modulate tobacco smoking susceptibility. Journal of Neural Transmission, 2013, 120, 1499-1505.	1.4	22
69	Adipokines during early abstinence of crack cocaine in dependent women reporting childhood maltreatment. Psychiatry Research, 2013, 210, 536-540.	1.7	22
70	Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. Trends in Psychiatry and Psychotherapy, 2016, 38, 23-32.	0.4	22
71	Maternal separation induces hippocampal changes in cadherin-1 (CDH-1) mRNA and recognition memory impairment in adolescent mice. Neurobiology of Learning and Memory, 2017, 141, 157-167.	1.0	22
72	The brain-derived neurotrophic factor (BDNF) gene Val66Met polymorphism affects memory performance in older adults. Revista Brasileira De Psiquiatria, 2017, 39, 90-94.	0.9	22

#	Article	IF	Citations
73	Effect of alcohol use disorder on cellular aging. Psychopharmacology, 2019, 236, 3245-3255.	1.5	22
74	Revised Reading the Mind in the Eyes Test (RMET) - Brazilian version. Revista Brasileira De Psiquiatria, 2014, 36, 60-67.	0.9	21
75	Sex-based differences in multidimensional clinical assessments of early-abstinence crack cocaine users. PLoS ONE, 2019, 14, e0218334.	1.1	21
76	Postnatal impoverished housing impairs adolescent risk-assessment and increases risk-taking: A sex-specific effect associated with histone epigenetic regulation of Crfr1 in the medial prefrontal cortex. Psychoneuroendocrinology, 2019, 99, 8-19.	1.3	21
77	Long-lasting effects of prenatal stress on HPA axis and inflammation: A systematic review and multilevel meta-analysis in rodent studies. Neuroscience and Biobehavioral Reviews, 2021, 127, 270-283.	2.9	21
78	Neuropsychological assessment of executive functions in traumatic brain injury: Hot and cold components Psychology and Neuroscience, 2012, 5, 183-190.	0.5	21
79	Long-term cannabis abuse and early-onset cannabis use increase the severity of cocaine withdrawal during detoxification and rehospitalization rates due to cocaine dependence. Drug and Alcohol Dependence, 2014, 144, 153-159.	1.6	20
80	Pro-inflammatory cytokines and soluble receptors in response to acute psychosocial stress: Differential reactivity in bipolar disorder. Neuroscience Letters, 2014, 580, 17-21.	1.0	20
81	Early abstinence of crack-cocaine is effective to attenuate oxidative stress and to improve antioxidant defences. Psychopharmacology, 2015, 232, 1405-1413.	1.5	20
82	Theory of Mind in Substance Users: A Systematic Minireview. Substance Use and Misuse, 2017, 52, 127-133.	0.7	20
83	Peripheral blood microRNA levels in females with cocaine use disorder. Journal of Psychiatric Research, 2019, 114, 48-54.	1.5	20
84	Clinical characteristics and influence of childhood trauma on the prodrome of bipolar disorder. Revista Brasileira De Psiquiatria, 2015, 37, 280-288.	0.9	19
85	Early stages of bipolar disorder: characterization and strategies for early intervention. Revista Brasileira De Psiquiatria, 2015, 37, 343-349.	0.9	19
86	Running during adolescence rescues a maternal separationâ€induced memory impairment in female mice: Potential role of differential exonâ€specific BDNF expression. Developmental Psychobiology, 2017, 59, 268-274.	0.9	18
87	Maternal separation induces long-term oxidative stress alterations and increases anxiety-like behavior of male Balb/cJ mice. Experimental Brain Research, 2020, 238, 2097-2107.	0.7	18
88	Similarities between adult female crack cocaine users and adolescents in risky decision-making scenarios. Journal of Clinical and Experimental Neuropsychology, 2016, 38, 795-810.	0.8	17
89	Editorial: Executive Functions in Psychiatric Disorders. Frontiers in Psychology, 2017, 8, 1461.	1.1	17
90	The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. Journal of Affective Disorders, 2018, 227, 214-218.	2.0	17

#	Article	IF	CITATIONS
91	Do socioeconomic status and stress reactivity really impact neurocognitive performance?. Psychology and Neuroscience, 2014, 7, 567-575.	0.5	17
92	Brain-Derived Neurotrophic Factor and Delayed Verbal Recall in Crack/Cocaine Dependents. European Addiction Research, 2015, 21, 273-278.	1.3	16
93	Crack-cocaine dependence and aging: effects on working memory. Revista Brasileira De Psiquiatria, 2016, 38, 58-60.	0.9	16
94	Acute neuroinflammation elicited by TLR-3 systemic activation combined with early life stress induces working memory impairments in male adolescent mice. Behavioural Brain Research, 2019, 376, 112221.	1,2	16
95	Dual influences of early life stress induced by limited bedding on walking adaptability and Bdnf/TrkB and Drd1/Drd2 gene expression in different mouse brain regions. Behavioural Brain Research, 2019, 359, 66-72.	1.2	16
96	Exposure to Prenatal Stress Is Associated With an Excitatory/Inhibitory Imbalance in Rat Prefrontal Cortex and Amygdala and an Increased Risk for Emotional Dysregulation. Frontiers in Cell and Developmental Biology, 2021, 9, 653384.	1.8	16
97	Can reactivity to stress and family environment explain memory and executive function performance in early and middle childhood?. Trends in Psychiatry and Psychotherapy, 2016, 38, 80-89.	0.4	15
98	Hair cortisol in drug-naÃ-ve first-episode individuals with psychosis. Revista Brasileira De Psiquiatria, 2016, 38, 11-16.	0.9	15
99	Effects of crack cocaine addiction and stress-related genes on peripheral BDNF levels. Journal of Psychiatric Research, 2017, 90, 78-85.	1.5	15
100	Maternal Separation Combined With Limited Bedding Increases Anxiety-Like Behavior and Alters Hypothalamic-Pituitary-Adrenal Axis Function of Male BALB/cJ Mice. Frontiers in Behavioral Neuroscience, 2020, 14, 600766.	1.0	15
101	Memória, humor e emoção. Revista De Psiquiatria Do Rio Grande Do Sul, 2006, 28, 61-68.	0.3	14
102	Child Abuse in the Context of Intimate Partner Violence Against Women. Journal of Interpersonal Violence, 2014, 29, 1201-1227.	1.3	14
103	Maus-tratos contra idosos em Porto Alegre, Rio Grande do Sul: um estudo documental. Estudos De Psicologia (Campinas), 2016, 33, 543-551.	0.8	14
104	Theory of Mind Impairments in Women With Cocaine Addiction. Journal of Studies on Alcohol and Drugs, 2017, 78, 258-267.	0.6	14
105	Effects of DRD2 splicing-regulatory polymorphism and DRD4 48Âbp VNTR on crack cocaine addiction. Journal of Neural Transmission, 2019, 126, 193-199.	1.4	14
106	Sensitivity to gains during risky decision-making differentiates chronic cocaine users from stimulant-naà ve controls. Behavioural Brain Research, 2020, 379, 112386.	1,2	14
107	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. PLoS ONE, 2016, 11, e0160455.	1.1	14
108	Long-term Effects of Maternal Separation on Anxiety-Like Behavior and Neuroendocrine Parameters in Adult Balb/c Mice. Chronic Stress, 2021, 5, 247054702110671.	1.7	14

#	Article	IF	CITATIONS
109	False recognition in women with a history of childhood emotional neglect and diagnose of recurrent major depression. Consciousness and Cognition, 2011, 20, 1127-1134.	0.8	13
110	Social cognition and Theory of Mind: Controversies and promises for understanding major psychiatric disorders Psychology and Neuroscience, 2011, 4, 347-351.	0.5	13
111	Executive functions in late childhood: Age differences among groups Psychology and Neuroscience, 2013, 6, 79-88.	0.5	13
112	Balancing Automatic-Controlled Behaviors and Emotional-Salience States: A Dynamic Executive Functioning Hypothesis. Frontiers in Psychology, 2016, 07, 2067.	1.1	13
113	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. Clinical Epigenetics, 2019, 11, 146.	1.8	13
114	Exposição a trauma e transtorno de estresse pós-traumático em usuárias de crack. Jornal Brasileiro De Psiquiatria, 2012, 61, 206-213.	0.2	13
115	Effects of early life stress on brain cytokines: A systematic review and meta-analysis of rodent studies. Neuroscience and Biobehavioral Reviews, 2022, 139, 104746.	2.9	13
116	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. Journal of Psychiatric Research, 2014, 59, 8-13.	1.5	12
117	Serum copeptin in children exposed to maltreatment. Psychiatry and Clinical Neurosciences, 2016, 70, 434-441.	1.0	12
118	Violence and Latinâ€American preadolescents: A study of social brain function and cortisol levels. Developmental Science, 2019, 22, e12799.	1.3	12
119	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. Translational Psychiatry, 2021, 11, 252.	2.4	12
120	Semantic validation of the ISPCAN Child Abuse Screening Tools (ICAST) in Brazilian Portuguese. Trends in Psychiatry and Psychotherapy, 2016, 38, 105-110.	0.4	11
121	Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. Journal of Psychiatric Research, 2018, 98, 51-58.	1.5	11
122	Effect of male-specific childhood trauma on telomere length. Journal of Psychiatric Research, 2018, 107, 104-109.	1.5	11
123	An fMRI study of inhibitory control and the effects of exposure to violence in Latin-American early adolescents: alterations in frontoparietal activation and performance. Social Cognitive and Affective Neuroscience, 2019, 14, 1097-1107.	1.5	11
124	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. PLoS ONE, 2020, 15, e0232242.	1.1	11
125	A behavioral economic risk aversion experiment in the context of the COVID-19 pandemic. PLoS ONE, 2021, 16, e0245261.	1.1	11
126	Variáveis psicossociais e desempenho em leitura de crianças de baixo nÃ√el socioeconômico. Psicologia: Teoria E Pesquisa, 2012, 28, 389-398.	0.1	11

#	Article	IF	Citations
127	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. Revista Brasileira De Psiquiatria, 2012, 34, 71-75.	0.9	10
128	Translation and adaptation of Theory of Mind tasks into Brazilian portuguese. Trends in Psychiatry and Psychotherapy, 2012, 34, 178-185.	0.4	10
129	Glucocorticoid receptor gene modulates severity of depression in women with crack cocaine addiction. European Neuropsychopharmacology, 2016, 26, 1438-1447.	0.3	10
130	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. European Child and Adolescent Psychiatry, 2017, 26, 521-529.	2.8	10
131	Exercise before pregnancy attenuates the effects of prenatal stress in adult mice in a sexâ€dependent manner. International Journal of Developmental Neuroscience, 2020, 80, 86-95.	0.7	10
132	Cortical thickness and subcortical volume abnormalities in male crack-cocaine users. Psychiatry Research - Neuroimaging, 2021, 310, 111232.	0.9	10
133	New perspectives on coping in bipolar disorder Psychology and Neuroscience, 2010, 3, 161-165.	0.5	9
134	Mothers who were sexually abused during childhood are more likely to have a child victim of sexual violence. Trends in Psychiatry and Psychotherapy, 2014, 36, 119-122.	0.4	9
135	Exposure to maltreatment and urban violence in children working on the streets in São Paulo, Brazil: factors associated with street work. Revista Brasileira De Psiquiatria, 2014, 36, 191-198.	0.9	9
136	Association of CHRNA5 Gene Variants with Crack Cocaine Addiction. NeuroMolecular Medicine, 2020, 22, 384-390.	1.8	9
137	Sex differences in risk behavior parameters in adolescent mice: Relationship with brain-derived neurotrophic factor in the medial prefrontal cortex. Neuroscience Letters, 2022, 766, 136339.	1.0	9
138	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. Acta Psychiatrica Scandinavica, 2016, 133, 122-132.	2.2	8
139	NFκB1 and NFκB2 gene expression in the prefrontal cortex and hippocampus of early life stressed mice exposed to cocaine-induced conditioned place preference during adolescence. Neuroscience Letters, 2017, 658, 27-31.	1.0	8
140	Hair cortisol concentration, cognitive, behavioral, and motor impairment in multiple sclerosis. Journal of Neural Transmission, 2019, 126, 1145-1154.	1.4	8
141	Propriedades psicométricas da Cocaine Selective Severity Assessment (CSSA) em mulheres usuárias de crack. Jornal Brasileiro De Psiquiatria, 2015, 64, 115-121.	0.2	8
142	Assessing Affective and Deliberative Decision-Making: Adaptation of the Columbia Card Task to Brazilian Portuguese. Spanish Journal of Psychology, 2015, 18, E89.	1.1	7
143	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. Psychoneuroendocrinology, 2016, 71, 94-101.	1.3	7
144	The childhood maltreatment influences on breast cancer patients: A second wave hit model hypothesis for distinct biological and behavioral response. Medical Hypotheses, 2017, 108, 86-93.	0.8	7

#	Article	IF	Citations
145	The association between SYT1-rs2251214 and cocaine use disorder further supports its role in psychiatry. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109642.	2.5	7
146	Hair cortisol levels and mental health problems in children and adolescents exposed to victimization. Stress, 2020, 23, 546-555.	0.8	7
147	Tarefa N-back auditiva: desempenho entre diferentes grupos etários. Psicologia: Reflexao E Critica, 2013, 26, 151-159.	0.4	6
148	Subjective and physiological stress measurement in a multiple sclerosis sample and the relation with executive functions performance. Journal of Neural Transmission, 2019, 126, 613-622.	1.4	6
149	Vulnerable and resilient cognitive performance related to early life stress: The potential mediating role of dopaminergic receptors in the medial prefrontal cortex of adult mice. International Journal of Developmental Neuroscience, 2020, 80, 13-27.	0.7	6
150	Childhood maltreatment and coping in bipolar disorder Psychology and Neuroscience, 2013, 6, 271-277.	0.5	6
151	Trauma complexo e suas implicações diagnósticas. Revista De Psiquiatria Do Rio Grande Do Sul, 2011, 33, 55-62.	0.3	5
152	Dual-memory processes in crack cocaine dependents: The effects of childhood neglect on recall. Memory, 2015, 23, 955-971.	0.9	5
153	Cocaine use disorder in females is associated with altered social decision-making: a study with the prisoner's dilemma and the ultimatum game. BMC Psychiatry, 2019, 19, 211.	1.1	5
154	Tomada de decisão em dependentes de crack: um estudo com o lowa Gambling Task. Estudos De Psicologia (Natal), 2012, 17, 99-106.	0.0	4
155	Cross-cultural adaptation of the Maltreatment and Abuse Chronology of Exposure (MACE) scale to Brazilian Portuguese. Trends in Psychiatry and Psychotherapy, 2016, 38, 33-39.	0.4	4
156	Right frontal stroke: extra-frontal lesions, executive functioning and impulsive behaviour. Psicologia: Reflexao E Critica, 2016, 29, .	0.4	4
157	Corticotropin-releasing factor infusion in the bed nucleus of the stria terminalis of lactating mice alters maternal care and induces behavioural phenotypes in offspring. Scientific Reports, 2020, 10, 19985.	1.6	4
158	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. Journal of Addiction Medicine, 2020, 14, e37-e43.	1.4	4
159	Early environmental enrichment rescues memory impairments provoked by mild neonatal hypoxia-ischemia in adolescent mice. Behavioural Brain Research, 2021, 407, 113237.	1.2	4
160	Sex differences in brain regional homogeneity during acute abstinence in cocaine use disorder. Addiction Biology, 2022, 27, e13177.	1.4	4
161	Brazilian version of the Structured Interview for Disorders of Extreme Stress - Revised (SIDES-R): adaptation and validation process. Trends in Psychiatry and Psychotherapy, 2013, 35, 292-298.	0.4	3
162	Influence of early childhood trauma on risk for bipolar disorder. , 2018, , 33-48.		3

#	Article	IF	CITATIONS
163	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. Translational Psychiatry, 2020, 10, 99.	2.4	3
164	"Life Chart" retrospectivo: instrumento para assinalar graficamente a presença e a evolução do impacto funcional de episódios afetivos manÃacos e depressivos. Revista De Psiquiatria Clinica, 2009, 36, 217-220.	0.6	2
165	Influence of personality traits in coping skills in individuals with bipolar disorder. Revista De Psiquiatria Clinica, 2014, 41, 95-100.	0.6	2
166	Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. Journal of Psychosomatic Research, 2019, 127, 109864.	1.2	2
167	Oxytocin Receptor Exon III Methylation in the Umbilical Cord Blood of Newborns With Prenatal Exposure to Crack Cocaine. Frontiers in Cell and Developmental Biology, 2021, 9, 639287.	1.8	2
168	New title: Trends in Psychiatry and Psychotherapy. Trends in Psychiatry and Psychotherapy, 2011, 33, 133-134.	0.4	2
169	T211. Epigenetics of Cocaine Use Disorder: A Collaborative Case-Control Initiative in Blood and Brain. Biological Psychiatry, 2019, 85, S211.	0.7	1
170	Association between cognitive performance and SYT1-rs2251214 among women with cocaine use disorder. Journal of Neural Transmission, 2019, 126, 1707-1711.	1.4	1
171	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. CNS Spectrums, 2020, 25, 790-796.	0.7	1
172	Childhood maltreatment and health outcomes. Revista Brasileira De Psiquiatria, 2019, 41, 193-193.	0.9	1
173	Desempenho Neuropsicol $ ilde{A}^3$ gico de Adolescentes com Transtorno de Humor Bipolar. Psicologia Em Pesquisa, 2013, 7, 63-69.	0.0	1
174	BDNF Val66Met polymorphism and memory performance in older adults: the Met carrier effect is more complex than previously thought: Authors' reply. Revista Brasileira De Psiquiatria, 2017, 39, 276-277.	0.9	1
175	Tradução e adaptação semântica para versão em português do Stressful Life Events Schedule (SLES). Psico-USF, 2013, 18, 221-229.	0.1	O
176	T210. Increased Peripheral Blood Levels of microRNA-124 and microRNA-181 Among Females With Smoked Cocaine Use Disorder. Biological Psychiatry, 2019, 85, S211.	0.7	0
177	S210. Comparison on Sex Differences With Resting-State Functional Magnetic Resonance Imaging Shows Opposite Patterns of Functional Brain Connectivity. Biological Psychiatry, 2019, 85, S378-S379.	0.7	0
178	SA67PERIPHERAL METHYLOME ANALYSIS IN COCAINE USE DISORDER PATIENTS SUGGESTS BRAIN-RELEVANT ALTERATIONS IN THE INNATE IMMUNE SYSTEM: (EPI)GENETICS OF COCCAINE USE DISORDER: COLLABORATIVE CASE-CONTROL INITIATIVE IN COCAINE ADDICTION. European Neuropsychopharmacology, 2019, 29, S1224.	0.3	0
179	P.600 Amygdala and prefrontal cortex excitatory/inhibitory balance in a rat model of prenatal stress exposure. European Neuropsychopharmacology, 2020, 40, S342-S343.	0.3	O
180	Reduced White Matter Integrity is Associated With Smoked Cocaine Use Disorder: Effects of Chronicity of Addiction but No Sex Differences. Biological Psychiatry, 2020, 87, S328-S329.	0.7	0

#	Article	IF	CITATIONS
181	P.120 Prenatal stress induces sex-specific behavioural and excitatory/inhibitory balance alterations in adult rats. European Neuropsychopharmacology, 2021, 44, S15.	0.3	O
182	Childhood Physical Neglect is Associated With Epigenetic Aging Acceleration Among Women With Cocaine Use Disorder. Biological Psychiatry, 2021, 89, S317.	0.7	O
183	Diffusion Tensor Imaging of Cocaine Users and Proteomic Analysis of Postmortem Brains of Subjects Reporting Cocaine Addiction Suggest White Matter Impairment in BA9 Region of Prefrontal Cortex. Biological Psychiatry, 2021, 89, S233.	0.7	O
184	Cortical Thickness in Cocaine Use Disorder and its Relation to Age-Related Brain Atrophy. Biological Psychiatry, 2021, 89, S368-S369.	0.7	0
185	Falsas Memórias: fundamentos CientÃficos e suas Aplicações ClÃnicas e JurÃdicas. Revista Brasileira De Psiquiatria, 2010, 32, 204-204.	0.9	O
186	Déficits na memória de trabalho em idosos com depressão maior: uma revisão sistemática. Psicologia: Teoria E Pesquisa, 2013, 29, 221-228.	0.1	0
187	Translation and adaptation of the Trier social Stress Test for children into Portuguese language. Temas Em Psicologia, 2014, 22, 655-662.	0.3	O
188	Percepções de Profissionais sobre Atendimentos em Saúde para Mulheres Usuárias de Crack. Psicologia: Ciência E Profissão, 0, 40, .	0.0	0
189	Gestational stress alters maternal behavior and inflammatory markers in the olfactory bulb of lactating mice. International Journal of Developmental Neuroscience, 2021, , .	0.7	O
190	Decision-making under risk and theory of mind in adolescent offenders in provisional deprivation of liberty. Trends in Psychiatry and Psychotherapy, 2021, , .	0.4	0
191	Validation of the Brazilian Portuguese version of the Quick Inventory of Depressive Symptomatology and Self-Report (QIDS-SR16) for the Brazilian population. Trends in Psychiatry and Psychotherapy, 2023,	0.4	O
192	The Perceptions of Women About Their High Experience of Using Crack Cocaine. Frontiers in Psychiatry, 2022, 13, 898570.	1.3	0