

Alessandro Consolaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2425873/publications.pdf>

Version: 2024-02-01

137
papers

3,695
citations

126907
33
h-index

138484
58
g-index

139
all docs

139
docs citations

139
times ranked

2917
citing authors

#	ARTICLE	IF	CITATIONS
1	Validity and reliability of four parent/patient reported outcome measures for juvenile idiopathic arthritis remote monitoring. <i>Arthritis Care and Research</i> , 2022, , .	3.4	2
2	Drivers of non-zero physician global scores during periods of inactive disease in juvenile idiopathic arthritis. <i>RMD Open</i> , 2022, 8, e002042.	3.8	3
3	Cardiovascular Manifestations in Multisystem Inflammatory Syndrome in Children (MIS-C) Associated with COVID-19 According to Age. <i>Children</i> , 2022, 9, 583.	1.5	7
4	Development and Testing of Reduced Versions of the Manual Muscle Test-8 in Juvenile Dermatomyositis. <i>Journal of Rheumatology</i> , 2021, 48, 898-906.	2.0	4
5	Outcome Scores in Pediatric Rheumatology. <i>Current Rheumatology Reports</i> , 2021, 23, 23.	4.7	5
6	Neutrophil Extracellular Traps in Systemic Lupus Erythematosus Stimulate IgG2 Production From B Lymphocytes. <i>Frontiers in Medicine</i> , 2021, 8, 635436.	2.6	10
7	Novel biomarkers for prediction of outcome and therapeutic response in juvenile idiopathic arthritis. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 853-870.	3.0	10
8	Definition and Validation of the American College of Rheumatology 2021 Juvenile Arthritis Disease Activity Score Cutoffs for Disease Activity States in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 1966-1975.	5.6	33
9	Outcome Measures in Pediatric Rheumatic Disease. <i>Rheumatic Disease Clinics of North America</i> , 2021, 47, 655-668.	1.9	0
10	The Effect of Morning Stiffness Duration on the Definition of Clinically Inactive Disease in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2020, 47, 1238-1241.	2.0	4
11	Determinants of discordance between criteria for inactive disease and low disease activity in juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2020, 73, 1722-1729.	3.4	3
12	Outcome Measures for Juvenile Idiopathic Arthritis Disease Activity. <i>Arthritis Care and Research</i> , 2020, 72, 150-162.	3.4	4
13	Development and initial validation of a composite disease activity score for systemic juvenile idiopathic arthritis. <i>Rheumatology</i> , 2020, 59, 3505-3514.	1.9	39
14	Disease activity and damage in juvenile idiopathic arthritis: methotrexate era versus biologic era. <i>Arthritis Research and Therapy</i> , 2019, 21, 168.	3.5	37
15	A prediction rule for lack of achievement of inactive disease with methotrexate as the sole disease-modifying antirheumatic therapy in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2019, 17, 50.	2.1	5
16	Development and validation of a composite disease activity score for measurement of muscle and skin involvement in juvenile dermatomyositis. <i>Rheumatology</i> , 2019, 58, 1196-1205.	1.9	10
17	Predictors of Effectiveness of Anakinra in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2019, 46, 416-421.	2.0	41
18	Phenotypic variability and disparities in treatment and outcomes of childhood arthritis throughout the world: an observational cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 255-263.	5.6	120

#	ARTICLE	IF	CITATIONS
19	Establishing an Updated Core Domain Set for Studies in Juvenile Idiopathic Arthritis: A Report from the OMERACT 2018 JIA Workshop. <i>Journal of Rheumatology</i> , 2019, 46, 1006-1013.	2.0	34
20	AB1316...AGREEMENT BETWEEN SUBJECTIVE AND OBJECTIVE DEFINITIONS OF INACTIVE DISEASE IN CHILDREN WITH JUVENILE IDIOPATHIC ARTHRITIS. , 2019, , .	0	0
21	SAT0024...TRANSCRIPTOMIC PROFILING OF THE MICROENVIRONMENT DRIVEN RE-SHAPING OF PATHOGENIC CIRCULATORY AND SYNOVIAL HLA-DR+ CD4 T SUBSETS IN ACTIVE JUVENILE IDIOPATHIC ARTHRITIC PATIENTS. , 2019, , .	0	0
22	FRI0571...MEASUREMENT PERFORMANCE OF REDUCED VERSIONS OF MUSCLE STRENGTH TOOLS IN JUVENILE DERMATOMYOSITIS. , 2019, , .	0	0
23	THU0655...LONG-TERM OUTCOME OF JUVENILE IDIOPATHIC ARTHRITIS: COMPARISON OF BIOLOGIC AND METHOTREXATE ERAS. , 2019, , .	0	0
24	FRI0547...DEVELOPMENT AND INITIAL VALIDATION OF THE SYSTEMIC JADAS, A NEW COMPOSITE DISEASE ACTIVITY SCORE FOR SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS. , 2019, , .	1	1
25	THU0515...PAIN IS THE MAIN DETERMINANT OF WELL-BEING IN OLIGO- AND POLYARTICULAR JIA: EVIDENCE FROM THE PHARMACHILD REGISTRY. , 2019, , .	0	0
26	SAT0501...THE IMPACT OF MORNING STIFFNESS ON THE DEFINITION OF INACTIVE DISEASE IN JUVENILE IDIOPATHIC ARTHRITIS. , 2019, , .	0	0
27	THU0594...CLINICAL VERSUS IMAGING REMISSION IN JUVENILE IDIOPATHIC ARTHRITIS (JIA): PRELIMINARY RESULTS OF THE REMECO STUDY. , 2019, , .	0	0
28	A child with a novel ACAN missense variant mimicking a septic arthritis. <i>Italian Journal of Pediatrics</i> , 2019, 45, 148.	2.6	4
29	The Hindi version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 235-242.	3.0	1
30	The Brazilian Portuguese version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 59-66.	3.0	0
31	The Argentinian Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 51-58.	3.0	0
32	The Hebrew version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 227-233.	3.0	0
33	The Turkish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 395-402.	3.0	4
34	The Thai version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 387-393.	3.0	1
35	The Slovene version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 363-369.	3.0	0
36	The Colombian Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 107-113.	3.0	0

#	ARTICLE	IF	CITATIONS
37	The Hungarian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 243-250.	3.0	1
38	The Mexican Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 283-289.	3.0	0
39	The Algerian Arabic version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 27-33.	3.0	4
40	Treating juvenile idiopathic arthritis to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2018-213030.	0.9	183
41	The Chilean Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 99-105.	3.0	0
42	The Italian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 251-258.	3.0	2
43	Development and Testing of a Hybrid Measure of Muscle Strength in Juvenile Dermatomyositis for Use in Routine Care. <i>Arthritis Care and Research</i> , 2018, 70, 1312-1319.	3.4	19
44	Filling the Gap: Toward a Disease Activity Tool for Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 3-5.	2.0	5
45	The Lithuanian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 275-282.	3.0	0
46	The Serbian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 347-354.	3.0	0
47	The Swedish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 371-377.	3.0	0
48	The Afrikaans version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 19-26.	3.0	2
49	The Flemish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 187-194.	3.0	0
50	The Canadian English and French versions of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 83-90.	3.0	1
51	The Croatian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 115-122.	3.0	0
52	The Ecuadorian Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 147-153.	3.0	0
53	The Finnish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 179-186.	3.0	0
54	The German version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 211-218.	3.0	2

#	ARTICLE	IF	CITATIONS
55	The Greek version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 219-226.	3.0	1
56	The Farsi version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 171-178.	3.0	1
57	The Norwegian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 291-298.	3.0	0
58	The Paraguayan Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 307-313.	3.0	0
59	The Polish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 315-321.	3.0	0
60	The Romanian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 331-338.	3.0	0
61	The Dutch version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 139-146.	3.0	2
62	The Castilian Spanish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 91-98.	3.0	0
63	The Arabic version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 43-49.	3.0	8
64	The Ukrainian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 403-409.	3.0	5
65	The American English version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 35-42.	3.0	8
66	Preface. <i>Rheumatology International</i> , 2018, 38, 1-3.	3.0	6
67	Cross-cultural adaptation and psychometric evaluation of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR) in 54 languages across 52 countries: review of the general methodology. <i>Rheumatology International</i> , 2018, 38, 5-17.	3.0	74
68	The Danish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 131-138.	3.0	0
69	The Estonian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 163-169.	3.0	0
70	The Egyptian Arabic version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 155-161.	3.0	6
71	The French version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 195-201.	3.0	0
72	The Georgian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 203-209.	3.0	0

#	ARTICLE	IF	CITATIONS
73	The Latvian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 259-265.	3.0	0
74	The Slovak version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 355-361.	3.0	0
75	The Swiss French version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 379-386.	3.0	0
76	The British English version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 67-73.	3.0	3
77	Treat to Target in Juvenile Idiopathic Arthritis: Challenges and Opportunities. Current Treatment Options in <i>Rheumatology</i> , 2018, 4, 29-43.	1.4	3
78	Pharmacovigilance in juvenile idiopathic arthritis patients treated with biologic or synthetic drugs: combined data of more than 15,000 patients from Pharmachild and national registries. <i>Arthritis Research and Therapy</i> , 2018, 20, 285.	3.5	71
79	Molecular mechanisms of autophagic memory in pathogenic T cells in human arthritis. <i>Journal of Autoimmunity</i> , 2018, 94, 90-98.	6.5	11
80	The Bulgarian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 75-82.	3.0	7
81	The Libyan Arabic version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 267-274.	3.0	8
82	The Omani Arabic version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 299-306.	3.0	5
83	The Portuguese version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 323-329.	3.0	0
84	The Czech version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 123-130.	3.0	0
85	The Russian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018, 38, 339-346.	3.0	0
86	Intra-articular corticosteroids versus intra-articular corticosteroids plus methotrexate in oligoarticular juvenile idiopathic arthritis: a multicentre, prospective, randomised, open-label trial. <i>Lancet, The</i> , 2017, 389, 909-916.	13.7	52
87	TCR repertoire sequencing identifies synovial Treg cell clonotypes in the bloodstream during active inflammation in human arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 435-441.	0.9	64
88	Trial Design and Collaborative Work in Pediatric Rheumatology. <i>Pediatric Rheumatology International</i> , 2017, 17, 47-54.	0	0
89	Evidence for Updating the Core Domain Set of Outcome Measures for Juvenile Idiopathic Arthritis: Report from a Special Interest Group at OMERACT 2016. <i>Journal of Rheumatology</i> , 2017, 44, 1884-1888.	2.0	11
90	Recent therapeutic advances in juvenile idiopathic arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017, 31, 476-487.	3.3	9

#	ARTICLE	IF	CITATIONS
91	Biologic Response Modifiers in Pediatric Rheumatology. , 2017, , 77-87.	0	
92	IL-1 Inhibition in Systemic Juvenile Idiopathic Arthritis. <i>Frontiers in Pharmacology</i> , 2016, 7, 467.	3.5	39
93	A Meta-Analysis to Estimate the Placebo Effect in Randomized Controlled Trials in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 1540-1550.	5.6	11
94	Unraveling the Phenotypic Variability of Juvenile Idiopathic Arthritis across Races or Geographic Areas – Key to Understanding Etiology and Genetic Factors?. <i>Journal of Rheumatology</i> , 2016, 43, 683-685.	2.0	15
95	Disease status, reasons for discontinuation and adverse events in 1038 Italian children with juvenile idiopathic arthritis treated with etanercept. <i>Pediatric Rheumatology</i> , 2016, 14, 68.	2.1	35
96	Defining criteria for disease activity states in juvenile idiopathic arthritis: Table 1. <i>Rheumatology</i> , 2016, 55, 595-596.	1.9	22
97	Juvenile Idiopathic Arthritis: Diagnosis and Treatment. <i>Rheumatology and Therapy</i> , 2016, 3, 187-207.	2.3	148
98	Clinical outcome measures in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2016, 14, 23.	2.1	133
99	Current Research in Outcome Measures for Pediatric Rheumatic and Autoinflammatory Diseases. <i>Current Rheumatology Reports</i> , 2016, 18, 8.	4.7	12
100	Information technology in paediatric rheumatology. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S11-S16.	0.8	4
101	Advances in biomarkers for paediatric rheumatic diseases. <i>Nature Reviews Rheumatology</i> , 2015, 11, 265-275.	8.0	37
102	Glucocorticoids in Juvenile Idiopathic Arthritis. <i>NeuroImmunoModulation</i> , 2015, 22, 112-118.	1.8	13
103	The conundrum of juvenile psoriatic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S40-3.	0.8	28
104	Defining Criteria for Disease Activity States in Nonsystemic Juvenile Idiopathic Arthritis Based on a Three-Variable Juvenile Arthritis Disease Activity Score. <i>Arthritis Care and Research</i> , 2014, 66, 1703-1709.	3.4	115
105	Is it worth allowing the presence of morning stiffness in the definition of inactive disease in juvenile idiopathic arthritis?. <i>Pediatric Rheumatology</i> , 2014, 12, .	2.1	0
106	Nearly 20% of children are not correctly classified according to current classification in a PRINTO dataset of more than 12,000 juvenile idiopathic arthritis patients. <i>Pediatric Rheumatology</i> , 2014, 12, .	2.1	0
107	Pharmacovigilance in juvenile idiopathic arthritis patients (Pharmachild) treated with biologic agents and/or methotrexate. Consolidated baseline characteristics from Pharmachild and other national registries. <i>Pediatric Rheumatology</i> , 2014, 12, .	2.1	1
108	Whole-body MRI in the assessment of disease activity in juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1083-1090.	0.9	113

#	ARTICLE	IF	CITATIONS
109	A30: Assessment of Construct and Discriminative Validity of the 3-Variable JADAS in Relation of Parent-Reported Outcomes. <i>Arthritis and Rheumatology</i> , 2014, 66, S46-S46.	5.6	1
110	Defining criteria for high disease activity in juvenile idiopathic arthritis based on the Juvenile Arthritis Disease Activity Score. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1380-1383.	0.9	77
111	Performance of Current Guidelines for Diagnosis of Macrophage Activation Syndrome Complicating Systemic Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 2871-2880.	5.6	101
112	Female Sex and Oligoarthritis Category Are Not Risk Factors for Uveitis in Italian Children with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 1416-1425.	2.0	25
113	Treating Juvenile Idiopathic Arthritis According to JADAS-Based Targets. <i>Annals of Paediatric Rheumatology</i> , 2014, 3, 4.	0.0	8
114	MRI versus conventional measures of disease activity and structural damage in evaluating treatment efficacy in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 363-368.	0.9	36
115	SectionÂ4: Juvenile Idiopathic Arthritis. <i>Clinical Drug Investigation</i> , 2013, 33, 133-137.	2.2	1
116	Delineating the Role of Multiple Intraarticular Corticosteroid Injections in the Management of Juvenile Idiopathic Arthritis in the Biologic Era. <i>Arthritis Care and Research</i> , 2013, 65, 1112-1120.	3.4	38
117	Juvenile idiopathic arthritisâ€”are biologic agents effective for pain?. <i>Nature Reviews Rheumatology</i> , 2013, 9, 447-448.	8.0	12
118	Factors Associated with Achievement of Inactive Disease in Children with Juvenile Idiopathic Arthritis Treated with Etanercept. <i>Journal of Rheumatology</i> , 2013, 40, 192-200.	2.0	43
119	It Is Worth Including Assessment of Disease Activity State in Juvenile Arthritis Clinical Trials. <i>Arthritis Care and Research</i> , 2013, 65, 1207-1210.	3.4	9
120	Introducing new tools for assessment of parent- and child-reported outcomes in paediatric rheumatology practice: a work in progress. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 964-8.	0.8	8
121	Possible discontinuation of therapies after clinical remission in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, S98-101; quiz S102-7.	0.8	10
122	Parent and Child Acceptable Symptom State in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 856-863.	2.0	72
123	Seeking insights into the EPidemiology, treatment and Outcome of Childhood Arthritis through a multinational collaborative effort: Introduction of the EPOCA study. <i>Pediatric Rheumatology</i> , 2012, 10, 39.	2.1	70
124	Remission, minimal disease activity, and acceptable symptom state in juvenile idiopathic arthritis: Defining criteria based on the juvenile arthritis disease activity score. <i>Arthritis and Rheumatism</i> , 2012, 64, 2366-2374.	6.7	171
125	Recent advances in quantitative assessment of juvenile idiopathic arthritis. <i>Annals of Paediatric Rheumatology</i> , 2012, 1, 84.	0.0	7
126	Toward a treat-to-target approach in the management of juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S157-62.	0.8	34

#	ARTICLE	IF	CITATIONS
127	An International Consensus Survey of Diagnostic Criteria for Macrophage Activation Syndrome in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2011, 38, 764-768.	2.0	140
128	Development and initial validation of composite parent-and child-centered disease assessment indices for juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2011, 63, 1262-1270. <i>Measures of Disease activity and damage in pediatric systemic lupus erythematosus: British Isles Lupus Assessment Group (BILAG), European Consensus Lupus Activity Measurement (ECLAM), Systemic Lupus Activity Measure (SLAM), Systemic Lupus Erythematosus Disease Activity Index (SLEDAI), Physician's Global Assessment of Disease Activity (MD Global), and Systemic Lupus International Collaborating Clinics/American College of Rheumatology Damage Index (SI ICC/ACR DI; SDI).</i> <i>Arthritis Care and Research</i> , 2011, 63, S112-7.	3.4	27
129		3.4	55
130	Outcome and predicting factors of single and multiple intra-articular corticosteroid injections in children with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2011, 50, 1627-1634.	1.9	59
131	A New Approach to Clinical Care of Juvenile Idiopathic Arthritis: The Juvenile Arthritis Multidimensional Assessment Report. <i>Journal of Rheumatology</i> , 2011, 38, 938-953.	2.0	159
132	Evaluation of 21-Numbered Circle and 10-Centimeter Horizontal Line Visual Analog Scales for Physician and Parent Subjective Ratings in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2010, 37, 1534-1541.	2.0	119
133	Development and validation of a composite disease activity score for juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2009, 61, 658-666.	6.7	579
134	Development and Testing of Reduced Joint Counts in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 183-190.	2.0	40
135	Physicians' and parents' ratings of inactive disease are frequently discordant in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2007, 34, 1773-6.	2.0	30
136	Prevalence of Overweight and Obesity in 2- to 6-year-old Italian Children. <i>Obesity</i> , 2006, 14, 765-769.	3.0	42
137	Ghrelin, insulin sensitivity and postprandial glucose disposal in overweight and obese children. <i>European Journal of Endocrinology</i> , 2006, 154, 61-68.	3.7	39