

# Haoming Tian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2481102/publications.pdf>

Version: 2024-02-01

111  
papers

5,522  
citations

201674

27  
h-index

85541

71  
g-index

119  
all docs

119  
docs citations

119  
times ranked

7849  
citing authors

#	ARTICLE	IF	CITATIONS
1	False-negative aldosterone-to-renin ratio in a primary aldosteronism patient complicated with primary polydipsia: case report. <i>Gland Surgery</i> , 2022, 11, 279-284.	1.1	1
2	Pharmacotherapy for adults with overweight and obesity: a systematic review and network meta-analysis of randomised controlled trials. <i>Lancet, The</i> , 2022, 399, 259-269.	13.7	156
3	sIL-2R: A Novel Diagnostic Biomarker for Primary Adrenal Lymphoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	3.6	1
4	Sodiumâ€“Glucose Cotransporter-2 Inhibitors in Patients With Heart Failure. <i>Annals of Internal Medicine</i> , 2022, 175, 851-861.	3.9	23
5	Safety of proprotein convertase subtilisin/kexin 9 inhibitors: a systematic review and meta-analysis. <i>Heart</i> , 2022, 108, 1296-1302.	2.9	13
6	Different Lipid Parameters in Predicting Clinical Outcomes in Chinese Statin-Na <sup>+</sup> -ve Patients After Coronary Stent Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 638663.	2.4	5
7	A Novel Diagnostic Model for Primary Adrenal Lymphoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 636658.	3.5	3
8	CMR-Verified Myocardial Fibrosis Is Associated With Subclinical Diastolic Dysfunction in Primary Aldosteronism Patients. <i>Frontiers in Endocrinology</i> , 2021, 12, 672557.	3.5	5
9	Developing a research database of primary aldosteronism: rationale and baseline characteristics. <i>BMC Endocrine Disorders</i> , 2021, 21, 137.	2.2	2
10	The Value of Different Single or Combined Indexes of the Captopril Challenge Test in the Diagnosis of Primary Aldosteronism. <i>Frontiers in Endocrinology</i> , 2021, 12, 689618.	3.5	2
11	Decreased Sclerostin Secretion in Humans and Mice With Nonalcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2021, 12, 707505.	3.5	7
12	Diabetes in Patients With Heart Failure With Reduced Ejection Fraction During Hospitalization: A Retrospective Observational Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 727188.	3.5	6
13	Distinctive Gut Microbiota in Patients with Overweight and Obesity with Dyslipidemia and its Responses to Long-term Orlistat and Ezetimibe Intervention: A Randomized Controlled Open-label Trial. <i>Frontiers in Pharmacology</i> , 2021, 12, 732541.	3.5	23
14	Gender-differential effects on blood glucose levels between acarbose and metformin in Chinese patients with newly diagnosed type 2 diabetes: a sub-analysis of the MARCH trial. <i>Endocrine Journal</i> , 2021, 68, 69-79.	1.6	10
15	Guideline Adherence of $\beta$ -blocker Initiating Dose and its Consequence in Hospitalized Patients With Heart Failure With Reduced Ejection Fraction. <i>Frontiers in Pharmacology</i> , 2021, 12, 770239.	3.5	1
16	Evaluation of effectiveness of treatment paradigm for newly diagnosed type 2 diabetes patients in Chin: A nationwide prospective cohort study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 151-161.	2.4	9
17	<p>Circulating Tissue Factor-Positive Procoagulant Microparticles in Patients with Type 1 Diabetes</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 12, 2819-2828.	2.4	4
18	Left-versus-right-adrenal-volume ratio as a screening index before adrenal venous sampling to identify unilateral primary aldosteronism patients. <i>Journal of Hypertension</i> , 2020, 38, 347-353.	0.5	7

#	ARTICLE	IF	CITATIONS
19	Clinical Features of 50 Patients With Primary Adrenal Lymphoma. <i>Frontiers in Endocrinology</i> , 2020, 11, 595.	3.5	18
20	The value of the post-captopril aldosterone/renin ratio for the diagnosis of primary aldosteronism and the influential factors: A meta-analysis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020, 21, 147032032097203.	1.7	3
21	MON-217 New Methods for Primary Aldosteronism Screening by Exploring the Values of Different Indicators and in Combination with Predictive Model. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.2	0
22	Hypertension Accompanied by Hyperaldosteronism, Hyperkalemia, and Hyperchloremic Acidosis: A Case Report and Literature Review. <i>Case Reports in Endocrinology</i> , 2020, 2020, 1-6.	0.4	2
23	LDL-C/HDL-C ratio associated with carotid intima-media thickness and carotid plaques in male but not female patients with type 2 diabetes. <i>Clinica Chimica Acta</i> , 2020, 511, 215-220.	1.1	10
24	Primary Aldosteronism and Bone Metabolism: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2020, 11, 574151.	3.5	17
25	Obesity Might Persistently Increase Adrenal Gland Volume: a Preliminary Study. <i>Obesity Surgery</i> , 2020, 30, 3503-3507.	2.1	6
26	The Expression of Snail, Galectin-3, and IGF1R in the Differential Diagnosis of Benign and Malignant Pheochromocytoma and Paraganglioma. <i>BioMed Research International</i> , 2020, 2020, 1-10.	1.9	4
27	A paternally inherited non-sense variant c.424G>T (p.G142*) in the first exon of <i>XLI±s</i> in an adult patient with hypophosphatemia and osteopetrosis. <i>Clinical Genetics</i> , 2020, 97, 712-722.	2.0	3
28	The Distinct Role of the Extra-Large G Protein $\epsilon$ -Subunit XL $\epsilon$ s. <i>Calcified Tissue International</i> , 2020, 107, 212-219.	3.1	2
29	&lt;p&gt;Cost-Effectiveness Analysis of Ezetimibe as the Add-on Treatment to Moderate-Dose Rosuvastatin versus High-Dose Rosuvastatin in the Secondary Prevention of Cardiovascular Diseases in China: A Markov Model Analysis&lt;p&gt;. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 157-165.	4.3	14
30	Exploration Of The Seated Saline Suppression Test For The Diagnosis Of Primary Aldosteronism In The Chinese Population. <i>Endocrine Practice</i> , 2020, 26, 891-899.	2.1	3
31	MON-192 Comparison of the Seated and Recumbent Saline Infusion Test for the Diagnosis of Primary Aldosteronism in Chinese Population. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.2	0
32	Increased cardio-ankle vascular index is independently associated with chronic kidney disease: A cross-sectional study in Chinese patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 623-627.	2.3	4
33	Diagnosis and treatment for hyperuricemia and gout: a systematic review of clinical practice guidelines and consensus statements. <i>BMJ Open</i> , 2019, 9, e026677.	1.9	90
34	&lt;p&gt;Effects of acarbose and metformin on the inflammatory state in newly diagnosed type 2 diabetes patients: a one-year randomized clinical study&lt;p&gt;. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 2769-2776.	4.3	34
35	The risk factors of glycemic control, blood pressure control, lipid control in Chinese patients with newly diagnosed type 2 diabetes _ A nationwide prospective cohort study. <i>Scientific Reports</i> , 2019, 9, 7709.	3.3	19
36	SIRT6 abrogation promotes adrenocortical carcinoma through activation of NF- $\kappa$ B signaling. <i>Molecular and Cellular Biochemistry</i> , 2019, 458, 1-10.	3.1	9

#	ARTICLE	IF	CITATIONS
37	Proprotein convertase subtilisin/kexin 9 inhibitors in reducing cardiovascular outcomes: a systematic review and meta-analysis. <i>Heart</i> , 2019, 105, heartjnl-2019-314763.	2.9	20
38	LRG ameliorates steatohepatitis by activating the AMPK/mTOR/SREBP1 signaling pathway in C57BL/6J mice fed a high-fat diet. <i>Molecular Medicine Reports</i> , 2019, 20, 701-708.	2.4	5
39	Cardiovascular risk in primary aldosteronism. <i>Medicine (United States)</i> , 2019, 98, e15985.	1.0	24
40	Identification of autoimmune type 1 diabetes and multiple organ-specific autoantibodies in adult-onset non-insulin-requiring diabetes in China: A population-based multicentre nationwide survey. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 893-902.	4.4	24
41	Characteristics of lipid profiles and lipid control in patients with diabetes in a tertiary hospital in Southwest China: an observational study based on electronic medical records. <i>Lipids in Health and Disease</i> , 2019, 18, 13.	3.0	9
42	A Comparison of Functional Features in Chinese and US Mobile Apps for Diabetes Self-Management: A Systematic Search in App Stores and Content Analysis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13971.	3.7	20
43	Study design and baseline characteristics of inpatients with diabetes mellitus in a tertiary hospital in China: A database study based on electronic medical records. <i>Journal of Evidence-Based Medicine</i> , 2018, 11, 152-157.	2.4	20
44	Berberine Modulates Gut Microbiota and Reduces Insulin Resistance via the TLR4 Signaling Pathway. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 513-520.	1.2	83
45	Dorzagliatin monotherapy in Chinese patients with type 2 diabetes: a dose-ranging, randomised, double-blind, placebo-controlled, phase 2 study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 627-636.	11.4	61
46	Vitamin D and Incidence of Prediabetes or Type 2 Diabetes: A Four-Year Follow-Up Community-Based Study. <i>Disease Markers</i> , 2018, 2018, 1-8.	1.3	37
47	Chloroquine and hydroxychloroquine are associated with reduced cardiovascular risk: a systematic review and meta-analysis. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 1685-1695.	4.3	80
48	The association between subclinical hypothyroidism and erectile dysfunction. <i>Pakistan Journal of Medical Sciences</i> , 2018, 34, 621-625.	0.6	10
49	Incidental thyroid carcinoma in surgery-treated hyperthyroid patients with Graves' disease: a systematic review and meta-analysis of cohort studies. <i>Cancer Management and Research</i> , 2018, Volume 10, 1201-1207.	1.9	16
50	Relations of lipid parameters, other variables with carotid intima-media thickness and plaque in the general Chinese adults: an observational study. <i>Lipids in Health and Disease</i> , 2018, 17, 107.	3.0	28
51	Glucagon-like peptide 1 receptor agonist ameliorates the insulin resistance function of islet $\beta$ cells via the activation of PDX-1/JAK signaling transduction in C57/BL6 mice with high-fat diet-induced diabetes. <i>International Journal of Molecular Medicine</i> , 2017, 39, 1029-1036.	4.0	26
52	The characteristics of newly diagnosed adult early-onset diabetes: a population-based cross-sectional study. <i>Scientific Reports</i> , 2017, 7, 46534.	3.3	34
53	Promoting Compliance to Practice Guidelines May Improve Primary Care for Thyroid Diseases. <i>JAMA Internal Medicine</i> , 2017, 177, 894.	5.1	0
54	Diagnosis and treatment for hyperuricaemia and gout: a protocol for a systematic review of clinical practice guidelines and consensus statements. <i>BMJ Open</i> , 2017, 7, e014928.	1.9	20

#	ARTICLE	IF	CITATIONS
55	Atrial fibrillation and type 1 diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 936.	11.4	0
56	Liver-Specific Overexpression of Gamma-Glutamyltransferase Ameliorates Insulin Sensitivity of Male C57BL/6 Mice. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-9.	2.3	10
57	Hypocalciuric Hypercalcemia due to Impaired Renal Tubular Calcium Excretion in a Type 2 Diabetic Patient. <i>Case Reports in Endocrinology</i> , 2017, 2017, 1-4.	0.4	0
58	Serum Gamma-Glutamyl Transferase and Ferritin Synergistically Associated with the Rate of Chronic Kidney Disease. <i>Disease Markers</i> , 2017, 2017, 1-7.	1.3	8
59	Increased circulating full-length betatrophin levels in drug-naïve metabolic syndrome. <i>Oncotarget</i> , 2017, 8, 17510-17517.	1.8	10
60	Mobile App-Based Interventions to Support Diabetes Self-Management: A Systematic Review of Randomized Controlled Trials to Identify Functions Associated with Glycemic Efficacy. <i>JMIR MHealth and UHealth</i> , 2017, 5, e35.	3.7	220
61	Circulating Betatrophin in Patients with Type 2 Diabetes: A Meta-Analysis. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-9.	2.3	31
62	Efficacy of Aloe Vera Supplementation on Prediabetes and Early Non-Treated Diabetic Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Nutrients</i> , 2016, 8, 388.	4.1	25
63	Cell-Derived Microparticles in Patients with Type 2 Diabetes Mellitus: a Systematic Review and Meta-Analysis. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 2439-2450.	1.6	107
64	Increased Metabolic Disorders and Impaired Insulin Secretory Function in the First-Degree Relatives of Type 2 Diabetic Patients with Normal Glucose Tolerance. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 431-436.	1.3	5
65	Exenatide in obese or overweight patients without diabetes: A systematic review and meta-analyses of randomized controlled trials. <i>International Journal of Cardiology</i> , 2016, 219, 293-300.	1.7	17
66	MicroRNA-17-92 cluster regulates pancreatic beta-cell proliferation and adaptation. <i>Molecular and Cellular Endocrinology</i> , 2016, 437, 213-223.	3.2	35
67	Effects of acetyl-L-carnitine and methylcobalamin for diabetic peripheral neuropathy: A multicenter, randomized, double-blind, controlled trial. <i>Journal of Diabetes Investigation</i> , 2016, 7, 777-785.	2.4	37
68	Association of Serum Ferritin Level with Risk of Incident Abnormal Glucose Metabolism in Southwestern China: a Prospective Cohort Study. <i>Biological Trace Element Research</i> , 2016, 169, 27-33.	3.5	5
69	Cigarette Smoking Is Associated with a Lower Prevalence of Newly Diagnosed Diabetes Screened by OGTT than Non-Smoking in Chinese Men with Normal Weight. <i>PLoS ONE</i> , 2016, 11, e0149234.	2.5	15
70	Association Between SLC1B1 Gene T521C Polymorphism and Statin-Related Myopathy Risk. <i>Medicine (United States)</i> , 2015, 94, e1268.	1.0	57
71	The Metabolic Effects of Oats Intake in Patients with Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2015, 7, 10369-10387.	4.1	77
72	Acetyl-L-Carnitine in the Treatment of Peripheral Neuropathic Pain: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2015, 10, e0119479.	2.5	31

#	ARTICLE	IF	CITATIONS
73	Association of Serum Gamma-Glutamyl Transferase and Ferritin with the Metabolic Syndrome. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-10.	2.3	17
74	Increased plasma dipeptidyl peptidase 4 activities predict new-onset microalbuminuria in association with its proinflammatory effects in Chinese without diabetes: a four-year prospective study. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 460-466.	0.7	16
75	Comparison of Short- and Mid-term Efficacy and the Mechanisms of Gastric Bypass Surgeries on Managing Obese and Nonobese Type 2 Diabetes Mellitus: A Prospective Study. <i>Archives of Medical Research</i> , 2015, 46, 303-309.	3.3	4
76	Increased plasma DPP4 activities predict new-onset hyperglycemia in Chinese over a four-year period: Possible associations with inflammation. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 498-505.	3.4	23
77	Contributions of Basal Glucose and Postprandial Glucose Concentrations to Hemoglobin A1c in the Newly Diagnosed Patients with Type 2 Diabetes—The Preliminary Study. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 445-448.	4.4	12
78	Association of serum ferritin concentrations with prevalence of prediabetes, type 2 diabetes mellitus, and metabolic syndrome in a Chinese population from Sichuan. <i>International Journal of Diabetes in Developing Countries</i> , 2015, 35, 522-528.	0.8	8
79	Alternative Statistical Analysis Shows Exercise Training-Induced Improvements in Peak VO <sub>2</sub> are Clinically Significant. <i>Sports Medicine</i> , 2015, 45, 763-765.	6.5	4
80	Glargine insulin/gliclazide MR combination therapy is more effective than premixed insulin monotherapy in Chinese patients with type 2 diabetes inadequately controlled on oral antidiabetic drugs. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 725-733.	4.0	12
81	Treatment Patterns and Glycemic Control in Older Adults with Type 2 Diabetes Mellitus Receiving Only Oral Antidiabetes Drugs in China. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 816-824.	4.4	14
82	Higher Baseline BMI is Associated with Greater Reduction of Apnea-Hypopnea Index After Bariatric Surgery. <i>Obesity Surgery</i> , 2015, 25, 1491-1493.	2.1	4
83	Glycemic Control Rate of T2DM Outpatients in China: A Multi-Center Survey. <i>Medical Science Monitor</i> , 2015, 21, 1440-1446.	1.1	41
84	Association between Family History Risk Categories and Prevalence of Diabetes in Chinese Population. <i>PLoS ONE</i> , 2015, 10, e0117044.	2.5	31
85	Bariatric Surgery for Type 2 Diabetes Mellitus in Patients with BMI $\leq 30$ kg/m <sup>2</sup> : A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0132335.	2.5	55
86	Serum Gamma-Glutamyltransferase and Ferritin are Related to Insulin Resistance: A Population-Based Study. <i>Clinical Laboratory</i> , 2015, 61, 1157-61.	0.5	7
87	MicroRNAs in Diabetic $\beta$ Cell Dysfunction and their Role as Biomarkers. <i>Current Signal Transduction Therapy</i> , 2015, 9, 64-69.	0.5	0
88	Obesity-Related Genomic Loci Are Associated with Type 2 Diabetes in a Han Chinese Population. <i>PLoS ONE</i> , 2014, 9, e104486.	2.5	25
89	Comparison of the efficacy of fenofibrate and acipimox on plasma lipoprotein subclasses distribution in the Chinese population with Type 2 diabetes mellitus and hypertriglyceridemia. <i>Clinical Lipidology</i> , 2014, 9, 171-177.	0.4	2
90	Increased Plasma DPP4 Activity Is Predictive of Prediabetes and Type 2 Diabetes Onset in Chinese Over a Four-Year Period: Result From the China National Diabetes and Metabolic Disorders Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2330-E2334.	3.6	49

#	ARTICLE	IF	CITATIONS
91	Autologous bone marrow stem cell transplantation for the treatment of postoperative hand infection with a skin defect in diabetes mellitus: A case report. <i>Oncology Letters</i> , 2014, 7, 1857-1862.	1.8	6
92	Albuminuria: Prevalence, associated risk factors and relationship with cardiovascular disease. <i>Journal of Diabetes Investigation</i> , 2014, 5, 464-471.	2.4	28
93	BMI and waist circumference are associated with impaired glucose metabolism and type 2 diabetes in normal weight Chinese adults. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 470-476.	2.3	43
94	Acarbose compared with metformin as initial therapy in patients with newly diagnosed type 2 diabetes: an open-label, non-inferiority randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 46-55.	11.4	134
95	Association of lipoprotein subclasses and carotid intima-media thickness in the Chinese population. <i>Clinical Lipidology</i> , 2014, 9, 407-415.	0.4	2
96	Increased Plasma DPP4 Activity Is an Independent Predictor of the Onset of Metabolic Syndrome in Chinese over 4 Years: Result from the China National Diabetes and Metabolic Disorders Study. <i>PLoS ONE</i> , 2014, 9, e92222.	2.5	27
97	Episodes of Paralysis in Chinese Men with Thyrotoxic Periodic Paralysis Are Associated with Elevated Serum Testosterone. <i>Thyroid</i> , 2013, 23, 420-427.	4.5	11
98	Changes of blood glucose and gastrointestinal hormones 4 months after gastric bypass surgery in Chinese obese type 2 diabetes patients with lower body mass index. <i>Journal of Diabetes Investigation</i> , 2013, 4, 214-221.	2.4	11
99	Effects of Different Proportion of Carbohydrate in Breakfast on Postprandial Glucose Excursion in Normal Glucose Tolerance and Impaired Glucose Regulation Subjects. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 569-574.	4.4	23
100	Letter: The Risk of Bladder Cancer in Korean Diabetic Subjects Treated with Pioglitazone ( <i>Diabetes</i> )	4.7	3
101	A prospective study to optimize insulin treatment by switching to insulin glargine in type 2 diabetic patients previously uncontrolled on premixed insulin: the optimization study. <i>Current Medical Research and Opinion</i> , 2012, 28, 533-541.	1.9	12
102	Glucose fluctuations in subjects with normal glucose tolerance, impaired glucose regulation and newly diagnosed type 2 diabetes mellitus. <i>Clinical Endocrinology</i> , 2012, 76, 810-815.	2.4	71
103	Medical Care and Payment for Diabetes in China: Enormous Threat and Great Opportunity. <i>PLoS ONE</i> , 2012, 7, e39513.	2.5	65
104	Body Iron Stores and Heme-Iron Intake in Relation to Risk of Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e41641.	2.5	135
105	I27L Polymorphism in hepatocyte nuclear factor-1 gene and type 2 diabetes mellitus: A meta-analysis of studies about orient population (Chinese and Japanese). <i>International Journal of Diabetes Mellitus</i> , 2010, 2, 28-31.	0.6	4
106	Serum gamma-glutamyl transferase, ferritin and the risk of type 2 diabetes in women from a Chinese minority. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 352-357.	2.8	13
107	Prevalence of Diabetes among Men and Women in China. <i>New England Journal of Medicine</i> , 2010, 362, 1090-1101.	27.0	2,685
108	New onset diabetes mellitus after liver transplantation and hepatitis C virus infection: meta-analysis of clinical studies. <i>Transplant International</i> , 2009, 22, 408-415.	1.6	62

#	ARTICLE	IF	CITATIONS
109	The relationships between PON1 activity as well as oxLDL levels and coronary artery lesions in CHD patients with diabetes mellitus or impaired fasting glucose. <i>Coronary Artery Disease</i> , 2008, 19, 565-573.	0.7	15
110	Elevated Serum Ferritin Concentrations in a Glucose-Impaired Population and in Normal Glucose Tolerant First-Degree Relatives in Familial Type 2 Diabetic Pedigrees. <i>Diabetes Care</i> , 2004, 27, 622-623.	8.6	22
111	Lipoprotein(a) level and lipids in type 2 diabetic patients and their normoglycemic first-degree relatives in type 2 diabetic pedigrees. <i>Diabetes Research and Clinical Practice</i> , 2003, 59, 63-69.	2.8	9