

Michael J Kleeman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2561078/publications.pdf>

Version: 2024-02-01

124
papers

10,944
citations

44069

48
h-index

33894

99
g-index

130
all docs

130
docs citations

130
times ranked

7915
citing authors

#	ARTICLE	IF	CITATIONS
1	Future emissions of particles and gases that cause regional air pollution in California under different greenhouse gas mitigation strategies. <i>Atmospheric Environment</i> , 2022, 273, 118960.	4.1	9
2	Direct measurements of ozone response to emissions perturbations in California. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4929-4949.	4.9	8
3	Adoption of low-carbon fuels reduces race/ethnicity disparities in air pollution exposure in California. <i>Science of the Total Environment</i> , 2022, 834, 155230.	8.0	9
4	Comparison of size-resolved PM elements measured using aluminum foil and Teflon impaction substrates: Implications for ultrafine particle source apportionment and future sampling networks in California. <i>Science of the Total Environment</i> , 2022, 838, 156523.	8.0	0
5	Separately resolving NO _x and VOC contributions to ozone formation. <i>Atmospheric Environment</i> , 2022, 285, 119224.	4.1	16
6	Improving spatial surrogates for area source emissions inventories in California. <i>Atmospheric Environment</i> , 2021, 247, 117665.	4.1	5
7	Chemical and Toxicological Properties of Emissions from a Light-Duty Compressed Natural Gas Vehicle Fueled with Renewable Natural Gas. <i>Environmental Science & Technology</i> , 2021, 55, 2820-2830.	10.0	10
8	Atmospheric Age Distribution of Primary and Secondary Inorganic Aerosols in a Polluted Atmosphere. <i>Environmental Science & Technology</i> , 2021, 55, 5668-5676.	10.0	7
9	Diversity of Carbonyl Compounds in Biogas and Natural Gas Revealed Using High-Resolution Mass Spectrometry and Nontarget Analysis. <i>Environmental Science & Technology</i> , 2021, 55, 12809-12817.	10.0	1
10	Day-of-week patterns for ultrafine particulate matter components at four sites in California. <i>Atmospheric Environment</i> , 2020, 222, 117088.	4.1	5
11	Improvement of aerosol activation/ice nucleation in a source-oriented WRF-Chem model to study a winter Storm in California. <i>Atmospheric Research</i> , 2020, 235, 104790.	4.1	5
12	Effects of Low-Carbon Energy Adoption on Airborne Particulate Matter Concentrations With Feedbacks to Future Climate Over California. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD032636.	3.3	0
13	Statistical analysis of trace contaminants measured in biogas. <i>Science of the Total Environment</i> , 2020, 729, 138702.	8.0	13
14	Oxygenated Aromatic Compounds are Important Precursors of Secondary Organic Aerosol in Biomass-Burning Emissions. <i>Environmental Science & Technology</i> , 2020, 54, 8568-8579.	10.0	72
15	Positive matrix factorization of ultrafine particle mass (PM _{0.1}) at three sites in California. <i>Science of the Total Environment</i> , 2020, 715, 136902.	8.0	17
16	Using Chemical Transport Model Predictions To Improve Exposure Assessment of PM _{2.5} Constituents. <i>Environmental Science and Technology Letters</i> , 2019, 6, 456-461.	8.7	16
17	Predicted ultrafine particulate matter source contribution across the continental United States during summertime air pollution events. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 9399-9412.	4.9	37
18	Composition and Toxicity of Biogas Produced from Different Feedstocks in California. <i>Environmental Science & Technology</i> , 2019, 53, 11569-11579.	10.0	80

#	ARTICLE	IF	CITATIONS
19	Performance analysis of membrane separation for upgrading biogas to biomethane at small scale production sites. <i>Biomass and Bioenergy</i> , 2019, 128, 105314.	5.7	38
20	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model – Part 3: Assessing the influence of semi-volatile and intermediate-volatility organic compounds and NO _x . <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 4561-4594.	4.9	29
21	Relationships between greenness and low birth weight: Investigating the interaction and mediation effects of air pollution. <i>Environmental Research</i> , 2019, 175, 124-132.	7.5	45
22	Regional sources of airborne ultrafine particle number and mass concentrations in California. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14677-14702.	4.9	32
23	Seasonal and Annual Source Apportionment of Carbonaceous Ultrafine Particulate Matter (PM _{<sub>0.1</sub>}) in Polluted California Cities. <i>Environmental Science & Technology</i> , 2019, 53, 39-49.	10.0	20
24	Modeling Atmospheric Age Distribution of Elemental Carbon Using a Regional Age-Resolved Particle Representation Framework. <i>Environmental Science & Technology</i> , 2019, 53, 270-278.	10.0	11
25	Improve regional distribution and source apportionment of PM _{2.5} trace elements in China using inventory-observation constrained emission factors. <i>Science of the Total Environment</i> , 2018, 624, 355-365.	8.0	37
26	Low-carbon energy generates public health savings in California. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4817-4830.	4.9	20
27	Ultrafine Particle Emissions from Natural Gas, Biogas, and Biomethane Combustion. <i>Environmental Science & Technology</i> , 2018, 52, 13619-13628.	10.0	21
28	Analysis of SAPRC16 chemical mechanism for ambient simulations. <i>Atmospheric Environment</i> , 2018, 192, 136-150.	4.1	13
29	Estimating criteria pollutant emissions using the California Regional Multisector Air Quality Emissions (CA-REMARQUE) model v1.0. <i>Geoscientific Model Development</i> , 2018, 11, 1293-1320.	3.6	8
30	Organic Aerosol Particle Chemical Properties Associated With Residential Burning and Fog in Wintertime San Joaquin Valley (Fresno) and With Vehicle and Firework Emissions in Summertime South Coast Air Basin (Fontana). <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 10,707.	3.3	22
31	Updating the SAPRC Maximum Incremental Reactivity (MIR) scale for the United States from 1988 to 2010. <i>Journal of the Air and Waste Management Association</i> , 2018, 68, 1301-1316.	1.9	69
32	Investigating diesel engines as an atmospheric source of isocyanic acid in urban areas. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 8959-8970.	4.9	32
33	Long-term particulate matter modeling for health effect studies in California – Part 2: Concentrations and sources of ultrafine organic aerosols. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 5379-5391.	4.9	26
34	A Statewide Nested Case–Control Study of Preterm Birth and Air Pollution by Source and Composition: California, 2001–2008. <i>Environmental Health Perspectives</i> , 2016, 124, 1479-1486.	6.0	94
35	Low birth weight and air pollution in California: Which sources and components drive the risk?. <i>Environment International</i> , 2016, 92-93, 471-477.	10.0	74
36	Simulating secondary organic aerosol in a regional air quality model using the statistical oxidation model – Part 2: Assessing the influence of vapor wall losses. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 3041-3059.	4.9	57

#	ARTICLE	IF	CITATIONS
37	Implementation of warm-cloud processes in a source-oriented WRF/Chem model to study the effect of aerosol mixing state on fog formation in the Central Valley of California. Atmospheric Chemistry and Physics, 2016, 16, 8353-8374.	4.9	11
38	Water uptake by organic aerosol and its influence on gas/particle partitioning of secondary organic aerosol in the United States. Atmospheric Environment, 2016, 129, 142-154.	4.1	39
39	Volatility of Primary Organic Aerosol Emitted from Light Duty Gasoline Vehicles. Environmental Science & Technology, 2015, 49, 1569-1577.	10.0	21
40	Associations of Mortality with Long-Term Exposures to Fine and Ultrafine Particles, Species and Sources: Results from the California Teachers Study Cohort. Environmental Health Perspectives, 2015, 123, 549-556.	6.0	325
41	Atmospheric impacts of black carbon emission reductions through the strategic use of biodiesel in California. Science of the Total Environment, 2015, 538, 412-422.	8.0	13
42	Molecular view modeling of atmospheric organic particulate matter: Incorporating molecular structure and co-condensation of water. Atmospheric Environment, 2015, 122, 400-408.	4.1	27
43	Sources and contents of air pollution affecting term low birth weight in Los Angeles County, California, 2001-2008. Environmental Research, 2014, 134, 488-495.	7.5	103
44	Influence of vapor wall loss in laboratory chambers on yields of secondary organic aerosol. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 5802-5807.	7.1	401
45	Identifying PM _{2.5} and PM _{0.1} Sources for Epidemiological Studies in California. Environmental Science & Technology, 2014, 48, 4980-4990.	10.0	72
46	Implementation of a high-resolution Source-Oriented WRF/Chem model at the Port of Oakland. Atmospheric Environment, 2014, 82, 351-363.	4.1	37
47	Real-Time Emission Factor Measurements of Isocyanic Acid from Light Duty Gasoline Vehicles. Environmental Science & Technology, 2014, 48, 11405-11412.	10.0	38
48	Predicting Primary PM _{2.5} and PM _{0.1} Trace Composition for Epidemiological Studies in California. Environmental Science & Technology, 2014, 48, 4971-4979.	10.0	56
49	Seasonal modeling of PM _{2.5} in California's San Joaquin Valley. Atmospheric Environment, 2014, 92, 182-190.	4.1	73
50	The Ozone-Climate Penalty: Past, Present, and Future. Environmental Science & Technology, 2013, 47, 14258-14266.	10.0	69
51	Effects of Switching to Lower Sulfur Marine Fuel Oil on Air Quality in the San Francisco Bay Area. Environmental Science & Technology, 2013, 47, 10171-10178.	10.0	65
52	PM _{2.5} co-benefits of climate change legislation part 1: California's AB 32. Climatic Change, 2013, 117, 377-397.	3.6	22
53	PM _{2.5} co-benefits of climate change legislation part 2: California governor's executive order S-3-05 applied to the transportation sector. Climatic Change, 2013, 117, 399-414.	3.6	17
54	Real-Time Black Carbon Emission Factor Measurements from Light Duty Vehicles. Environmental Science & Technology, 2013, 47, 13104-13112.	10.0	36

#	ARTICLE	IF	CITATIONS
55	Daily Trends and Source Apportionment of Ultrafine Particulate Mass (PM _{0.1}) over an Annual Cycle in a Typical California City. <i>Environmental Science & Technology</i> , 2013, 47, 13957-13966.	10.0	27
56	Particulate Matter Emissions Reductions due to Adoption of Clean Diesel Technology at a Major Shipping Port. <i>Aerosol Science and Technology</i> , 2013, 47, 29-36.	3.1	18
57	Resolving the interactions between population density and air pollution emissions controls in the San Joaquin Valley, USA. <i>Journal of the Air and Waste Management Association</i> , 2012, 62, 566-575.	1.9	21
58	Influence of Season and Location on Pulmonary Response to California's San Joaquin Valley Airborne Particulate Matter. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2012, 75, 253-271.	2.3	17
59	Mobile Source and Livestock Feed Contributions to Regional Ozone Formation in Central California. <i>Environmental Science & Technology</i> , 2012, 46, 2781-2789.	10.0	31
60	Determination of Volatile Organic Compound Emissions and Ozone Formation from Spraying Solvent-based Pesticides. <i>Journal of Environmental Quality</i> , 2011, 40, 1423-1431.	2.0	9
61	Volatile organic compound emissions from green waste composting: Characterization and ozone formation. <i>Atmospheric Environment</i> , 2011, 45, 1841-1848.	4.1	56
62	Size-resolved source apportionment of carbonaceous particulate matter in urban and rural sites in central California. <i>Atmospheric Environment</i> , 2011, 45, 3988-3995.	4.1	38
63	The Impact of Climate Change on Air Quality-Related Meteorological Conditions in California. Part I: Present Time Simulation Analysis. <i>Journal of Climate</i> , 2011, 24, 3344-3361.	3.2	32
64	The Impact of Climate Change on Air Quality-Related Meteorological Conditions in California. Part II: Present versus Future Time Simulation Analysis. <i>Journal of Climate</i> , 2011, 24, 3362-3376.	3.2	16
65	Source apportionment of wintertime secondary organic aerosol during the California regional PM ₁₀ /PM _{2.5} air quality study. <i>Atmospheric Environment</i> , 2010, 44, 1331-1340.	4.1	46
66	Particulate air quality model predictions using prognostic vs. diagnostic meteorology in central California. <i>Atmospheric Environment</i> , 2010, 44, 215-226.	4.1	43
67	Influence of regional development policies and clean technology adoption on future air pollution exposure. <i>Atmospheric Environment</i> , 2010, 44, 552-562.	4.1	26
68	Size Distribution of Health-Relevant Trace Elements in Airborne Particulate Matter During a Severe Winter Stagnation Event: Implications for Epidemiology and Inhalation Exposure Studies. <i>Aerosol Science and Technology</i> , 2010, 44, 753-765.	3.1	16
69	Theoretical versus Observed Gas-Particle Partitioning of Carbonyl Emissions from Motor Vehicles. <i>Journal of the Air and Waste Management Association</i> , 2010, 60, 1237-1244.	1.9	4
70	Reactive Organic Gas Emissions from Livestock Feed Contribute Significantly to Ozone Production in Central California. <i>Environmental Science & Technology</i> , 2010, 44, 2309-2314.	10.0	60
71	Direct Measurements of the Ozone Formation Potential from Livestock and Poultry Waste Emissions. <i>Environmental Science & Technology</i> , 2010, 44, 2292-2298.	10.0	28
72	Airborne particles in the San Joaquin Valley may affect human health. <i>California Agriculture</i> , 2010, 64, 12-16.	0.8	31

#	ARTICLE	IF	CITATIONS
73	Source apportionment of visual impairment during the California regional PM10/PM2.5 air quality study. <i>Atmospheric Environment</i> , 2009, 43, 6136-6144.	4.1	12
74	Source Apportionment of Fine (PM _{1.8}) and Ultrafine (PM _{0.1}) Airborne Particulate Matter during a Severe Winter Pollution Episode. <i>Environmental Science & Technology</i> , 2009, 43, 272-279.	10.0	69
75	A preliminary assessment of the sensitivity of air quality in California to global change. <i>Climatic Change</i> , 2008, 87, 273-292.	3.6	97
76	Direct measurements of the ozone formation potential from dairy cattle emissions using a transportable smog chamber. <i>Atmospheric Environment</i> , 2008, 42, 5267-5277.	4.1	22
77	Statistical downscaling of climate change impacts on ozone concentrations in California. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	36
78	Direct observation of the break-up of a nocturnal inversion layer using elemental mercury as a tracer. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	8
79	Size-Resolved Source Apportionment of Airborne Particle Mass in a Roadside Environment. <i>Environmental Science & Technology</i> , 2008, 42, 6580-6586.	10.0	39
80	Lubricating Oil and Fuel Contributions To Particulate Matter Emissions from Light-Duty Gasoline and Heavy-Duty Diesel Vehicles. <i>Environmental Science & Technology</i> , 2008, 42, 235-242.	10.0	105
81	Size Distribution of Particle-Phase Molecular Markers during a Severe Winter Pollution Episode. <i>Environmental Science & Technology</i> , 2008, 42, 6469-6475.	10.0	40
82	Carbonyl Emissions from Gasoline and Diesel Motor Vehicles. <i>Environmental Science & Technology</i> , 2008, 42, 4697-4703.	10.0	53
83	Size and Composition Distributions of Particulate Matter Emissions: Part 1—Light-Duty Gasoline Vehicles. <i>Journal of the Air and Waste Management Association</i> , 2007, 57, 1414-1428.	1.9	91
84	Size Distribution of Trace Organic Species Emitted from Light-Duty Gasoline Vehicles. <i>Environmental Science & Technology</i> , 2007, 41, 7464-7471.	10.0	28
85	Size Distribution of Trace Organic Species Emitted from Heavy-Duty Diesel Vehicles. <i>Environmental Science & Technology</i> , 2007, 41, 1962-1969.	10.0	62
86	Size and Composition Distributions of Particulate Matter Emissions: Part 2—Heavy-Duty Diesel Vehicles. <i>Journal of the Air and Waste Management Association</i> , 2007, 57, 1429-1438.	1.9	72
87	Quinone Emissions from Gasoline and Diesel Motor Vehicles. <i>Environmental Science & Technology</i> , 2007, 41, 4548-4554.	10.0	125
88	Source apportionment of secondary organic aerosol during a severe photochemical smog episode. <i>Atmospheric Environment</i> , 2007, 41, 576-591.	4.1	55
89	Verification of a source-oriented externally mixed air quality model during a severe photochemical smog episode. <i>Atmospheric Environment</i> , 2007, 41, 1521-1538.	4.1	50
90	Large PAHs detected in fine particulate matter emitted from light-duty gasoline vehicles. <i>Atmospheric Environment</i> , 2007, 41, 8658-8668.	4.1	91

#	ARTICLE	IF	CITATIONS
91	LC-MS Analysis of Carbonyl Compounds and Their Occurrence in Diesel Emissions. Analytical Chemistry, 2006, 78, 5086-5093.	6.5	54
92	Measuring the Trace Elemental Composition of Size-Resolved Airborne Particles. Environmental Science & Technology, 2006, 40, 1925-1933.	10.0	123
93	Source contributions to the regional distribution of secondary particulate matter in California. Atmospheric Environment, 2006, 40, 736-752.	4.1	138
94	Dominant Mechanisms that Shape the Airborne Particle Size and Composition Distribution in Central California. Aerosol Science and Technology, 2006, 40, 827-844.	3.1	83
95	A comparison of the UCD/CIT air quality model and the CMB source-receptor model for primary airborne particulate matter. Atmospheric Environment, 2005, 39, 2281-2297.	4.1	48
96	Control strategies for the reduction of airborne particulate nitrate in California's San Joaquin Valley. Atmospheric Environment, 2005, 39, 5325-5341.	4.1	38
97	Copyright 2005 Air & Waste Management Association Size and Composition Distribution of Airborne Particulate Matter in Northern California: Particulate Mass, Carbon, and Water-Soluble Ions. Journal of the Air and Waste Management Association, 2005, 55, 30-51.	1.9	57
98	Source Apportionment of Visibility Impairment Using a Three-Dimensional Source-Oriented Air Quality Model. Environmental Science & Technology, 2004, 38, 1089-1101.	10.0	39
99	Effects of aerosol UV extinction on the formation of ozone and secondary particulate matter. Atmospheric Environment, 2003, 37, 5047-5068.	4.1	23
100	Evaluating the first-order effect of intraannual temperature variability on urban air pollution. Journal of Geophysical Research, 2003, 108, .	3.3	154
101	THE CHEMICAL COMPOSITION OF ATMOSPHERIC ULTRAFINE PARTICLES. , 2003, , 19-35.		0
102	Source Apportionment of Secondary Airborne Particulate Matter in a Polluted Atmosphere. Environmental Science & Technology, 2002, 36, 5376-5384.	10.0	103
103	Measurement of Emissions from Air Pollution Sources. 4. C1-C27 Organic Compounds from Cooking with Seed Oils. Environmental Science & Technology, 2002, 36, 567-575.	10.0	328
104	Secondary organic aerosol 3. Urban/regional scale model of size- and composition-resolved aerosols. Journal of Geophysical Research, 2002, 107, AAC 5-1-AAC 5-14.	3.3	71
105	Measurement of Emissions from Air Pollution Sources. 5. C1-C32 Organic Compounds from Gasoline-Powered Motor Vehicles. Environmental Science & Technology, 2002, 36, 1169-1180.	10.0	940
106	Evaluation of an Air Quality Model for the Size and Composition of Source-Oriented Particle Classes. Environmental Science & Technology, 2002, 36, 2154-2163.	10.0	21
107	Comparison of Real-Time Instruments Used To Monitor Airborne Particulate Matter. Journal of the Air and Waste Management Association, 2001, 51, 109-120.	1.9	192
108	Effect of Emissions Control Programs on Visibility in Southern California. Environmental Science & Technology, 2001, 35, 4668-4674.	10.0	30

#	ARTICLE	IF	CITATIONS
109	Measurement of Emissions from Air Pollution Sources. 3. C1â”C29Organic Compounds from Fireplace Combustion of Wood. Environmental Science & Technology, 2001, 35, 1716-1728.	10.0	1,094
110	Detection of Alkaline Ultrafine Atmospheric Particles at Bakersfield, California. Environmental Science & Technology, 2001, 35, 2184-2190.	10.0	37
111	A 3D Eulerian Source-Oriented Model for an Externally Mixed Aerosol. Environmental Science & Technology, 2001, 35, 4834-4848.	10.0	131
112	Size and Composition Distribution of Fine Particulate Matter Emitted from Motor Vehicles. Environmental Science & Technology, 2000, 34, 1132-1142.	10.0	406
113	The chemical composition of atmospheric ultrafine particles. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2000, 358, 2581-2592.	3.4	146
114	Particle Detection Efficiencies of Aerosol Time of Flight Mass Spectrometers under Ambient Sampling Conditions. Environmental Science & Technology, 2000, 34, 211-217.	10.0	109
115	Identifying the effect of individual emissions sources on particulate air quality within a photochemical aerosol processes trajectory model. Atmospheric Environment, 1999, 33, 4597-4613.	4.1	15
116	Measurement of Emissions from Air Pollution Sources. 1. C1through C29Organic Compounds from Meat Charbroiling. Environmental Science & Technology, 1999, 33, 1566-1577.	10.0	504
117	Source Contributions to the Size and Composition Distribution of Atmospheric Particles:Â Southern California in September 1996. Environmental Science & Technology, 1999, 33, 4331-4341.	10.0	78
118	Size and Composition Distribution of Fine Particulate Matter Emitted from Wood Burning, Meat Charbroiling, and Cigarettes. Environmental Science & Technology, 1999, 33, 3516-3523.	10.0	310
119	Measurement of Emissions from Air Pollution Sources. 2. C1through C30Organic Compounds from Medium Duty Diesel Trucks. Environmental Science & Technology, 1999, 33, 1578-1587.	10.0	1,002
120	Effect of Emissions Control Strategies on the Size and Composition Distribution of Urban Particulate Air Pollution. Environmental Science & Technology, 1999, 33, 177-189.	10.0	39
121	Size and Composition Distribution of Atmospheric Particles in Southern California. Environmental Science & Technology, 1999, 33, 3506-3515.	10.0	93
122	Source contributions to the size and composition distribution of urban particulate air pollution. Atmospheric Environment, 1998, 32, 2803-2816.	4.1	123
123	Direct Observation of Heterogeneous Chemistry in the Atmosphere. Science, 1998, 279, 1184-1187.	12.6	340
124	Modeling the airborne particle complex as a source-oriented external mixture. Journal of Geophysical Research, 1997, 102, 21355-21372.	3.3	103