

Carrol Gamble

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3842368/publications.pdf>

Version: 2024-02-01

158
papers

15,717
citations

38720

50
h-index

18633

119
g-index

163
all docs

163
docs citations

163
times ranked

24518
citing authors

#	ARTICLE	IF	CITATIONS
1	Inter-rater reliability in classification of canonical babbling status based on canonical babbling ratio in infants with isolated cleft palate randomised to Timing of Primary Surgery for Cleft Palate (TOPS). <i>Clinical Linguistics and Phonetics</i> , 2023, 37, 77-98.	0.5	1
2	Developing an online, searchable database to systematically map and organise current literature on retention research (ORRCA2). <i>Clinical Trials</i> , 2022, 19, 71-80.	0.7	5
3	Early phase clinical trials extension to guidelines for the content of statistical analysis plans. <i>BMJ, The</i> , 2022, 376, e068177.	3.0	12
4	Opportunities and challenges for the development of "core outcome sets" in neuro-oncology. <i>Neuro-Oncology</i> , 2022, 24, 1048-1055.	0.6	5
5	Implementation of corticosteroids in treatment of COVID-19 in the ISARIC WHO Clinical Characterisation Protocol UK: prospective, cohort study. <i>The Lancet Digital Health</i> , 2022, 4, e220-e234.	5.9	20
6	Prospective validation of the 4C prognostic models for adults hospitalised with COVID-19 using the ISARIC WHO Clinical Characterisation Protocol. <i>Thorax</i> , 2022, 77, 606-615.	2.7	24
7	Visualising harms in publications of randomised controlled trials: consensus and recommendations. <i>BMJ, The</i> , 2022, 377, e068983.	3.0	4
8	Factors affecting ventriculoperitoneal shunt revision: a post hoc analysis of the British Antibiotic and Silver Impregnated Catheter Shunt multicenter randomized controlled trial. <i>Journal of Neurosurgery</i> , 2022, , 1-11.	0.9	2
9	Adding a fourth rater to three had little impact in pre-linguistic outcome classification. <i>Clinical Linguistics and Phonetics</i> , 2021, 35, 138-153.	0.5	2
10	Seven-step framework to enhance practitioner explanations and parental understandings of research without prior consent in paediatric emergency and critical care trials. <i>Emergency Medicine Journal</i> , 2021, 38, 198-204.	0.4	3
11	Planning for success: overcoming challenges to recruitment and conduct of an open-label emergency department-led paediatric trial. <i>Emergency Medicine Journal</i> , 2021, 38, 191-197.	0.4	2
12	Document Ranking for Curated Document Databases Using BERT and Knowledge Graph Embeddings: Introducing GRAB-Rank. <i>Lecture Notes in Computer Science</i> , 2021, , 116-127.	1.0	1
13	A randomised controlled trial comparing palate surgery at 6 months versus 12 months of age (the TOPS) $T_j ETQq_1 \frac{1}{0.784314} rgBT_6$	0.7	1
14	Inflammatory profiles across the spectrum of disease reveal a distinct role for GM-CSF in severe COVID-19. <i>Science Immunology</i> , 2021, 6, .	5.6	161
15	Risk of adverse outcomes in patients with underlying respiratory conditions admitted to hospital with COVID-19: a national, multicentre prospective cohort study using the ISARIC WHO Clinical Characterisation Protocol UK. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 699-711.	5.2	122
16	Neurosurgical CSF Diversion in Idiopathic Intracranial Hypertension: A Narrative Review. <i>Life</i> , 2021, 11, 393.	1.1	7
17	Development and validation of the ISARIC 4C Deterioration model for adults hospitalised with COVID-19: a prospective cohort study. <i>Lancet Respiratory Medicine</i> , the, 2021, 9, 349-359.	5.2	161
18	Importance of patient bed pathways and length of stay differences in predicting COVID-19 hospital bed occupancy in England. <i>BMC Health Services Research</i> , 2021, 21, 566.	0.9	22

#	ARTICLE	IF	CITATIONS
19	Changes in in-hospital mortality in the first wave of COVID-19: a multicentre prospective observational cohort study using the WHO Clinical Characterisation Protocol UK. <i>Lancet Respiratory Medicine</i> , 2021, 9, 773-785.	5.2	78
20	Characterisation of in-hospital complications associated with COVID-19 using the ISARIC WHO Clinical Characterisation Protocol UK: a prospective, multicentre cohort study. <i>Lancet</i> , 2021, 398, 223-237.	6.3	110
21	Non-steroidal anti-inflammatory drug use and outcomes of COVID-19 in the ISARIC Clinical Characterisation Protocol UK cohort: a matched, prospective cohort study. <i>Lancet Rheumatology</i> , 2021, 3, e498-e506.	2.2	58
22	Co-infections, secondary infections, and antimicrobial use in patients hospitalised with COVID-19 during the first pandemic wave from the ISARIC WHO CCP-UK study: a multicentre, prospective cohort study. <i>Lancet Microbe</i> , 2021, 2, e354-e365.	3.4	216
23	Strategies to enhance recruitment and consent to intensive care studies: a qualitative study with researchers and patient "public involvement contributors. <i>BMJ Open</i> , 2021, 11, e048193.	0.8	7
24	A prenylated dsRNA sensor protects against severe COVID-19. <i>Science</i> , 2021, 374, eabj3624.	6.0	124
25	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021, 139, 130-139.	2.4	13
26	Duration of initial antibiotic course is associated with recurrent relapse in protracted bacterial bronchitis. <i>Archives of Disease in Childhood</i> , 2020, 105, 1111-1113.	1.0	10
27	A third trial oversight committee: Functions, benefits and issues. <i>Clinical Trials</i> , 2020, 17, 106-112.	0.7	3
28	Outcome of Hospitalization for COVID-19 in Patients with Interstitial Lung Disease. An International Multicenter Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 1656-1665.	2.5	171
29	Prospective reporting of statistical analysis plans for randomised controlled trials. <i>Trials</i> , 2020, 21, 898.	0.7	14
30	Risk stratification of patients admitted to hospital with covid-19 using the ISARIC WHO Clinical Characterisation Protocol: development and validation of the 4C Mortality Score. <i>BMJ</i> , 2020, 370, m3339.	3.0	779
31	Managing clustering effects and learning effects in the design and analysis of multicentre randomised trials: a survey to establish current practice. <i>Trials</i> , 2020, 21, 433.	0.7	3
32	Statistical models to predict recruitment in clinical trials were rarely used by statisticians in UK and European networks. <i>Journal of Clinical Epidemiology</i> , 2020, 124, 58-68.	2.4	2
33	Challenges Conveying Clinical Equipoise and Exploring Patient Treatment Preferences in an Oncology Trial Comparing Active Monitoring with Radiotherapy (ROAM/EORTC 1308). <i>Oncologist</i> , 2020, 25, e691-e700.	1.9	17
34	Open Information Extraction for Knowledge Graph Construction. <i>Communications in Computer and Information Science</i> , 2020, , 103-113.	0.4	9
35	Features of 20% 133 UK patients in hospital with covid-19 using the ISARIC WHO Clinical Characterisation Protocol: prospective observational cohort study. <i>BMJ</i> , 2020, 369, m1985.	3.0	2,474
36	Silver-impregnated, antibiotic-impregnated or non-impregnated ventriculoperitoneal shunts to prevent shunt infection: the BASICS three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-114.	1.3	12

#	ARTICLE	IF	CITATIONS
37	Antimicrobial-impregnated central venous catheters for preventing neonatal bloodstream infection: the PREVAIL RCT. Health Technology Assessment, 2020, 24, 1-190.	1.3	8
38	Levetiracetam as an alternative to phenytoin for second-line emergency treatment of children with convulsive status epilepticus: the ECLIPSE RCT. Health Technology Assessment, 2020, 24, 1-96.	1.3	10
39	DIABRISK-SL trial: further consideration of age and impact of imputations. BMC Medicine, 2019, 17, 121.	2.3	1
40	What are the most important unanswered research questions in trial retention? A James Lind Alliance Priority Setting Partnership: the PRioRiTy II (Prioritising Retention in Randomised Trials) study. Trials, 2019, 20, 593.	0.7	51
41	A systematic review describes models for recruitment prediction at the design stage of a clinical trial. Journal of Clinical Epidemiology, 2019, 115, 141-149.	2.4	20
42	Antibiotic or silver versus standard ventriculoperitoneal shunts (BASICS): a multicentre, single-blinded, randomised trial and economic evaluation. Lancet, The, 2019, 394, 1530-1539.	6.3	104
43	A review of current practice in the design and assessment of internal pilots in UK NIHR clinical trials. Trials, 2019, 20, 571.	0.7	5
44	Funders improved the management of learning and clustering effects through design and analysis of randomized trials involving surgery. Journal of Clinical Epidemiology, 2019, 113, 28-35.	2.4	4
45	Value of surgical pilot and feasibility study protocols. British Journal of Surgery, 2019, 106, 968-978.	0.1	13
46	Levetiracetam versus phenytoin for second-line treatment of paediatric convulsive status epilepticus (ECLIPSE): a multicentre, open-label, randomised trial. Lancet, The, 2019, 393, 2125-2134.	6.3	160
47	Antimicrobial-impregnated central venous catheters for prevention of neonatal bloodstream infection (PREVAIL): an open-label, parallel-group, pragmatic, randomised controlled trial. The Lancet Child and Adolescent Health, 2019, 3, 381-390.	2.7	36
48	Enhancing practitioners' confidence in recruitment and consent in the ECLIPSE trial: a mixed-method evaluation of site training "a Paediatric Emergency Research in the United Kingdom and Ireland (PERUKI) study. Trials, 2019, 20, 181.	0.7	7
49	Continuous subcutaneous insulin infusion versus multiple daily injection regimens in children and young people at diagnosis of type 1 diabetes: pragmatic randomised controlled trial and economic evaluation. BMJ: British Medical Journal, 2019, 365, l1226.	2.4	52
50	Randomized trials involving surgery did not routinely report considerations of learning and clustering effects. Journal of Clinical Epidemiology, 2019, 107, 27-35.	2.4	20
51	Clinical trial data sharing: here's the challenge. BMJ Open, 2019, 9, e032334.	0.8	20
52	Timing Of Primary Surgery for cleft palate (TOPS): protocol for a randomised trial of palate surgery at 6 months versus 12 months of age. BMJ Open, 2019, 9, e029780.	0.8	37
53	Training health professionals to recruit into challenging randomized controlled trials improved confidence: the development of the QuinteT randomized controlled trial recruitment training intervention. Journal of Clinical Epidemiology, 2018, 95, 34-44.	2.4	28
54	Detailed systematic analysis of recruitment strategies in randomised controlled trials in patients with an unscheduled admission to hospital. BMJ Open, 2018, 8, e018581.	0.8	22

#	ARTICLE	IF	CITATIONS
55	Reducing attrition within clinical trials: The communication of retention and withdrawal within patient information leaflets. PLoS ONE, 2018, 13, e0204886.	1.1	27
56	Outcome reporting bias in trials: a methodological approach for assessment and adjustment in systematic reviews. BMJ: British Medical Journal, 2018, 362, k3802.	2.4	83
57	Development of an online resource for recruitment research in clinical trials to organise and map current literature. Clinical Trials, 2018, 15, 533-542.	0.7	34
58	Identifying trial recruitment uncertainties using a James Lind Alliance Priority Setting Partnership â€” the PRioRiTy (Prioritising Recruitment in Randomised Trials) study. Trials, 2018, 19, 147.	0.7	92
59	Statistical Analysis Plans for Clinical Trialsâ€”Reply. JAMA - Journal of the American Medical Association, 2018, 319, 1938.	3.8	0
60	â€”Recruitment, recruitment, recruitmentâ€” the need for more focus on retention: a qualitative study of five trials. Trials, 2018, 19, 76.	0.7	41
61	Letter to the Editor. Phase III randomized controlled trials are essential to properly evaluate the role of radiotherapy in WHO grade II meningioma. Journal of Neurosurgery, 2018, 129, 1104-1105.	0.9	2
62	Childrenâ€™s views on research without prior consent in emergency situations: a UK qualitative study. BMJ Open, 2018, 8, e022894.	0.8	15
63	Continuous subcutaneous insulin infusion versus multiple daily injections in children and young people at diagnosis of type 1 diabetes: the SCIPI RCT. Health Technology Assessment, 2018, 22, 1-112.	1.3	26
64	Priorities for methodological research on patient and public involvement in clinical trials: A modified Delphi process. Health Expectations, 2017, 20, 1401-1410.	1.1	36
65	Developing and evaluating multimedia information resources to improve engagement of children, adolescents, and their parents with trials (TRECA study): Study protocol for a series of linked randomised controlled trials. Trials, 2017, 18, 265.	0.7	23
66	Emergency treatment with levetiracetam or phenytoin in status epilepticus in childrenâ€”the EclIPSE study: study protocol for a randomised controlled trial. Trials, 2017, 18, 283.	0.7	24
67	Response to letter to editor: â€”Comment on Arch et al., Trials. 2016;17:517â€”. Trials, 2017, 18, 242.	0.7	0
68	Informing efficient randomised controlled trials: exploration of challenges in developing progression criteria for internal pilot studies. BMJ Open, 2017, 7, e013537.	0.8	239
69	Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. JAMA - Journal of the American Medical Association, 2017, 318, 2337.	3.8	290
70	Identifying research priorities for effective retention strategies in clinical trials. Trials, 2017, 18, 406.	0.7	38
71	A cohort examination to establish reporting of the remit and function of Trial Steering Committees in randomised controlled trials. Trials, 2017, 18, 590.	0.7	1
72	â€”We all want to succeed, but weâ€™ve also got to be realistic about what is happeningâ€”: an ethnographic study of relationships in trial oversight and their impact. Trials, 2017, 18, 612.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Duration of intravenous antibiotic therapy for children with acute osteomyelitis or septic arthritis: a feasibility study. Health Technology Assessment, 2017, 21, 1-164.	1.3	19
74	What are the roles and valued attributes of a Trial Steering Committee? Ethnographic study of eight clinical trials facing challenges. Trials, 2016, 17, 307.	0.7	16
75	Feasibility study to examine discrepancy rates in prespecified and reported outcomes in articles submitted to<i>The BMJ</i>. BMJ Open, 2016, 6, e010075.	0.8	10
76	Measurement of HbA1c in multicentre diabetes trials â€“ should blood samples be tested locally or sent to a central laboratory: an agreement analysis. Trials, 2016, 17, 517.	0.7	10
77	Reporting of harms outcomes: a comparison of journal publications with unpublished clinical study reports of orlistat trials. Trials, 2016, 17, 207.	0.7	25
78	Impregnated central venous catheters for prevention of bloodstream infection in children (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54.	0.3	89
79	Fifteen-minute consultation: an evidence-based approach to research without prior consent (deferred) Tj ETQq1 1 0.784314 rgBT /Overl and Practice Edition, 2016, 101, 49-53.	0.3	38
80	CATheter Infections in CHildren (CATCH): a randomised controlled trial and economic evaluation comparing impregnated and standard central venous catheters in children. Health Technology Assessment, 2016, 20, 1-220.	1.3	19
81	Development of guidance for statistical analysis plans (SAPs) for clinical trials. Trials, 2015, 16, .	0.7	2
82	The ROAM/EORTC-1308 trial: Radiation versus Observation following surgical resection of Atypical Meningioma: study protocol for a randomised controlled trial. Trials, 2015, 16, 519.	0.7	165
83	Exploring the role and function of trial steering committees: results of an expert panel meeting. Trials, 2015, 16, 597.	0.7	23
84	A little more conversation please? Qualitative study of researchersâ€™ and patientsâ€™ interview accounts of training for patient and public involvement in clinical trials. Trials, 2015, 16, 190.	0.7	76
85	The natural history of conducting and reporting clinical trials: interviews with trialists. Trials, 2015, 16, 16.	0.7	24
86	Selective reporting in clinical trials - an examination of discrepancy rates in pre-specified and reported outcomes in articles submitted to the BMJ. Trials, 2015, 16, .	0.7	2
87	Realising the potential of patient and public involvement to make a difference: what can trial teams do?. Trials, 2015, 16, .	0.7	1
88	Optimising the design of internal pilot work to inform efficient randomised controlled trials: issues to consider when developing progression criteria. Trials, 2015, 16, .	0.7	2
89	Reported reasons for missing data and the interplay with trial setting. Trials, 2015, 16, .	0.7	0
90	â€œTo have, to hold, from this day forwardâ€“ understanding current practice regarding the retention of trial participants. Trials, 2015, 16, .	0.7	0

#	ARTICLE	IF	CITATIONS
91	Exploring the role and functionality of trial steering committees. <i>Trials</i> , 2015, 16, .	0.7	0
92	Pragmatic approaches to mitigating missing data and research priorities to assess the effectiveness of interventions. <i>Trials</i> , 2015, 16, .	0.7	0
93	A review of the description of patient withdrawal in trial protocols and patient information sheets (PIS). <i>Trials</i> , 2015, 16, .	0.7	0
94	Development of an online resource for recruitment research in clinical trials (ORRCA). <i>Trials</i> , 2015, 16, .	0.7	4
95	Study protocol for a randomised controlled trial of insulin delivery by continuous subcutaneous infusion compared to multiple daily injections. <i>Trials</i> , 2015, 16, 163.	0.7	9
96	Deferred Consent for Randomized Controlled Trials in Emergency Care Settings. <i>Pediatrics</i> , 2015, 136, e1316-e1322.	1.0	44
97	E-health data to support and enhance randomised controlled trials in the United Kingdom. <i>Clinical Trials</i> , 2015, 12, 180-182.	0.7	10
98	Trial Steering Committees in randomised controlled trials: A survey of registered clinical trials units to establish current practice and experiences. <i>Clinical Trials</i> , 2015, 12, 664-676.	0.7	24
99	How parents and practitioners experience research without prior consent (deferred consent) for emergency research involving children with life threatening conditions: a mixed method study. <i>BMJ Open</i> , 2015, 5, e008522.	0.8	84
100	What Difference Does Patient and Public Involvement Make and What Are Its Pathways to Impact? Qualitative Study of Patients and Researchers from a Cohort of Randomised Clinical Trials. <i>PLoS ONE</i> , 2015, 10, e0128817.	1.1	97
101	An evidence base to optimise methods for involving patient and public contributors in clinical trials: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2015, 3, 1-142.	1.4	23
102	Interventions to improve recruitment and retention in clinical trials: a survey and workshop to assess current practice and future priorities. <i>Trials</i> , 2014, 15, 399.	0.7	279
103	Evidence for the Selective Reporting of Analyses and Discrepancies in Clinical Trials: A Systematic Review of Cohort Studies of Clinical Trials. <i>PLoS Medicine</i> , 2014, 11, e1001666.	3.9	151
104	Patient and public involvement in the early stages of clinical trial development: a systematic cohort investigation. <i>BMJ Open</i> , 2014, 4, e005234-e005234.	0.8	48
105	Opening research sites in multicentre clinical trials within the UK: a detailed analysis of delays. <i>BMJ Open</i> , 2014, 4, e005874-e005874.	0.8	18
106	From plans to actions in patient and public involvement: qualitative study of documented plans and the accounts of researchers and patients sampled from a cohort of clinical trials. <i>BMJ Open</i> , 2014, 4, e006400.	0.8	83
107	Selective reporting bias of harm outcomes within studies: findings from a cohort of systematic reviews. <i>BMJ</i> , The, 2014, 349, g6501-g6501.	3.0	158
108	The British antibiotic and silver-impregnated catheters for ventriculoperitoneal shunts multi-centre randomised controlled trial (the BASICS trial): study protocol. <i>Trials</i> , 2014, 15, 4.	0.7	44

#	ARTICLE	IF	CITATIONS
109	Effect of thyroxine on brain microstructure in extremely premature babies: magnetic resonance imaging findings in the TIPIT study. <i>Pediatric Radiology</i> , 2014, 44, 987-996.	1.1	11
110	Risk-proportionate clinical trial monitoring: an example approach from a non-commercial trials unit. <i>Trials</i> , 2014, 15, 127.	0.7	14
111	Doing challenging research studies in a patient-centred way: a qualitative study to inform a randomised controlled trial in the paediatric emergency care setting. <i>BMJ Open</i> , 2014, 4, e005045.	0.8	57
112	Prospective multicentre randomised, double-blind, equivalence study comparing clonidine and midazolam as intravenous sedative agents in critically ill children: the SLEEPS (Safety profile, Efficacy) Tj ETQq0 0 0,rgBT /Overlock 10 T 1-212.	1.8	366
113	An explanatory randomised placebo controlled trial of levothyroxine supplementation for babies born <28 weeksâ€™ gestation: results of the TIPIT trial. <i>Trials</i> , 2013, 14, 211.	0.7	29
114	The use of systematic reviews in the planning, design and conduct of randomised trials: a retrospective cohort of NIHR HTA funded trials. <i>BMC Medical Research Methodology</i> , 2013, 13, 50.	1.4	58
115	An ethnographic study of group decision making to understand and improve how trial steering committees contribute to trial conduct. <i>Trials</i> , 2013, 14, .	0.7	3
116	Selective reporting of outcomes in randomised controlled trials in systematic reviews of cystic fibrosis. <i>BMJ Open</i> , 2013, 3, e002709.	0.8	37
117	Reporting of harms data in RCTs: a systematic review of empirical assessments against the CONSORT harms extension. <i>BMJ Open</i> , 2013, 3, e003436.	0.8	66
118	How experience makes a difference: practitionersâ€™ views on the use of deferred consent in paediatric and neonatal emergency care trials. <i>BMC Medical Ethics</i> , 2013, 14, 45.	1.0	45
119	Impregnated central venous catheters should be readily used to reduce risk of bloodstream infection. <i>BMJ, The</i> , 2013, 347, f7169-f7169.	3.0	4
120	New European Union regulation of clinical trials is conflicting on deferred consent in emergency situations. <i>BMJ, The</i> , 2013, 346, f667-f667.	3.0	9
121	The Role of Systematic Reviews in Pharmacovigilance Planning and Clinical Trials Authorisation Application: Example from the SLEEPS Trial. <i>PLoS ONE</i> , 2013, 8, e51787.	1.1	5
122	Systematic Review of the Empirical Evidence of Study Publication Bias and Outcome Reporting Bias â€™ An Updated Review. <i>PLoS ONE</i> , 2013, 8, e66844.	1.1	783
123	The use of Melatonin in children with Neurodevelopmental Disorders and impaired Sleep: a randomised, double-blind, placebo-controlled, parallel study (MENDS).. <i>Health Technology Assessment</i> , 2012, 16, i-239.	1.3	70
124	Melatonin for sleep problems in children with neurodevelopmental disorders: randomised double masked placebo controlled trial. <i>BMJ, The</i> , 2012, 345, e6664-e6664.	3.0	165
125	What Parents of Children Who Have Received Emergency Care Think about Deferring Consent in Randomised Trials of Emergency Treatments: Postal Survey. <i>PLoS ONE</i> , 2012, 7, e35982.	1.1	40
126	Making Co-Enrolment Feasible for Randomised Controlled Trials in Paediatric Intensive Care. <i>PLoS ONE</i> , 2012, 7, e41791.	1.1	18

#	ARTICLE	IF	CITATIONS
127	Working length determination in general dental practice: a randomised controlled trial. British Dental Journal, 2011, 211, 595-598.	0.3	10
128	Frequency and reasons for outcome reporting bias in clinical trials: interviews with trialists. BMJ: British Medical Journal, 2011, 342, c7153-c7153.	2.4	150
129	Enhanced relapse prevention for bipolar disorder by community mental health teams: cluster feasibility randomised trial. British Journal of Psychiatry, 2010, 196, 59-63.	1.7	52
130	Assessing the potential for outcome reporting bias in a review: a tutorial. Trials, 2010, 11, 52.	0.7	54
131	Indirect Comparisons: A Review of Reporting and Methodological Quality. PLoS ONE, 2010, 5, e11054.	1.1	116
132	The impact of outcome reporting bias in randomised controlled trials on a cohort of systematic reviews. BMJ: British Medical Journal, 2010, 340, c365-c365.	2.4	896
133	A randomized comparative trial of generalized vs targeted physiotherapy in the management of childhood hypermobility. Rheumatology, 2010, 49, 315-325.	0.9	66
134	An encouraging assessment of methods to inform priorities for updating systematic reviews. Journal of Clinical Epidemiology, 2009, 62, 241-251.	2.4	24
135	The clinical effectiveness of central venous catheters treated with anti-infective agents in preventing catheter-related bloodstream infections: A systematic review*. Critical Care Medicine, 2009, 37, 702-712.	0.4	133
136	Training Staff in Enhanced Relapse Prevention for Bipolar Disorder: Rates of Uptake and Measures of Skill and Confidence. Psychiatric Services, 2009, 60, 702-706.	1.1	5
137	TIPIT: A randomised controlled trial of thyroxine in preterm infants under 28 weeks' gestation. Trials, 2008, 9, 17.	0.7	11
138	Reporting of clinical trials: a review of research funders' guidelines. Trials, 2008, 9, 66.	0.7	33
139	TIPIT: A randomised controlled trial of thyroxine in preterm infants under 28 weeks gestation: Magnetic Resonance Imaging and Magnetic Resonance Angiography protocol. BMC Pediatrics, 2008, 8, 26.	0.7	4
140	Systematic Review of the Empirical Evidence of Study Publication Bias and Outcome Reporting Bias. PLoS ONE, 2008, 3, e3081.	1.1	1,142
141	Insecticide-Treated Nets for the Prevention of Malaria in Pregnancy: A Systematic Review of Randomised Controlled Trials. PLoS Medicine, 2007, 4, e107.	3.9	142
142	Quality of life outcomes of immediate or delayed treatment of early epilepsy and single seizures. Neurology, 2007, 68, 1188-1196.	1.5	105
143	The SANAD study of effectiveness of carbamazepine, gabapentin, lamotrigine, oxcarbazepine, or topiramate for treatment of partial epilepsy: an unblinded randomised controlled trial. Lancet, The, 2007, 369, 1000-1015.	6.3	873
144	The SANAD study of effectiveness of valproate, lamotrigine, or topiramate for generalised and unclassifiable epilepsy: an unblinded randomised controlled trial. Lancet, The, 2007, 369, 1016-1026.	6.3	850

#	ARTICLE	IF	CITATIONS
145	Enhanced relapse prevention for bipolar disorder – ERP trial. A cluster randomised controlled trial to assess the feasibility of training care coordinators to offer enhanced relapse prevention for bipolar disorder. <i>BMC Psychiatry</i> , 2007, 7, 6.	1.1	18
146	Application and investigation of a bound for outcome reporting bias. <i>Trials</i> , 2007, 8, 9.	0.7	24
147	Lamotrigine versus carbamazepine monotherapy for epilepsy. , 2006, , CD001031.		26
148	A meta-analysis of individual patient responses to lamotrigine or carbamazepine monotherapy. <i>Neurology</i> , 2006, 66, 1310-1317.	1.5	40
149	Topical quinolone vs. antiseptic for treating chronic suppurative otitis media: a randomized controlled trial. <i>Tropical Medicine and International Health</i> , 2005, 10, 190-197.	1.0	35
150	Albendazole for the control and elimination of lymphatic filariasis: systematic review. <i>Tropical Medicine and International Health</i> , 2005, 10, 818-825.	1.0	48
151	Topical quinolone vs. antiseptic for treating chronic suppurative otitis media: a randomized controlled trial. <i>Clinical Otolaryngology</i> , 2005, 30, 193-193.	0.6	7
152	Identification and impact of outcome selection bias in meta-analysis. <i>Statistics in Medicine</i> , 2005, 24, 1547-1561.	0.8	112
153	Outcome selection bias in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2005, 14, 515-524.	0.7	164
154	Immediate versus deferred antiepileptic drug treatment for early epilepsy and single seizures: a randomised controlled trial. <i>Lancet, The</i> , 2005, 365, 2007-2013.	6.3	369
155	Uncertainty method improved on best-worst case analysis in a binary meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 579-588.	2.4	236
156	Adjusting for publication bias: modelling the selection process. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 313-322.	0.9	31
157	Public Knowledge, Private Grief: A Study of Public Attitudes to Epilepsy in the United Kingdom and Implications for Stigma. <i>Epilepsia</i> , 2004, 45, 1405-1415.	2.6	183
158	Artemether-lumefantrine for uncomplicated malaria: a systematic review. <i>Tropical Medicine and International Health</i> , 2004, 9, 192-199.	1.0	56