

Rosana Puccia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3991100/publications.pdf>

Version: 2024-02-01

87
papers

4,376
citations

117625

34
h-index

114465

63
g-index

89
all docs

89
docs citations

89
times ranked

2750
citing authors

#	ARTICLE	IF	CITATIONS
1	Extracellular Vesicles From <i>Paracoccidioides brasiliensis</i> Can Induce the Expression of Fungal Virulence Traits In Vitro and Enhance Infection in Mice. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 834653.	3.9	6
2	PbGP43 Genotyping Using Paraffin-Embedded Biopsies of Human Paracoccidioidomycosis Reveals a Genetically Distinct Lineage in the <i>Paracoccidioides brasiliensis</i> Complex. <i>Mycopathologia</i> , 2022, 187, 157-168.	3.1	8
3	Omics Approaches for Understanding Biogenesis, Composition and Functions of Fungal Extracellular Vesicles. <i>Frontiers in Genetics</i> , 2021, 12, 648524.	2.3	13
4	Current Status on Extracellular Vesicles from the Dimorphic Pathogenic Species of <i>Paracoccidioides</i> . <i>Current Topics in Microbiology and Immunology</i> , 2021, 432, 19-33.	1.1	1
5	The Human Pathogen <i>Paracoccidioides brasiliensis</i> Has a Unique 1-Cys Peroxiredoxin That Localizes Both Intracellularly and at the Cell Surface. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 394.	3.9	7
6	Comparison of the RNA Content of Extracellular Vesicles Derived from <i>Paracoccidioides brasiliensis</i> and <i>Paracoccidioides lutzii</i> . <i>Cells</i> , 2019, 8, 765.	4.1	54
7	Extracellular Vesicle-Mediated RNA Release in <i>Histoplasma capsulatum</i> . <i>MSphere</i> , 2019, 4, .	2.9	38
8	43 kDa Glycoprotein (gp43) from <i>Paracoccidioides brasiliensis</i> Induced IL-17A and PGE2 Production by Human Polymorphonuclear Neutrophils: Involvement of TLR2 and TLR4. <i>Journal of Immunology Research</i> , 2019, 2019, 1-9.	2.2	5
9	Golgi Reassembly and Stacking Protein (GRASP) Participates in Vesicle-Mediated RNA Export in <i>Cryptococcus Neoformans</i> . <i>Genes</i> , 2018, 9, 400.	2.4	30
10	Characterization of the APSES-family transcriptional regulators of <i>Histoplasma capsulatum</i> . <i>FEMS Yeast Research</i> , 2018, 18, .	2.3	14
11	Fungi that Infect Humans. <i>Microbiology Spectrum</i> , 2017, 5, .	3.0	149
12	<i>Paracoccidioides brasiliensis</i> induces cytokine secretion in epithelial cells in a protease-activated receptor-dependent (PAR) manner. <i>Medical Microbiology and Immunology</i> , 2017, 206, 149-156.	4.8	9
13	Fungi that Infect Humans. , 2017, , 811-843.		8
14	Highlights of the São Paulo ISEV workshop on extracellular vesicles in cross-kingdom communication. <i>Journal of Extracellular Vesicles</i> , 2017, 6, 1407213.	12.2	38
15	The Cell Wall-Associated Proteins in the Dimorphic Pathogenic Species of <i>Paracoccidioides</i> . <i>Current Protein and Peptide Science</i> , 2017, 18, 1074-1089.	1.4	4
16	Extracellular vesicles from <i>Paracoccidioides</i> pathogenic species transport polysaccharide and expose ligands for DC-SIGN receptors. <i>Scientific Reports</i> , 2015, 5, 14213.	3.3	66
17	Characterization of Lipids and Proteins Associated to the Cell Wall of the Acapsular Mutant <i>Cryptococcus neoformans</i> Cap 67. <i>Journal of Eukaryotic Microbiology</i> , 2015, 62, 591-604.	1.7	5
18	Extracellular vesicle-mediated export of fungal RNA. <i>Scientific Reports</i> , 2015, 5, 7763.	3.3	185

#	ARTICLE	IF	CITATIONS
19	Cyclopalladated Compound 7a Induces Apoptosis- and Autophagy-Like Mechanisms in Paracoccidioides and Is a Candidate for Paracoccidioidomycosis Treatment. Antimicrobial Agents and Chemotherapy, 2015, 59, 7214-7223.	3.2	6
20	DOSE RESPONSE EFFECT OF Paracoccidioides brasiliensis IN AN EXPERIMENTAL MODEL OF ARTHRITIS. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2014, 56, 259-264.	1.1	2
21	Paracoccidioides lutzii Plp43 Is an Active Glucanase with Partial Antigenic Identity with P. brasiliensis gp43. PLoS Neglected Tropical Diseases, 2014, 8, e3111.	3.0	31
22	Dual localization of Mdj1 in pathogenic fungi varies with growth temperature. Medical Mycology, 2014, 52, 187-195.	0.7	2
23	Proteome of cell wall-extracts from pathogenic Paracoccidioides brasiliensis: Comparison among morphological phases, isolates, and reported fungal extracellular vesicle proteins. EuPA Open Proteomics, 2014, 3, 216-228.	2.5	30
24	Identification of human plasma proteins associated with the cell wall of the pathogenic fungus Paracoccidioides brasiliensis. FEMS Microbiology Letters, 2013, 341, 87-95.	1.8	8
25	Characterization of Cell Wall Lipids from the Pathogenic Phase of Paracoccidioides brasiliensis Cultivated in the Presence or Absence of Human Plasma. PLoS ONE, 2013, 8, e63372.	2.5	26
26	Inhibition of PbGP43 Expression May Suggest that gp43 is a Virulence Factor in Paracoccidioides brasiliensis. PLoS ONE, 2013, 8, e68434.	2.5	43
27	Low Concentrations of Hydrogen Peroxide or Nitrite Induced of Paracoccidioides brasiliensis Cell Proliferation in a Ras-Dependent Manner. PLoS ONE, 2013, 8, e69590.	2.5	19
28	A Paracoccidioides brasiliensis glycan shares serologic and functional properties with cryptococcal glucuronoxylomannan. Fungal Genetics and Biology, 2012, 49, 943-954.	2.1	22
29	Vesicle and Vesicle-Free Extracellular Proteome of Paracoccidioides brasiliensis: Comparative Analysis with Other Pathogenic Fungi. Journal of Proteome Research, 2012, 11, 1676-1685.	3.7	160
30	Lipidomic Analysis of Extracellular Vesicles from the Pathogenic Phase of Paracoccidioides brasiliensis. PLoS ONE, 2012, 7, e39463.	2.5	101
31	Experimental Model of Arthritis Induced by Paracoccidioides brasiliensis in Rats. Mycopathologia, 2012, 174, 187-191.	3.1	2
32	Interactions between TLR2, TLR4, and mannose receptors with gp43 from Paracoccidioides brasiliensis induce cytokine production by human monocytes. Medical Mycology, 2011, 49, 1-10.	0.7	25
33	The Paracoccidioides Cell Wall: Past and Present Layers Toward Understanding Interaction with the Host. Frontiers in Microbiology, 2011, 2, 257.	3.5	77
34	Molecular biology of the dimorphic fungi Paracoccidioides spp. Fungal Biology Reviews, 2011, 25, 89-97.	4.7	8
35	The Pathogenic Fungus Paracoccidioides brasiliensis Exports Extracellular Vesicles Containing Highly Immunogenic α -Galactosyl Epitopes. Eukaryotic Cell, 2011, 10, 343-351.	3.4	169
36	Comparative Genomic Analysis of Human Fungal Pathogens Causing Paracoccidioidomycosis. PLoS Genetics, 2011, 7, e1002345.	3.5	164

#	ARTICLE	IF	CITATIONS
37	Identification and characterization of Tc1/mariner-like DNA transposons in genomes of the pathogenic fungi of the <i>Paracoccidioides</i> species complex. <i>BMC Genomics</i> , 2010, 11, 130.	2.8	28
38	The <i>Paracoccidioides brasiliensis</i> gp70 antigen is encoded by a putative member of the flavoproteins monooxygenase family. <i>Fungal Genetics and Biology</i> , 2010, 47, 179-189.	2.1	11
39	Gene expression analysis of <i>Paracoccidioides brasiliensis</i> transition from conidium to yeast cell. <i>Medical Mycology</i> , 2010, 48, 147-154.	0.7	19
40	Polymorphism in the flanking regions of the PbGP43 gene from the human pathogen <i>Paracoccidioides brasiliensis</i> : search for protein binding sequences and poly(A) cleavage sites. <i>BMC Microbiology</i> , 2009, 9, 277.	3.3	8
41	Transcription regulation of the <i>PbGP43</i> gene by nitrogen in the human pathogen <i>Paracoccidioides brasiliensis</i> . <i>Fungal Genetics and Biology</i> , 2009, 46, 85-93.	2.1	9
42	Diversity in <i>Paracoccidioides brasiliensis</i> . The <i>PbGP43</i> gene as a genetic marker. <i>Mycopathologia</i> , 2008, 165, 275-287.	3.1	30
43	Gene Therapy against Murine Melanoma B16F10-Nex2 Using IL-13R ^{1/2} -Fc Chimera and Interleukin 12 in Association with a Cyclopalladated Drug. <i>Translational Oncology</i> , 2008, 1, 110-120.	3.7	19
44	Use of Recombinant gp43 Isoforms Expressed in <i>Pichia pastoris</i> for Diagnosis of <i>Paracoccidioidomycosis</i> . <i>Vaccine Journal</i> , 2008, 15, 622-629.	3.1	25
45	The Monoclonal Antibody against the Major Diagnostic Antigen of <i>Paracoccidioides brasiliensis</i> Mediates Immune Protection in Infected BALB/c Mice Challenged Intratracheally with the Fungus. <i>Infection and Immunity</i> , 2008, 76, 3321-3328.	2.2	60
46	C-Npys (S-3-nitro-2-pyridinesulfonyl) and peptide derivatives can inhibit a serine-thiol proteinase activity from <i>Paracoccidioides brasiliensis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 1000-1005.	2.1	5
47	Identification of transcription elements in the 5' intergenic region shared by LON and MDJ1 heat shock genes from the human pathogen <i>Paracoccidioides brasiliensis</i> . Evaluation of gene expression. <i>Fungal Genetics and Biology</i> , 2007, 44, 347-356.	2.1	22
48	Paracoccin, an N-acetyl-glucosamine-binding lectin of <i>Paracoccidioides brasiliensis</i> , is involved in fungal growth. <i>Microbes and Infection</i> , 2007, 9, 695-703.	1.9	24
49	Insights in <i>Paracoccidioides brasiliensis</i> Pathogenicity. , 2007, , 241-265.		11
50	Modulation of the exocellular serine-thiol proteinase activity of <i>Paracoccidioides brasiliensis</i> by neutral polysaccharides. <i>Microbes and Infection</i> , 2006, 8, 84-91.	1.9	10
51	Cryptic Speciation and Recombination in the Fungus <i>Paracoccidioides brasiliensis</i> as Revealed by Gene Genealogies. <i>Molecular Biology and Evolution</i> , 2006, 23, 65-73.	8.9	312
52	The <i>Pb MDJ1</i> Gene Belongs to a Conserved MDJ1/LON Locus in Thermotolerant Pathogenic Fungi and Encodes a Heat Shock Protein That Localizes to both the Mitochondria and Cell Wall of <i>Paracoccidioides brasiliensis</i> . <i>Eukaryotic Cell</i> , 2006, 5, 379-390.	3.4	34
53	Virulence of <i>Paracoccidioides brasiliensis</i> and gp43 expression in isolates bearing known <i>PbGP43</i> genotype. <i>Microbes and Infection</i> , 2005, 7, 55-65.	1.9	56
54	A new <i>Paracoccidioides brasiliensis</i> 70-kDa heat shock protein reacts with sera from <i>paracoccidioidomycosis</i> patients. <i>Medical Mycology</i> , 2005, 43, 495-503.	0.7	32

#	ARTICLE	IF	CITATIONS
55	Transcriptome Analysis of <i>Paracoccidioides brasiliensis</i> Cells Undergoing Mycelium-to-Yeast Transition. <i>Eukaryotic Cell</i> , 2005, 4, 2115-2128.	3.4	131
56	Identification of genes preferentially expressed in the pathogenic yeast phase of <i>Paracoccidioides brasiliensis</i> , using suppression subtraction hybridization and differential macroarray analysis. <i>Molecular Genetics and Genomics</i> , 2004, 271, 667-677.	2.1	67
57	The gp43 from <i>Paracoccidioides brasiliensis</i> : A Major Diagnostic Antigen and Vaccine Candidate. , 2004, , 279-296.		24
58	Cleavage of human fibronectin and other basement membrane-associated proteins by a <i>Cryptococcus neoformans</i> serine proteinase. <i>Microbial Pathogenesis</i> , 2003, 34, 65-71.	2.9	53
59	Chromosomal polymorphism, syntenic relationships, and ploidy in the pathogenic fungus <i>Paracoccidioides brasiliensis</i> . <i>Fungal Genetics and Biology</i> , 2003, 39, 60-69.	2.1	38
60	Comparison of the Sequences of the Internal Transcribed Spacer Regions and PbGP43 Genes of <i>Paracoccidioides brasiliensis</i> from Patients and Armadillos (<i>Dasypus novemcinctus</i>). <i>Journal of Clinical Microbiology</i> , 2003, 41, 5735-5737.	3.9	31
61	Expressed Sequence Tag Analysis of the Human Pathogen <i>Paracoccidioides brasiliensis</i> Yeast Phase: Identification of Putative Homologues of <i>Candida albicans</i> Virulence and Pathogenicity Genes. <i>Eukaryotic Cell</i> , 2003, 2, 34-48.	3.4	185
62	Expression in Bacteria of the Gene Encoding the gp43 Antigen of <i>Paracoccidioides brasiliensis</i> : Immunological Reactivity of the Recombinant Fusion Proteins. <i>Vaccine Journal</i> , 2002, 9, 1200-1204.	3.1	4
63	Molecular identification of <i>Paracoccidioides brasiliensis</i> by 5â€² nuclease assay. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002, 44, 383-386.	1.8	30
64	Cloning and characterization of aLON gene homologue from the human pathogen <i>Paracoccidioides brasiliensis</i> . <i>Yeast</i> , 2001, 18, 981-988.	1.7	17
65	DNA-based vaccination against murine paracoccidioidomycosis using the gp43 gene from <i>Paracoccidioides brasiliensis</i> . <i>Vaccine</i> , 2000, 18, 3050-3058.	3.8	74
66	Fungal morphogenesis and virulence. <i>Medical Mycology</i> , 2000, 38, 79-86.	0.7	73
67	Fungal morphogenesis and virulence. <i>Medical Mycology</i> , 2000, 38, 79-86.	0.7	20
68	Polymorphism in the Gene Coding for the Immunodominant Antigen gp43 from the Pathogenic Fungus <i>Paracoccidioides brasiliensis</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 3960-3966.	3.9	96
69	Fungal morphogenesis and virulence. <i>Medical Mycology</i> , 2000, 38 Suppl 1, 79-86.	0.7	36
70	Detection of the basement membrane-degrading proteolytic activity of <i>Paracoccidioides brasiliensis</i> after SDS-PAGE using agarose overlays containing Abz-MKALTLQ-EDDnp. <i>Brazilian Journal of Medical and Biological Research</i> , 1999, 32, 645-649.	1.5	19
71	Exocellular proteolytic activity of <i>Paracoccidioides brasiliensis</i> : cleavage of components associated with the basement membrane. <i>Medical Mycology</i> , 1998, 36, 345-348.	0.7	48
72	Mapping of the T-Cell Epitope in the Major 43-Kilodalton Glycoprotein of <i>Paracoccidioides brasiliensis</i> Which Induces a Th-1 Response Protective against Fungal Infection in BALB/c Mice. <i>Infection and Immunity</i> , 1998, 66, 786-793.	2.2	157

#	ARTICLE	IF	CITATIONS
73	Exocellular proteolytic activity of <i>Paracoccidioides brasiliensis</i> : cleavage of components associated with the basement membrane. <i>Medical Mycology</i> , 1998, 36, 345-8.	0.7	20
74	Cloning, Characterization, and Epitope Expression of the Major Diagnostic Antigen of <i>Paracoccidioides brasiliensis</i> . <i>Journal of Biological Chemistry</i> , 1996, 271, 4553-4560.	3.4	145
75	Monoclonal Antibodies Against the 43,000 Da Glycoprotein from <i>Paracoccidioides brasiliensis</i> Modulate Laminin-Mediated Fungal Adhesion to Epithelial Cells and Pathogenesis. <i>Hybridoma</i> , 1996, 15, 415-422.	0.6	66
76	Characterization of an exocellular serine-thiol proteinase activity in <i>Paracoccidioides brasiliensis</i> . <i>Biochemical Journal</i> , 1995, 309, 209-214.	3.7	42
77	Biochemistry and molecular biology of the main diagnostic antigen of <i>Paracoccidioides brasiliensis</i> . <i>Archives of Medical Research</i> , 1995, 26, 297-304.	3.3	37
78	Disruption of the processing α -mannosidase gene does not prevent outer chain synthesis in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 1993, 290, 21-26.	3.7	34
79	<i>Paracoccidioidomycosis</i> . <i>Medical Mycology</i> , 1992, 30, 59-71.	0.7	23
80	Yeast KRE2 defines a new gene family encoding probable secretory proteins, and is required for the correct N-glycosylation of proteins.. <i>Genetics</i> , 1992, 130, 273-283.	2.9	105
81	The 43-kDa glycoprotein from the human pathogen <i>Paracoccidioides brasiliensis</i> and its deglycosylated form: Excretion and susceptibility to proteolysis. <i>Archives of Biochemistry and Biophysics</i> , 1991, 289, 298-302.	3.0	69
82	Purification of the 43 kDa glycoprotein from exocellular components excreted by <i>Paracoccidioides brasiliensis</i> in liquid culture (TOM medium). <i>Medical Mycology</i> , 1991, 29, 57-60.	0.7	28
83	43-kilodalton glycoprotein from <i>Paracoccidioides brasiliensis</i> : immunochemical reactions with sera from patients with paracoccidioidomycosis, histoplasmosis, or Jorge Lobo's disease. <i>Journal of Clinical Microbiology</i> , 1991, 29, 1610-1615.	3.9	145
84	Purification of the 43 kDa glycoprotein from exocellular components excreted by <i>Paracoccidioides brasiliensis</i> in liquid culture (TOM medium). <i>Journal of Medical and Veterinary Mycology: Bi-monthly Publication of the International Society for Human and Animal Mycology</i> , 1991, 29, 57-60.	0.3	6
85	Secretion of the 43 kDa glycoprotein antigen by <i>Paracoccidioides brasiliensis</i> . <i>Medical Mycology</i> , 1988, 26, 367-373.	0.7	53
86	Exocellular components of <i>Paracoccidioides brasiliensis</i> : identification of a specific antigen. <i>Infection and Immunity</i> , 1986, 53, 199-206.	2.2	228
87	Gene expression analysis of <i>Paracoccidioides brasiliensis</i> transition from conidium to yeast cell. <i>Medical Mycology</i> , 0, , 1-9.	0.7	2