## Stefano Erzegovesi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4883777/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical Predictors of Drug Response in Obsessive-Compulsive Disorder. Journal of Clinical Psychopharmacology, 2001, 21, 488-492.	1.4	195
2	Association of BDNF with anorexia, bulimia and age of onset of weight loss in six European populations. Human Molecular Genetics, 2004, 13, 1205-1212.	2.9	193
3	Association of BDNF with restricting anorexia nervosa and minimum body mass index: a family-based association study of eight European populations. European Journal of Human Genetics, 2005, 13, 428-434.	2.8	131
4	Low-dose risperidone augmentation of fluvoxamine treatment in obsessive-compulsive disorder: a double-blind, placebo-controlled study. European Neuropsychopharmacology, 2005, 15, 69-74.	0.7	113
5	Predictive value of Obsessive–Compulsive Personality Disorder in antiobsessional pharmacological treatment. European Neuropsychopharmacology, 1997, 7, 45-49.	0.7	79
6	Executive functioning in anorexia nervosa patients and their unaffected relatives. Psychiatry Research, 2013, 208, 238-244.	3.3	78
7	Motor inhibition and cognitive flexibility in eating disorder subtypes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 36, 307-312.	4.8	73
8	Self-injurious behavior and attempted suicide in purging bulimia nervosa: Associations with psychiatric comorbidity. Journal of Affective Disorders, 2008, 105, 285-289.	4.1	57
9	Relationship between obsessive-compulsive personality disorder and obsessive-compulsive disorder. Comprehensive Psychiatry, 1997, 38, 38-42.	3.1	48
10	Investigation of the Serotonin Transporter Regulatory Region Polymorphism in Bulimia Nervosa: Relationships to Harm Avoidance, Nutritional Parameters, and Psychiatric Comorbidity. Psychosomatic Medicine, 2006, 68, 99-103.	2.0	48
11	Fat Mass and Obesity-Associated Gene ( <b><i>FTO</i></b> ) in Eating Disorders: Evidence for Association of the rs9939609 Obesity Risk Allele with Bulimia nervosa and Anorexia nervosa. Obesity Facts, 2012, 5, 408-419.	3.4	46
12	Tryptophan depletion in obsessive-compulsive patients. Biological Psychiatry, 1996, 40, 398-402.	1.3	44
13	Personality in women with endometriosis: temperament and character dimensions and pelvic pain. Human Reproduction, 2016, 31, 1515-1521.	0.9	34
14	Formal and Informal Help-Seeking for Mental Health Problems. A Survey of Preferences of Italian Students. Clinical Practice and Epidemiology in Mental Health, 2012, 8, 47-51.	1.2	28
15	5HT-2 receptor and fluvoxamine effect in obsessive-compulsive disorder. Human Psychopharmacology, 1992, 7, 287-289.	1.5	25
16	Eating disorders. CNS Spectrums, 2016, 21, 304-309.	1.2	20
17	Follow-Up of Obsessive-Compulsive Patients Treated With Proserotonergic Agents. Journal of Clinical Psychopharmacology, 1995, 15, 288-289.	1.4	17
18	Free and bound plasma leptin in anorexia nervosa patients during a refeeding program. Endocrine, 2016, 51, 380-383.	2.3	16

STEFANO ERZEGOVESI

#	Article	IF	CITATIONS
19	Binge Eating Disorder: What Is the Role of Physical Activity Associated with Dietary and Psychological Treatment?. Nutrients, 2020, 12, 3622.	4.1	14
20	Plasma tryptophan levels and tryptophan/neutral amino acid ratios in obsessive-compulsive patients with and without depression. Psychiatry Research, 1997, 69, 9-15.	3.3	13
21	Visuo-tactile shape perception in women with Anorexia Nervosa and healthy women with and without body concerns. Neuropsychologia, 2020, 149, 107635.	1.6	11
22	Serum cholinesterase in obsessive-compulsive disorder. Psychiatry Research, 1995, 58, 265-268.	3.3	9
23	Bulimia Nervosa, 5-HTTLPR Polymorphism and Treatment Response to Four SSRIs. Journal of Clinical Psychopharmacology, 2004, 24, 680-682.	1.4	9
24	Aerobic exercise training improves physical performance of patients with binge-eating disorder. Sport Sciences for Health, 2018, 14, 47-51.	1.3	6