## Daniel G Beach

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5114846/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Non-target analysis and stability assessment of reference materials using liquid chromatography‒high-resolution mass spectrometry. Analytica Chimica Acta, 2022, 1201, 339622.	5.4	3
2	Rapid quantitative screening of cyanobacteria for production of anatoxins using direct analysis in real time highâ€resolution mass spectrometry. Rapid Communications in Mass Spectrometry, 2021, 35, e8940.	1.5	5
3	CyanoMetDB, a comprehensive public database of secondary metabolites from cyanobacteria. Water Research, 2021, 196, 117017.	11.3	142
4	Semiquantitation of Paralytic Shellfish Toxins by Hydrophilic Interaction Liquid Chromatography-Mass Spectrometry Using Relative Molar Response Factors. Toxins, 2020, 12, 398.	3.4	9
5	Comprehensive multi-technique approach reveals the high diversity of microcystins in field collections and an associated isolate of Microcystis aeruginosa from a Turkish lake. Toxicon, 2019, 167, 87-100.	1.6	26
6	Structural Diversity, Characterization and Toxicology of Microcystins. Toxins, 2019, 11, 714.	3.4	245
7	Differential Mobility-Mass Spectrometry Double Spike Isotope Dilution Study of Release of β-Methylaminoalanine and Proteinogenic Amino Acids during Biological Sample Hydrolysis. Scientific Reports, 2018, 8, 117.	3.3	21
8	Collision induced dissociation mass spectrometry challenge. Analytical and Bioanalytical Chemistry, 2018, 410, 15-17.	3.7	3
9	Dynamics of paralytic shellfish toxins and their metabolites during timecourse exposure of scallops Chlamys farreri and mussels Mytilus galloprovincialis to Alexandrium pacificum. Aquatic Toxicology, 2018, 200, 233-240.	4.0	31
10	Capillary electrophoresis–tandem mass spectrometry for multiclass analysis of polar marine toxins. Analytical and Bioanalytical Chemistry, 2018, 410, 5405-5420.	3.7	9
11	Solution to collision induced dissociation mass spectrometry challenge. Analytical and Bioanalytical Chemistry, 2018, 410, 3927-3930.	3.7	3
12	Direct online quantitation of 2-methyl-3-methoxy-4-phenyl butanoic acid for total microcystin analysis by condensed phase membrane introduction tandem mass spectrometry. Analytical Methods, 2018, 10, 3310-3316.	2.7	6
13	Screening of cyclic imine and paralytic shellfish toxins in isolates of the genus Alexandrium (Dinophyceae) from Atlantic Canada. Harmful Algae, 2018, 77, 108-118.	4.8	21
14	Differential Mobility Spectrometry for Improved Selectivity in Hydrophilic Interaction Liquid Chromatography-Tandem Mass Spectrometry Analysis of Paralytic Shellfish Toxins. Journal of the American Society for Mass Spectrometry, 2017, 28, 1518-1530.	2.8	17
15	Hydrophilic interaction liquid chromatography-tandem mass spectrometry for quantitation of paralytic shellfish toxins: validation and application to reference materials. Analytical and Bioanalytical Chemistry, 2017, 409, 5675-5687.	3.7	26
16	Development of Certified Reference Materials for Diarrhetic Shellfish Poisoning Toxins, Part 1: Calibration Solutions. Journal of AOAC INTERNATIONAL, 2016, 99, 1151-1162.	1.5	15
17	Laser ablation electrospray ionization highâ€resolution mass spectrometry for regulatory screening of domoic acid in shellfish. Rapid Communications in Mass Spectrometry, 2016, 30, 2379-2387.	1.5	19
18	Isotope-labelling derivatisation: a broadly applicable approach to quantitation of algal toxins by isotope dilution LC-MS/MS. Analytical Methods, 2016, 8, 2872-2879.	2.7	8

DANIEL G BEACH

#	Article	IF	CITATIONS
19	Commercial formaldehyde standard for mass calibration in mass spectrometry. Journal of Mass Spectrometry, 2015, 50, 463-469.	1.6	6
20	Analysis of paralytic shellfish toxins using high-field asymmetric waveform ion mobility spectrometry with liquid chromatography-mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 2473-2484.	3.7	30
21	Selective quantitation of the neurotoxin BMAA by use of hydrophilic-interaction liquid chromatography–differential mobility spectrometry–tandem mass spectrometry (HILIC–DMS–MS/MS). Analytical and Bioanalytical Chemistry, 2015, 407, 8397-8409.	3.7	44
22	Detection, Identification, and Occurrence of Thiotetronic Acids in Drinking Water from Underground Sources by Electrospray Ionization-High Field Asymmetric Waveform Ion Mobility Spectrometry-Quadrupole Time-of-Flight-Mass Spectrometry. Analytical Chemistry, 2015, 87, 9884-9891.	6.5	4
23	Sensitive determination of domoic acid in mussel tissue using dansyl chloride derivatization and liquid chromatography-mass spectrometry. Analytical Methods, 2015, 7, 1000-1007.	2.7	15
24	High-throughput quantitative analysis of domoic acid directly from mussel tissue using Laser Ablation Electrospray Ionization – tandem mass spectrometry. Toxicon, 2014, 92, 75-80.	1.6	27
25	Linear and Nonlinear Regimes of Electrospray Signal Response in Analysis of Urine by Electrospray Ionization-High Field Asymmetric Waveform Ion Mobility Spectrometry-MS and Implications for Nontarget Quantification. Analytical Chemistry, 2013, 85, 2127-2134.	6.5	21
26	Integrating Field Analyses with Laboratory Exposures to Assess Ecosystems Health. Polycyclic Aromatic Compounds, 2012, 32, 97-132.	2.6	3
27	Hydroxyl Radical-Induced Oxidation of a Phenolic C-Linked 2′-Deoxyguanosine Adduct Yields a Reactive Catechol. Chemical Research in Toxicology, 2012, 25, 315-325.	3.3	2
28	Revisiting the Reactivity of Uracil During Collision Induced Dissociation: Tautomerism and Charge-Directed Processes. Journal of the American Society for Mass Spectrometry, 2012, 23, 858-868.	2.8	18
29	Postsynthetic Guanine Arylation of DNA by Suzukiâ^'Miyaura Cross-Coupling. Journal of the American Chemical Society, 2011, 133, 42-50.	13.7	104
30	Nontarget Analysis of Urine by Electrospray Ionization-High Field Asymmetric Waveform Ion Mobility-Tandem Mass Spectrometry. Analytical Chemistry, 2011, 83, 9107-9113.	6.5	15
31	Tautomerization in gasâ€phase ion chemistry of isomeric Câ€8 deoxyguanosine adducts from phenolâ€induced DNA damage. Journal of Mass Spectrometry, 2011, 46, 41-49.	1.6	10
32	Bioaccumulation and biotransformation of 1-hydroxypyrene by the marine whelkNeptunea lyrata. International Journal of Environmental Analytical Chemistry, 2011, 91, 1227-1243.	3.3	6
33	Bioaccumulation and biotransformation of pyrene and 1â€hydroxypyrene by the marine whelk <i>Buccinum undatum</i> . Environmental Toxicology and Chemistry, 2010, 29, 779-788.	4.3	24
34	Balanced Fates of Pyrene and 1-Hydroxypyrene in Snails, <i>Ilyanassa Obsoleta,</i> and Spiked Sediments. Polycyclic Aromatic Compounds, 2010, 30, 75-90.	2.6	7
35	Analysis of pyrene metabolites in marine snails by liquid chromatography using fluorescence and mass spectrometry detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2142-2152.	2.3	26
36	7-Hydroxy-1-methoxy-6-methyl-1,3-dihydrofuro[3,4-c]pyridinium chloride monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o5263-o5264.	0.2	1