

# Kurt B Angstman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5141479/publications.pdf>

Version: 2024-02-01

83  
papers

876  
citations

471509

17  
h-index

642732

23  
g-index

84  
all docs

84  
docs citations

84  
times ranked

1002  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pre-Anesthetic Medical Evaluations: Criteria Considerations for Telemedicine Alternatives to Face to Face Visits. <i>Health Services Research and Managerial Epidemiology</i> , 2022, 9, 233339282210748.	0.9	1
2	Impact of gestational diabetes diagnosis on concurrent depression in pregnancy. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2021, 42, 190-193.	2.1	7
3	Relationship of Clinician Care Team Composition and Diabetes Quality Outcomes. <i>Population Health Management</i> , 2021, 24, 502-508.	1.7	4
4	Impact of socioeconomic status on depression clinical outcomes at six months in a Midwestern, United States community. <i>Journal of Affective Disorders</i> , 2021, 292, 751-756.	4.1	11
5	Impact of collaborative clinician visits on postdischarge total cost of care in a polypharmacy population. <i>American Journal of Health-System Pharmacy</i> , 2020, 77, 1859-1865.	1.0	6
6	Professionalism and inter-communication skills (ICS): a multi-site validity study assessing proficiency in core competencies and milestones in medical learners. <i>BMC Medical Education</i> , 2020, 20, 362.	2.4	1
7	Association of Primary Care Team Composition and Clinician Burnout in a Primary Care Practice Network. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2020, 4, 135-142.	2.4	14
8	Student experiences and satisfaction with a novel clerkship patient scheduling. <i>Medical Education Online</i> , 2020, 25, 1742963.	2.6	2
9	The Association of Direct Observation of Medical Students With Patient-Centered Care for Obesity. <i>Family Medicine</i> , 2020, 52, 271-277.	0.5	2
10	Effect of Nonvisit Care on Resident Workload in a Family Medicine Residency. <i>Family Medicine</i> , 2020, 52, 288-290.	0.5	1
11	A Systematic Framework for Analyzing Observation Data in Patient-Centered Registries: Case Study for Patients With Depression. <i>JMIR Research Protocols</i> , 2020, 9, e18366.	1.0	1
12	Depression Outcomes in Smokers and Nonsmokers: Comparison of Collaborative Care Management Versus Usual Care. <i>Journal of Primary Care and Community Health</i> , 2019, 10, 215013271986126.	2.1	8
13	Impact of rural address and distance from clinic on depression outcomes within a primary care medical home practice. <i>BMC Family Practice</i> , 2019, 20, 123.	2.9	15
14	Timing of pharmacist-clinician collaborative visits after hospital discharge and their effect on readmission risk. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2019, 2, 268-273.	1.0	3
15	Essential Office Procedures for Medicare Patients in Primary Care: Comparison With Family Medicine Residency Training. <i>Family Medicine</i> , 2019, 51, 574-577.	0.5	2
16	Academic Detailing From Medical Students: Part of a Plan to Emphasize Feedback in One Clerkship. <i>PRiMER (Leawood, Kan)</i> , 2019, 3, 26.	0.6	0
17	Effect of Postdismissal Pharmacist Visits for Patients Using High-Risk Medications. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2018, 2, 4-9.	2.4	15
18	Impact of Personality Disorder Cluster on Depression Outcomes Within Collaborative Care Management Model of Care. <i>Journal of Primary Care and Community Health</i> , 2018, 9, 215013271877687.	2.1	8

#	ARTICLE	IF	CITATIONS
19	Collaborative Care Management Associated With Improved Depression Outcomes in Patients With Personality Disorders, Compared to Usual Primary Care. <i>Journal of Primary Care and Community Health</i> , 2018, 9, 215013271877326.	2.1	5
20	Impact of prior pregnancy loss or pre-term delivery on attitudes toward exercise in pregnancy. <i>European Journal for Person Centered Healthcare</i> , 2018, 6, 535.	0.3	0
21	Personality Disorders in Primary Care: Impact on Depression Outcomes Within Collaborative Care. <i>Journal of Primary Care and Community Health</i> , 2017, 8, 233-238.	2.1	21
22	Prediction of Primary Care Depression Outcomes at Six Months: Validation of DOC-6 Â©. <i>Journal of the American Board of Family Medicine</i> , 2017, 30, 281-287.	1.5	10
23	Six-Month Outcomes for Collaborative Care Management of Depression Among Smoking and Nonsmoking Patients. <i>Health Services Research and Managerial Epidemiology</i> , 2017, 4, 233339281772164.	0.9	2
24	Use of an on-line patient portal in a depression collaborative care management program. <i>Journal of Affective Disorders</i> , 2017, 208, 1-5.	4.1	22
25	The Associations Between Preceptor Team Lead Relationships and Resident Wellness in an Academic Medicine Setting: An Exploratory Study. <i>PRiMER (Leawood, Kan )</i> , 2017, 1, 5.	0.6	4
26	Diabetes and depression: does worsening control of diabetes lead to poorer depression outcomes?. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 98-100.	1.8	3
27	Increased medical cost metrics for patients 50 years of age and older in the collaborate care model of treatment for depression. <i>Psychogeriatrics</i> , 2016, 16, 102-106.	1.2	6
28	Family Medicine Panel Size with Care Teams: Impact on Quality. <i>Journal of the American Board of Family Medicine</i> , 2016, 29, 444-451.	1.5	22
29	The Impact of Posttraumatic Stress Disorder on the 6-Month Outcomes in Collaborative Care Management for Depression. <i>Journal of Primary Care and Community Health</i> , 2016, 7, 159-164.	2.1	11
30	Time to Remission for Depression with Collaborative Care Management (CCM) in Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2016, 29, 10-17.	1.5	33
31	Differential Experience With Men's and Women's Health Care Visits Between Male and Female Family Medicine Residents. <i>Family Medicine</i> , 2016, 48, 546-50.	0.5	5
32	Seasonal variation in clinical remission of primary care patients with depression: impact of gender. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 160-165.	1.8	3
33	Impact of predictors upon the reduction of lipid parameters in family medicine practice. <i>Sao Paulo Medical Journal</i> , 2015, 133, 428-434.	0.9	0
34	Cellulitis in Obesity. <i>Journal of Primary Care and Community Health</i> , 2015, 6, 233-238.	2.1	18
35	Minority Primary Care Patients With Depression. <i>Medical Care</i> , 2015, 53, 32-37.	2.4	40
36	Variations in lipid screening frequency in family medicine patients with cardiovascular risk factors. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 215-220.	1.8	2

#	ARTICLE	IF	CITATIONS
37	Low-density lipoprotein-cholesterol (LDL-C) greater than 100â€‰mg/dL as a quality indicator: locating risk in person, place and time. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 735-739.	1.8	3
38	Diabetes and Obesity Not Associated With 6-Month Remission Rates for Primary Care Patients With Depression. <i>Psychosomatics</i> , 2015, 56, 354-361.	2.5	6
39	Teaching residents electronic fetal monitoring: a national needs assessment. <i>Family Medicine</i> , 2015, 47, 445-51.	0.5	1
40	Impact of Symptom Remission on Outpatient Visits in Depressed Primary Care Patients Treated with Collaborative Care Management and Usual Care. <i>Population Health Management</i> , 2014, 17, 180-184.	1.7	7
41	Depression Remission Decreases Outpatient Utilization at 6 and 12 Months after Enrollment into Collaborative Care Management. <i>Population Health Management</i> , 2014, 17, 48-53.	1.7	9
42	Baseline screening tools as indicators for symptom outcomes and health services utilization in a collaborative care model for depression in primary care: a practice-based observational study. <i>General Hospital Psychiatry</i> , 2014, 36, 563-569.	2.4	6
43	Cervical cancer screening: a prospective cohort study of the effects of historical patient compliance and a populationâ€‰based informatics prompted reminder on screening rates. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 136-143.	1.8	6
44	Future Complexity of Care Tier Affected by Depression Outcomes. <i>Journal of Primary Care and Community Health</i> , 2014, 5, 30-35.	2.1	2
45	PATIENT SELF-ASSESSMENT FACTORS PREDICTIVE OF PERSISTENT DEPRESSIVE SYMPTOMS 6 MONTHS AFTER ENROLLMENT IN COLLABORATIVE CARE MANAGEMENT. <i>Depression and Anxiety</i> , 2013, 30, 143-148.	4.1	14
46	Inter-relationship of the functional status question of the PHQ-9 and depression remission after six months of collaborative care management. <i>Journal of Psychiatric Research</i> , 2013, 47, 418-422.	3.1	5
47	Impact of Collaborative Care for Depression on Clinical, Functional, and Work Outcomes. <i>Journal of Ambulatory Care Management</i> , 2013, 36, 13-23.	1.1	17
48	Family Medicine Patients Who Use Retail Clinics Have Lower Continuity of Care. <i>Journal of Primary Care and Community Health</i> , 2013, 4, 150-153.	2.1	8
49	Patient Body Mass Index Does Not Predict Six-Month Clinical Outcome of Depression Managed Under Collaborative Care. <i>Journal of Primary Care and Community Health</i> , 2013, 4, 119-123.	2.1	9
50	Nurse Practitioners and Physician Assistants Are Complements to Family Medicine Physicians. <i>Population Health Management</i> , 2013, 16, 242-245.	1.7	8
51	Prolonged Care Management for Depression. <i>Journal of Primary Care and Community Health</i> , 2013, 4, 129-134.	2.1	3
52	Effects of Concurrent Low Back Conditions on Depression Outcomes. <i>Journal of Osteopathic Medicine</i> , 2013, 113, 530-537.	0.8	4
53	Antidepressant Medication Use Among Patients with Depression: Comparison between Usual Care and Collaborative Care Using Care Managers. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 84-87.	1.2	9
54	Patient's weight 6 months after depression treatment is not affected by either clinical remission or enrolment in collaborative care management. <i>Mental Health in Family Medicine</i> , 2013, 10, 15-21.	0.2	3

#	ARTICLE	IF	CITATIONS
55	Application of a case-control design to the analysis of drop-outs from integrated behavioural health care. <i>Quality in Primary Care</i> , 2013, 21, 33-7.	0.8	0
56	Outcomes for collaborative care versus routine care in the management of postpartum depression. <i>Quality in Primary Care</i> , 2013, 21, 171-7.	0.8	8
57	PHQ-9 Response Curve. <i>Journal of Primary Care and Community Health</i> , 2012, 3, 155-158.	2.1	8
58	Repeat Retail Clinic Visits: Impact of Insurance Coverage and Age of Patient. <i>Population Health Management</i> , 2012, 15, 358-361.	1.7	11
59	Early Return Visits by Primary Care Patients: A Retail Nurse Practitioner Clinic Versus Standard Medical Office Care. <i>Population Health Management</i> , 2012, 15, 216-219.	1.7	10
60	Use of a clinical decision support system to increase osteoporosis screening. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 89-92.	1.8	29
61	Effect of visit length and a clinical decision support tool on abdominal aortic aneurysm screening rates in a primary care practice. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 593-598.	1.8	19
62	Use of a Web-based clinical decision support system to improve abdominal aortic aneurysm screening in a primary care practice. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 666-670.	1.8	19
63	Depression remission after six months of collaborative care management: role of initial severity of depression in outcome. <i>Mental Health in Family Medicine</i> , 2012, 9, 99-106.	0.2	10
64	Retail clinic visits: are resident paneled patients more likely to make multiple visits?. <i>Family Medicine</i> , 2012, 44, 235-9.	0.5	3
65	Predictors of Osteoporosis Screening Completion Rates in a Primary Care Practice. <i>Population Health Management</i> , 2011, 14, 243-247.	1.7	9
66	Age of Depressed Patient does Not Affect Clinical Outcome in Collaborative Care Management. <i>Postgraduate Medicine</i> , 2011, 123, 122-128.	2.0	32
67	Implementation of a Care Management Model for Depression at Two Primary Care Clinics. <i>Journal of Ambulatory Care Management</i> , 2011, 34, 163-173.	1.1	35
68	Depression Care Management. <i>Health Care Manager</i> , 2011, 30, 156-160.	1.3	11
69	Increased Anxiety and Length of Treatment Associated With Depressed Patients Who are Readmitted to Collaborative Care. <i>Journal of Primary Care and Community Health</i> , 2011, 2, 82-86.	2.1	10
70	Personality disorders: review and clinical application in daily practice. <i>American Family Physician</i> , 2011, 84, 1253-60.	0.1	20
71	Predictors of patient comfort and adherence with less frequent cervical cancer screening. <i>Quality in Primary Care</i> , 2011, 19, 355-63.	0.8	7
72	Collaborative Care Management for Depression. <i>Journal of Primary Care and Community Health</i> , 2010, 1, 73-77.	2.1	15

#	ARTICLE	IF	CITATIONS
73	Postpartum Depression Screening. Journal of Primary Care and Community Health, 2010, 1, 158-163.	2.1	4
74	Early return visits by primary care patients: a retail nurse-practitioner clinic versus a medical office walk-in clinic. Primary Health Care Research and Development, 2010, 11, 87.	1.2	0
75	Patients in a Depression Collaborative Care Model of Care. Journal of Primary Care and Community Health, 2010, 1, 12-16.	2.1	13
76	Impact of Online Primary Care Visits on Standard Costs: A Pilot Study. Population Health Management, 2010, 13, 59-63.	1.7	39
77	Pectus Excavatum: Review of Therapeutic Measures and Case Presentation. Clinical Pediatrics, 2010, 49, 889-892.	0.8	3
78	Correlation between mental health co-morbidity screening scores and clinical response in collaborative care treatment for depression. Mental Health in Family Medicine, 2010, 7, 129-33.	0.2	10
79	Initial Implementation of a Depression Care Manager Model: An Observational Study of Outpatient Utilization in Primary Care Clinics. Population Health Management, 2009, 12, 227-230.	1.7	13
80	Impact of Retail Medicine on Standard Costs in Primary Care: A Semiparametric Analysis. Population Health Management, 2009, 12, 333-335.	1.7	22
81	Provider Satisfaction With Virtual Specialist Consultations in a Family Medicine Department. Health Care Manager, 2009, 28, 14-18.	1.3	45
82	Patient Advisory Groups in Practice Improvement. Journal of Ambulatory Care Management, 2009, 32, 328-332.	1.1	18
83	Impact of e-Consults on Return Visits of Primary Care Patients. Health Care Manager, 2009, 28, 253-257.	1.3	25