
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5370081/publications.pdf Version: 2024-02-01



LEE LINC LIM

#	Article	IF	CITATIONS
1	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	11.4	66
2	Effect of a Web-Based Management Guide on Risk Factors in Patients With Type 2 Diabetes and Diabetic Kidney Disease. JAMA Network Open, 2022, 5, e223862.	5.9	13
3	Measuring the availability of human resources for health and its relationship to universal health coverage for 204 countries and territories from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2022, 399, 2129-2154.	13.7	91
4	Combined associations of family history and self-management with age at diagnosis and cardiometabolic risk in 86,931 patients with type 2 diabetes: Joint Asia Diabetes Evaluation (JADE) Register from 11 countries. BMC Medicine, 2022, 20, .	5.5	2
5	Vasomotor symptoms in menopause: modifying the unmodifiable. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 614-614.	2.3	3
6	Effects of a Technology-Assisted Integrated Diabetes Care Program on Cardiometabolic Risk Factors Among Patients With Type 2 Diabetes in the Asia-Pacific Region. JAMA Network Open, 2021, 4, e217557.	5.9	15
7	Improvement in mood symptoms â€⊲after postâ€bariatric surgery among people with obesity: A systematic review and metaâ€analysis. Diabetes/Metabolism Research and Reviews, 2021, 37, e3458.	4.0	21
8	Data on diabetes-specific distress are needed to improve the quality of diabetes care – Authors' reply. Lancet, The, 2021, 397, 2150.	13.7	1
9	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
10	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
11	Role of Composite Glycemic Indices: A Comparison of the Comprehensive Glucose Pentagon Across Diabetes Types and HbA1c Levels. Diabetes Technology and Therapeutics, 2020, 22, 103-111.	4.4	10
12	Realâ€world data reveal unmet clinical needs in insulin treatment in Asian people with type 2 diabetes: the Joint Asia Diabetes Evaluation (JADE) Register. Diabetes, Obesity and Metabolism, 2020, 22, 669-679.	4.4	14
13	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
14	Maternal lipids are associated with newborn adiposity, independent of GDM status, obesity and insulin resistance: a prospective observational cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 490-499.	2.3	25
15	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. PLoS Medicine, 2020, 17, e1003367.	8.4	24
16	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
17	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
18	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890

#	Article	IF	CITATIONS
19	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
20	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. Lancet, The, 2020, 396, 2019-2082.	13.7	327
21	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
22	Systemic Solutions for Addressing Non-Communicable Diseases in Low- and Middle-Income Countries. Journal of Multidisciplinary Healthcare, 2020, Volume 13, 693-707.	2.7	17
23	Sexual dysfunction in polycystic ovary syndrome: a systematic review and meta-analysis. Hormones, 2020, 19, 413-423.	1.9	21
24	Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733.	13.7	2,858
25	Circulating branchedâ€chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. Diabetes/Metabolism Research and Reviews, 2020, 36, e3253.	4.0	20
26	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266.	8.1	823
27	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	13.7	87
28	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
29	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	27.8	161
30	Past, present, and future of global health financing: a review of development assistance, government, out-of-pocket, and other private spending on health for 195 countries, 1995–2050. Lancet, The, 2019, 393, 2233-2260.	13.7	283
31	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. Scientific Reports, 2019, 9, 5881.	3.3	6
32	Safety of Ramadan fasting in young patients with typeÂ1 diabetes: A systematic review and metaâ€analysis. Journal of Diabetes Investigation, 2019, 10, 1490-1501.	2.4	24
33	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.3	558
34	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. Diabetes Care, 2019, 42, 2022-2031.	8.6	79
35	Sudomotor dysfunction independently predicts incident cardiovascular–renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. Nephrology Dialysis Transplantation, 2019, 34, 1320-1328.	0.7	6
36	Association between subclinical hypothyroidism and depression: an updated systematic review and meta-analysis. BMC Psychiatry, 2019, 19, 12.	2.6	88

#	Article	IF	CITATIONS
37	Sodium-glucose co-transporter-2 inhibitors: know the patient and the drugs. , 2019, 25, 268-270.		3
38	533-P: Association of Serum Branched-Chain Amino Acids with Kidney Function Decline in Type 2 Diabetes: The Hong Kong Diabetes Register. Diabetes, 2019, 68, .	0.6	3
39	Effect of vitamin D replacement in primary hyperparathyroidism with concurrent vitamin D deficiency: a systematic review and meta-analysis. Minerva Endocrinologica, 2019, 44, 221-231.	1.8	15
40	2244-PUB: Role of B Vitamins (B1, B6, B12) in Managing Diabetic Peripheral Neuropathy (DPN): A Systematic Review. Diabetes, 2019, 68, .	0.6	2
41	Continuous glucose monitoring results in lower HbA _{1c} in Malaysian women with insulinâ€ŧreated gestational diabetes: a randomized controlled trial. Diabetic Medicine, 2018, 35, 1118-1129.	2.3	32
42	Beyond HbA1c: Comparing Glycemic Variability and Glycemic Indices in Predicting Hypoglycemia in Type 1 and Type 2 Diabetes. Diabetes Technology and Therapeutics, 2018, 20, 353-362.	4.4	79
43	Association between serum 25â€hydroxyvitamin D and glycated hemoglobin levels in type 2 diabetes patients with chronic kidney disease. Journal of Diabetes Investigation, 2018, 9, 375-382.	2.4	10
44	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
45	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
46	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
47	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
48	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
49	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
50	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
51	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. Diabetes Care, 2018, 41, 1312-1320.	8.6	81
52	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
53	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
54	Early-life exposure to endocrine disrupting chemicals associates with childhood obesity. Annals of Pediatric Endocrinology and Metabolism, 2018, 23, 182-195.	2.3	22

#	Article	IF	CITATIONS
55	Sleep and Obesity. Journal of Obesity and Metabolic Syndrome, 2018, 27, 4-24.	3.6	33
56	High Serum Branched-Chain Amino Acids Level Independently Predicts Incident Heart Failure—The Hong Kong Diabetes Register. Diabetes, 2018, 67, 455-P.	0.6	0
57	Relationship of glycated hemoglobin, and fasting and postprandial hyperglycemia in type 2 diabetes mellitus patients in Malaysia. Journal of Diabetes Investigation, 2017, 8, 453-461.	2.4	10
58	Place of sodium-glucose cotransporter-2 inhibitors in East Asian subjects with type 2 diabetes mellitus: Insights into the management of Asian phenotype. Journal of Diabetes and Its Complications, 2017, 31, 494-503.	2.3	22
59	Visual Vignette. Endocrine Practice, 2017, 23, 752.	2.1	Ο
60	Maintenance vitamin D3 dosage requirements in Chinese women with post menopausal osteoporosis living in the tropics. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 412-420.	0.4	6
61	Asymmetrical bone loss in a patient with poliomyelitis: an indication for anti-osteoporotic therapy. Clinical Cases in Mineral and Bone Metabolism, 2016, 13, 61-3.	1.0	4
62	PRKAR1A-negative familial Cushing's syndrome: two case reports. Journal of Medical Case Reports, 2015, 9, 277.	0.8	0
63	Hypothalamic pituitary dysfunction amongst nasopharyngeal cancer survivors. Pituitary, 2015, 18, 448-455.	2.9	32
64	OP40 THE CONTRIBUTION OF FASTING AND POST-PRANDIAL GLUCOSE TO HBA1C IN ASIAN TYPE 2 DIABETES MELLITUS PATIENTS. Diabetes Research and Clinical Practice, 2014, 106, S20.	2.8	0
65	PO090 A LONGITUDINAL STUDY ON THE INTERRELATIONSHIPS BETWEEN HBA1C, FRUCTOSAMINE AND CONTINUOUS GLUCOSE MONITORING DERIVED MEAN BLOOD GLUCOSE IN TYPE 2 DM PATIENTS. Diabetes Research and Clinical Practice, 2014, 106, S91.	2.8	0
66	Primary Hyperparathyroidism: A Rare Cause of Genu Valgus in Adolescence. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 869-870.	3.6	6
67	Impact of multicomponent integrated care on mortality and hospitalization after acute coronary syndrome: a systematic review and meta-analysis. European Heart Journal Quality of Care & Clinical Outcomes, 0, , .	4.0	1