

# Hiroshi Yatsuya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5373054/publications.pdf>

Version: 2024-02-01

238  
papers

22,625  
citations

47006

47  
h-index

8866

145  
g-index

240  
all docs

240  
docs citations

240  
times ranked

41733  
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Fasting Blood Glucose Levels in Middle Age and Cognitive Function in Later Life: The Aichi Workersâ€™ Cohort Study. <i>Journal of Epidemiology</i> , 2023, 33, 76-81.	2.4	2
2	Work and Family Conflicts, Depression, and â€œkigaiâ€: A Mediation Analysis in a Cross-cultural Study Between Japanese and Egyptian Civil Workers. <i>Journal of Epidemiology</i> , 2023, 33, 360-366.	2.4	7
3	Association of Low-Density Lipoprotein Cholesterol with Risk of Coronary Heart Disease and Stroke among Middle-Aged Japanese Workers: An Analysis using Inverse Probability Weighting. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 455-466.	2.0	4
4	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1547-1562.	2.0	11
5	Everyday wishes of older people living with dementia in care planning: a qualitative study. <i>BMC Health Services Research</i> , 2022, 22, 184.	2.2	2
6	Applicability of a web-based 24-hour dietary recall tool for Japanese populations in large-scale epidemiological studies. <i>Journal of Epidemiology</i> , 2022, , .	2.4	0
7	Prioritization and sequential exclusion of articles in systematic reviews. <i>Campbell Systematic Reviews</i> , 2022, 18, .	3.0	18
8	Age and sex differences in factors associated with hypertension among an urban poor population in Bangladesh.. <i>Nagoya Journal of Medical Science</i> , 2022, 84, 69-79.	0.3	0
9	The association of public trust with the utilization of digital contact tracing for COVID-19 in Japan. <i>Public Health in Practice</i> , 2022, 4, 100279.	1.5	5
10	Increased serum anti-CYP2E1 IgG autoantibody levels may be involved in the pathogenesis of occupational trichloroethylene hypersensitivity syndrome: a caseâ€“control study. <i>Archives of Toxicology</i> , 2022, 96, 2785-2797.	4.2	6
11	Avoid clinical inertia: Importance of asking and advising patients with diabetes who smoke about quitting. <i>Journal of Diabetes Investigation</i> , 2021, 12, 317-319.	2.4	2
12	Factors Associated With Prediabetes and Diabetes Among Public Employees in Northern Ethiopia. <i>Asia-Pacific Journal of Public Health</i> , 2021, 33, 242-250.	1.0	1
13	Determinants of alcohol consumption and marijuana use among young adults in the Republic of Palau. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 12.	3.4	4
14	The association of work-related stress according to the demand-control model with aggravation of pre-existing disease during the first state of COVID-19 emergency in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 642-647.	2.4	2
15	The Association between Adult Height and Stroke Incidence in Japanese Men and Women: A Population-Based Case- Control Study. <i>Journal of Epidemiology</i> , 2021, , .	2.4	0
16	Health of university students under job and financial insecurity during COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12223.	2.1	1
17	Working cancer survivorsâ€™ physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	2.9	9
18	What constitutes healthiness of Washoku or Japanese diet?. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 863-864.	2.9	7

#	ARTICLE	IF	CITATIONS
19	Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center-based Prospective Study. <i>Atherosclerosis</i> , 2021, 322, 67-73.	0.8	14
20	Predictive risk factors for pneumothorax after transbronchial biopsy using endobronchial ultrasonography with a guide sheath. <i>BMC Pulmonary Medicine</i> , 2021, 21, 181.	2.0	1
21	Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 483-490.	2.0	3
22	Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 816-825.	2.0	10
23	1503The association of work-related stress with aggravation of pre-existing disease during COVID-19 emergency in Japan. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	1
24	Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021, 52, 3543-3550.	2.0	5
25	Association of anthropometric indices of obesity with hypertension among public employees in northern Ethiopia: findings from a cross-sectional survey. <i>BMJ Open</i> , 2021, 11, e050969.	1.9	2
26	Having hobbies and the risk of cardiovascular disease incidence: A Japan public health center-based study. <i>Atherosclerosis</i> , 2021, 335, 1-7.	0.8	1
27	Work-related factors among people with diabetes and the risk of cardiovascular diseases: A systematic review. <i>Journal of Occupational Health</i> , 2021, 63, e12278.	2.1	2
28	Perceptions and behaviors related to noncommunicable diseases in Palau: a qualitative study. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 287-298.	0.3	0
29	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population. <i>Journal of the American Heart Association</i> , 2021, 10, e021753.	3.7	4
30	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020, 30, 37-45.	2.4	11
31	Glycated haemoglobin (HbA1c) as a reliable option for detecting diabetes among the urban poor population in Bangladesh. <i>European Journal of Public Health</i> , 2020, 30, 839-841.	0.3	1
32	Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 363-374.	2.0	30
33	Positive Association of Physical Activity with Both Objective and Perceived Measures of the Neighborhood Environment among Older Adults: The Aichi Workers Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7971.	2.6	4
34	Increased risk of occupational trichloroethylene hypersensitivity syndrome at exposure levels higher than 15Åmg/L of urinary trichloroacetic acid, regardless of whether the patients had the HLA-B*13:01 allele. <i>Environmental Research</i> , 2020, 191, 109972.	7.5	5
35	Milk Intake and Stroke Mortality in the Japan Collaborative Cohort Study—A Bayesian Survival Analysis. <i>Nutrients</i> , 2020, 12, 2743.	4.1	6
36	Risk Factors of Infectious Complications After Endobronchial Ultrasound-Guided Transbronchial Biopsy. <i>Chest</i> , 2020, 158, 797-807.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Risk and population attributable fraction of metabolic syndrome and impaired fasting glucose for the incidence of type 2 diabetes mellitus among middle-aged Japanese individuals: Aichi Worker's Cohort Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1163-1169.	2.4	8
38	Habitual tub bathing and risks of incident coronary heart disease and stroke. <i>Heart</i> , 2020, 106, 732-737.	2.9	18
39	Cross-sectional association between working and depression prevalence in cancer survivors: a literature review. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.5	2
40	Multicenter feasibility study of bowel preparation with castor oil for colon capsule endoscopy. <i>Digestive Endoscopy</i> , 2019, 31, 164-172.	2.3	25
41	&lt;p&gt;Smoking results in accumulation of ectopic fat in the liver&lt;/p&gt;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1075-1080.	2.4	8
42	Recent Status and Methodological Quality of Return-to-Work Rates of Cancer Patients Reported in Japan: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1461.	2.6	13
43	Working Hours and Risk of Acute Myocardial Infarction and Stroke Among Middle-Aged Japanese Men—The Japan Public Health Center-Based Prospective Study Cohort II. <i>Circulation Journal</i> , 2019, 83, 1072-1079.	1.6	28
44	Validation of the Japanese Version of the Yale Food Addiction Scale 2.0 (J-YFAS 2.0). <i>Nutrients</i> , 2019, 11, 687.	4.1	29
45	Comparing different definitions of prediabetes with subsequent risk of diabetes: an individual participant data meta-analysis involving 76 513 individuals and 8208 cases of incident diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000794.	2.8	42
46	Association of gamma-glutamyl transferase and alanine aminotransferase with type 2 diabetes mellitus incidence in middle-aged Japanese men: 12-year follow up. <i>Journal of Diabetes Investigation</i> , 2019, 10, 837-845.	2.4	22
47	Body Mass Index and Risks of Incident Ischemic Stroke Subtypes: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Epidemiology</i> , 2019, 29, 325-333.	2.4	23
48	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level. <i>Hypertension</i> , 2019, 73, 52-59.	2.7	30
49	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217.	1.9	49
50	Prevalence and Correlates of Dyslipidemia Among Men and Women in Palau: Findings of the Palau STEPS Survey 2011–2013. <i>Journal of Epidemiology</i> , 2019, 29, 97-103.	2.4	3
51	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2019, 29, 233-237.	2.4	13
52	Diagnostic contribution of cytological examination to endobronchial ultrasound-guided transbronchial biopsy for lung malignancies. <i>Nagoya Journal of Medical Science</i> , 2019, 81, 613-620.	0.3	1
53	Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1602-1608.	5.0	35
54	Effect of laughter yoga on salivary cortisol and dehydroepiandrosterone among healthy university students: A randomized controlled trial. <i>Complementary Therapies in Clinical Practice</i> , 2018, 32, 6-11.	1.7	24

#	ARTICLE	IF	CITATIONS
55	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCHâ€‘JAPAN study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 674-684.e5.	1.5	101
56	Association between average daily television viewing time and the incidence of ovarian cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2018, 29, 213-219.	1.8	10
57	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S66-S72.	2.4	12
58	A16358 Hypertension detection, treatment and control rates in urban slum population in Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e337-e338.	0.5	2
59	Lateâ€‘phase human herpesvirus 6B reactivation in hematopoietic stem cell transplant recipients. <i>Transplant Infectious Disease</i> , 2018, 20, e12916.	1.7	6
60	Cardiovascular disease mortality in relation to physical activity during adolescence and adulthood in Japan: Does school-based sport club participation matter?. <i>Preventive Medicine</i> , 2018, 113, 102-108.	3.4	10
61	Clinical course of human herpesvirus 6 infection in pediatric living donor liver transplantation. <i>Pediatric Transplantation</i> , 2018, 22, e13239.	1.0	8
62	Non-communicable disease risk factor profile among public employees in a regional city in northern Ethiopia. <i>Scientific Reports</i> , 2018, 8, 9298.	3.3	37
63	The association between objective measures of residence and worksite neighborhood environment, and self-reported leisure-time physical activities: The Aichi Workers' Cohort Study. <i>Preventive Medicine Reports</i> , 2018, 11, 282-289.	1.8	11
64	A Point System for Predicting 10-Year Risk of Developing Type 2 Diabetes Mellitus in Japanese Men: Aichi Workersâ€™ Cohort Study. <i>Journal of Epidemiology</i> , 2018, 28, 347-352.	2.4	12
65	Perceptions and behavior related to noncommunicable diseases among slum dwellers in a rapidly urbanizing city, Dhaka, Bangladesh: a qualitative study. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 559-569.	0.3	13
66	Perception and practice of 'healthy' diet in relation to noncommunicable diseases among the urban and rural people in northern Ethiopia: a community-based qualitative study. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 451-464.	0.3	4
67	No modifying effect of education level on the association between lifestyle behaviors and cardiovascular mortality: the Japan Collaborative Cohort Study. <i>Scientific Reports</i> , 2017, 7, 39820.	3.3	15
68	Passive smoking and chronic obstructive pulmonary disease mortality: findings from the Japan collaborative cohort study. <i>International Journal of Public Health</i> , 2017, 62, 489-494.	2.3	17
69	Descriptive Epidemiology of Hypertension and Its Association With Obesity: Based on the WHO STEPwise Approach to Surveillance in Palau. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 278-287.	1.0	3
70	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. <i>Atherosclerosis</i> , 2017, 261, 124-130.	0.8	21
71	Long-term weight-change slope, weight fluctuation and risk of type 2 diabetes mellitus in middle-aged Japanese men and women: findings of Aichi Workersâ€™ Cohort Study. <i>Nutrition and Diabetes</i> , 2017, 7, e252-e252.	3.2	18
72	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , 2017, 266, 64-68.	0.8	11

#	ARTICLE	IF	CITATIONS
73	Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017, 265, 147-154.	0.8	43
74	Prevalence of non-communicable disease risk factors among poor shantytown residents in Dhaka, Bangladesh: a community-based cross-sectional survey. <i>BMJ Open</i> , 2017, 7, e014710.	1.9	46
75	Population profile and residential environment of an urban poor community in Dhaka, Bangladesh. <i>Environmental Health and Preventive Medicine</i> , 2017, 22, 1.	3.4	49
76	Increased airway hyperresponsiveness to adenosine in patients with aspirin intolerant asthma. <i>Allergology International</i> , 2017, 66, 360-362.	3.3	8
77	Risk Factor of Cardiovascular Disease Among Older Individuals. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 258-261.	2.0	10
78	Disparity in metabolic risk factors of non-communicable diseases between Palauans and Filipinos living in Palau. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 157-165.	0.3	0
79	Calibration between the Estimated Probability of the Risk Assessment Chart of Japan Atherosclerosis Society and Actual Mortality Using External Population: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN). <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 176-195.	2.0	9
80	Serum $\gamma$ -glutamyltransferase and Mortality due to Cardiovascular Disease in Japanese Men and Women. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 792-799.	2.0	13
81	Prospective study of seaweed consumption and thyroid cancer incidence in women. <i>European Journal of Cancer Prevention</i> , 2016, 25, 239-245.	1.3	20
82	Risk of Cardiovascular Disease from Cumulative Cigarette Use and the Impact of Smoking Intensity. <i>Epidemiology</i> , 2016, 27, 395-404.	2.7	74
83	Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. <i>International Journal of Cardiology</i> , 2016, 222, 281-286.	1.7	47
84	Synergistic and Non-synergistic Associations for Cigarette Smoking and Non-tobacco Risk Factors for Cardiovascular Disease Incidence in the Atherosclerosis Risk In Communities (ARIC) Study. <i>Nicotine and Tobacco Research</i> , 2016, 19, ntw235.	2.6	13
85	Development of a Risk Equation for the Incidence of Coronary Artery Disease and Ischemic Stroke for Middle-Aged Japanese—Japan Public Health Center-Based Prospective Study—. <i>Circulation Journal</i> , 2016, 80, 1386-1395.	1.6	37
86	Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women. <i>Circulation</i> , 2016, 134, 355-357.	1.6	32
87	Possible effect of periodic limb movements during sleep on the sleepiness of patients with sleep disordered breathing. <i>Sleep and Biological Rhythms</i> , 2016, 14, 205-210.	1.0	1
88	Past Decline Versus Current eGFR and Subsequent Mortality Risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2456-2466.	6.1	40
89	Prevalence and predictors of prediabetes and diabetes among adults in Palau: population-based national STEPS survey. <i>Nagoya Journal of Medical Science</i> , 2016, 78, 475-483.	0.3	10
90	Hemoglobin A1c Levels and the Risk of Cardiovascular Disease in People Without Known Diabetes. <i>Medicine (United States)</i> , 2015, 94, e785.	1.0	27

#	ARTICLE	IF	CITATIONS
91	Smoking and Diabetes: Is the Association Mediated by Adiponectin, Leptin, or C-reactive Protein?. <i>Journal of Epidemiology</i> , 2015, 25, 99-109.	2.4	29
92	Milk Drinking and Mortality: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2015, 25, 66-73.	2.4	38
93	Breakfast Skipping is Positively Associated With Incidence of Type 2 Diabetes Mellitus: Evidence From the Aichi Workers&rsquo; Cohort Study. <i>Journal of Epidemiology</i> , 2015, 25, 351-358.	2.4	53
94	Profile of Non-communicable Disease Risk Factors Among Young People in Palau. <i>Journal of Epidemiology</i> , 2015, 25, 392-397.	2.4	12
95	Association Between Average Daily Television Viewing Time and Chronic Obstructive Pulmonary Disease-Related Mortality: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2015, 25, 431-436.	2.4	18
96	Psychological job strain, social support at work and daytime secretion of dehydroepiandrosterone (DHEA) in healthy female employees: cross-sectional analyses. <i>Scientific Reports</i> , 2015, 5, 15844.	3.3	4
97	Phase II multicenter study of adjuvant S-1 for colorectal liver metastasis: survival analysis of N-SOG 01 trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 1281-1288.	2.3	9
98	Association of maternal whole blood fatty acid status during the prenatal period with term birth dimensions: a cross-sectional study. <i>Journal of Perinatal Medicine</i> , 2015, 43, 565-75.	1.4	5
99	Bronchus sign on thin-section computed tomography is a powerful predictive factor for successful transbronchial biopsy using endobronchial ultrasound with a guide sheath for small peripheral lung lesions: a retrospective observational study. <i>BMC Medical Imaging</i> , 2015, 15, 21.	2.7	83
100	Association between parental history of diabetes and the incidence of type 2 diabetes mellitus differs according to the sex of the parent and offspring's body weight: A finding from a Japanese worksite-based cohort study. <i>Preventive Medicine</i> , 2015, 81, 49-53.	3.4	19
101	Global, regional, and national age&quot;sex specific all-cause and cause-specific mortality for 240 causes of death, 1990&quot;2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 385, 117-171.	13.7	5,847
102	Profile of non-communicable disease risk factors among adults in the Republic of Palau: findings of a national STEPS survey. <i>Nagoya Journal of Medical Science</i> , 2015, 77, 609-19.	0.3	11
103	Modification of the Excess Risk of Coronary Heart Disease Due to Smoking by Seafood/Fish Intake. <i>American Journal of Epidemiology</i> , 2014, 179, 1173-1181.	3.4	17
104	Is the association between healthy lifestyle behaviors and cardiovascular mortality modified by overweight status? The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2014, 62, 142-147.	3.4	7
105	MRI and FDG-PET for Assessment of Response to Neoadjuvant Chemotherapy in Locally Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 1801-1808.	1.5	17
106	A varicella outbreak in B-cell lymphoma patients receiving rituximab-containing chemotherapy. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 774-777.	1.7	12
107	Association of Kidney Disease Measures With Ischemic Versus Hemorrhagic Strokes. <i>Stroke</i> , 2014, 45, 1925-1931.	2.0	66
108	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207.	4.7	40

#	ARTICLE	IF	CITATIONS
109	Descriptive epidemiological study of food intake among Japanese adults: analyses by age, time and birth cohort model. BMC Public Health, 2014, 14, 328.	2.9	19
110	Fiber Intake and Plasminogen Activator Inhibitor-1 in Type 2 Diabetes: Look AHEAD (Action for Health in Tj ETQq0 0 0 rgBT /Overlock 10 114, 1800-1810.e2.	0.8	9
111	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€”2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	13.7	9,122
112	Smoking Behavior and Lung Cancer in a Biracial Cohort. American Journal of Preventive Medicine, 2014, 46, 624-632.	3.0	24
113	Independent association of liver fat accumulation with insulin resistance. Obesity Research and Clinical Practice, 2014, 8, e350-e355.	1.8	14
114	Body Mass Index-Modified Relationship of Chronic Mental Stress With Resting Blood Pressure During 5 Years in Japanese Middle-Aged Male Workers. Circulation Journal, 2014, 78, 1379-1386.	1.6	4
115	Global Trend in Overweight and Obesity and Its Association With Cardiovascular Disease Incidence. Circulation Journal, 2014, 78, 2807-2818.	1.6	177
116	The Effort-reward Imbalance work-stress model and daytime salivary cortisol and dehydroepiandrosterone (DHEA) among Japanese women. Scientific Reports, 2014, 4, 6402.	3.3	21
117	Positive association between highâ€”sensitivity Câ€”reactive protein and incidence of type 2 diabetes mellitus in Japanese workers: 6â€”year followâ€”up. Diabetes/Metabolism Research and Reviews, 2013, 29, 398-405.	4.0	30
118	Height and Risk of Incident Intraparenchymal Hemorrhage: Atherosclerosis Risk in Communities and Cardiovascular Health Study Cohorts. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, 323-328.	1.6	14
119	Alcohol consumption and risk of stroke and coronary heart disease among Japanese women: The Japan Public Health Center-based prospective study. Preventive Medicine, 2013, 57, 505-510.	3.4	28
120	Association between Physical Activity and Risk of Stroke Subtypes: The Atherosclerosis Risk in Communities Study. Neuroepidemiology, 2013, 40, 109-116.	2.3	36
121	The Impact of Green Tea and Coffee Consumption on the Reduced Risk of Stroke Incidence in Japanese Population. Stroke, 2013, 44, 1369-1374.	2.0	123
122	Development of a Point-based Prediction Model for the Incidence of Total Stroke. Stroke, 2013, 44, 1295-1302.	2.0	44
123	Dietary intake of saturated fatty acids and incident stroke and coronary heart disease in Japanese communities: the JPHC Study. European Heart Journal, 2013, 34, 1225-1232.	2.2	66
124	Differences by sex in the prevalence of diabetes mellitus, impaired fasting glycaemia and impaired glucose tolerance in sub-Saharan Africa: a systematic review and meta-analysis. Bulletin of the World Health Organization, 2013, 91, 671-682D.	3.3	102
125	Postoperative DAVâ€”FNâ€” <sup>2</sup> therapy does not improve survival rates of stage II and stage III melanoma patients significantly. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 1514-1520.	2.4	19
126	Neoadjuvant Oxaliplatin and Capecitabine and Bevacizumab without Radiotherapy for Poor-risk Rectal Cancer: N-SOG 03 Phase II Trial. Japanese Journal of Clinical Oncology, 2013, 43, 964-971.	1.3	119



#	ARTICLE	IF	CITATIONS
127	Weight Change and Cardiovascular Mortality. <i>Circulation Journal</i> , 2013, 77, 602-603.	1.6	0
128	Associations of Protein, Fat, and Carbohydrate Intakes With Insomnia Symptoms Among Middle-aged Japanese Workers. <i>Journal of Epidemiology</i> , 2013, 23, 132-138.	2.4	83
129	Body Mass Index and Weight Change During Adulthood Are Associated With Increased Mortality From Liver Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2013, 23, 219-226.	2.4	13
130	Differences in Urinary Arsenic Metabolites between Diabetic and Non-Diabetic Subjects in Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 1006-1019.	2.6	52
131	Rate of Decline of Forced Vital Capacity Predicts Future Arterial Hypertension. <i>Hypertension</i> , 2012, 59, 219-225.	2.7	91
132	Impact of Age at Smoking Initiation, Dosage, and Time Since Quitting on Cardiovascular Disease in African Americans and Whites: The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2012, 175, 816-826.	3.4	52
133	Healthy lifestyle behaviours and cardiovascular mortality among Japanese men and women: the Japan collaborative cohort study. <i>European Heart Journal</i> , 2012, 33, 467-477.	2.2	88
134	Smoking cessation and COPD mortality among Japanese men and women: The JACC study. <i>Preventive Medicine</i> , 2012, 55, 639-643.	3.4	16
135	Reliability and Validity of the Japanese Translated Version of the Swedish Demand-Control-Support Questionnaire. <i>Industrial Health</i> , 2012, 50, 467-475.	1.0	9
136	Inverse relationship of serum adiponectin concentration with type 2 diabetes mellitus incidence in middle-aged Japanese workers: six-year follow-up. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 349-356.	4.0	11
137	Risk of intraparenchymal hemorrhage with magnetic resonance imaging-defined leukoaraiosis and brain infarcts. <i>Annals of Neurology</i> , 2012, 71, 552-559.	5.3	46
138	Postural Changes in Blood Pressure and Incidence of Ischemic Stroke Subtypes. <i>Hypertension</i> , 2011, 57, 167-173.	2.7	89
139	Community Prevalence of Ideal Cardiovascular Health, by the American Heart Association Definition, and Relationship With Cardiovascular Disease Incidence. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1690-1696.	2.8	614
140	Type 2 Diabetes in Well-Controlled Hypertension. <i>Circulation Journal</i> , 2011, 75, 2316-2317.	1.6	0
141	Sex-specific HDL Cholesterol Changes With Weight Loss and Their Association With Anthropometric Variables: The LIFE Study. <i>Obesity</i> , 2011, 19, 429-435.	3.0	13
142	Early age at menarche associated with increased all-cause mortality. <i>European Journal of Epidemiology</i> , 2011, 26, 771-778.	5.7	49
143	Adiposity and risk of cardiovascular diseases in Japan: secular trend, individual level associations and causal pathway – implications for the prevention of cardiovascular diseases in societies with rapid economic development. <i>EPMA Journal</i> , 2011, 2, 65-73.	6.1	15
144	Carotid Intima-Media Thickness, Electrocardiographic Left Ventricular Hypertrophy, and Incidence of Intracerebral Hemorrhage. <i>Stroke</i> , 2011, 42, 3075-3079.	2.0	10

#	ARTICLE	IF	CITATIONS
145	Changes in C-reactive protein during weight loss and the association with changes in anthropometric variables in men and women: LIFE Study. <i>International Journal of Obesity</i> , 2011, 35, 684-691.	3.4	20
146	Associations of Obesity Measures with Subtypes of Ischemic Stroke in the ARIC Study. <i>Journal of Epidemiology</i> , 2010, 20, 347-354.	2.4	46
147	Vaginal Douching in Cambodian Women: Its Prevalence and Association With Vaginal Candidiasis. <i>Journal of Epidemiology</i> , 2010, 20, 70-76.	2.4	27
148	Demographic and Cardiovascular Risk Factors Modify Association of Fasting Insulin With Incident Coronary Heart Disease and Ischemic Stroke (from the Atherosclerosis Risk In Communities Study). <i>American Journal of Cardiology</i> , 2010, 105, 1420-1425.	1.6	9
149	BMI and All-cause Mortality Among Japanese Older Adults: Findings From the Japan Collaborative Cohort Study. <i>Obesity</i> , 2010, 18, 362-369.	3.0	106
150	Dietary intake of saturated fatty acids and mortality from cardiovascular disease in Japanese: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 759-765.	4.7	87
151	Body Mass Index and Risk of Stroke and Myocardial Infarction in a Relatively Lean Population. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010, 3, 498-505.	2.2	62
152	Strengthening community participation at health centers in rural Cambodia: role of local non-governmental organizations (NGOs). <i>Critical Public Health</i> , 2010, 20, 97-115.	2.4	15
153	Daytime napping and mortality, with a special reference to cardiovascular disease: the JACC study. <i>International Journal of Epidemiology</i> , 2010, 39, 233-243.	1.9	80
154	Retinal Microvascular Abnormalities and Risk of Lacunar Stroke. <i>Stroke</i> , 2010, 41, 1349-1355.	2.0	172
155	Risk of Incident Cardiovascular Disease Among Users of Smokeless Tobacco in the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 2010, 172, 600-605.	3.4	64
156	Race- and Sex-Specific Associations of Obesity Measures With Ischemic Stroke Incidence in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Stroke</i> , 2010, 41, 417-425.	2.0	82
157	Clinical trial of integrated intervention for Parkinson disease. <i>Neuroscience Research</i> , 2010, 68, e308.	1.9	0
158	Higher dietary intake of alpha-linolenic acid is associated with lower insulin resistance in middle-aged Japanese. <i>Preventive Medicine</i> , 2010, 50, 272-276.	3.4	42
159	Incidence of metabolic syndrome according to combinations of lifestyle factors among middle-aged Japanese male workers. <i>Preventive Medicine</i> , 2010, 51, 118-122.	3.4	35
160	Maintenance-tailored therapy vs. standard behavior therapy for 30-month maintenance of weight loss. <i>Preventive Medicine</i> , 2010, 51, 457-459.	3.4	15
161	Group Education with Personal Rehabilitation for Idiopathic Parkinson's Disease. <i>Canadian Journal of Neurological Sciences</i> , 2009, 36, 51-59.	0.5	50
162	Factors predicting growth of vestibular schwannoma in neurofibromatosis type 2. <i>Neurosurgical Review</i> , 2009, 32, 425-433.	2.4	15

#	ARTICLE	IF	CITATIONS
163	An influence of Interferon- $\hat{3}$ gene polymorphisms on treatment response to tuberculosis in Japanese population. <i>Journal of Infection</i> , 2009, 58, 467-469.	3.3	10
164	Self-reported medical history was generally accurate among Japanese workplace population. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 306-313.	5.0	52
165	Upper airway morphology in patients with obstructive sleep apnea syndrome: Effects of lateral positioning. <i>Auris Nasus Larynx</i> , 2009, 36, 305-309.	1.2	26
166	Effect of the Interaction between Mental Stress and Eating Pattern on Body Mass Index Gain in Healthy Japanese Male Workers. <i>Journal of Epidemiology</i> , 2009, 19, 88-93.	2.4	22
167	Uric Acid and Left Ventricular Hypertrophy in Japanese Men. <i>Circulation Journal</i> , 2009, 73, 667-672.	1.6	48
168	Th1/Th2 Immune Response in Lung Fibroblasts in Interstitial Lung Disease. <i>Archives of Medical Research</i> , 2008, 39, 503-510.	3.3	27
169	Further inflammatory information on metabolic syndrome by adiponectin evaluation. <i>International Journal of Cardiology</i> , 2008, 124, 339-344.	1.7	14
170	Contribution of adipocytokines to low-grade inflammatory state as expressed by circulating C-reactive protein in Japanese men: Comparison of leptin and adiponectin. <i>International Journal of Cardiology</i> , 2008, 130, 159-164.	1.7	14
171	Eating fast leads to insulin resistance: Findings in middle-aged Japanese men and women. <i>Preventive Medicine</i> , 2008, 46, 154-159.	3.4	118
172	Low leptin but high insulin resistance of smokers in Japanese men. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 358-364.	2.8	11
173	Effect of Physical Activity on Breast Cancer Risk: Findings of the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3396-3401.	2.5	38
174	Association Between Low Birth Weight and Elevated White Blood Cell Count in Adulthood Within a Japanese Population. <i>Circulation Journal</i> , 2008, 72, 757-763.	1.6	3
175	Active Smoking, Passive Smoking, and Breast Cancer Risk: Findings from the Japan Collaborative Cohort Study for Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2008, 18, 77-83.	2.4	49
176	Having More Healthy Practice was Associated with Low White Blood Cell Counts in Middle-aged Japanese Male and Female Workers. <i>Industrial Health</i> , 2008, 46, 341-347.	1.0	6
177	Thermodynamic instability of siRNA duplex is a prerequisite for dependable prediction of siRNA activities. <i>Nucleic Acids Research</i> , 2007, 35, e123.	14.5	109
178	Adiponectin Level and Left Ventricular Hypertrophy in Japanese Men. <i>Hypertension</i> , 2007, 49, 1448-1454.	2.7	55
179	Pathophysiologic Mechanisms of Obesity and Related Metabolic Disorders: An Epidemiologic Study using Questionnaire and Serologic Biomarkers. <i>Journal of Epidemiology</i> , 2007, 17, 141-146.	2.4	7
180	We are on the Way to Finding the Cutoff Point for High-Sensitivity C-Reactive Protein in Japanese. <i>Circulation Journal</i> , 2007, 71, 1502.	1.6	1

#	ARTICLE	IF	CITATIONS
181	White Blood Cell Count and Risk of All-Cause and Cardiovascular Mortality in Nationwide Sample of Japanese. <i>Circulation Journal</i> , 2007, 71, 479-485.	1.6	55
182	High-Sensitivity C-Reactive Protein is Quite Low in Japanese Men at High Coronary Risk. <i>Circulation Journal</i> , 2007, 71, 820-825.	1.6	32
183	Psychological factors and insomnia among male civil servants in Japan. <i>Sleep Medicine</i> , 2007, 8, 209-214.	1.6	31
184	Smoking status and adiponectin in healthy Japanese men and women. <i>Preventive Medicine</i> , 2007, 45, 471-475.	3.4	45
185	A nested case-control study of stomach cancer and serum insulin-like growth factor (IGF)-1, IGF-2 and IGF-binding protein (IGFBP)-3. <i>European Journal of Cancer</i> , 2007, 43, 1611-1616.	2.8	22
186	Reduction of Inner Retinal Thickness in Patients with Autosomal Dominant Optic Atrophy Associated with OPA1 Mutations. , 2007, 48, 4079.		57
187	A nested case-control study of stomach cancer incidence and serum superoxide dismutase activity in the Japan Collaborative Cohort study in Japan. <i>Cancer Detection and Prevention</i> , 2007, 31, 431-435.	2.1	2
188	A new method of blood sampling reduces pain for newborn infants: A prospective, randomized controlled clinical trial. <i>Early Human Development</i> , 2007, 83, 389-394.	1.8	0
189	Lung cancer mortality and body mass index in a Japanese cohort: findings from the Japan Collaborative Cohort Study (JACC Study). <i>Cancer Causes and Control</i> , 2007, 18, 229-234.	1.8	13
190	Psychological attitudes and risk of breast cancer in Japan: a prospective study. <i>Cancer Causes and Control</i> , 2007, 18, 259-267.	1.8	25
191	Consumption of soy foods and the risk of breast cancer: findings from the Japan Collaborative Cohort (JACC) Study. <i>Cancer Causes and Control</i> , 2007, 18, 801-808.	1.8	59
192	Inverse association between adiponectin and C-reactive protein in substantially healthy Japanese men. <i>Atherosclerosis</i> , 2006, 188, 184-189.	0.8	56
193	Low Birth Weight Is Associated With Reduced Adiponectin Concentration in Adult. <i>Annals of Epidemiology</i> , 2006, 16, 669-674.	1.9	15
194	Association between parental histories of hypertension, diabetes and dyslipidemia and the clustering of these disorders in offspring. <i>Preventive Medicine</i> , 2006, 42, 358-363.	3.4	31
195	Birth Weight and Adult Hypertension Cross-Sectional Study in a Japanese Workplace Population. <i>Circulation Journal</i> , 2006, 70, 262-267.	1.6	26
196	Eating Fast Leads to Obesity: Findings Based on Self-administered Questionnaires among Middle-aged Japanese Men and Women. <i>Journal of Epidemiology</i> , 2006, 16, 117-124.	2.4	221
197	Plasma Fibrinogen Levels and Cardiovascular Risk Factors in Japanese Schoolchildren. <i>Journal of Epidemiology</i> , 2006, 16, 64-70.	2.4	9
198	Interleukin-8 gene polymorphism associated with susceptibility to non-cardia gastric carcinoma with microsatellite instability. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 1129-1135.	2.8	32

#	ARTICLE	IF	CITATIONS
199	Factors Associated With Life Space Among Community-Living Rural Elders in Japan. <i>Public Health Nursing</i> , 2006, 23, 324-331.	1.5	54
200	The transition to menopause reinforces adiponectin production and its contribution to improvement of insulin-resistant state. <i>Clinical Endocrinology</i> , 2006, 66, 061109020454003-???	2.4	23
201	Perceived Psychological Stress and Serum Leptin Concentrations in Japanese Men. <i>Obesity</i> , 2006, 14, 1832-1838.	3.0	46
202	Determinants of self-rated health: Could health status explain the association between self-rated health and mortality?. <i>Archives of Gerontology and Geriatrics</i> , 2006, 43, 369-380.	3.0	69
203	A Positive Association between Leptin and Blood Pressure of Normal Range in Japanese Men. <i>Hypertension Research</i> , 2006, 29, 485-492.	2.7	9
204	HIV prevalence and factors associated with HIV infection among male injection drug users under 30: a cross-sectional study in Long An, Vietnam. <i>BMC Public Health</i> , 2006, 6, 248.	2.9	23
205	Comparison of Circulating Adiponectin and Proinflammatory Markers Regarding Their Association With Metabolic Syndrome in Japanese Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 871-876.	2.4	160
206	Mortality and Incidence Rates of Stomach Cancer in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S89-S97.	2.4	7
207	Long-Term Body Weight Fluctuation is Associated With Metabolic Syndrome Independent of Current Body Mass Index Among Japanese Men. <i>Circulation Journal</i> , 2005, 69, 13-18.	1.6	66
208	Effects of Social Relationships on Mortality among the Elderly in a Japanese Rural Area: An 88-month Follow-up Study. <i>Journal of Epidemiology</i> , 2005, 15, 78-84.	2.4	36
209	Green Tea and Stomach Cancer – A Short Review of Prospective Studies. <i>Journal of Epidemiology</i> , 2005, 15, S109-S112.	2.4	26
210	Cigarette Smoking and Mortality due to Stomach Cancer: Findings from the JACC Study.. <i>Journal of Epidemiology</i> , 2005, 15, S113-S119.	2.4	23
211	Serum Levels of Insulin-like Growth Factor I, II, and Binding Protein 3, Transforming Growth Factor $\beta$ 2-1, Soluble Fas Ligand and Superoxide Dismutase Activity in Stomach Cancer Cases and Their Controls in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S120-S125.	2.4	12
212	Serum Pepsinogen Values and Helicobacter pylori Status among Control Subjects of a Nested Case-Control Study in the JACC study. <i>Journal of Epidemiology</i> , 2005, 15, S126-S133.	2.4	21
213	Dietary Habits and Stomach Cancer Risk in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S98-S108.	2.4	51
214	Cigarette smoking and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 144-151.	1.3	12
215	Relationship between body mass index and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort (JACC) study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 452-458.	1.3	22
216	Impact of menstrual and reproductive factors on breast cancer risk in Japan: Results of the JACC study. <i>Cancer Science</i> , 2005, 96, 57-62.	3.9	45

#	ARTICLE	IF	CITATIONS
217	Dietary intakes of fat and fatty acids and risk of breast cancer: A prospective study in Japan. <i>Cancer Science</i> , 2005, 96, 590-599.	3.9	97
218	Prospective study of alcohol consumption and breast cancer risk in Japanese women. <i>International Journal of Cancer</i> , 2005, 116, 779-783.	5.1	22
219	Association between serum leptin concentration and white blood cell count in middle-aged Japanese men and women. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 441-447.	4.0	25
220	Leptin Is Associated with an Increased Female Colorectal Cancer Risk: A Nested Case-Control Study in Japan. <i>Oncology</i> , 2005, 68, 454-461.	1.9	94
221	Lack of an association between serum level of transforming growth factor beta -1 and stomach cancer risk in the JACC study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2005, 6, 170-6.	1.2	0
222	Individual and joint impact of family history and Helicobacter pylori infection on the risk of stomach cancer: a nested case-control study. <i>British Journal of Cancer</i> , 2004, 91, 929-934.	6.4	35
223	A prospective study on the possible association between having children and colon cancer risk: Findings from the JACC Study. <i>Cancer Science</i> , 2004, 95, 243-247.	3.9	18
224	A prospective study of reproductive and menstrual factors and colon cancer risk in Japanese women: Findings from the JACC study. <i>Cancer Science</i> , 2004, 95, 602-607.	3.9	18
225	Serum Phospholipid Transfer Protein Mass as a Possible Protective Factor for Coronary Heart Diseases. <i>Circulation Journal</i> , 2004, 68, 11-16.	1.6	43
226	Association of White Blood Cell Count and Clustered Components of Metabolic Syndrome in Japanese Men. <i>Circulation Journal</i> , 2004, 68, 892-897.	1.6	77
227	Prospective study of screening for stomach cancer in Japan. <i>International Journal of Cancer</i> , 2003, 106, 103-107.	5.1	113
228	Association between weight fluctuation and fasting insulin concentration in Japanese men. <i>International Journal of Obesity</i> , 2003, 27, 478-483.	3.4	49
229	U-Shaped Association Between White Blood Cell Count and Fasting Plasma Glucose Level. <i>Diabetes Care</i> , 2003, 26, 950-950.	8.6	3
230	Aggregation of stomach cancer history in parents and offspring in comparison with other sites. <i>International Journal of Epidemiology</i> , 2003, 32, 579-583.	1.9	19
231	Reproducibility and Validity of a Simple Checklist-type Questionnaire for Food Intake and Dietary Behavior. <i>Journal of Epidemiology</i> , 2003, 13, 235-245.	2.4	21
232	Gender and Age Differences in Lifestyle Factors Related to Hypertension in Middle-Aged Civil Service Employees.. <i>Journal of Epidemiology</i> , 2003, 13, 38-47.	2.4	13
233	Role of the Anterolateral Thigh Flap in Head and Neck Reconstruction: Advantages of Moderate Skin and Subcutaneous Thickness. <i>Journal of Reconstructive Microsurgery</i> , 2002, 18, 141-146.	1.8	53
234	Short- and Long-term Reliability of Information on Previous Illness and Family History as Compared with that on Smoking and Drinking Habits in Questionnaire Surveys.. <i>Journal of Epidemiology</i> , 2002, 12, 120-125.	2.4	10

#	ARTICLE	IF	CITATIONS
235	Family history and the risk of stomach cancer death in Japan: Differences by age and gender. <i>International Journal of Cancer</i> , 2002, 97, 688-694.	5.1	48
236	Trends in the Mortality (1950â€“1997) and Incidence (1975â€“1993) of Malignant Ovarian Neoplasm among Japanese Women: Analyses by Age, Time, and Birth Cohort. <i>Gynecologic Oncology</i> , 2001, 83, 64-71.	1.4	22
237	Pilot peer health education for noncommunicable disease prevention in Bangladesh, Ethiopia, and Palau. <i>Journal of Global Health Reports</i> , 0, , .	1.0	1
238	Pilot peer health education for noncommunicable disease prevention in Bangladesh, Ethiopia, and Palau. <i>Journal of Global Health Reports</i> , 0, 2, .	1.0	3