Stuart Gilmour

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5533096/publications.pdf

Version: 2024-02-01

126907 133252 4,159 115 33 59 citations h-index g-index papers 115 115 115 6915 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Maternal anemia and risk of adverse birth and health outcomes in low- and middle-income countries: systematic review and meta-analysis. American Journal of Clinical Nutrition, 2016, 103, 495-504.	4.7	367
2	Global trends and projections for tobacco use, 1990–2025: an analysis of smoking indicators from the WHO Comprehensive Information Systems for Tobacco Control. Lancet, The, 2015, 385, 966-976.	13.7	365
3	The Severity of Dependence Scale (SDS) in an adolescent population of cannabis users: Reliability, validity and diagnostic cut-off. Drug and Alcohol Dependence, 2006, 83, 90-93.	3.2	177
4	Maternal body mass index and risk of birth and maternal health outcomes in low―and middleâ€income countries: a systematic review and metaâ€analysis. Obesity Reviews, 2015, 16, 758-770.	6.5	154
5	Cycling in and out of treatment; participation in methadone treatment in NSW, 1990–2002. Drug and Alcohol Dependence, 2006, 81, 55-61.	3. 2	126
6	Internal Radiation Exposure After the Fukushima Nuclear Power Plant Disaster. JAMA - Journal of the American Medical Association, 2012, 308, 669.	7.4	116
7	Alcohol Consumption and Psychological Distress in Adolescents: A Multi-Country Study. Journal of Adolescent Health, 2014, 54, 228-234.	2.5	108
8	Mortality Risk amongst Nursing Home Residents Evacuated after the Fukushima Nuclear Accident: A Retrospective Cohort Study. PLoS ONE, 2013, 8, e60192.	2.5	99
9	Trends in cause specific mortality across occupations in Japanese men of working age during period of economic stagnation, 1980-2005: retrospective cohort study. BMJ: British Medical Journal, 2012, 344, e1191-e1191.	2.3	97
10	Trends in suicide in Japan by gender during the COVID-19 pandemic, up to September 2020. Psychiatry Research, 2021, 295, 113622.	3.3	94
11	Maternal and perinatal outcomes among nulliparous adolescents in lowâ€and middleâ€income countries: a multiâ€country study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1622-1630.	2.3	93
12	Health-Related Financial Catastrophe, Inequality and Chronic Illness in Bangladesh. PLoS ONE, 2013, 8, e56873.	2.5	91
13	Catastrophic household expenditure on health in Nepal: a cross-sectional survey. Bulletin of the World Health Organization, 2014, 92, 760-767.	3. 3	89
14	The temporal dynamics of relationships between cannabis, psychosis and depression among young adults with psychotic disorders: findings from a 10-month prospective study. Psychological Medicine, 2007, 37, 927-934.	4.5	79
15	The Relationship between Media Consumption and Health-Related Anxieties after the Fukushima Daiichi Nuclear Disaster. PLoS ONE, 2013, 8, e65331.	2.5	71
16	The Cannabis Problems Questionnaire: Factor structure, reliability, and validity. Drug and Alcohol Dependence, 2005, 80, 313-319.	3.2	65
17	Determining a cut-off on the Severity of Dependence Scale (SDS) for alcohol dependence. Addictive Behaviors, 2007, 32, 1474-1479.	3.0	59
18	Impact of domestic travel restrictions on transmission of COVID-19 infection using public transportation network approach. Scientific Reports, 2021, 11, 3109.	3.3	53

#	Article	IF	CITATIONS
19	Inequality and inequity in healthcare utilization in urban Nepal: a cross-sectional observational study. Health Policy and Planning, 2016, 31, 817-824.	2.7	49
20	Post-nuclear disaster evacuation and survival amongst elderly people in Fukushima: A comparative analysis between evacuees and non-evacuees. Preventive Medicine, 2016, 82, 77-82.	3.4	48
21	The Sydney Medically Supervised Injecting Centre: reducing harm associated with heroin overdose. Critical Public Health, 2004, 14, 391-406.	2.4	46
22	The Effectiveness of Community Action in Reducing Risky Alcohol Consumption and Harm: A Cluster Randomised Controlled Trial. PLoS Medicine, 2014, 11, e1001617.	8.4	46
23	The effect of a reduction in heroin supply on fatal and nonâ€fatal drug overdoses in New South Wales, Australia. Medical Journal of Australia, 2005, 182, 20-23.	1.7	45
24	Reduction of High Levels of Internal Radio-Contamination by Dietary Intervention in Residents of Areas Affected by the Fukushima Daiichi Nuclear Plant Disaster: A Case Series. PLoS ONE, 2014, 9, e100302.	2.5	45
25	Trends in, and projections of, indicators of universal health coverage in Bangladesh, 1995–2030: a Bayesian analysis of population-based household data. The Lancet Global Health, 2018, 6, e84-e94.	6.3	45
26	Process and predictors of drug treatment referral and referral uptake at the Sydney Medically Supervised Injecting Centre. Drug and Alcohol Review, 2008, 27, 602-612.	2.1	44
27	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. Journal of Epidemiology and Community Health, 2017, 71, 974-980.	3.7	44
28	Progress Toward Universal Health Coverage. JAMA Internal Medicine, 2017, 177, 1297.	5.1	43
29	Prolonged Excretion of Poliovirus among Individuals with Primary Immunodeficiency Disorder: An Analysis of the World Health Organization Registry. Frontiers in Immunology, 2017, 8, 1103.	4.8	42
30	The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. Aids, 2012, 26, 2069-2078.	2.2	41
31	The Adolescent Cannabis Problems Questionnaire (CPQ-A): Psychometric properties. Addictive Behaviors, 2006, 31, 2238-2248.	3.0	40
32	Absence of Internal Radiation Contamination by Radioactive Cesium among Children Affected by the Fukushima Daiichi Nuclear Power Plant Disaster. Health Physics, 2015, 108, 39-43.	0.5	40
33	Self-reported illness and household strategies for coping with health-care payments in Bangladesh. Bulletin of the World Health Organization, 2013, 91, 449-458.	3.3	38
34	An adaptive model of health system organization and responses helped Vietnam to successfully halt the Covidâ€19 pandemic: What lessons can be learned from a <scp>resourceâ€constrained</scp> country. International Journal of Health Planning and Management, 2020, 35, 988-992.	1.7	36
35	Estimating the burden of foodborne diseases in Japan. Bulletin of the World Health Organization, 2015, 93, 540-549C.	3.3	36
36	Early SNS-Based Monitoring System for the COVID-19 Outbreak in Japan: A Population-Level Observational Study. Journal of Epidemiology, 2020, 30, 362-370.	2.4	35

#	Article	IF	CITATIONS
37	An assessment of self-reported COVID-19 related symptoms of 227,898 users of a social networking service in Japan: Has the regional risk changed after the declaration of the state of emergency?. The Lancet Regional Health - Western Pacific, 2020, 1, 100011.	2.9	34
38	Trends in Suicide Mortality by Method from 1979 to 2016 in Japan. International Journal of Environmental Research and Public Health, 2019, 16, 1794.	2.6	33
39	Reduced mortality during the COVID-19 outbreak in Japan, 2020: a two-stage interrupted time-series design. International Journal of Epidemiology, 2022, 51, 75-84.	1.9	32
40	Travel restrictions and SARS-CoV-2 transmission: an effective distance approach to estimate impact. Bulletin of the World Health Organization, 2020, 98, 518-529.	3.3	32
41	Inequality in Diabetes-Related Hospital Admissions in England by Socioeconomic Deprivation and Ethnicity: Facility-Based Cross-Sectional Analysis. PLoS ONE, 2015, 10, e0116689.	2.5	30
42	A mathematical model of biomedical interventions for HIV prevention among men who have sex with men in China. BMC Infectious Diseases, 2018, 18, 600.	2.9	30
43	Preference to have used a medically supervised injecting centre among injecting drug users in Kings Cross, Sydney. Australian and New Zealand Journal of Public Health, 2000, 24, 540-542.	1.8	29
44	The impact of a reduction in drug supply on demand for and compliance with treatment for drug dependence. Drug and Alcohol Dependence, 2005, 79, 129-135.	3.2	29
45	Trends in perinatal mortality and its risk factors in Japan: Analysis of vital registration data, 1979–2010. Scientific Reports, 2017, 7, 46681.	3.3	28
46	Effect of health literacy on quality of life among patients with chronic heart failure in China. Quality of Life Research, 2020, 29, 453-461.	3.1	27
47	Large-scale epidemiological monitoring of the COVID-19 epidemic in Tokyo. The Lancet Regional Health - Western Pacific, 2020, 3, 100016.	2.9	27
48	Cervical human papillomavirus infections in commercial sex workersâ€"risk factors and behaviours. International Journal of STD and AIDS, 2003, 14, 840-847.	1.1	26
49	Assessment of the Risk of Medium-Term Internal Contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi Nuclear Accident. Environmental Health Perspectives, 2014, 122, 587-593.	6.0	26
50	Health Insurance Coverage and Hypertension Control in China: Results from the China Health and Nutrition Survey. PLoS ONE, 2016, 11, e0152091.	2.5	24
51	Inequality in mortality by occupation related to economic crisis from 1980 to 2010 among working-age Japanese males. Scientific Reports, 2016, 6, 22255.	3.3	24
52	Time to reconsider thyroid cancer screening in Fukushima. Lancet, The, 2014, 383, 1883-1884.	13.7	23
53	Excess All-Cause Deaths during Coronavirus Disease Pandemic, Japan, January–May 20201. Emerging Infectious Diseases, 2021, 27, 789-795.	4.3	22
54	Projecting HIV Transmission in Japan. PLoS ONE, 2012, 7, e43473.	2.5	22

#	Article	IF	CITATIONS
55	A cost-effectiveness analysis of heroin detoxification methods in the Australian National Evaluation of Pharmacotherapies for Opioid Dependence (NEPOD). Addictive Behaviors, 2006, 31, 371-387.	3.0	21
56	An evaluation of early countermeasures to reduce the risk of internal radiation exposure after the Fukushima nuclear incident in Japan. Health Policy and Planning, 2016, 31, 425-433.	2.7	19
57	Prevalence and Correlates of Hypertension among Japanese Adults, 1975 to 2010. International Journal of Environmental Research and Public Health, 2018, 15, 1645.	2.6	19
58	Burden of Disease in Japan: Using National and Subnational Data to Inform Local Health Policy. Journal of Preventive Medicine and Public Health, 2014, 47, 136-143.	1.9	19
59	A systematic review of school-based studies involving alcohol and the community. Australian and New Zealand Journal of Public Health, 2006, 30, 541-549.	1.8	18
60	Progress toward HIV elimination goals: trends in and projections of annual HIV testing and condom use in Africa. Aids, 2021, 35, 1253-1262.	2.2	18
61	Cost and economic burden of illness over 15 years in Nepal: A comparative analysis. PLoS ONE, 2018, 13, e0194564.	2.5	17
62	Trends in Healthcare Access in Japan during the First Wave of the COVID-19 Pandemic, up to June 2020. International Journal of Environmental Research and Public Health, 2021, 18, 3271.	2.6	17
63	Current Measures on Radioactive Contamination in Japan: A Policy Situation Analysis. PLoS ONE, 2016, 11, e0152040.	2.5	17
64	An evaluation of fertility- and migration-based policy responses to Japan's ageing population. PLoS ONE, 2018, 13, e0209285.	2.5	16
65	Prevalence of Intimate Partner Violence and Associated Factors Among Men Who Have Sex with Men in China. Journal of Interpersonal Violence, 2019, 36, 088626051988993.	2.0	16
66	COVID-19 and Heat Illness in Tokyo, Japan: Implications for the Summer Olympic and Paralympic Games in 2021. International Journal of Environmental Research and Public Health, 2021, 18, 3620.	2.6	16
67	Causes and risk factors for singleton stillbirth in Japan: Analysis of a nationwide perinatal database, 2013–2014. Scientific Reports, 2018, 8, 4117.	3.3	15
68	The Effect of the Australian National Firearms Agreement on Suicide and Homicide Mortality, 1978–2015. American Journal of Public Health, 2018, 108, 1511-1516.	2.7	15
69	Trends in suicide in Japan by gender during the COVID-19 pandemic, through December 2020. Psychiatry Research, 2021, 300, 113913.	3.3	15
70	Suicide by gender and 10-year age groups during the COVID-19 pandemic vs previous five years in Japan: An analysis of national vital statistics. Psychiatry Research, 2021, 305, 114173.	3.3	15
71	Adherence to highly active antiretroviral therapy among people living with HIV and associated high-risk behaviours and clinical characteristics: A cross-sectional survey in Vietnam. International Journal of STD and AIDS, 2021, 32, 911-918.	1.1	14
72	Trends in, projections of, and inequalities in reproductive, maternal, newborn and child health service coverage in Vietnam 2000-2030: A Bayesian analysis at national and sub-national levels. The Lancet Regional Health - Western Pacific, 2021, 15, 100230.	2.9	14

#	Article	IF	CITATIONS
73	Age differentials in the impacts of reduced heroin: Effects of a "heroin shortage―in NSW, Australia. Drug and Alcohol Dependence, 2005, 79, 397-404.	3.2	13
74	Sex work practices and condom use in female sex workers in Sydney. International Journal of STD and AIDS, 2006, 17, 319-323.	1.1	13
75	Social networks and mental health in post-conflict Mitrovica, Kosova. BMC Public Health, 2014, 14, 1169.	2.9	13
76	HIV incidence and sexual behavioral correlates among 4578 men who have sex with men (MSM) in Chengdu, China: a retrospective cohort study. BMC Public Health, 2021, 21, 802.	2.9	13
77	Estimating the proportion of prescription opioids that is consumed by people who inject drugs in Australia. Drug and Alcohol Review, 2013, 32, n/a-n/a.	2.1	12
78	Civil registration as a means to promote human security. Lancet, The, 2015, 386, e14-e15.	13.7	12
79	Progress towards Health for All: Time to End Discrimination and Marginalization. International Journal of Environmental Research and Public Health, 2020, 17, 1696.	2.6	12
80	Factors associated with high-risk behaviors of people newly diagnosed with HIV/AIDS: results from a cross-sectional study in Vietnam. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 607-615.	1.2	12
81	Mortality risks among blue- and white-collar workers: A time series study among Japanese men aged 25-64 years from 1980 to 2015. Journal of Occupational Health, 2021, 63, e12215.	2.1	12
82	Patterns of illicit drug use in NSW, Australia following a reduction in heroin supply. International Journal of Drug Policy, 2005, 16, 300-307.	3.3	11
83	Longâ€Term Changes in Strokeâ€Related Hospital Admissions After the Fukushima Triple Disaster. Journal of the American Geriatrics Society, 2015, 63, 2425-2426.	2.6	11
84	New strategies for prevention of HIV among Japanese men who have sex with men: a mathematical model. Scientific Reports, 2020, 10, 18187.	3.3	10
85	Inter-prefectural Travel and Network Connectedness During the COVID-19 Pandemic in Japan. Journal of Epidemiology, 2022, 32, 510-518.	2.4	10
86	Trends in Policy on the Prevention and Control of Non-Communicable Diseases in Japan. Health Systems and Reform, 2017, 3, 268-277.	1.2	9
87	Trends in deaths from road injuries during the COVID-19 pandemic in Japan, January to September 2020. Injury Epidemiology, 2020, 7, 66.	1.8	9
88	Identifying individual―and populationâ€level characteristics that influence rates of risky alcohol consumption in regional communities. Australian and New Zealand Journal of Public Health, 2014, 38, 60-65.	1.8	8
89	Suicide Mortality in Foreign Residents of Japan. International Journal of Environmental Research and Public Health, 2019, 16, 3013.	2.6	8
90	Trends in emergency transportation due to heat illness under the new normal lifestyle in the COVID-19 era, in Japan and 47 prefectures. Science of the Total Environment, 2021, 768, 144723.	8.0	8

#	Article	IF	Citations
91	Substance use, psychological distress and violence among pregnant and breastfeeding Australian women. Australian and New Zealand Journal of Public Health, 2007, 31, 51-6.	1.8	8
92	Examining links between cocaine use and streetâ€based sex work in New South Wales, Australia. Journal of Sex Research, 2006, 43, 107-114.	2.5	7
93	Assessment of medium-term cardiovascular disease risk after Japan's 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. BMJ Open, 2017, 7, e018502.	1.9	6
94	Assessing the regional impact of Japan's COVID-19 state of emergency declaration: a population-level observational study using social networking services. BMJ Open, 2021, 11, e042002.	1.9	6
95	Trends in, projections of, and inequalities in non-communicable disease management indicators in Vietnam 2010–2030 and progress toward universal health coverage: A Bayesian analysis at national and sub-national levels. EClinicalMedicine, 2022, 51, 101550.	7.1	6
96	Trend change of the transmission route of COVID-19–related symptoms in Japan. Public Health, 2020, 187, 157-160.	2.9	5
97	Does Scale and Efficiency of Government Health Expenditure Promote Development of the Health Industry?. International Journal of Environmental Research and Public Health, 2020, 17, 5529.	2.6	5
98	Method-Specific Suicide Mortality Trends in Australian Men from 1978 to 2017. International Journal of Environmental Research and Public Health, 2021, 18, 4557.	2.6	5
99	Changes in cause-specific mortality trends across occupations in working-age Japanese women from 1980 to 2015: a cross-sectional analysis. BMC Women's Health, 2022, 22, 44.	2.0	5
100	Elimination of HIV transmission in Japanese MSM with combination interventions. The Lancet Regional Health - Western Pacific, 2022, 23, 100467.	2.9	5
101	Effectiveness of community-based health services by nurse practitioners: protocol for a systematic review and meta-analysis. BMJ Open, 2015, 5, e006670.	1.9	4
102	Social Correlates of Recent Suicidal Ideation Among Men Who Have Sex with Men in Greater Tokyo. Sexuality Research and Social Policy, 2021, 18, 467-478.	2.3	4
103	The Clustering of Health-Related Behaviors in the Adult Japanese Population. Journal of Epidemiology, 2021, 31, 471-479.	2.4	4
104	Prevalence and Associated Factors of Psychological Distress Among Single Fathers in Japan. Journal of Epidemiology, 2023, 33, 294-302.	2.4	4
105	A Machine Learning-Based Screening Test for Sarcopenic Dysphagia Using Image Recognition. Nutrients, 2021, 13, 4009.	4.1	4
106	Method-specific suicide trends from 1979 to 2016 among Japanese adolescents. Journal of Affective Disorders, 2022, 310, 129-134.	4.1	4
107	Are Japanese Randomized Controlled Trials Up to the Task? A Systematic Review. PLoS ONE, 2014, 9, e90127.	2.5	3
108	Prevention and Control of Hypertension in Different Countries. JAMA - Journal of the American Medical Association, 2014, 311, 418.	7.4	3

#	Article	lF	CITATIONS
109	The future burden of disability in the UK: the time for urgent action is now. Lancet Public Health, The, 2017, 2, e298-e299.	10.0	3
110	Association of child's disability status with father's health outcomes in Japan. SSM - Population Health, 2021, 16, 100951.	2.7	3
111	Time to consider elimination of HIV in China. The Lancet Regional Health - Western Pacific, 2022, 24, 100497.	2.9	2
112	Effect of emergency declaration on mental health during the COVID-19 pandemic in Japan: A social network service-based difference-in-differences approach. Science Progress, 2021, 104, 003685042110297.	1.9	1
113	Time to update the Japanese standard population for comparing mortality rates. Archives of Public Health, 2022, 80, .	2.4	1
114	Translation, validation and psychometric properties of Effort-Reward Imbalance questionnaire among nurses in Vietnam. Preventive Medicine Reports, 2022, 25, 101692.	1.8	0
115	Expanding diagnostics for LMICs. Lancet, The, 2022, 399, 1604-1605.	13.7	0