

# Imran Siddiqui

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5646629/publications.pdf>

Version: 2024-02-01

26  
papers

2,169  
citations

516710

16  
h-index

752698

20  
g-index

28  
all docs

28  
docs citations

28  
times ranked

4394  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oncogenic KRAS-Induced Protein Signature in the Tumor Secretome Identifies Laminin-C2 and Pentraxin-3 as Useful Biomarkers for the Early Diagnosis of Pancreatic Cancer. <i>Cancers</i> , 2022, 14, 2653.	3.7	5
2	Metabolic reprogramming of terminally exhausted CD8+ T cells by IL-10 enhances anti-tumor immunity. <i>Nature Immunology</i> , 2021, 22, 746-756.	14.5	160
3	Pentraxin 3 is a stromally-derived biomarker for detection of pancreatic ductal adenocarcinoma. <i>Npj Precision Oncology</i> , 2021, 5, 61.	5.4	16
4	Adoptive T-Cell Therapy: Optimizing Chemokine Receptor-Mediated Homing of T-Cells in Cancer Immunotherapy. , 2021, , 251-271.		0
5	Central memory CD8+ T cells derive from stem-like Tcf7hi effector cells in the absence of cytotoxic differentiation. <i>Immunity</i> , 2020, 53, 985-1000.e11.	14.3	107
6	Deciphering the transcriptomic landscape of tumor-infiltrating CD8 lymphocytes in B16 melanoma tumors with single-cell RNA-Seq. <i>Onc Immunology</i> , 2020, 9, 1737369.	4.6	42
7	Intratumoral CD8 <sup>+</sup> T cells with stem cell-like properties: Implications for cancer immunotherapy. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	42
8	β-Catenin-Dependent Signals Maintain BCR-ABL1+ B Cell Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2019, 35, 649-663.e10.	16.8	20
9	Intratumoral Tcf1+PD-1+CD8+ T Cells with Stem-like Properties Promote Tumor Control in Response to Vaccination and Checkpoint Blockade Immunotherapy. <i>Immunity</i> , 2019, 50, 195-211.e10.	14.3	924
10	Differential role of Interleukin-1 and Interleukin-6 in K-Ras-driven pancreatic carcinoma undergoing mesenchymal transition. <i>Onc Immunology</i> , 2018, 7, e1388485.	4.6	28
11	Enhanced recruitment of genetically modified CX3CR1-positive human T cells into Fractalkine/CX3CL1 expressing tumors: importance of the chemokine gradient. , 2016, 4, 21.		79
12	The Fractalkine-Receptor Axis Improves Human Colorectal Cancer Prognosis by Limiting Tumor Metastatic Dissemination. <i>Journal of Immunology</i> , 2016, 196, 902-914.	0.8	35
13	Adoptive T-Cell Therapy: Optimizing Chemokine Receptor-Mediated Homing of T Cells in Cancer Immunotherapy. , 2015, , 263-282.		1
14	Abstract A56: The role of Pentraxin 3 (PTX3) in pancreatic ductal adenocarcinoma. , 2015, , .		0
15	The role of pentraxin 3 in pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2014, 14, S8.	1.1	0
16	Role of PTX3 in pancreatic cancer. <i>Lancet, The</i> , 2014, 383, S106.	18.7	2
17	Sa1371 Pentraxin3 Is a Stromal Biomarker in Pancreatic Ductal Adenocarcinoma. <i>Gastroenterology</i> , 2014, 146, S-276.	1.3	0
18	Pathogen-Specific Treg Cells Expand Early during Mycobacterium tuberculosis Infection but Are Later Eliminated in Response to Interleukin-12. <i>Immunity</i> , 2013, 38, 1261-1270.	14.3	126

#	ARTICLE	IF	CITATIONS
19	ESAT6 differentially inhibits IFN $\gamma$ -inducible class II transactivator isoforms in both a TLR2-dependent and -independent manner. <i>Immunology and Cell Biology</i> , 2012, 90, 411-420.	2.3	35
20	Activity of Trifluoperazine against Replicating, Non-Replicating and Drug Resistant <i>M. tuberculosis</i> . <i>PLoS ONE</i> , 2012, 7, e44245.	2.5	22
21	Early Secreted Antigen ESAT-6 of <i>Mycobacterium tuberculosis</i> Promotes Protective T Helper 17 Cell Responses in a Toll-Like Receptor-2-dependent Manner. <i>PLoS Pathogens</i> , 2011, 7, e1002378.	4.7	137
22	Encapsulation of Antigenic Secretory Proteins of <i>Mycobacterium tuberculosis</i> in Biopolymeric Nanoparticles for Possible Aerosol Delivery System. <i>Journal of Bionanoscience</i> , 2011, 5, 88-95.	0.4	4
23	The PPE18 of <i>Mycobacterium tuberculosis</i> Interacts with TLR2 and Activates IL-10 Induction in Macrophage. <i>Journal of Immunology</i> , 2009, 183, 6269-6281.	0.8	189
24	<i>Mycobacterium tuberculosis</i> secretory proteins CFP10, ESAT6 and the CFP10:ESAT6 complex inhibit lipopolysaccharide-induced NF $\kappa$ B transactivation by downregulation of reactive oxidative species (ROS) production. <i>Immunology and Cell Biology</i> , 2008, 86, 98-106.	2.3	80
25	Role of <i>M. tuberculosis</i> RD-1 region encoded secretory proteins in protective response and virulence. <i>Tuberculosis</i> , 2008, 88, 510-517.	1.9	68
26	<i>Mycobacterium tuberculosis</i> 6-kDa Early Secreted Antigenic Target (ESAT-6) protein downregulates Lipopolysaccharide induced c-myc expression by modulating the Extracellular Signal Regulated Kinases 1/2. <i>BMC Immunology</i> , 2007, 8, 24.	2.2	43