

Yukinori Sakao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5662716/publications.pdf>

Version: 2024-02-01

123
papers

2,875
citations

186265
28
h-index

197818
49
g-index

123
all docs

123
docs citations

123
times ranked

3575
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel method of tracheal anastomosis healing using a single submucosal injection of basic fibroblast growth factor: initial report. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 61, 917-924.	1.4	2
2	Intrathoracic use of a small ultrasonic probe for localizing small lung tumors in thoracoscopic surgery: Empirical results and comparison with preoperative CT images. <i>General Thoracic and Cardiovascular Surgery</i> , 2021, 69, 516-524.	0.9	4
3	Deep Neck Infection Complicated by Phlegmonous Esophagitis and Mediastinitis. <i>Annals of Thoracic Surgery</i> , 2021, 111, e403-e406.	1.3	5
4	How preserved regional pulmonary function after thoracoscopic segmentectomy in clinical stage I non-small cell lung cancers in right upper lobe. <i>General Thoracic and Cardiovascular Surgery</i> , 2021, 69, 960-966.	0.9	4
5	Selection of Pathological NO (pNO) in Clinical IA (cIA) Lung Adenocarcinoma by Imaging Findings of the Main Tumor. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2021, 27, 230-236.	0.8	2
6	Subsegmental resection preserves regional pulmonary function: A focus on thoracoscopy. <i>Thoracic Cancer</i> , 2021, 12, 1033-1040.	1.9	7
7	Radiological imaging and pathological findings of small lung adenocarcinoma: a narrative review. <i>Journal of Thoracic Disease</i> , 2021, 13, 366-371.	1.4	0
8	Deep cervical and paratracheal drainage for descending necrotizing mediastinitis. <i>Asian Cardiovascular and Thoracic Annals</i> , 2020, 28, 29-32.	0.5	11
9	Primary pneumonectomy, pneumonectomy after induction therapy, and salvage pneumonectomy: a comparison of surgical and prognostic outcomes. <i>Journal of Thoracic Disease</i> , 2020, 12, 2672-2682.	1.4	1
10	Large Diaphragm Defect Reconstruction Using Reverse Latissimus Dorsi Muscle Flap. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e3199.	0.6	0
11	Importance of avoiding surgery delays after initial discovery of suspected non-small-cell lung cancer in clinical stage IA patients. <i>Cancer Management and Research</i> , 2019, Volume 11, 107-115.	1.9	4
12	Favorable clinical application for segmental bronchial closure based on experiment results. <i>Journal of Thoracic Disease</i> , 2019, 11, 2267-2273.	1.4	2
13	Successful salvage surgery following multimodal therapy in a patient who harbored ALK-rearranged advanced lung adenocarcinoma with multiple organ metastases. <i>Respirology Case Reports</i> , 2019, 7, e00451.	0.6	4
14	Lymph node dissection in the left upper lobe: clinical outcomes and surgical techniques in Japan. <i>Mediastinum</i> , 2019, 3, 16-16.	1.1	0
15	<p>Successful postoperative recovery management after thoracoscopic lobectomy and segmentectomy using an ERAS-based protocol of immediate ice cream intake and early ambulation: a 3-year study</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 4201-4207.	1.9	10
16	Surgical complication and postoperative pulmonary function in patients undergoing tumor surgery with thoracic wall resection. <i>Oncology Letters</i> , 2019, 17, 3446-3456.	1.8	7
17	The Utility of Indigo Carmine and Lipiodol Mixture for Preoperative Pulmonary Nodule Localization before Video-Assisted Thoracic Surgery. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 446-452.	0.5	23
18	Salvage surgery for small cell lung cancer after chemoradiotherapy. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 389-392.	1.3	15

#	ARTICLE	IF	CITATIONS
19	Dynamics of coagulation factor XIII activity after video-assisted thoracoscopic lobectomy for non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2019, 11, 5382-5389.	1.4	1
20	The eighth TNM classification system for lung cancer: A consideration based on the degree of pleural invasion and involved neighboring structures. <i>Lung Cancer</i> , 2018, 118, 134-138.	2.0	22
21	Pathologic Diagnosis and Genetic Analysis of a Lung Tumor Needle Biopsy Specimen Obtained Immediately After Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 594-602.	2.0	10
22	Two cases of combined thoracoscopy and open chest surgery for locally advanced lung carcinoma. <i>Journal of Thoracic Disease</i> , 2018, 10, 1138-1143.	1.4	0
23	Current outcomes of postrecurrence survival in patients after resection of non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 1788-1796.	1.4	13
24	Analgesic management after thoracoscopic surgery: recent studies and our experience. <i>Journal of Thoracic Disease</i> , 2018, 10, S1050-S1054.	1.4	2
25	Design variations in vertical muscle-sparing thorcotomy. <i>Journal of Thoracic Disease</i> , 2018, 10, 5115-5119.	1.4	7
26	Evaluation of lobar lymph node metastasis in non-small cell lung carcinoma using modified total lesion glycolysis. <i>Journal of Thoracic Disease</i> , 2018, 10, 6932-6941.	1.4	5
27	Detection of abundant megakaryocytes in pulmonary artery blood in lung cancer patients using a microfluidic platform. <i>Lung Cancer</i> , 2018, 125, 128-135.	2.0	16
28	Spontaneous regression of lung squamous cell carcinoma with synchronous mediastinal progression: A case report. <i>Thoracic Cancer</i> , 2018, 9, 1778-1781.	1.9	7
29	Contribution of smoking habit to the prognosis of stage I KRAS-mutated non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2018, 23, 419-426.	1.7	4
30	Efficacy and Safety Data of Osimertinib in Elderly Patients with NSCLC Who Harbor the EGFR T790M Mutation After Failure of Initial EGFR-TKI Treatment. <i>Anticancer Research</i> , 2018, 38, 5231-5237.	1.1	20
31	Higher frequency of occult lymph node metastasis in clinical N0 pulmonary adenocarcinoma with ALK rearrangement. <i>Cancer Management and Research</i> , 2018, Volume 10, 2117-2124.	1.9	17
32	Novel development of Spectra-A using indocyanine green for segmental boundary visibility in thoracoscopic segmentectomy. <i>Journal of Surgical Research</i> , 2018, 227, 228-233.	1.6	11
33	Prognostic significance of combined radiologic imaging modalities for prognosis of clinical IA adenocarcinomas. <i>Oncotarget</i> , 2018, 9, 10745-10753.	1.8	12
34	Unique prevalence of oncogenic genetic alterations in young patients with lung adenocarcinoma. <i>Cancer</i> , 2017, 123, 1731-1740.	4.1	45
35	Clinical outcomes of platinum-based chemotherapy according to T790M mutation status in EGFR-positive non-small cell lung cancer patients after initial EGFR-TKI failure. <i>Lung Cancer</i> , 2017, 109, 89-91.	2.0	16
36	Association Between EGFR T790M Status and Progression Patterns During Initial EGFR-TKI Treatment in Patients Harboring EGFR Mutation. <i>Clinical Lung Cancer</i> , 2017, 18, 698-705.e2.	2.6	29

#	ARTICLE	IF	CITATIONS
37	Thoracoscopic surgery versus open surgery for lung metastases of colorectal cancer: a multi-institutional retrospective analysis using propensity score adjustment. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, 1157-1163.	1.4	23
38	Mediastinal pulmonary artery is associated with greater artery diameter and lingular division volume. <i>Scientific Reports</i> , 2017, 7, 1273.	3.3	5
39	Surgical Outcome and Prognostic Stratification for Pulmonary Metastasis From Colorectal Cancer. <i>Annals of Thoracic Surgery</i> , 2017, 104, 979-987.	1.3	70
40	Histological type predicts mediastinal metastasis and surgical outcome in resected cN1 non-small cell lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2017, 65, 519-526.	0.9	8
41	Does Repeated Lung Resection Provide Long-Term Survival for Recurrent Pulmonary Metastases of Colorectal Cancer? Results of a Retrospective Japanese Multicenter Study. <i>Annals of Thoracic Surgery</i> , 2017, 103, 399-405.	1.3	29
42	Heterogeneity of Tumor Sizes in Multiple Pulmonary Metastases of Colorectal Cancer as a Prognostic Factor. <i>Annals of Thoracic Surgery</i> , 2017, 103, 254-260.	1.3	5
43	A retrospective study on analgesic requirements for thoracoscopic surgery postoperative pain. <i>Journal of Pain Research</i> , 2017, Volume 10, 2643-2648.	2.0	7
44	A powered vascular staple for the application of segmental bronchial closure in thoracoscopic anatomic segmentectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, 5352-5354.	1.4	7
45	Predictive clinical parameters for the response of nivolumab in pretreated advanced non-small-cell lung cancer. <i>Oncotarget</i> , 2017, 8, 103117-103128.	1.8	84
46	Clinical Efficacy of Alectinib in Patients with ALK-Rearranged Non-small Cell Lung Cancer After Ceritinib Failure. <i>Anticancer Research</i> , 2017, 37, 6477-6480.	1.1	7
47	Predictors of indocyanine green visualization during fluorescence imaging for segmental plane formation in thoracoscopic anatomical segmentectomy. <i>Journal of Thoracic Disease</i> , 2016, 8, 985-991.	1.4	33
48	A new LigaSure technique for the formation of segmental plane by intravenous indocyanine green fluorescence during thoracoscopic anatomical segmentectomy. <i>Journal of Thoracic Disease</i> , 2016, 8, 1210-1216.	1.4	18
49	Therapeutic value of lymph node dissection for right middle lobe non-small-cell lung cancer. <i>Journal of Thoracic Disease</i> , 2016, 8, 795-802.	1.4	5
50	Surgical treatment of empyema after pulmonary resection using pedicle skeletal muscle plompage, thoracoplasty, and continuous cavity ablation procedures: a report on three cases. <i>Journal of Thoracic Disease</i> , 2016, 8, 1333-1339.	1.4	4
51	Clinical impact of crizotinib on central nervous system progression in ALK-positive non-small lung cancer. <i>Lung Cancer</i> , 2016, 97, 43-47.	2.0	42
52	Postoperative chylothorax after pulmonary wedge resection in two patients who underwent radical neck dissection: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2016, 9, 322-324.	0.9	1
53	Standardized uptake value on 18 F-FDG-PET/CT is a predictor of EGFR T790M mutation status in patients with acquired resistance to EGFR-TKIs. <i>Lung Cancer</i> , 2016, 100, 14-19.	2.0	20
54	Impact of the oncogenic status on the mode of recurrence in resected non-small cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 928-934.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Outcomes of segmentectomy and wedge resection for pulmonary metastases from colorectal cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 51, ezw322.	1.4	32
56	Estimation of the pathological invasive size of pulmonary adenocarcinoma using high-resolution computed tomography of the chest: A consideration based on lung and mediastinal window settings. <i>Lung Cancer</i> , 2016, 95, 51-56.	2.0	32
57	Diagnostic Ability of Percutaneous Needle Biopsy Immediately After Radiofrequency Ablation for Malignant Lung Tumors: An Initial Experience. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1187-1192.	2.0	11
58	Differential Crizotinib Response Duration Among <i>ALK</i> Fusion Variants in <i>ALK</i> -Positive Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2016, 34, 3383-3389.	1.6	236
59	Prognosis and segment-specific nodal spread of primary lung cancer in the right lower lobe. <i>Thoracic Cancer</i> , 2015, 6, 672-677.	1.9	10
60	Pulmonary Adenocarcinoma In Situ. <i>American Journal of Surgical Pathology</i> , 2015, 39, 912-921.	3.7	12
61	The Significance of the Prognostic Nutritional Index in Patients with Completely Resected Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2015, 10, e0136897.	2.5	84
62	Comparisons of the clinicopathological features and survival outcomes between lung cancer patients with adenocarcinoma and squamous cell carcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2015, 63, 507-513.	0.9	43
63	The clinicopathological features associated with skip N2 metastases in patients with clinical stage IA non-small-cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 47, 653-658.	1.4	47
64	Lack of Association between the BIM Deletion Polymorphism and the Risk of Lung Cancer with and without EGFR Mutations. <i>Journal of Thoracic Oncology</i> , 2015, 10, 59-66.	1.1	13
65	Lymph Node Metastases and Prognosis in Left Upper Division Non-Small Cell Lung Cancers: The Impact of Interlobar Lymph Node Metastasis. <i>PLoS ONE</i> , 2015, 10, e0134674.	2.5	18
66	A Case of Recurrent Pulmonary Artery Intimal Sarcoma After Left Pneumonectomy. <i>Japanese Journal of Lung Cancer</i> , 2015, 55, 251-256.	0.1	0
67	A Case of Recurrent Thymic Atypical Carcinoid with Pleural and Peritoneal Dissemination Six Years After Thymectomy. <i>Japanese Journal of Lung Cancer</i> , 2015, 55, 247-250.	0.1	2
68	Prognostic Significance of Tumor Size of Small Lung Adenocarcinomas Evaluated with Mediastinal Window Settings on Computed Tomography. <i>PLoS ONE</i> , 2014, 9, e110305.	2.5	27
69	Spinal Epidural Hematoma during Anticoagulant Therapy for Pulmonary Embolism: Postoperative Complications in a Patient with Lung Cancer. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014, 20, 493-496.	0.8	5
70	Outcome of Radical Surgery for Pulmonary Metastatic Osteosarcoma with Secondary Spontaneous Pneumothorax: Case Series Report. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014, 20, 574-577.	0.8	9
71	Resection of a ruptured mature cystic teratoma diagnosed two years after the onset of perforation. <i>World Journal of Surgical Oncology</i> , 2014, 12, 321.	1.9	2
72	Significance of the serum carcinoembryonic antigen level during the follow-up of patients with completely resected non-small-cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 687-692.	1.4	12

#	ARTICLE	IF	CITATIONS
73	Risk assessment of perioperative mortality after pulmonary resection in patients with primary lung cancer: the 30- or 90-day mortality. <i>General Thoracic and Cardiovascular Surgery</i> , 2014, 62, 308-313.	0.9	10
74	The association between baseline clinical and radiological characteristics and growth of pulmonary nodules with ground-glass opacity. <i>Lung Cancer</i> , 2014, 83, 61-66.	2.0	87
75	Surgical outcome for pulmonary metastasis of colorectal cancer in the modern chemotherapy era: Results of a retrospective Japanese multicenter study. <i>Journal of Clinical Oncology</i> , 2014, 32, 3528-3528.	1.6	4
76	Allelotypes of lung adenocarcinomas featuring ALK fusion demonstrate fewer onco- and suppressor gene changes. <i>BMC Cancer</i> , 2013, 13, 8.	2.6	4
77	Transformation to Sarcomatoid Carcinoma in ALK-Rearranged Adenocarcinoma, Which Developed Acquired Resistance to Crizotinib and Received Subsequent Chemotherapies. <i>Journal of Thoracic Oncology</i> , 2013, 8, e75-e78.	1.1	37
78	Clinical Impact of Intraoperative Detection of Carcinoembryonic Antigen mRNA in Pleural Lavage Specimens from Nonsmall Cell Lung Cancer Patients. <i>Thoracic and Cardiovascular Surgeon</i> , 2013, 60, 533-540.	1.0	3
79	A Clinicopathological Study of Resected Small-Sized Squamous Cell Carcinomas of the Peripheral Lung: Prognostic Significance of Serum Carcinoembryonic Antigen Levels. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2013, 19, 351-357.	0.8	17
80	Risk Assessment of Perioperative Mortality After Pulmonary Resection for Primary Lung Cancer: the 30-day or 90-day Mortality. <i>Japanese Journal of Lung Cancer</i> , 2013, 53, 93-98.	0.1	0
81	Two patients of left lung cancer with right aortic arch: review of eight patients. <i>General Thoracic and Cardiovascular Surgery</i> , 2012, 60, 537-541.	0.9	6
82	Pneumonic-type Adenocarcinoma with Dissemination Similar to That of Bronchioloalveolar Carcinoma. <i>Japanese Journal of Lung Cancer</i> , 2012, 52, 49-53.	0.1	0
83	Clinicopathological findings of non-small-cell lung cancer with high serum progastrin-releasing peptide concentrations. <i>Lung Cancer</i> , 2011, 74, 401-404.	2.0	15
84	The Impact of Superior Mediastinal Lymph Node Metastases on Prognosis in Non-small Cell Lung Cancer Located in the Right Middle Lobe. <i>Journal of Thoracic Oncology</i> , 2011, 6, 494-499.	1.1	18
85	Prognostic Heterogeneity in Multilevel N2 Non-Small Cell Lung Cancer Patients: Importance of Lymphadenopathy and Occult Intrapulmonary Metastases. <i>Annals of Thoracic Surgery</i> , 2010, 89, 1060-1063.	1.3	16
86	Prognostic value and significance of subcarinal and superior mediastinal lymph node metastasis in lower lobe tumours. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 498-502.	1.4	5
87	Usefulness of suplatast tosilate for chronic cough following lung cancer surgery. <i>General Thoracic and Cardiovascular Surgery</i> , 2009, 57, 463-466.	0.9	7
88	EML4-ALK lung cancers are characterized by rare other mutations, a TTF-1 cell lineage, an acinar histology, and young onset. <i>Modern Pathology</i> , 2009, 22, 508-515.	5.5	429
89	Sensitive and Specific New Enzyme-Linked Immunosorbent Assay for N-ERC/Mesothelin Increases its Potential as a Useful Serum Tumor Marker for Mesothelioma. <i>Clinical Cancer Research</i> , 2008, 14, 1431-1437.	7.0	62
90	The Impact of Cigarette Smoking on Prognosis in Small Adenocarcinomas of the Lung: The Association Between Histologic Subtype and Smoking Status. <i>Journal of Thoracic Oncology</i> , 2008, 3, 958-962.	1.1	14

#	ARTICLE	IF	CITATIONS
91	Validity of Omission of Subcarinal Lymph Node Dissection in Patients with Cancer of the Right Upper Lobe Or Left Upper Division of the Lung. Japanese Journal of Lung Cancer, 2008, 48, 266-272.	0.1	4
92	The prognostic value of carcinoembryonic antigen in T1N1M0 and T2N1M0 non-small cell carcinoma of the lung. European Journal of Cardio-thoracic Surgery, 2007, 32, 440-444.	1.4	14
93	Video-assisted thoracoscopic lobectomy vs. conventional lobectomy via open thoracotomy in patients with clinical stage IA non-small cell lung carcinoma. Interactive Cardiovascular and Thoracic Surgery, 2007, 6, 614-617.	1.1	62
94	Clinicopathological Factors Associated with Unexpected N3 in Patients with Mediastinal Lymph Node Involvement. Journal of Thoracic Oncology, 2007, 2, 1107-1111.	1.1	11
95	Prognostic Significance of a Histologic Subtype in Small Adenocarcinoma of the Lung: The Impact of Nonbronchioloalveolar Carcinoma Components. Annals of Thoracic Surgery, 2007, 83, 209-214.	1.3	75
96	Prospective analysis of depression and psychological distress before and after surgical resection of lung cancer. General Thoracic and Cardiovascular Surgery, 2007, 55, 119-124.	0.9	21
97	Prognostic Significance of Metastasis to the Highest Mediastinal Lymph Node in Nonsmall Cell Lung Cancer. Annals of Thoracic Surgery, 2006, 81, 292-297.	1.3	44
98	Cavernous Hemangioma of the Anterior Mediastinum. General Thoracic and Cardiovascular Surgery, 2006, 54, 221-224.	0.9	37
99	Novel ELISA system for detection of Nâ€œERC/mesothelin in the sera of mesothelioma patients. Cancer Science, 2006, 97, 928-932.	3.9	80
100	Hsp90 inhibitors cause G2/M arrest associated with the reduction of Cdc25C and Cdc2 in lung cancer cell lines. Journal of Cancer Research and Clinical Oncology, 2006, 132, 150-158.	2.5	64
101	The spread of metastatic lymph nodes to the mediastinum from left upper lobe cancer: results of superior mediastinal nodal dissection through a median sternotomy. European Journal of Cardio-thoracic Surgery, 2006, 30, 543-547.	1.4	26
102	Malignant fibrous histiocytoma of the trachea. General Thoracic and Cardiovascular Surgery, 2005, 53, 276-279.	0.4	0
103	Carcinoembryonic antigen as a predictive factor for postoperative tumor relapse in early-stage lung adenocarcinoma. European Journal of Cardio-thoracic Surgery, 2004, 25, 520-522.	1.4	64
104	Lung adenocarcinoma can be subtyped according to tumor dimension by computed tomography mediastinal-window setting. Additional size criteria for clinical T1 adenocarcinoma. European Journal of Cardio-thoracic Surgery, 2004, 26, 1211-1215.	1.4	32
105	Predictive factors for survival in surgically resected clinical IA peripheral adenocarcinoma of the lung. Annals of Thoracic Surgery, 2004, 77, 1157-1161.	1.3	42
106	A Case of Benign Metastasizing Leiomyoma Diagnosed 10 Years After Hysterectomy. Japanese Journal of Lung Cancer, 2004, 44, 773-777.	0.1	0
107	Giant cell tumor of the rib. General Thoracic and Cardiovascular Surgery, 2003, 51, 537-540.	0.4	6
108	Alteration of expression or phosphorylation status of tob, a novel tumor suppressor gene product, is an early event in lung cancer. Cancer Letters, 2003, 202, 71-79.	7.2	54

#	ARTICLE	IF	CITATIONS
109	Clinicopathological analysis of prognostic factors in clinical IA peripheral adenocarcinoma of the lung. <i>Annals of Thoracic Surgery</i> , 2003, 75, 1113-1117.	1.3	32
110	Successful management of acute pulmonary embolism after surgery for lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 24, 580-587.	1.4	38
111	Hypothermia augments polymorphonuclear leukocyte degranulation and interleukin-8 production from human umbilical vein endothelial cells and increases lipopolysaccharide-induced polymorphonuclear leukocyte-endothelial cell interaction when followed by normothermia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> . 2002, 16, 561-566.	1.3	6
112	Monoclonal antibodies to rabbit $\hat{\pm}$ -2-macroglobulin and their use in a sensitive ELISA assay. <i>Journal of Immunological Methods</i> , 2002, 270, 147-153.	1.4	3
113	Lymph node metastasis, recurrence, and prognosis in small peripheral lung adenocarcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2002, 50, 424-429.	0.4	5
114	Arterial embolization to preoperatively manage pulmonary disease associated with inflammation. <i>General Thoracic and Cardiovascular Surgery</i> , 2002, 50, 125-128.	0.4	2
115	Association of IL-8 and MCP-1 with the development of reexpansion pulmonary edema in rabbits. <i>Annals of Thoracic Surgery</i> , 2001, 71, 1825-1832.	1.3	58
116	$\hat{\pm}$ -Chemokine growth factors for adenocarcinomas; a synthetic peptide inhibitor for $\hat{\pm}$ -chemokines inhibits the growth of adenocarcinoma cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 2000, 126, 19-26.	2.5	30
117	Microsatellite Instability and Frameshift Mutations in the <i>Bax</i> Gene in Hereditary Nonpolyposis Colorectal Carcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1020-1027.	1.7	6
118	Excision of a Recurrent Pericardial Cyst Using Video-Assisted Thoracic Surgery. <i>Chest</i> , 1998, 114, 1203-1204.	0.8	12
119	Resected Cases of Diffuse Malignant Pleural Mesothelioma.. <i>Japanese Journal of Lung Cancer</i> , 1996, 36, 245-251.	0.1	1
120	Calcified Lymph Node Metastases in Bronchial Gland Cell Type Adenocarcinoma of The Lung.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 93-98.	0.1	1
121	Surgical Management of Postoperative Lymph Node Recurrence of Primary Lung Cancer.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 115-119.	0.1	0
122	The Significance of Bilateral Mediastinal Lymph Node Dissection (R3) for Cancer of the Left Lung.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 133-139.	0.1	0
123	A Case of Poorly Differentiated Squamous Cell Carcinoma of the Thymus Associated with Thymic Cyst.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 343-348.	0.1	0