
Valentina Borzillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5706124/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	SBRT for Localized Prostate Cancer: CyberKnife vs. VMAT-FFF, a Dosimetric Study. Life, 2022, 12, 711.	2.4	6
2	Reirradiation of Locally Recurrent Prostate Cancer with Cyberknife® System or Volumetric Modulated Arc Therapy (VMAT) and IGRT-Clarity®: Outcomes, Toxicities and Dosimetric Evaluation. Cancers, 2022, 14, 3187.	3.7	3
3	The Italian Association of Radiotherapy and Oncology Recommendation for Breast Tumor Recurrence: Grades of Recommendation, Assessment, Development and Evaluation Criteria. Journal of Breast Cancer, 2021, 24, 241.	1.9	6
4	Acute Toxicity in Hypofractionated/Stereotactic Prostate Radiotherapy of Elderly Patients: Use of the Image-guided Radio Therapy (IGRT) Clarity System. In Vivo, 2021, 35, 1849-1856.	1.3	8
5	Ipilimumab and Stereotactic Radiosurgery with CyberKnife® System in Melanoma Brain Metastases: A Retrospective Monoinstitutional Experience. Cancers, 2021, 13, 1857.	3.7	5
6	Radiotherapy in the Treatment of Subcutaneous Melanoma. Cancers, 2021, 13, 5859.	3.7	5
7	Dosimetric comparison among cyberknife, helical tomotherapy and VMAT for hypofractionated treatment in localized prostate cancer. Medicine (United States), 2020, 99, e23574.	1.0	11
8	Re-irradiation for recurrent glioma: outcome evaluation, toxicity and prognostic factors assessment. A multicenter study of the Radiation Oncology Italian Association (AIRO). Journal of Neuro-Oncology, 2019, 142, 59-67.	2.9	37
9	Radiosurgery and stereotactic radiotherapy with cyberknife system for meningioma treatment. Neuroradiology Journal, 2018, 31, 18-26.	1.2	24
10	Policies for reirradiation of recurrent high-grade gliomas: a survey among Italian radiation oncologists. Tumori, 2018, 104, 466-470.	1,1	0
11	Painful bone metastasis in elderly treated with radiation therapy: Single- or multiple-fraction regimen? A multicentre retrospective observational analysis. Aging Clinical and Experimental Research, 2017, 29, 143-147.	2.9	4
12	Rectal/urinary toxicity after hypofractionated vs conventional radiotherapy in low/intermediate risk localized prostate cancer: systematic review and meta analysis. Oncotarget, 2017, 8, 17383-17395.	1.8	21
13	Cyberknife® system: a new therapeutic strategy for sinonasal solitary extramedullary plasmacytomae. Journal of Biological Regulators and Homeostatic Agents, 2017, 31, 763-768.	0.7	1
14	Multiparametric MRI for prostate cancer detection: Preliminary results on quantitative analysis of dynamic contrast enhanced imaging, diffusion-weighted imaging and spectroscopy imaging. Magnetic Resonance Imaging, 2016, 34, 839-845.	1.8	21
15	Short-course radiotherapy in elderly women with breast cancer: Comparison by age, comorbidity index and toxicity. International Journal of Surgery, 2016, 33, S92-S96.	2.7	7
16	Role of Radiotherapy. Updates in Surgery Series, 2016, , 49-55.	0.1	1
17	Abscopal effects of radiotherapy on advanced melanoma patients who progressed after ipilimumab immunotherapy. Oncolmmunology, 2014, 3, e28780.	4.6	318
18	Tomotherapy concomitant with cetuximab, followed by cetuximab as single-agent therapy for unresectable squamous cell carcinoma of the skin: a case report. BMC Dermatology, 2014, 14, 15.	2.1	8

#	Article	IF	CITATIONS
19	Contouring of the Pharyngeal Superior Constrictor Muscle (PSCM). A cooperative study of the Italian Association of Radiation Oncology (AIRO) Head and Neck Group. Radiotherapy and Oncology, 2014, 112, 337-342.	0.6	16
20	Effects of preoperative radiochemotherapy with capecitabine for resectable locally advanced rectal cancer in elderly patients. Tumori, 2012, 98, 622-9.	1.1	13