

Jun Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5910057/publications.pdf>

Version: 2024-02-01

61
papers

1,021
citations

430874

18
h-index

526287

27
g-index

64
all docs

64
docs citations

64
times ranked

1519
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect and outcomes analysis of anlotinib in non-small cell lung cancer patients with liver metastasis: results from the ALTER 0303 phase 3 randomized clinical trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 1417-1424.	2.5	4
2	DUBR suppresses migration and invasion of human lung adenocarcinoma cells via ZBTB11-mediated inhibition of oxidative phosphorylation. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 157-166.	6.1	13
3	The clinicopathological and molecular characteristics of resected EGFR-mutant lung adenocarcinoma. <i>Cancer Medicine</i> , 2022, 11, 1299-1309.	2.8	6
4	Local consolidative therapy for synchronous oligometastatic non-small cell lung cancer treated with first-line pembrolizumab: A retrospective observational study. <i>Thoracic Cancer</i> , 2022, , .	1.9	6
5	Equivalent efficacy assessment of QL1101 and bevacizumab in nonsquamous non-small cell lung cancer patients: A two-year follow-up data update. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2022, 34, 28-39.	2.2	5
6	Association Between Obesity and Poor Prognosis in Patients Receiving Anlotinib for Advanced Non-Small Cell Lung Cancer. <i>Frontiers in Pharmacology</i> , 2022, 13, 812555.	3.5	0
7	Multi-Omics Signatures Identification for LUAD Prognosis Prediction Model Based on the Integrative Analysis of Immune and Hypoxia Signals. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 840466.	3.7	0
8	The centromere-associated protein CENPU promotes cell proliferation, migration, and invasiveness in lung adenocarcinoma. <i>Cancer Letters</i> , 2022, 532, 215599.	7.2	4
9	ASO Visual Abstract: Different Characteristics and Survival Between Surgically Resected Pure and Combined Pulmonary Large Cell Neuroendocrine Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
10	Different Characteristics and Survival between Surgically Resected Pure and Combined Pulmonary Large Cell Neuroendocrine Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 5666-5678.	1.5	3
11	Atezolizumab prolongs overall survival over docetaxel in advanced non-small-cell lung cancer patients harboring STK11 or KEAP1 mutation. <i>Oncolmmunology</i> , 2021, 10, 1865670.	4.6	9
12	PIGF knockdown attenuates hypoxia-induced stimulation of cell proliferation and glycolysis of lung adenocarcinoma through inhibiting Wnt/ β^2 -catenin pathway. <i>Cancer Cell International</i> , 2021, 21, 18.	4.1	3
13	Akt kinase LANCL2 functions as a key driver in EGFR-mutant lung adenocarcinoma tumorigenesis. <i>Cell Death and Disease</i> , 2021, 12, 170.	6.3	13
14	Osimertinib alone as second-line treatment for brain metastases (BM) control may be more limited than for non-BM in advanced NSCLC patients with an acquired EGFR T790M mutation. <i>Respiratory Research</i> , 2021, 22, 145.	3.6	5
15	hsa_circ_0003222 accelerates stemness and progression of non-small cell lung cancer by sponging miR-527. <i>Cell Death and Disease</i> , 2021, 12, 807.	6.3	29
16	ctDNA-Profilng-Based UBL Biological Process Mutation Status as a Predictor of Atezolizumab Response Among TP53-Negative NSCLC Patients. <i>Frontiers in Genetics</i> , 2021, 12, 723670.	2.3	9
17	Comparative Study of Pulmonary Combined Large-Cell Neuroendocrine Carcinoma and Combined Small-Cell Carcinoma in Surgically Resected High-Grade Neuroendocrine Tumors of the Lung. <i>Frontiers in Oncology</i> , 2021, 11, 714549.	2.8	3
18	TP53 Mutation Status and Biopsy Lesion Type Determine the Immunotherapeutic Stratification in Non-Small-Cell Lung Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 732125.	4.8	10

#	ARTICLE	IF	CITATIONS
19	Equivalent efficacy study of QL1101 and bevacizumab on untreated advanced non-squamous non-small cell lung cancer patients: a phase 3 randomized, double-blind clinical trial. <i>Cancer Biology and Medicine</i> , 2021, 18, 816-824.	3.0	18
20	The Survival Benefit for Optimal Glycemic Control in Advanced Non-Small Cell Lung Cancer Patients With Preexisting Diabetes Mellitus. <i>Frontiers in Oncology</i> , 2021, 11, 745150.	2.8	2
21	Racial differences in characteristics and prognoses between Asian and white patients with nonsmall cell lung cancer receiving atezolizumab: An ancillary analysis of the POPLAR and OAK studies. <i>International Journal of Cancer</i> , 2020, 146, 3124-3133.	5.1	40
22	Daily Branch Chained Amino Acid Intake and the Risks of Obesity and Insulin Resistance in Children. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa061_072.	0.3	0
23	Glucose metabolism among obese and non-obese children of mothers with gestational diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000822.	2.8	4
24	Daily Branched-Chain Amino Acid Intake and Risks of Obesity and Insulin Resistance in Children: A Cross-Sectional Study. <i>Obesity</i> , 2020, 28, 1310-1316.	3.0	23
25	Chemotherapy Plus EGFR-TKI as First-Line Treatment Provides Better Survival for Advanced EGFR-Positive Lung Adenocarcinoma Patients: Updated Data and Exploratory In Vitro Study. <i>Targeted Oncology</i> , 2020, 15, 175-184.	3.6	13
26	CXCL9 as a Prognostic Inflammatory Marker in Early-Stage Lung Adenocarcinoma Patients. <i>Frontiers in Oncology</i> , 2020, 10, 1049.	2.8	13
27	A non-linear association between blood tumor mutation burden and prognosis in NSCLC patients receiving atezolizumab. <i>Oncolmmunology</i> , 2020, 9, 1731072.	4.6	30
28	Chromatin accessibility analysis reveals that TFAP2A promotes angiogenesis in acquired resistance to anlotinib in lung cancer cells. <i>Acta Pharmacologica Sinica</i> , 2020, 41, 1357-1365.	6.1	19
29	Prognostic and Predictive Value of Blood Tumor Mutational Burden in Patients With Lung Cancer Treated With Docetaxel. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 582-589.	4.9	10
30	Circulating DNA-Based Sequencing Guided Anlotinib Therapy in Non-Small Cell Lung Cancer. <i>Advanced Science</i> , 2019, 6, 1900721.	11.2	30
31	Herbal formula Yangyinjiedu induces lung cancer cell apoptosis via activation of early growth response 1. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 6193-6202.	3.6	12
32	Integrated Transcriptome Analysis Reveals KLK5 and L1CAM Predict Response to Anlotinib in NSCLC at 3rd Line. <i>Frontiers in Oncology</i> , 2019, 9, 886.	2.8	20
33	Adjuvant Chemotherapy Candidates in Stage I Lung Adenocarcinomas Following Complete Lobectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 2392-2400.	1.5	12
34	Application value of thromboelastography in perioperative clinical blood transfusion and its effect on the outcome of patient. <i>Experimental and Therapeutic Medicine</i> , 2019, 17, 3483-3488.	1.8	2
35	Transcriptome profiling analysis reveals that CXCL2 is involved in anlotinib resistance in human lung cancer cells. <i>BMC Medical Genomics</i> , 2019, 12, 38.	1.5	28
36	Mycobacterium tuberculosis antigens repress Th1 immune response suppression and promotes lung cancer metastasis through PD-1/PDI-1 signaling pathway. <i>Cell Death and Disease</i> , 2019, 10, 44.	6.3	27

#	ARTICLE	IF	CITATIONS
37	Genome-Wide Plasma Cell-Free DNA Methylation Profiling Identifies Potential Biomarkers for Lung Cancer. <i>Disease Markers</i> , 2019, 2019, 1-7.	1.3	44
38	Role of anlotinib-induced CCL2 decrease in anti-angiogenesis and response prediction for nonsmall cell lung cancer therapy. <i>European Respiratory Journal</i> , 2019, 53, 1801562.	6.7	61
39	Different characteristics and survival in non-small cell lung cancer patients with primary and acquired EGFR T790M mutation. <i>International Journal of Cancer</i> , 2019, 144, 2880-2886.	5.1	25
40	Maternal Gestational Diabetes Is Associated With Offspring's Hypertension. <i>American Journal of Hypertension</i> , 2019, 32, 335-342.	2.0	34
41	Temporal requirements for ISL1 in sympathetic neuron proliferation, differentiation, and diversification. <i>Cell Death and Disease</i> , 2018, 9, 247.	6.3	23
42	Coexistence of sensitive and resistant epidermal growth factor receptor (EGFR) mutations in pretreatment non-small cell lung cancer (NSCLC) patients: First or third generation tyrosine kinase inhibitors (TKIs)? <i>Lung Cancer</i> , 2018, 117, 27-31.	2.0	13
43	Complex epidermal growth factor receptor mutations and their responses to tyrosine kinase inhibitors in previously untreated advanced lung adenocarcinomas. <i>Cancer</i> , 2018, 124, 2399-2406.	4.1	19
44	Jinfukang induces cellular apoptosis through activation of Fas and DR4 in A549 cells. <i>Oncology Letters</i> , 2018, 16, 4343-4352.	1.8	15
45	Liquid Biopsy Promotes Non-Small Cell Lung Cancer Precision Therapy. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381880180.	1.9	18
46	Characteristics and Response to Crizotinib in ALK-Rearranged, Advanced Non-Adenocarcinoma, Non-Small Cell Lung Cancer (NA-NSCLC) Patients: a Retrospective Study and Literature Review. <i>Targeted Oncology</i> , 2018, 13, 631-639.	3.6	2
47	Chronic hepatitis B virus infection status is more prevalent in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2017, 8, 619-625.	2.4	24
48	The temporal requirements for Isl1 in sympathetic neuron proliferation, differentiation and diversification. <i>Mechanisms of Development</i> , 2017, 145, S125.	1.7	0
49	Genome-Wide Profiling Reveals That Herbal Medicine Jinfukang-Induced Polyadenylation Alteration Is Involved in Anti-Lung Cancer Activity. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 1-8.	1.2	8
50	Serum Magnesium Concentration Is Inversely Associated with Albuminuria and Retinopathy among Patients with Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	2.3	19
51	Epigenetic Profiling of H3K4Me3 Reveals Herbal Medicine Jinfukang-Induced Epigenetic Alteration Is Involved in Anti-Lung Cancer Activity. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 1-13.	1.2	16
52	Pancreatic volume is reduced in patients with latent autoimmune diabetes in adults. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 858-866.	4.0	15
53	Beneficial effect of PEDF-transfected ADSCs on erectile dysfunction in a streptozotocin-diabetic rat model. <i>Cell and Tissue Research</i> , 2016, 366, 623-637.	2.9	16
54	Activation of AIFM2 enhances apoptosis of human lung cancer cells undergoing toxicological stress. <i>Toxicology Letters</i> , 2016, 258, 227-236.	0.8	34

#	ARTICLE	IF	CITATIONS
55	Integrative epigenomic analysis reveals unique epigenetic signatures involved in unipotency of mouse female germline stem cells. <i>Genome Biology</i> , 2016, 17, 162.	8.8	61
56	Cigarette Smoking Is Associated with a Lower Prevalence of Newly Diagnosed Diabetes Screened by OGTT than Non-Smoking in Chinese Men with Normal Weight. <i>PLoS ONE</i> , 2016, 11, e0149234.	2.5	15
57	Association between body mass index and diabetic retinopathy in Chinese patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2015, 52, 701-708.	2.5	41
58	Associations between clinical characteristics and chronic complications in latent autoimmune diabetes in adults and type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 411-420.	4.0	25
59	CCAAT/Enhancer-Binding Protein β Is a Crucial Regulator of Human Fat Mass and Obesity Associated Gene Transcription and Expression. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	24
60	Preventive effect of a galactoglucomannan (GGM) from <i>Dendrobium huoshanense</i> on selenium-induced liver injury and fibrosis in rats. <i>Experimental and Toxicologic Pathology</i> , 2012, 64, 899-904.	2.1	40
61	Antitumor immunity by a dendritic cell vaccine encoding secondary lymphoid chemokine and tumor lysate on murine prostate cancer. <i>Asian Journal of Andrology</i> , 2008, 10, 883-889.	1.6	3