

Julie Walsh-Messinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6052559/publications.pdf>

Version: 2024-02-01

31
papers

1,012
citations

687363

13
h-index

454955

30
g-index

35
all docs

35
docs citations

35
times ranked

1977
citing authors

#	ARTICLE	IF	CITATIONS
1	The kids are not alright: A preliminary report of Post-COVID syndrome in university students. <i>Journal of American College Health</i> , 2023, 71, 1367-1373.	1.5	31
2	The effects of a positional feedback device on rollator walker use: a validation study. <i>Assistive Technology</i> , 2021, 33, 318-325.	2.0	4
3	Preliminary Findings Associate Hippocampal ¹ H-MR Spectroscopic Metabolite Concentrations with Psychotic and Manic Symptoms in Patients with Schizophrenia. <i>American Journal of Neuroradiology</i> , 2021, 42, 88-93.	2.4	7
4	Impairments in odour detection and hedonic ratings of unpleasant smells in asymptomatic university students as SARS-CoV-2 emerged locally. <i>European Journal of Neuroscience</i> , 2021, 54, 6256-6266.	2.6	3
5	Recent Smell Loss Is the Best Predictor of COVID-19 Among Individuals With Recent Respiratory Symptoms. <i>Chemical Senses</i> , 2021, 46, .	2.0	119
6	The influence of childhood trauma on aggression and violent behavior in first episode psychosis: A critical review. <i>Aggression and Violent Behavior</i> , 2021, 61, 101677.	2.1	2
7	Ineffective risk-reward learning in schizophrenia. <i>Psychiatry Research</i> , 2020, 293, 113370.	3.3	5
8	Hippocampal metabolite concentrations in schizophrenia vary in association with rare gene variants in the TRIO gene. <i>Schizophrenia Research</i> , 2020, 224, 167-169.	2.0	2
9	More Than Smell—COVID-19 Is Associated With Severe Impairment of Smell, Taste, and Chemesthesis. <i>Chemical Senses</i> , 2020, 45, 609-622.	2.0	375
10	Features of schizophrenia following premorbid eating disorders. <i>Psychiatry Research</i> , 2019, 278, 275-280.	3.3	12
11	Relative importance of symptoms, cognition, and other multilevel variables for psychiatric disease classifications by machine learning. <i>Psychiatry Research</i> , 2019, 278, 27-34.	3.3	12
12	Traumatic experiences and cognitive profiles of schizophrenia cases influenced by the BDNF Val66met polymorphism. <i>Psychiatry Research</i> , 2019, 271, 111-113.	3.3	2
13	Normal sexual dimorphism in theory of mind circuitry is reversed in Schizophrenia. <i>Social Neuroscience</i> , 2019, 14, 583-593.	1.3	2
14	Telomere length and early trauma in schizophrenia. <i>Schizophrenia Research</i> , 2018, 199, 426-430.	2.0	16
15	Rare missense coding variants in oxytocin receptor (OXTR) in schizophrenia cases are associated with early trauma exposure, cognition and emotional processing. <i>Journal of Psychiatric Research</i> , 2018, 97, 58-64.	3.1	9
16	Sex differences in hedonic judgement of odors in schizophrenia cases and healthy controls. <i>Psychiatry Research</i> , 2018, 269, 345-353.	3.3	11
17	Factor Structure of the Positive and Negative Syndrome Scale (PANSS) Differs by Sex. <i>Clinical Schizophrenia and Related Psychoses</i> , 2018, 11, 207-213.	1.4	8
18	Phenotypically distinct subtypes of psychosis accompany novel or rare variants in four different signaling genes. <i>EBioMedicine</i> , 2016, 6, 206-214.	6.1	26

#	ARTICLE	IF	CITATIONS
19	Paternal age effect: Replication in schizophrenia with intriguing dissociation between bipolar with and without psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 495-505.	1.7	13
20	Parental age effects on odor sensitivity in healthy subjects and schizophrenia patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 513-520.	1.7	8
21	Olfactory performance segregates effects of anhedonia and anxiety on social function in patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 387-393.	2.4	18
22	Neuropsychological functioning and profile validity on the Personality Assessment Inventory (PAI): An investigation in multiple psychiatric settings. <i>Bulletin of the Menninger Clinic</i> , 2015, 79, 305-334.	0.6	6
23	De novo mutations from sporadic schizophrenia cases highlight important signaling genes in an independent sample. <i>Schizophrenia Research</i> , 2015, 166, 119-124.	2.0	41
24	Rare variants in the neurotrophin signaling pathway implicated in schizophrenia risk. <i>Schizophrenia Research</i> , 2015, 168, 421-428.	2.0	25
25	Telomere length variability is related to symptoms and cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015, 164, 268-269.	2.0	12
26	Telomere length, family history, and paternal age in schizophrenia. <i>Molecular Genetics & Genomic Medicine</i> , 2014, 2, 326-331.	1.2	47
27	Negative symptoms, past and present: A historical perspective and moving to DSM-5. <i>European Neuropsychopharmacology</i> , 2014, 24, 710-724.	0.7	45
28	Low Vitamin D levels predict clinical features of schizophrenia. <i>Schizophrenia Research</i> , 2014, 159, 543-545.	2.0	53
29	Impairment in emotional modulation of attention and memory in schizophrenia. <i>Schizophrenia Research</i> , 2014, 157, 63-69.	2.0	9
30	Olfactory acuity is associated with mood and function in a pilot study of stable bipolar disorder patients. <i>Bipolar Disorders</i> , 2012, 14, 109-117.	1.9	42
31	Childhood Onset Diagnoses in a Case Series of Teens at Clinical High Risk for Psychosis. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 771-776.	1.3	10