

Annemarie A Uijen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6082141/publications.pdf>

Version: 2024-02-01

22
papers

857
citations

759233

12
h-index

752698

20
g-index

28
all docs

28
docs citations

28
times ranked

1385
citing authors

#	ARTICLE	IF	CITATIONS
1	Multimorbidity in primary care: Prevalence and trend over the last 20 years. <i>European Journal of General Practice</i> , 2008, 14, 28-32.	2.0	371
2	How unique is continuity of care? A review of continuity and related concepts. <i>Family Practice</i> , 2012, 29, 264-271.	1.9	117
3	Nijmegen Continuity Questionnaire: Development and testing of a questionnaire that measures continuity of care. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1391-1399.	5.0	71
4	Measurement Properties of Questionnaires Measuring Continuity of Care: A Systematic Review. <i>PLoS ONE</i> , 2012, 7, e42256.	2.5	70
5	Measuring continuity of care: psychometric properties of the Nijmegen Continuity Questionnaire. <i>British Journal of General Practice</i> , 2012, 62, e949-e957.	1.4	39
6	Heart failure patients' experiences with continuity of care and its relation to medication adherence: a cross-sectional study. <i>BMC Family Practice</i> , 2012, 13, 86.	2.9	23
7	Continuity in different care modes and its relationship to quality of life: a randomised controlled trial in patients with COPD. <i>British Journal of General Practice</i> , 2012, 62, e422-e428.	1.4	22
8	Sex differences in incidence of respiratory symptoms and management by general practitioners. <i>Family Practice</i> , 2020, 37, 631-636.	1.9	22
9	Continuity of care preferably measured from the patients' perspective. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 998-999.	5.0	21
10	The Diagnostic Value of the Patient's Reason for Encounter for Diagnosing Cancer in Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2017, 30, 806-812.	1.5	16
11	Preventing acute kidney injury in high-risk patients by temporarily discontinuing medication – an observational study in general practice. <i>BMC Nephrology</i> , 2019, 20, 449.	1.8	16
12	Patient perspectives on continuity of care: adaption and preliminary psychometric assessment of a Norwegian version of the Nijmegen Continuity Questionnaire (NCQ-N). <i>BMC Health Services Research</i> , 2017, 17, 760.	2.2	13
13	Purposeful Incorporation of Patient Narratives in the Medical Record in the Netherlands. <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 709-723.	1.5	13
14	Sex differences in the trajectories to diagnosis of patients presenting with common somatic symptoms in primary care: an observational cohort study. <i>Journal of Psychosomatic Research</i> , 2021, 149, 110589.	2.6	11
15	Experienced continuity of care in patients at risk for depression in primary care. <i>European Journal of General Practice</i> , 2014, 20, 161-166.	2.0	10
16	Urine cultures and antibiotics for urinary tract infections in Dutch general practice. <i>Primary Health Care Research and Development</i> , 2019, 20, e41.	1.2	10
17	Change in frequency of patient requests for diagnostic screening and interventions during primary care encounters from 1985 to 2014. <i>Family Practice</i> , 2018, 35, 724-730.	1.9	3
18	Incidence, presentation and management of Lyme disease in Dutch general practice. <i>Family Practice</i> , 2019, 36, 110-116.	1.9	1

#	ARTICLE	IF	CITATIONS
19	Optimising personal continuity for older patients in general practice: a study protocol for a cluster randomised stepped wedge pragmatic trial. <i>BMC Family Practice</i> , 2021, 22, 207.	2.9	1
20	Help-seeking behaviour in primary care of men and women with a history of abuse: A Dutch cohort study. <i>European Journal of General Practice</i> , 2022, 28, 40-47.	2.0	1
21	Epidemiologie van keel- en neusproblematiek. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2016, 32, 55-60.	0.0	0
22	Epidemiologie en klachtenpresentatie in de eerste lijn. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2018, 34, 430-435.	0.0	0