

# Laura Cesaratto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6135420/publications.pdf>

Version: 2024-02-01

25  
papers

1,304  
citations

394421

19  
h-index

580821

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1719  
citing authors

#	ARTICLE	IF	CITATIONS
1	APE1/Ref-1 Interacts with NPM1 within Nucleoli and Plays a Role in the rRNA Quality Control Process. <i>Molecular and Cellular Biology</i> , 2009, 29, 1834-1854.	2.3	209
2	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , 2004, 3, 86-92.	1.5	158
3	Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , 2010, 38, 8239-8256.	14.5	105
4	Subcellular Localization of APE1/Ref-1 in Human Hepatocellular Carcinoma: Possible Prognostic Significance. <i>Molecular Medicine</i> , 2007, 13, 89-96.	4.4	93
5	Genome-wide analysis and proteomic studies reveal APE1/Ref-1 multifunctional role in mammalian cells. <i>Proteomics</i> , 2009, 9, 1058-1074.	2.2	90
6	Effects of Histone Acetylation on Sodium Iodide Symporter Promoter and Expression of Thyroid-Specific Transcription Factors. <i>Endocrinology</i> , 2005, 146, 3967-3974.	2.8	76
7	Extracellular nucleotides activate Runx2 in the osteoblast-like HOBIT cell line: a possible molecular link between mechanical stress and osteoblasts' response. <i>Bone</i> , 2005, 36, 418-432.	2.9	72
8	Overoxidation of peroxiredoxins as an immediate and sensitive marker of oxidative stress in HepG2 cells and its application to the redox effects induced by ischemia/reperfusion in human liver. <i>Free Radical Research</i> , 2005, 39, 255-268.	3.3	58
9	Proteomic analysis of liver tissues subjected to early ischemia/reperfusion injury during human orthotopic liver transplantation. <i>Proteomics</i> , 2006, 6, 3455-3465.	2.2	53
10	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , 2004, 3, 86-92.	1.5	47
11	Bilirubin-induced cell toxicity involves PTEN activation through an APE1/Ref-1-dependent pathway. <i>Journal of Molecular Medicine</i> , 2007, 85, 1099-1112.	3.9	41
12	Extracellular ATP stimulates the early growth response protein 1 (Egr-1) via a protein kinase C-dependent pathway in the human osteoblastic HOBIT cell line. <i>Biochemical Journal</i> , 2003, 373, 815-824.	3.7	38
13	Specific Inhibition of the Redox Activity of Ape1/Ref-1 by E3330 Blocks Tnf- $\alpha$ -Induced Activation of Il-8 Production in Liver Cancer Cell Lines. <i>PLoS ONE</i> , 2013, 8, e70909.	2.5	37
14	Impairment of enzymatic antioxidant defenses is associated with bilirubin-induced neuronal cell death in the cerebellum of Ugt1 KO mice. <i>Cell Death and Disease</i> , 2015, 6, e1739-e1739.	6.3	33
15	A proteomic approach to the bilirubin-induced toxicity in neuronal cells reveals a protective function of DJ-1 protein. <i>Proteomics</i> , 2010, 10, 1645-1657.	2.2	32
16	Exploring the Role of Fallopian Ciliated Cells in the Pathogenesis of High-Grade Serous Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2512.	4.1	30
17	Cytosine-block telomeric type DNA-binding activity of hnRNP proteins from human cell lines. <i>Archives of Biochemistry and Biophysics</i> , 2003, 409, 305-314.	3.0	29
18	Control of Phosphatase and Tensin Homolog (PTEN) Gene Expression in Normal and Neoplastic Thyroid Cells. <i>Endocrinology</i> , 2004, 145, 4660-4666.	2.8	24

#	ARTICLE	IF	CITATIONS
19	Redox Proteomics and Immunohistology to Study Molecular Events During Ischemia-Reperfusion in Human Liver. <i>Transplantation Proceedings</i> , 2007, 39, 1755-1760.	0.6	22
20	BNC2 is a putative tumor suppressor gene in high-grade serous ovarian carcinoma and impacts cell survival after oxidative stress. <i>Cell Death and Disease</i> , 2016, 7, e2374-e2374.	6.3	16
21	Osteoblastic cell secretome: A novel role for progranulin during risedronate treatment. <i>Bone</i> , 2014, 58, 81-91.	2.9	14
22	Sleeping beauty genetic screen identifies miR-23b::BTBD7 gene interaction as crucial for colorectal cancer metastasis. <i>EBioMedicine</i> , 2019, 46, 79-93.	6.1	13
23	High-performance metabolic marker assessment in breast cancer tissue by mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 317-24.	2.3	12
24	1260 SPECIFIC INHIBITION OF THE REDOX ACTIVITY OF THE MULTIFUNCTIONAL APE1/REF-1 PROTEIN BY E3330 BLOCKS TNF-A-INDUCED ACTIVATION OF IL-8 PRODUCTION IN HEPATIC CELL LINES. <i>Journal of Hepatology</i> , 2011, 54, S497.	3.7	1
25	PROTEOMIC ANALYSIS OF LIVER TISSUES SUBJECTED TO EARLY ISCHEMIA/REPERFUSION INJURY DURING HUMAN ORTHOTOPIC LIVER TRANSPLANTATION.. <i>Transplantation</i> , 2006, 82, 917.	1.0	0