
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6158739/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Depression and anxiety during COVID-19 – Authors' reply. Lancet, The, 2022, 399, 518-519.	6.3	1
2	The global gap in treatment coverage for major depressive disorder in 84 countries from 2000–2019: A systematic review and Bayesian meta-regression analysis. PLoS Medicine, 2022, 19, e1003901.	3.9	69
3	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	3.0	70
4	Excess mortality in severe mental disorders: A systematic review and meta-regression. Journal of Psychiatric Research, 2022, 149, 97-105.	1.5	25
5	Estimating the difference in prevalence of common mental disorder diagnoses for Aboriginal and Torres Strait Islander peoples compared to the general Australian population. Epidemiology and Psychiatric Sciences, 2022, 31, .	1.8	3
6	The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. Lancet Psychiatry,the, 2021, 8, 320-328.	3.7	136
7	Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. Journal of Psychiatric Research, 2021, 137, 242-249.	1.5	76
8	Global prevalence and burden of depressive and anxiety disorders in 204 countries and territories in 2020 due to the COVID-19 pandemic. Lancet, The, 2021, 398, 1700-1712.	6.3	2,234
9	The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990–2017. Lancet Psychiatry,the, 2020, 7, 148-161.	3.7	387
10	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. Lancet, The, 2019, 394, 1827-1835.	6.3	329
11	Burden of non-communicable diseases in sub-Saharan Africa, 1990–2017: results from the Global Burden of Disease Study 2017. The Lancet Global Health, 2019, 7, e1375-e1387.	2.9	509
12	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. JAMA Pediatrics, 2019, 173, e190337.	3.3	140
13	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.4	558
14	Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. Journal of Affective Disorders, 2019, 245, 771-778.	2.0	9
15	The State of US Health, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 319, 1444.	3.8	1,042
16	The prevalence and burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2015. Australian and New Zealand Journal of Psychiatry, 2018, 52, 483-490.	1.3	39
17	Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. International Journal of Public Health, 2018, 63, 11-23.	1.0	21
18	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96.	1.0	17

#	Article	IF	CITATIONS
19	The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37.	1.0	43
20	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
21	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
22	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
23	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
24	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Psychiatry,the, 2018, 5, 987-1012.	3.7	885
25	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. Addiction, 2018, 113, 1905-1926.	1.7	685
26	Global Epidemiology and Burden of Schizophrenia: Findings From the Global Burden of Disease Study 2016. Schizophrenia Bulletin, 2018, 44, 1195-1203.	2.3	875
27	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
28	Global Skin Disease Morbidity and Mortality. JAMA Dermatology, 2017, 153, 406.	2.0	457
29	A systematic review and meta-regression of the prevalence and incidence of perinatal depression. Journal of Affective Disorders, 2017, 219, 86-92.	2.0	826
30	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
31	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
32	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
33	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
34	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
35	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
36	Systematic reviews: inducting research students into scholarly conversations?. Higher Education Research and Development, 2017, 36, 217-220.	1.9	0

#	Article	IF	CITATIONS
37	The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. Epidemiology and Psychiatric Sciences, 2017, 26, 545-564.	1.8	55
38	The Global Epidemiology and Disease Burden of Cannabis Use and Dependence. , 2017, , 89-100.		11
39	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	1.1	102
40	The global distribution of mental and substance use disorders: research gains and challenges. Epidemiology and Psychiatric Sciences, 2016, 25, 230-232.	1.8	0
41	Challenges to estimating the true global burden of mental disorders. Lancet Psychiatry,the, 2016, 3, 402-403.	3.7	15
42	Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. Global Mental Health (Cambridge, England), 2016, 3, e4.	1.0	46
43	Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. Lancet Psychiatry,the, 2016, 3, 832-841.	3.7	82
44	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
45	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
46	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
47	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
48	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
49	Long-Term Outcomes of Attention-Deficit/Hyperactivity Disorder and Conduct Disorder: AÂSystematic Review and Meta-Analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 841-850.	0.3	365
50	The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. Bipolar Disorders, 2016, 18, 440-450.	1.1	426
51	Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1040-1054.	1.3	47
52	Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. Health Affairs, 2016, 35, 1114-1120.	2.5	84
53	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
54	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2016, 387, 1672-1685.	6.3	586

#	Article	IF	CITATIONS
55	Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders. , 2016, , 1-27.		23
56	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40.		16
57	The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. PLoS ONE, 2015, 10, e0116820.	1.1	908
58	A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. Psychological Medicine, 2015, 45, 1551-1563.	2.7	444
59	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
60	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2015, 8, 207-217.	0.2	5
61	La carga de la enfermedad en España 2010: trastornos neurológicos, mentales y re: trastornos neurol³gicos, mentales y relacionados con el consumo de sustancias. Revista De PsiquiatrÃa Y Salud Mental, 2015, 8, 207-217.	1.0	17
62	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
63	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
64	Burden attributable to child maltreatment in Australia. Child Abuse and Neglect, 2015, 48, 208-220.	1.3	112
65	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	6.3	5,847
66	The Burden Attributable to Mental and Substance Use Disorders as Risk Factors for Suicide: Findings from the Global Burden of Disease Study 2010. PLoS ONE, 2014, 9, e91936.	1.1	335
67	The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. Epidemiology and Psychiatric Sciences, 2014, 23, 239-249.	1.8	17
68	CHALLENGING THE MYTH OF AN "EPIDEMIC―OF COMMON MENTAL DISORDERS: TRENDS IN THE GLOBAL PREVALENCE OF ANXIETY AND DEPRESSION BETWEEN 1990 AND 2010. Depression and Anxiety, 2014, 31, 506-516.	2.0	261
69	The global burden of anxiety disorders in 2010. Psychological Medicine, 2014, 44, 2363-2374.	2.7	449
70	The global burden of conduct disorder and attentionâ€deficit/hyperactivity disorder in 2010. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 328-336.	3.1	157
71	Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1575-1586.	6.3	4,651
72	Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1564-1574.	6.3	668

#	Article	IF	CITATIONS
73	The epidemiological modelling of dysthymia: Application for the Global Burden of Disease Study 2010. Journal of Affective Disorders, 2013, 151, 111-120.	2.0	36
74	Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. Psychological Medicine, 2013, 43, 471-481.	2.7	860
75	How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. Current Opinion in Psychiatry, 2013, 26, 376-383.	3.1	20
76	Burden of Depressive Disorders by Country, Sex, Age, and Year: Findings from the Global Burden of Disease Study 2010. PLoS Medicine, 2013, 10, e1001547.	3.9	2,377
77	Research Review: Epidemiological modelling of attentionâ€deficit/hyperactivity disorder and conduct disorder for the Global Burden of Disease Study 2010. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 1263-1274.	3.1	160
78	The Global Epidemiology and Contribution of Cannabis Use and Dependence to the Global Burden of Disease: Results from the GBD 2010 Study. PLoS ONE, 2013, 8, e76635.	1.1	235
79	The Epidemiological Modelling of Major Depressive Disorder: Application for the Global Burden of Disease Study 2010. PLoS ONE, 2013, 8, e69637.	1.1	242
80	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
81	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
82	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	6.3	9,397
83	Health states for schizophrenia and bipolar disorder within the Global Burden of Disease 2010 Study. Population Health Metrics, 2012, 10, 16.	1.3	28
84	Prem Baby Triple P a new parenting intervention for parents of infants born very preterm: Acceptability and barriers. , 2011, 34, 602-609.		14
85	A systematic review of the global distribution and availability of prevalence data for bipolar disorder. Journal of Affective Disorders, 2011, 134, 1-13.	2.0	83