
Teik Chye Ooi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6511523/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A More Atherogenic Lipoprotein Status Is Present in Adults With Type 2 Diabetes Mellitus Than in Those Without With Equivalent Degrees of Hypertriglyceridemia. Canadian Journal of Diabetes, 2022, 46, 480-486.	0.4	1
2	Relative effect of hypertriglyceridemia on non-HDLC and apolipoprotein B as cardiovascular disease risk markers. Journal of Clinical Lipidology, 2020, 14, 825-836.	0.6	6
3	Calculated Non-HDL Cholesterol Includes Cholesterol in Larger Triglyceride-Rich Lipoproteins in Hypertriglyceridemia. Journal of the Endocrine Society, 2020, 4, bvz010.	0.1	4
4	Effect of hemodialysis on extracellular vesicles and circulating submicron particles. BMC Nephrology, 2019, 20, 294.	0.8	19
5	Circulating <scp>PCSK</scp> 9 is lowered acutely following surgery. Journal of Clinical Laboratory Analysis, 2018, 32, e22358.	0.9	3
6	Associations Between Soluble LDLR and Lipoproteins in a White Cohort and the Effect of PCSK9 Loss-of-Function. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3486-3495.	1.8	14
7	Nutritional and Lipid Modulation of PCSK9: Effects on Cardiometabolic Risk Factors. Journal of Nutrition, 2017, 147, 473-481.	1.3	32
8	Metformin in adults with type 1 diabetes: <scp>D</scp> esign and methods of <scp>REducing</scp> with <scp>MetfOrmin V</scp> ascular <scp>A</scp> dverse <scp>L</scp> esions (<scp>REMOVAL</scp>): <scp>A</scp> n international multicentre trial. Diabetes, Obesity and Metabolism, 2017, 19, 509-516.	2.2	32
9	The Effect of PCSK9 Loss-of-Function Variants on the Postprandial Lipid and ApoB-Lipoprotein Response. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3452-3460.	1.8	32
10	PCSK9 as a Biomarker of Cardiovascular Disease. , 2016, , 125-151.		1
11	Using a Structured Discharge Letter Template to Improve Communication During the Transition from a Specialized Outpatient Diabetes Clinic to a Primary Care Physician. Canadian Journal of Diabetes, 2015, 39, 457-466.	0.4	14
12	PCSK9 as a Biomarker of Cardiovascular Disease. , 2015, , 1-27.		1
13	Patient Perspectives on Discharge from Specialist Type 2 Diabetes Care Back to Primary Care: A Qualitative Study. Canadian Journal of Diabetes, 2014, 38, 191-197.	0.4	6
14	Human Serum PCSK9 Is Elevated at Parturition in Comparison to Nonpregnant Subjects While Serum PCSK9 from Umbilical Cord Blood is Lower Compared to Maternal Blood. Isrn Endocrinology, 2013, 2013, 1-8.	2.0	26
15	Methods to Study Postprandial Lipemia. Current Vascular Pharmacology, 2011, 9, 302-308.	0.8	14
16	Proposing a "Lipemic Index" As a Nutritional and Research Tool. Current Vascular Pharmacology, 2011, 9, 313-317.	0.8	8
17	Novel Loss-of-Function PCSK9 Variant Is Associated with Low Plasma LDL Cholesterol in a French-Canadian Family and with Impaired Processing and Secretion in Cell Culture. Clinical Chemistry, 2011, 57, 1415-1423.	1.5	101
18	Plasma PCSK9 levels are significantly modified by statins and fibrates in humans. Lipids in Health and Disease, 2008, 7, 22.	1.2	187

#	Article	IF	CITATIONS
19	Plasma PCSK9 levels correlate with cholesterol in men but not in women. Biochemical and Biophysical Research Communications, 2007, 361, 451-456.	1.0	82