

Jan Boucek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6813750/publications.pdf>

Version: 2024-02-01

31
papers

874
citations

687363

13
h-index

580821

25
g-index

32
all docs

32
docs citations

32
times ranked

1643
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of subclasses for <sc>T4</sc> â€classified squamous cell carcinoma of the external auditory canal. Head and Neck, 2022, , .	2.0	3
2	The cytokine milieu compromises functional capacity of tumor-infiltrating plasmacytoid dendritic cells in HPV-negative but not in HPV-positive HNSCC. Cancer Immunology, Immunotherapy, 2021, 70, 2545-2557.	4.2	9
3	Importance of immune cell infiltration in tumor microenvironment of head and neck cancer. Onkologie (Czech Republic), 2021, 15, 67-72.	0.1	0
4	The FSHR Expression in Head and Neck Squamous Cell Cancer. A Pilot Immunohistochemical Study. Anticancer Research, 2020, 40, 349-356.	1.1	5
5	Targeted Polymer-Based Probes for Fluorescence Guided Visualization and Potential Surgery of EGFR-Positive Head-and-Neck Tumors. Pharmaceutics, 2020, 12, 31.	4.5	12
6	Tumor-infiltrating B cells affect the progression of oropharyngeal squamous cell carcinoma via cell-to-cell interactions with CD8+ T cells. , 2019, 7, 261.		82
7	Micelle-Forming Block Copolymers Tailored for Inhibition of P-gp-Mediated Multidrug Resistance: Structure to Activity Relationship. Pharmaceutics, 2019, 11, 579.	4.5	12
8	Immunology of Plasmacytoid Dendritic Cells in Solid Tumors: A Brief Review. Cancers, 2019, 11, 470.	3.7	63
9	The Head and Neck Squamous Cell Carcinoma Microenvironment as a Potential Target for Cancer Therapy. Cancers, 2019, 11, 440.	3.7	43
10	Maternal and obstetrical outcome in 35 cases of wellâ€differentiated thyroid carcinoma during pregnancy. Laryngoscope, 2018, 128, 1493-1500.	2.0	17
11	Dysfunction of HPV16-specific CD8+ T cells derived from oropharyngeal tumors is related to the expression of Tim-3 but not PD-1. Oral Oncology, 2018, 82, 75-82.	1.5	13
12	Baha implant as a hearing solution for single-sided deafness after retrosigmoid approach for the vestibular schwannoma: surgical results. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2429-2436.	1.6	1
13	Baha implant as a hearing solution for single-sided deafness after retrosigmoid approach for the vestibular schwannoma: audiological results. European Archives of Oto-Rhino-Laryngology, 2017, 274, 133-141.	1.6	7
14	Distinct patterns of intratumoral immune cell infiltrates in patients with HPV-associated compared to non-virally induced head and neck squamous cell carcinoma. Oncoimmunology, 2015, 4, e965570.	4.6	189
15	A New Strategy for the Surgical Management of RLN Infiltrated by Well-Differentiated Thyroid Carcinoma. BioMed Research International, 2014, 2014, 1-6.	1.9	8
16	Revision operations after previous stapes surgery for persisting hearing loss. Bratislava Medical Journal, 2014, 115, 442-444.	0.8	5
17	The Role of Narrow Band Imaging in the Detection of Recurrent Laryngeal and Hypopharyngeal Cancer after Curative Radiotherapy. BioMed Research International, 2014, 2014, 1-9.	1.9	50
18	High Level of Tregs Is a Positive Prognostic Marker in Patients with HPV-Positive Oral and Oropharyngeal Squamous Cell Carcinomas. BioMed Research International, 2014, 2014, 1-11.	1.9	48

#	ARTICLE	IF	CITATIONS
19	Distinct patterns of intratumoral immune cell infiltrates in patients with HPV-positive versus HPV-negative head and neck squamous cell carcinoma.. Journal of Clinical Oncology, 2014, 32, 6010-6010.	1.6	2
20	Kinematic and dynamic biomechanical values in relation to muscle activity during contact head impact. Neuroendocrinology Letters, 2014, 35, 290-6.	0.2	0
21	Fine needle aspiration biopsy proves increased T-lymphocyte proliferation in tumor and decreased metastatic infiltration after treatment with doxorubicin bound to PHPMA copolymer carrier. Journal of Drug Targeting, 2013, 21, 648-661.	4.4	3
22	Lasers in otorhinolaryngology (ORL) and head and neck surgery. , 2013, , 556-572.		5
23	Abstract B85: The relation between Treg and cancer stem cells in microenvironment of head and neck squamous cell carcinoma.. , 2013, , .		0
24	Abstract B94: The role of Th17 cells in the head and neck squamous cell carcinoma evolution.. , 2013, , .		0
25	Pre-activation and muscle activity during frontal impact in relation to whiplash associated disorders. Neuroendocrinology Letters, 2013, 34, 708-16.	0.2	4
26	Regulatory T cells and their prognostic value for patients with squamous cell carcinoma of the head and neck. Journal of Cellular and Molecular Medicine, 2010, 14, 426-433.	3.6	51
27	New HPMA copolymer-based drug carriers with covalently bound hydrophobic substituents for solid tumour targeting. Journal of Controlled Release, 2008, 127, 121-130.	9.9	123
28	Doxorubicin release is not a prerequisite for the in vitro cytotoxicity of HPMA-based pharmaceuticals: In vitro effect of extra drug-free GlyPheLeuGly sequences. Journal of Controlled Release, 2008, 127, 110-120.	9.9	26
29	Marker profiling of normal keratinocytes identifies the stroma from squamous cell carcinoma of the oral cavity as a modulatory microenvironment in co-culture. International Journal of Radiation Biology, 2007, 83, 837-848.	1.8	29
30	Nucleostemin expression in squamous cell carcinoma of the head and neck. Anticancer Research, 2007, 27, 3279-84.	1.1	15
31	Nuclear presence of adhesion-/growth-regulatory galectins in normal/malignant cells of squamous epithelial origin. Histochemistry and Cell Biology, 2006, 125, 171-182.	1.7	49