## Karol Adam Kaminski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6924509/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
2	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
3	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	2.8	4,468
4	A Cathepsin D-Cleaved 16 kDa Form of Prolactin Mediates Postpartum Cardiomyopathy. Cell, 2007, 128, 589-600.	28.9	736
5	Signal Transducer and Activator of Transcription 3 Is Required for Myocardial Capillary Growth, Control of Interstitial Matrix Deposition, and Heart Protection From Ischemic Injury. Circulation Research, 2004, 95, 187-195.	4.5	345
6	Oxidative stress and neutrophil activation—the two keystones of ischemia/reperfusion injury. International Journal of Cardiology, 2002, 86, 41-59.	1.7	288
7	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. Atherosclerosis, 2019, 285, 135-146.	0.8	227
8	Role of interleukinâ€6 for left ventricular remodeling and survival after experimental myocardial infarction. FASEB Journal, 2003, 17, 1-20.	0.5	113
9	Regulation of Proangiogenic Factor CCN1 in Cardiac Muscle. Circulation, 2004, 109, 2227-2233.	1.6	104
10	Expression of CYR61, an Angiogenic Immediate Early Gene, in Arteriosclerosis and Its Regulation by Angiotensin II. Circulation, 2002, 106, 254-260.	1.6	103
11	Lack of JunD Promotes Pressure Overload–Induced Apoptosis, Hypertrophic Growth, and Angiogenesis in the Heart. Circulation, 2005, 112, 1470-1477.	1.6	60
12	Lipid, blood pressure and kidney update 2013. International Urology and Nephrology, 2014, 46, 947-961.	1.4	60
13	GRACE, TIMI, Zwolle and CADILLAC risk scores — Do they predict 5-year outcomes after ST-elevation myocardial infarction treated invasively?. International Journal of Cardiology, 2011, 148, 70-75.	1.7	52
14	Time for new indications for statins?. Medical Science Monitor, 2009, 15, MS1-5.	1.1	51
15	Predictive value of Galectin-3 for the occurrence of coronary artery disease and prognosis after myocardial infarction and its association with carotid IMT values in these patients: A mid-term prospective cohort study. Atherosclerosis, 2016, 246, 309-317.	0.8	49
16	COVID-19 Vaccine Hesitancy in Poland—Multifactorial Impact Trajectories. Vaccines, 2021, 9, 876.	4.4	47
17	Does gastro-esophageal reflux provoke the myocardial ischemia in patients with CAD?. International Journal of Cardiology, 2005, 104, 67-72.	1.7	44
18	Remodeling of the intercalated disc related to aging in the mouse heart. Journal of Cardiology, 2016, 68, 261-268.	1.9	42

#	Article	IF	CITATIONS
19	Estimation of recurrent atherosclerotic cardiovascular event risk in patients with established cardiovascular disease: the updated SMART2 algorithm. European Heart Journal, 2022, 43, 1715-1727.	2.2	40
20	Rho-Associated Coiled-Coil-Containing Kinase 2 Deficiency in Bone Marrow–Derived Cells Leads to Increased Cholesterol Efflux and Decreased Atherosclerosis. Circulation, 2012, 126, 2236-2247.	1.6	38
21	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2020, 9, 173.	2.4	38
22	Neutrophil Superoxide Anion Generation During Atorvastatin and Fluvastatin Therapy Used in Coronary Heart Disease Primary Prevention. Journal of Cardiovascular Pharmacology, 2006, 48, 143-147.	1.9	37
23	Impairment of recognition memory in interleukin-6 knock-out mice. European Journal of Pharmacology, 2007, 577, 219-220.	3.5	37
24	The effects of statins on blood pressure in normotensive or hypertensive subjects — A meta-analysis of randomized controlled trials. International Journal of Cardiology, 2013, 168, 2816-2824.	1.7	37
25	Prevalence of lipid abnormalities in Poland. The NATPOL 2011 survey. Kardiologia Polska, 2016, 74, 213-223.	0.6	37
26	Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. Cytokine, 2015, 76, 187-192.	3.2	36
27	The Multi-Biomarker Approach for Heart Failure in Patients with Hypertension. International Journal of Molecular Sciences, 2015, 16, 10715-10733.	4.1	33
28	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	4.1	33
29	Coronary sinus concentrations of interleukin 6 and its soluble receptors are affected by reperfusion and may portend complications in patients with myocardial infarction. Atherosclerosis, 2009, 206, 581-587.	0.8	28
30	Metabolomics — A wide-open door to personalized treatment in chronic heart failure?. International Journal of Cardiology, 2016, 219, 156-163.	1.7	28
31	Activity of the kynurenine pathway and its interplay with immunity in patients with pulmonary arterial hypertension. Heart, 2016, 102, 230-237.	2.9	28
32	Impact of Selection Bias on Estimation of Subsequent Event Risk. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	28
33	Alterations of soluble TWEAK and CD163 concentrations in patients with chronic heart failure. Cytokine, 2016, 80, 7-12.	3.2	27
34	Serum levels of CD163 and TWEAK in patients with pulmonary arterial hypertension. Cytokine, 2014, 66, 40-45.	3.2	26
35	LC–MS-based serum fingerprinting reveals significant dysregulation of phospholipids in chronic heart failure. Journal of Pharmaceutical and Biomedical Analysis, 2018, 154, 354-363.	2.8	26
36	Decreased thromboembolic stroke but not atherosclerosis or vascular remodelling in mice with ROCK2-deficient platelets. Cardiovascular Research, 2017, 113, 1307-1317.	3.8	22

#	Article	IF	CITATIONS
37	The role of platelets in the development and progression of pulmonary arterial hypertension. Advances in Medical Sciences, 2018, 63, 312-316.	2.1	22
38	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. Circulation Genomic and Precision Medicine, 2019, 12, e002471.	3.6	22
39	Differential involvement of IL-6 in the early and late phase of 1-methylnicotinamide (MNA) release in Concanavalin A-induced hepatitis. International Immunopharmacology, 2015, 28, 105-114.	3.8	21
40	Interleukin 6 modulates PPARα and PGC-1α and is involved in high-fat diet induced cardiac lipotoxicity in mouse. International Journal of Cardiology, 2016, 219, 1-8.	1.7	21
41	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110029.	2.5	21
42	Single bout of endurance exercise increases NNMT activity in the liver and MNA concentration in plasma; the role of IL-6. Pharmacological Reports, 2012, 64, 369-376.	3.3	20
43	The causes of thrombocytopenia after transcatheter aortic valve implantation. Thrombosis Research, 2017, 156, 39-44.	1.7	20
44	Thrombocytopenia associated with TAVI—The summary of possible causes. Advances in Medical Sciences, 2017, 62, 378-382.	2.1	20
45	CCN2 protein is an announcing marker for cardiac remodeling following STZ-induced moderate hyperglycemia in mice. Pharmacological Reports, 2009, 61, 496-503.	3.3	18
46	Influence of atorvastatin on blood pressure control in treated hypertensive, normolipemic patients – An open, pilot study. Blood Pressure, 2010, 19, 260-266.	1.5	18
47	The prevalence of cardiovascular risk factors and cardiovascular disease among primary care patients in Poland: results from the LIPIDOGRAM2015 study. Atherosclerosis Supplements, 2020, 42, e15-e24.	1.2	18
48	Database of Pulmonary Hypertension in the Polish Population (BNP‑PL): design of the registry. Kardiologia Polska, 2019, 77, 972-974.	0.6	18
49	Secondary prevention of coronary artery disease in Poland. Results from the POLASPIRE survey. Cardiology Journal, 2020, 27, 533-540.	1.2	18
50	Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. Canadian Journal of Cardiology, 2008, 24, 633-639.	1.7	17
51	Oxidative stress and antioxidative defense parameters early after reperfusion therapy for acute myocardial infarction. Acute Cardiac Care, 2008, 10, 121-126.	0.2	17
52	Effect of interleukin 6 deficiency on the expression of Bcl-2 and Bax in the murine heart. Pharmacological Reports, 2009, 61, 504-513.	3.3	17
53	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002470.	3.6	17
54	The effects of moderate physical exercise on cardiac hypertrophy in interleukin 6 deficient mice. Advances in Medical Sciences, 2007, 52, 164-8.	2.1	17

#	Article	IF	CITATIONS
55	Circulating classical CD14++CD16â <sup>~?</sup> monocytes predict shorter time to initial treatment in chronic lymphocytic leukemia patients: Differential effects of immune chemotherapy on monocyte-related membrane and soluble forms of CD163. Oncology Reports, 2015, 34, 1269-1278.	2.6	16
56	Interleukin-6 signaling in patients with chronic heart failure treated with cardiac resynchronization therapy. Archives of Medical Science, 2017, 5, 1069-1077.	0.9	16
57	The relationships among monocyte subsets, miRNAs and inflammatory cytokines in patients with acute myocardial infarction. Pharmacological Reports, 2019, 71, 73-81.	3.3	16
58	The rs12526453 Polymorphism in an Intron of the PHACTR1 Gene and Its Association with 5-Year Mortality of Patients with Myocardial Infarction. PLoS ONE, 2015, 10, e0129820.	2.5	15
59	Hypotensive effect of atorvastatin in hypertensive patients: the association among flow-mediated dilation, oxidative stress and endothelial dysfunction. Archives of Medical Science, 2011, 6, 955-962.	0.9	14
60	The quest for equilibrium: exploring the thin red line between bleeding and ischaemic risks in the management of acute coronary syndromes in chronic kidney disease patients. Nephrology Dialysis Transplantation, 2017, 32, 1967-1976.	0.7	14
61	Association of Empirical Dietary Atherogenic Indices with All-Cause and Cause-Specific Mortality in a Multi-Ethnic Adult Population of the United States. Nutrients, 2019, 11, 2323.	4.1	14
62	Insulin-like growth factor-binding protein 7 (IGFBP 7) as a new biomarker in coronary heart disease. Advances in Medical Sciences, 2019, 64, 195-201.	2.1	14
63	A Similar Lifetime CV Risk and a Similar Cardiometabolic Profile in the Moderate and High Cardiovascular Risk Populations: A Population-Based Study. Journal of Clinical Medicine, 2021, 10, 1584.	2.4	14
64	Echocardiographic Assessment of Right Ventricular–Arterial Coupling in Predicting Prognosis of Pulmonary Arterial Hypertension Patients. Journal of Clinical Medicine, 2021, 10, 2995.	2.4	14
65	CHA2DS2-VASc and R2CHA2DS2-VASc scores have predictive value in patients with acute coronary syndromes. Polish Archives of Internal Medicine, 2015, 125, 545-552.	0.4	13
66	Gut Microbiome in Chronic Coronary Syndrome Patients. Journal of Clinical Medicine, 2021, 10, 5074.	2.4	13
67	Novel associations between inflammation-related proteins and adiposity: A targeted proteomics approach across four population-based studies. Translational Research, 2022, 242, 93-104.	5.0	13
68	Carvedilol modifies antioxidant status of patients with stable angina. Cellular and Molecular Biology Letters, 2008, 13, 230-9.	7.0	12
69	Circadian variations of interleukin 6 in coronary circulations of patients with myocardial infarction. Cytokine, 2010, 50, 204-209.	3.2	12
70	Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. PLoS ONE, 2014, 9, e104635.	2.5	12
71	Independent Impact of Gynoid Fat Distribution and Free Testosterone on Circulating Levels of N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) in Humans. Journal of Clinical Medicine, 2020, 9, 74.	2.4	12
72	Prognostic role of PET/MRI hybrid imaging in patients with pulmonary arterial hypertension. Heart, 2021, 107, 54-60.	2.9	12

#	Article	IF	CITATIONS
73	Running Performance at High Running Velocities Is Impaired but V′O2max and Peripheral Endothelial Function Are Preserved in IL-6â^'/â '' Mice. PLoS ONE, 2014, 9, e88333.	2.5	12
74	Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. Folia Histochemica Et Cytobiologica, 2012, 50, 99-103.	1.5	12
75	Diverse effects of prolonged physical training on learning of the delayed non-matching to sample by rats. Neuroscience Research, 2001, 39, 79-84.	1.9	11
76	Hypotensive effect of atorvastatin is not related to changes in inflammation and oxidative stress. Pharmacological Reports, 2010, 62, 883-890.	3.3	11
77	<scp>ESC</scp> Working Group on Myocardial Function Position Paper: how to study the right ventricle in experimental models. European Journal of Heart Failure, 2014, 16, 509-518.	7.1	11
78	Persistently elevated plasma heart-type fatty acid binding protein concentration is related with poor outcome in acute decompensated heart failure patients. Clinica Chimica Acta, 2018, 487, 48-53.	1.1	11
79	The role of interleukin-6 in intracellular signal transduction after chronic Î <sup>2</sup> -adrenergic stimulation in mouse myocardium. Archives of Medical Science, 2019, 15, 1565-1575.	0.9	11
80	Multimodal assessment of right ventricle overload-metabolic and clinical consequences in pulmonary arterial hypertension. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 49.	3.3	11
81	CCN1 expression in interleukin-6 deficient mouse kidney in experimental model of heart failure. Folia Histochemica Et Cytobiologica, 2013, 51, 84-91.	1.5	11
82	Editorial The effects of statins on blood pressure: current knowledge and future perspectives. Archives of Medical Science, 2012, 1, 1-3.	0.9	10
83	The rs9982601 polymorphism of the region between the SLC5A3/MRPS6 and KCNE2 genes associated with a prevalence of myocardial infarction and subsequent long-term mortality. Polish Archives of Internal Medicine, 2015, 125, 240-248.	0.4	10
84	Subjective well-being in non-obese individuals depends strongly on body composition. Scientific Reports, 2021, 11, 21797.	3.3	10
85	Factors Associated with Tooth Loss in General Population of Bialystok, Poland. International Journal of Environmental Research and Public Health, 2022, 19, 2369.	2.6	10
86	Transcriptional and post-transcriptional regulation of CCN genes in failing heart. Pharmacological Reports, 2015, 67, 204-208.	3.3	9
87	Interleukin-6 Affects Aging-Related Changes of the PPARα-PGC-1α Axis in the Myocardium. Journal of Interferon and Cytokine Research, 2017, 37, 513-521.	1.2	9
88	The strengths and weaknesses of non-invasive parameters obtained by echocardiography and cardiopulmonary exercise testing in comparison with the hemodynamic assessment by the right heart catheterization in patients with pulmonary hypertension. Advances in Medical Sciences, 2017, 62, 39-44.	2.1	9
89	Perioperative thrombocytopenia predicts poor outcome in patients undergoing transcatheter aortic valve implantation. Advances in Medical Sciences, 2018, 63, 179-184.	2.1	9
90	Very Small Embryonic-Like Stem Cells, Endothelial Progenitor Cells, and Different Monocyte Subsets Are Effectively Mobilized in Acute Lymphoblastic Leukemia Patients after G-CSF Treatment. Stem Cells International, 2018, 2018, 1-8.	2.5	9

#	Article	IF	CITATIONS
91	Machine-learning facilitates selection of a novel diagnostic panel of metabolites for the detection of heart failure. Scientific Reports, 2020, 10, 130.	3.3	9
92	Dietary Total Antioxidant Capacity Is Inversely Associated with Prediabetes and Insulin Resistance in Bialystok PLUS Population. Antioxidants, 2022, 11, 283.	5.1	9
93	Lack of ST-Segment Depression Normalization After PCI is a Predictor of 5-Year Mortality in Patients With ST-Elevation Myocardial Infarction. Circulation Journal, 2007, 71, 1851-1856.	1.6	8
94	The influence of renal function on the association of rs854560 polymorphism of paraoxonase 1 gene with long-term prognosis in patients after myocardial infarction. Heart and Vessels, 2016, 31, 15-22.	1.2	8
95	The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. Cytokine, 2018, 107, 52-58.	3.2	8
96	Increased platelet content of SDF-1alpha is associated with worse prognosis in patients with pulmonary prterial hypertension. Platelets, 2019, 30, 445-451.	2.3	8
97	Interleukin 6 Knockout Inhibits Aging-Related Accumulation of p53 in the Mouse Myocardium. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 176-182.	3.6	8
98	Effectiveness and safety of a simple home-based rehabilitation program in pulmonary arterial hypertension: an interventional pilot study. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 79.	1.7	8
99	Oral Health–Related Quality of Life and Missing Teeth in an Adult Population: A Cross-Sectional Study from Poland. International Journal of Environmental Research and Public Health, 2022, 19, 1626.	2.6	8
100	TIMI Risk Score accurately predicts risk of death in 30-day and one-year follow-up in STEMI patients treated with primary percutaneous coronary interventions. Kardiologia Polska, 2007, 65, 788-95; discussion 796-7.	0.6	8
101	Prognostic value of late gadolinium enhancement mass index in patients with pulmonary arterial hypertension. Advances in Medical Sciences, 2021, 66, 28-34.	2.1	7
102	Serum Chemerin Concentration Is Associated with Proinflammatory Status in Chronic Coronary Syndrome. Biomolecules, 2021, 11, 1149.	4.0	7
103	Polymorphism of 9p21.3 Locus Is Associated with 5-Year Survival in High-Risk Patients with Myocardial Infarction. PLoS ONE, 2013, 8, e72333.	2.5	7
104	The association between type 2 diabetes mellitus and A1/A2 polymorphism of glycoprotein IIIa gene. Acta Diabetologica, 2007, 44, 30-33.	2.5	6
105	The rs1801133 polymorphism of methylenetetrahydrofolate reductase gene- the association with 5-year survival in patients with ST-elevation myocardial infarction. Advances in Medical Sciences, 2012, 57, 106-111.	2.1	6
106	PPAR Gamma Expression Levels during Development of Heart Failure in Patients with Coronary Artery Disease after Coronary Artery Bypass-Grafting. PPAR Research, 2014, 2014, 1-5.	2.4	6
107	Natural history and risk factors of long-term mortality in acute coronary syndrome patients with cardiogenic shock. Advances in Medical Sciences, 2014, 59, 156-160.	2.1	6
108	Galectin-3 as the Prognostic Factor of Adverse Cardiovascular Events in Long-Term Follow up in Patients after Myocardial Infarction—A Pilot Study. Journal of Clinical Medicine, 2020, 9, 1640.	2.4	6

#	Article	IF	CITATIONS
109	Association between rs2107595 HDAC9 gene polymorphism and advanced carotid atherosclerosis in the Slovenian cohort. Lipids in Health and Disease, 2020, 19, 71.	3.0	6
110	In‑silico identification of cardiovascular disease‑related SNPs affecting predicted microRNA target sites. Polish Archives of Internal Medicine, 2013, 123, 355-369.	0.4	6
111	Efficacy of invasive treatment and the occurrence of cardiac rupture in acute ST-elevation myocardial infarction. Kardiologia Polska, 2011, 69, 795-800.	0.6	6
112	ECG in the clinical and prognostic evaluation of patients with pulmonary arterial hypertension: an underestimated value. Therapeutic Advances in Respiratory Disease, 2022, 16, 175346662210878.	2.6	6
113	Percutaneous Coronary Interventions Affect Concentrations of Interleukin 6 and Its Soluble Receptors in Coronary Sinus Blood in Patients with Stable Angina. Angiology, 2009, 60, 322-328.	1.8	5
114	Feasibility of strain and strain rate evaluation by two-dimensional speckle tracking in murine model of myocardial infarction. Journal of Cardiovascular Medicine, 2013, 14, 136-143.	1.5	5
115	Impact of Pulse Wave Velocity and Parameters Reflecting Android Type Fat Distribution on Left Ventricular Diastolic Dysfunction in Patients with Chronic Coronary Syndromes. Journal of Clinical Medicine, 2020, 9, 3924.	2.4	5
116	ECG Indices Poorly Predict Left Ventricular Hypertrophy and Are Applicable Only in Individuals with Low Cardiovascular Risk. Journal of Clinical Medicine, 2020, 9, 1364.	2.4	5
117	Treatment goal attainment for secondary prevention in coronary patients with or without diabetes mellitus â€" Polish multicenter study POLASPIRE. Archives of Medical Science, 2023, 19, 305-312.	0.9	5
118	Supraventricular tachycardia and pulmonary hypertension at the presentation of Hodgkin's disease. Acta Cardiologica, 2005, 60, 655-657.	0.9	5
119	Atrial expression of the CCN1 and CCN2 proteins in chronic heart failure. Folia Histochemica Et Cytobiologica, 2012, 50, 99-103.	1.5	5
120	Cardiogenic pulmonary oedema: alarmingly poor long term prognosis. Analysis of risk factors. Kardiologia Polska, 2013, 71, 712-720.	0.6	5
121	Altered microRNA dynamics in acute coronary syndrome. Postepy W Kardiologii Interwencyjnej, 2020, 16, 287-293.	0.2	5
122	Effectiveness of Lifestyle Modification vs. Therapeutic, Preventative Strategies for Reducing Cardiovascular Risk in Primary Prevention—A Cohort Study. Journal of Clinical Medicine, 2022, 11, 688.	2.4	5
123	Voice changes in reproductive disorders, thyroid disorders and diabetes: a review. Endocrine Connections, 2022, 11, .	1.9	5
124	Impact of the COVID-19 Pandemic on Pulmonary Hypertension Patients: Insights from the BNP-PL National Database. International Journal of Environmental Research and Public Health, 2022, 19, 8423.	2.6	5
125	Relation of Body Mass Index to Five-Year Survival in Patients With ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2009, 103, 435.	1.6	4
126	Endothelial dysfunction and sympathetic nervous system activation in young patients with essential arterial hypertension and without hypercholesterolaemia. Acta Cardiologica, 2010, 65, 535-540.	0.9	4

#	Article	IF	CITATIONS
127	Chemokines profile in patients with chronic heart failure treated with cardiac resynchronization therapy. Advances in Medical Sciences, 2020, 65, 102-110.	2.1	4
128	Management of Dyslipidemia in Women and Men with Coronary Heart Disease: Results from POLASPIRE Study. Journal of Clinical Medicine, 2021, 10, 2594.	2.4	4
129	The Benefits of Repeated Measurements of B-type Natriuretic Peptide in Patients With First ST-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. International Heart Journal, 2006, 47, 843-854.	1.0	4
130	Platelet sTWEAK and plasma IL-6 are associated with 18F-fluorodeoxyglucose uptake in right ventricles of patients with pulmonary arterial hypertension: A pilot study. Advances in Clinical and Experimental Medicine, 2022, 31, 991-998.	1.4	4
131	COVID-19Âpandemic influence onÂself-reported health status and well-beingÂinÂaÂsociety. Scientific Reports, 2022, 12, .	3.3	4
132	Trained Immunity as a Trigger for Atherosclerotic Cardiovascular Disease—A Literature Review. Journal of Clinical Medicine, 2022, 11, 3369.	2.4	4
133	Interleukin 6 is not necessary for STAT3 phosphorylation and myocardial hypertrophy following short term beta-adrenergic stimulation. Advances in Medical Sciences, 2012, 57, 94-99.	2.1	3
134	The 9p21 polymorphism is linked with atrial fibrillation during acute phase of ST-segment elevation myocardial infarction. Heart and Vessels, 2016, 31, 1590-1594.	1.2	3
135	The rs2228145 polymorphism in the interleukin-6 receptor and its association with long-term prognosis after myocardial infarction in a pilot study. Archives of Medical Science, 2017, 1, 93-99.	0.9	3
136	Smoking cessation in patients with established coronary artery disease: data from the POLASPIRE survey. Kardiologia Polska, 2021, 79, 418-425.	0.6	3
137	Role of interleukin-6 on RANKL-RANK/osteoprotegerin system in hypothyroid ovariectomized mice Folia Histochemica Et Cytobiologica, 2011, 48, 549-54.	1.5	3
138	Interleukin-6 deficiency modifies the effect of high fat diet on myocardial expression of fatty acid transporters and myocardial lipids. Journal of Physiology and Pharmacology, 2018, 69, .	1.1	3
139	A study to evaluate the prevalence and determinants of stress coping strategies in heart failure patients in Poland (CAPS-LOCK-HF sub-study). Kardiologia Polska, 2016, 74, 1327-1331.	0.6	3
140	Potential pathogenic role of soluble receptor activator of nuclear factor-ÄB ligand and osteoprotegerin in patients with pulmonary arterial hypertension. Polish Archives of Internal Medicine, 2014, 124, 579-586.	0.4	3
141	Insulin-like growth factor-binding protein 7 (IGFBP7): Novel, independent marker of cardiometabolic diseases?. Postepy Higieny I Medycyny Doswiadczalnej, 2019, 73, 735-740.	0.1	3
142	Which Microbes Like My Diet and What Does It Mean for My Heart?. Nutrients, 2021, 13, 4146.	4.1	3
143	Monocyte Subsets in Patients with Chronic Heart Failure Treated with Cardiac Resynchronization Therapy. Cells, 2021, 10, 3482.	4.1	3
144	Fluid therapy in non-septic, refractory acute decompensated heart failure patients – The cautious role of central venous pressure. Advances in Medical Sciences, 2019, 64, 37-43.	2.1	2

#	Article	IF	CITATIONS
145	Effects of cardiac rehabilitation on risk factor management and quality of life in patients with ischemic heart disease: A multicenter cross-sectional study. Polish Archives of Internal Medicine, 2021, 131, 617-625.	0.4	2
146	IGFBP7 Concentration May Reflect Subclinical Myocardial Damage and Kidney Function in Patients with Stable Ischemic Heart Disease. Biomolecules, 2022, 12, 274.	4.0	2
147	Body Composition and Serum Concentration of Thyroid Hormones in Euthyroid Men and Women from General Population. Journal of Clinical Medicine, 2022, 11, 2118.	2.4	2
148	A 39-Year-Old Woman with Ventricular Electrical Storm Treated with Emergency Cardiac Defibrillation Followed by Multidisciplinary Management. American Journal of Case Reports, 0, 23, .	0.8	2
149	The effect of interleukin 6 deficiency on myocardial signal transduction pathways activation induced by bacterial lipopolysaccharide in young and old mice. Advances in Medical Sciences, 2020, 65, 386-393.	2.1	1
150	Undiagnosed Diabetes and Prediabetes in Patients with Chronic Coronary Syndromes—An Alarming Public Health Issue. Journal of Clinical Medicine, 2021, 10, 1981.	2.4	1
151	The effect of glycoprotein IIIa A1/A2 gene polymorphism on one-year outcome in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. Kardiologia Polska, 2006, 64, 1350-5; discussion 1356.	0.6	1
152	Interleukin-6 is not essential for bone turnover in hypothyroid mice. Folia Histochemica Et Cytobiologica, 2007, 45, 387-92.	1.5	1
153	Insulin-Like Growth Factor-Binding Protein 7 (IGFBP-7)—New Diagnostic and Prognostic Marker in Symptomatic Peripheral Arterial Disease?—Pilot Study. Biomolecules, 2022, 12, 712.	4.0	1
154	Recollection of Physician Information about Risk Factor and Lifestyle Changes in Chronic Coronary Syndrome Patients. International Journal of Environmental Research and Public Health, 2022, 19, 6416.	2.6	1
155	The rs9982601 polymorphism of the intergenic region between SLC5A3/MRPS6/KCNE2 genes is associated with 5-year mortality of patients with ST-elevation myocardial infarction. European Heart Journal, 2013, 34, P1302-P1302.	2.2	0
156	P1630Myocardial late gadolinium enhancement mass and FDG uptake assessments using a hybrid PET/MRI system in patients with pulmonary arterial hypertension. European Heart Journal, 2018, 39, .	2.2	0
157	1098Machine learning facilitates selecting a group of metabolites non-inferior to BNP for the diagnosis of chronic heart failure. European Heart Journal, 2018, 39, .	2.2	0
158	P6337IL-6 plasma concentration is associated with right ventricular myocardial 18-F glucose uptake, but not functional RV parameters obtained by MRI in patients with pulmonary arterial hypertension. European Heart Journal, 2018, 39, .	2.2	0
159	P4686Multimodal assessment of right ventricular-arterial coupling allows better prognostication in pulmonary arterial hypertension patients. European Heart Journal, 2019, 40, .	2.2	0
160	Effects of neurohormonal antagonists on blood pressure in patients with heart failure with reduced ejection fraction (HFrEF): a systematic review protocol. Systematic Reviews, 2020, 9, 194.	5.3	0
161	Expectations of family nurses among residents of a midsize eastern European city: A populationâ€based cohort study in Poland. Health and Social Care in the Community, 2020, , .	1.6	0
162	Clinical significance of measuring inflammatory markers in patients with pulmonary arterial hypertension. Authors' reply. Polish Archives of Internal Medicine, 2015, 125, 216-216.	0.4	0

#	Article	IF	CITATIONS
163	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2017, 75, 286-293.	0.6	0
164	Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2017, 75, 33-41.	0.6	0
165	Sarcopenia and myokines profile as risk factors in cardiovascular diseases?. Postepy Higieny I Medycyny Doswiadczalnej, 2019, 73, 550-562.	0.1	0
166	Why Do These Microbes Like Me and How Could There Be a Link with Cardiovascular Risk Factors?. Journal of Clinical Medicine, 2022, 11, 599.	2.4	0
167	Clinical significance of measuring inflammatory markers in patients with pulmonary arterial hypertension. Authors' reply. , 2015, 125, 216.		0
168	Analysis of Clinical Course and Vaccination Influence on Serological Response in COVID-19 Convalescents. Microbiology Spectrum, 2022, , e0248521.	3.0	0
169	The relationships between FLAIS, a novel insulin sensitivity index, and cardiovascular risk factors in a population-based study. Cardiovascular Diabetology, 2022, 21, 55.	6.8	ο