Szabolcs Sipeki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7026865/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Novel Roles of SH2 and SH3 Domains in Lipid Binding. Cells, 2021, 10, 1191.	4.1	6
2	EGF Regulates the Interaction of Tks4 with Src through Its SH2 and SH3 Domains. Biochemistry, 2018, 57, 4186-4196.	2.5	17
3	The transcriptional activity of hepatocyte nuclear factor 4 alpha is inhibited via phosphorylation by ERK1/2. PLoS ONE, 2017, 12, e0172020.	2.5	33
4	Frank-ter Haar Syndrome Protein Tks4 Regulates Epidermal Growth Factor-dependent Cell Migration. Journal of Biological Chemistry, 2012, 287, 31321-31329.	3.4	28
5	Isoenzyme Selective Phosphoinositide 3-Kinase Inhibition: What do the Stones Kill?. Current Signal Transduction Therapy, 2011, 6, 405-410.	0.5	0
6	PKCα reduces the lipid kinase activity of the p110α/p85α PI3K through the phosphorylation of the catalytic subunit. Biochemical and Biophysical Research Communications, 2006, 339, 122-125.	2.1	16
7	Protein kinase C modulates negatively the hepatocyte growth factor-induced migration, integrin expression and phosphatidylinositol 3-kinase activation. Cellular Signalling, 2004, 16, 505-513.	3.6	8
8	Phorbol ester-induced migration of HepG2 cells is accompanied by intensive stress fibre formation, enhanced integrin expression and transient down-regulation of p21-activated kinase 1. Cellular Signalling, 2003, 15, 307-318.	3.6	17
9	Mechanism of Epidermal Growth Factor Regulation of Vav2, a Guanine Nucleotide Exchange Factor for Rac. Journal of Biological Chemistry, 2003, 278, 5163-5171.	3.4	100
10	Activation of Erk1/Erk2 and transiently increased p53 levels together may account for p21 expression associated with phorbol ester-induced transient growth inhibition in HepG2 cells. Cellular Signalling, 2002, 14, 115-121.	3.6	14
11	Protein kinase C decreases the hepatocyte growth factor-induced activation of Erk1/Erk2 MAP kinases. Cellular Signalling, 2000, 12, 549-555.	3.6	12
12	Phosphatidylinositol 3-kinase Contributes to Erk1/Erk2 MAP Kinase Activation Associated with Hepatocyte Growth Factor-induced Cell Scattering. Cellular Signalling, 1999, 11, 885-890.	3.6	66
13	Interactions of Cbl with Two Adaptor Proteins, Grb2 and Crk, upon T Cell Activation. Journal of Biological Chemistry, 1996, 271, 6159-6163.	3.4	128