

# H Felix Fischer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7034089/publications.pdf>

Version: 2024-02-01

65  
papers

2,868  
citations

279701

23  
h-index

197736

49  
g-index

76  
all docs

76  
docs citations

76  
times ranked

5929  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2022, 52, 3472-3483.	2.7	9
2	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	1.9	3
3	Real-world reference scores for EORTC QLQ-C30 and EORTC QLQ-BR23 in early breast cancer patients. <i>European Journal of Cancer</i> , 2022, 163, 128-139.	1.3	11
4	Comparison of the PROMIS Preference Score (PROPr) and EQ-5D-5L Index Value in General Population Samples in the United Kingdom, France, and Germany. <i>Value in Health</i> , 2022, 25, 824-834.	0.1	8
5	Applying Item Response Theory to the OPD Structure Questionnaire: Identification of a Unidimensional Core Construct and Feasibility of Computer Adaptive Testing. <i>Journal of Personality Assessment</i> , 2021, 103, 645-658.	1.3	5
6	Using Bayes theorem to estimate positive and negative predictive values for continuously and ordinaly scaled diagnostic tests. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1868.	1.1	2
7	A Modified Version of the Transactional Stress Concept According to Lazarus and Folkman Was Confirmed in a Psychosomatic Inpatient Sample. <i>Frontiers in Psychology</i> , 2021, 12, 584333.	1.1	25
8	More flexible response functions for the PROMIS physical functioning item bank by application of a monotonic polynomial approach. <i>Quality of Life Research</i> , 2021, , 1.	1.5	3
9	PRO B: evaluating the effect of an alarm-based patient-reported outcome monitoring compared with usual care in metastatic breast cancer patientsâ€™ study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 666.	0.7	11
10	PHQ-8 scores and estimation of depression prevalence. <i>Lancet Public Health</i> , The, 2021, 6, e793.	4.7	2
11	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67
12	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
13	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale â€™ Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109892.	1.2	33
14	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110256.	1.2	19
15	Using subdomain-specific item sets affected PROMIS physical function scores differently in cardiology and rheumatology patients. <i>Journal of Clinical Epidemiology</i> , 2020, 127, 151-160.	2.4	5
16	&lt;p&gt;A Step Towards a Better Understanding of Pain Phenotypes: Latent Class Analysis in Chronic Pain Patients Receiving Multimodal Inpatient Treatment&lt;/p&gt;. <i>Journal of Pain Research</i> , 2020, Volume 13, 1023-1038.	0.8	10
17	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	3.8	242
18	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	2.4	113

#	ARTICLE	IF	CITATIONS
19	A Common Metric for Self-Reported Severity of Personality Disorder. <i>Psychopathology</i> , 2020, 53, 168-178.	1.1	56
20	Predicting EQ-5D-5L crosswalk from the PROMIS-29 profile for the United Kingdom, France, and Germany. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 389.	1.0	9
21	Outcomes and outcome measures used in evaluation of communication training in oncology – a systematic literature review, an expert workshop, and recommendations for future research. <i>BMC Cancer</i> , 2019, 19, 808.	1.1	18
22	Complementary and Integrative Medicine in Nursing Homes: Results of a Cross-Sectional Study in Residents and Caregivers. <i>Complementary Medicine Research</i> , 2019, 26, 310-321.	0.5	2
23	Evaluation of a blended-learning training concept to train oncology physicians to advise their patients about complementary and integrative medicine (KOKON-KTO): study protocol for a prospective, multi-center, cluster-randomized trial. <i>Trials</i> , 2019, 20, 90.	0.7	12
24	Exact replication: Foundation of science or game of chance?. <i>PLoS Biology</i> , 2019, 17, e3000188.	2.6	17
25	Measuring fatigue in cancer patients: a common metric for six fatigue instruments. <i>Quality of Life Research</i> , 2019, 28, 1615-1626.	1.5	13
26	Reviving the Clinician Scientist: A Best Practice Model. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 114-115.	4.0	9
27	Scoring Depression on a Common Metric: A Comparison of EAP Estimation, Plausible Value Imputation, and Full Bayesian IRT Modeling. <i>Multivariate Behavioral Research</i> , 2019, 54, 85-99.	1.8	26
28	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 566.	0.9	5
29	A 67-item stress resilience item bank showing high content validity was developed in a psychosomatic sample. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 1-12.	2.4	7
30	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. <i>Quality of Life Research</i> , 2018, 27, 999-1014.	1.5	58
31	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
32	Incomplete total body protein recovery in adolescent patients with anorexia nervosa. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 303-312.	2.2	10
33	An initial psychometric evaluation of the German PROMIS v1.2 Physical Function item bank in patients with a wide range of health conditions. <i>Clinical Rehabilitation</i> , 2018, 32, 84-93.	1.0	20
34	Addressing Unmet Information Needs: Results of a Clinician-Led Consultation Service About Complementary and Alternative Medicine for Cancer Patients and Their Relatives. <i>Integrative Cancer Therapies</i> , 2018, 17, 1172-1182.	0.8	29
35	Illness Perception of Patients with Functional Gastrointestinal Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 122.	1.3	8
36	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 240.	1.3	29

#	ARTICLE	IF	CITATIONS
37	Short-term UVB irradiation significantly increases vitamin D serum concentration in obese patients: a clinical pilot study. <i>Endocrine</i> , 2017, 56, 186-195.	1.1	1
38	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. <i>Arthritis Research and Therapy</i> , 2017, 19, 66.	1.6	11
39	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	14
40	www.common-metrics.org: a web application to estimate scores from different patient-reported outcome measures on a common scale. <i>BMC Medical Research Methodology</i> , 2016, 16, 142.	1.4	17
41	On the validity of measuring change over time in routine clinical assessment: a close examination of item-level response shifts in psychosomatic inpatients. <i>Quality of Life Research</i> , 2016, 25, 1339-1347.	1.5	10
42	A consultation training program for physicians for communication about complementary medicine with breast cancer patients: a prospective, multi-center, cluster-randomized, mixed-method pilot study. <i>BMC Cancer</i> , 2016, 16, 843.	1.1	28
43	Frequency and clinical relevance of potential cytochrome P450 drug interactions in a psychiatric patient population – an analysis based on German insurance claims data. <i>BMC Health Services Research</i> , 2016, 16, 482.	0.9	10
44	Course of self-reported symptoms of 342 outpatients receiving medium- versus long-term psychodynamic psychotherapy. <i>BioPsychoSocial Medicine</i> , 2016, 10, 23.	0.9	2
45	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 25-34.	2.4	17
46	Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. <i>Molecular Psychiatry</i> , 2016, 21, 806-812.	4.1	850
47	Evaluation of Quality Indicators of Integrated Care in a Regional Psychiatry Budget – A Pre-Post Comparison by Secondary Data Analysis. <i>International Journal of Integrated Care</i> , 2016, 16, 17.	0.1	24
48	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: A multicenter cross-sectional study. <i>Journal of Affective Disorders</i> , 2015, 174, 636-643.	2.0	78
49	Effect of time and duration of untreated psychosis on cognitive and social functioning in Chinese patients with first-episode schizophrenia: A 1-year study. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 254-261.	0.7	21
50	The Novel 10-Item Asthma Prediction Tool: External Validation in the German MAS Birth Cohort. <i>PLoS ONE</i> , 2014, 9, e115852.	1.1	17
51	Complementary medicine in nursing homes - results of a mixed methods pilot study. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 443.	3.7	7
52	Screening for mental disorders in heart failure patients using computer-adaptive tests. <i>Quality of Life Research</i> , 2014, 23, 1609-1618.	1.5	27
53	High prevalence but limited evidence in complementary and alternative medicine: guidelines for future research. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 46.	3.7	113
54	Peripheral injected cholecystokinin-8S modulates the concentration of serotonin in nerve fibers of the rat brainstem. <i>Peptides</i> , 2014, 59, 25-33.	1.2	5

#	ARTICLE	IF	CITATIONS
55	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 73-86.	2.4	138
56	A Research Roadmap for Complementary and Alternative Medicine - What We Need to Know by 2020. <i>Research in Complementary Medicine</i> , 2014, 21, 6-6.	2.2	45
57	Pregnancy in Multiple Sclerosis: A Questionnaire Study. <i>PLoS ONE</i> , 2014, 9, e99106.	1.1	9
58	Mindful Walking in Psychologically Distressed Individuals: A Randomized Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-7.	0.5	32
59	The Effect of Attending Steiner Schools during Childhood on Health in Adulthood: A Multicentre Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e73135.	1.1	3
60	Key Issues in Clinical and Epidemiological Research in Complementary and Alternative Medicine – a Systematic Literature Review. <i>Research in Complementary Medicine</i> , 2012, 19, 51-60.	2.2	22
61	Computerized Adaptive Testing – Ready for Ambulatory Monitoring?. <i>Psychosomatic Medicine</i> , 2012, 74, 338-348.	1.3	25
62	Impact of Cross-Calibration Methods on the Interpretation of a Treatment Comparison Study Using 2 Depression Scales. <i>Medical Care</i> , 2012, 50, 320-326.	1.1	8
63	How to compare scores from different depression scales: equating the Patient Health Questionnaire (PHQ) and the ICD-10 Symptom Rating (ISR) using Item Response Theory. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 203-214.	1.1	33
64	Development and Factorial Validation of a Short Version of the Narcissism Inventory (NI-20). <i>Psychopathology</i> , 2010, 43, 150-158.	1.1	5
65	An integrative model of developing tinnitus based on recent neurobiological findings. <i>Medical Hypotheses</i> , 2006, 66, 592-600.	0.8	34