

Paul Harris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7304740/publications.pdf>

Version: 2024-02-01

91
papers

3,517
citations

147726

31
h-index

149623

56
g-index

94
all docs

94
docs citations

94
times ranked

3155
citing authors

#	ARTICLE	IF	CITATIONS
1	A Route Map for Successful Applications of Geographically Weighted Regression. <i>Geographical Analysis</i> , 2023, 55, 155-178.	1.9	45
2	Simulating grazing beef and sheep systems. <i>Agricultural Systems</i> , 2022, 195, 103307.	3.2	10
3	Comparisons of commercially available NIRS-based analyte predictions of haylage quality for equid nutrition. <i>Animal Feed Science and Technology</i> , 2022, 283, 115158.	1.1	0
4	The Importance of Scale and the MAUP for Robust Ecosystem Service Evaluations and Landscape Decisions. <i>Land</i> , 2022, 11, 399.	1.2	5
5	CO2 fluxes from three different temperate grazed pastures using Eddy covariance measurements. <i>Science of the Total Environment</i> , 2022, 831, 154819.	3.9	6
6	Climate Change Impacts on Crop Yield of Winter Wheat (<i>Triticum aestivum</i>) and Maize (<i>Zea mays</i>) and Soil Organic Carbon Stocks in Northern China. <i>Agriculture (Switzerland)</i> , 2022, 12, 614.	1.4	7
7	High-performance solutions of geographically weighted regression in R. <i>Geo-Spatial Information Science</i> , 2022, 25, 536-549.	2.4	10
8	gwverse: A Template for a New Generic Geographically Weighted R Package. <i>Geographical Analysis</i> , 2022, 54, 685-709.	1.9	2
9	The Forgotten Semantics of Regression Modeling in Geography. <i>Geographical Analysis</i> , 2021, 53, 113-134.	1.9	2
10	Key traits for ruminant livestock across diverse production systems in the context of climate change: perspectives from a global platform of research farms. <i>Reproduction, Fertility and Development</i> , 2021, 33, 1.	0.1	15
11	Using a lamb's early-life liveweight as a predictor of carcass quality. <i>Animal</i> , 2021, 15, 100018.	1.3	9
12	Current advisory interventions for grazing ruminant farming cannot close exceedance of modern background sediment loss – Assessment using an instrumented farm platform and modelled scaling out. <i>Environmental Science and Policy</i> , 2021, 116, 114-127.	2.4	15
13	Data to identify key drivers of animal growth and carcass quality for temperate lowland sheep production systems. <i>Data in Brief</i> , 2021, 35, 106977.	0.5	1
14	Within-field spatial variability of greenhouse gas fluxes from an extensive and intensive sheep-grazed pasture. <i>Agriculture, Ecosystems and Environment</i> , 2021, 312, 107355.	2.5	2
15	A Sensitivity Analysis of the SPACSYS Model. <i>Agriculture (Switzerland)</i> , 2021, 11, 624.	1.4	4
16	Novel approaches to investigating spatial variability in channel bank total phosphorus at the catchment scale. <i>Catena</i> , 2021, 202, 105223.	2.2	10
17	Elucidating the performance of hybrid models for predicting extreme water flow events through variography and wavelet analyses. <i>Journal of Hydrology</i> , 2021, 598, 126442.	2.3	4
18	Nutritional value of suckler beef from temperate pasture systems. <i>Animal</i> , 2021, 15, 100257.	1.3	12

#	ARTICLE	IF	CITATIONS
19	Quantifying the value of on-farm measurements to inform the selection of key performance indicators for livestock production systems. <i>Scientific Reports</i> , 2021, 11, 16874.	1.6	2
20	The Distribution of Soil Micro-Nutrients and the Effects on Herbage Micro-Nutrient Uptake and Yield in Three Different Pasture Systems. <i>Agronomy</i> , 2021, 11, 1731.	1.3	1
21	Inferring management and predicting sub-field scale C dynamics in UK grasslands using biogeochemical modelling and satellite-derived leaf area data. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108466.	1.9	8
22	A case study on the effects of data temporal resolution on the simulation of water flux extremes using a process-based model at the grassland field scale. <i>Agricultural Water Management</i> , 2021, 255, 107049.	2.4	2
23	Taking the steps toward sustainable livestock: our multidisciplinary global farm platform journey. <i>Animal Frontiers</i> , 2021, 11, 52-58.	0.8	10
24	Distance metric choice can both reduce and induce collinearity in geographically weighted regression. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2020, 47, 489-507.	1.0	13
25	Understanding satellite-derived bathymetry using Sentinel 2 imagery and spatial prediction models. <i>GIScience and Remote Sensing</i> , 2020, 57, 271-286.	2.4	40
26	Influence of Geographical Effects in Hedonic Pricing Models for Grass-Fed Cattle in Uruguay. <i>Agriculture (Switzerland)</i> , 2020, 10, 299.	1.4	1
27	Sediment source fingerprinting: benchmarking recent outputs, remaining challenges and emerging themes. <i>Journal of Soils and Sediments</i> , 2020, 20, 4160-4193.	1.5	124
28	Adjusting for Conditional Bias in Process Model Simulations of Hydrological Extremes: An Experiment Using the North Wyke Farm Platform. <i>Frontiers in Artificial Intelligence</i> , 2020, 3, 565859.	2.0	9
29	Satellite-derived bathymetry in optically complex waters using a model inversion approach and Sentinel-2 data. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 241, 106814.	0.9	37
30	Elucidating three-way interactions between soil, pasture and animals that regulate nitrous oxide emissions from temperate grazing systems. <i>Agriculture, Ecosystems and Environment</i> , 2020, 300, 106978.	2.5	18
31	The "Palo a Pique"™ Long-Term Research Platform: First 25 Years of a Crop-Livestock Experiment in Uruguay. <i>Agronomy</i> , 2020, 10, 441.	1.3	8
32	An evaluation of automated GPD threshold selection methods for hydrological extremes across different scales. <i>Journal of Hydrology</i> , 2020, 585, 124845.	2.3	17
33	Field scale temporal and spatial variability of $\delta^{13}C$, $\delta^{15}N$, TC and TN soil properties: Implications for sediment source tracing. <i>Geoderma</i> , 2019, 333, 108-122.	2.3	29
34	A Simulation Study on Specifying a Regression Model for Spatial Data: Choosing between Autocorrelation and Heterogeneity Effects. <i>Geographical Analysis</i> , 2019, 51, 151-181.	1.9	27
35	A comparison of Landsat 8, RapidEye and Pleiades products for improving empirical predictions of satellite-derived bathymetry. <i>Remote Sensing of Environment</i> , 2019, 233, 111414.	4.6	58
36	A response to "A comment on geographically weighted regression with parameter-specific distance metrics". <i>International Journal of Geographical Information Science</i> , 2019, 33, 1300-1312.	2.2	15

#	ARTICLE	IF	CITATIONS
37	Quantifying the spatio-temporal drivers of planned vegetation restoration on ecosystem services at a regional scale. <i>Science of the Total Environment</i> , 2019, 650, 1029-1040.	3.9	115
38	Spatially explicit simulation of land use/land cover changes: Current coverage and future prospects. <i>Earth-Science Reviews</i> , 2019, 190, 398-415.	4.0	108
39	A framework for the regional critical zone classification: the case of the Chinese Loess Plateau. <i>National Science Review</i> , 2019, 6, 14-18.	4.6	20
40	The Importance of Scale in Spatially Varying Coefficient Modeling. <i>Annals of the American Association of Geographers</i> , 2019, 109, 50-70.	1.5	57
41	Assessment of empirical algorithms for bathymetry extraction using Sentinel-2 data. <i>International Journal of Remote Sensing</i> , 2019, 40, 2855-2879.	1.3	64
42	Investigating spatial error structures in continuous raster data. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 74, 259-268.	1.4	13
43	When multi-functional landscape meets Critical Zone science: advancing multi-disciplinary research for sustainable human well-being. <i>National Science Review</i> , 2019, 6, 349-358.	4.6	13
44	Roles of instrumented farm-scale trials in trade-off assessments of pasture-based ruminant production systems. <i>Animal</i> , 2018, 12, 1766-1776.	1.3	33
45	Improvements to the calibration of a geographically weighted regression with parameter-specific distance metrics and bandwidths. <i>Computers, Environment and Urban Systems</i> , 2018, 71, 41-57.	3.3	47
46	Data to calculate emissions intensity for individual beef cattle reared on pasture-based production systems. <i>Data in Brief</i> , 2018, 17, 570-574.	0.5	1
47	Modelling field scale spatial variation in water run-off, soil moisture, N ₂ O emissions and herbage biomass of a grazed pasture using the SPACSYS model. <i>Geoderma</i> , 2018, 315, 49-58.	2.3	21
48	Distributions of emissions intensity for individual beef cattle reared on pasture-based production systems. <i>Journal of Cleaner Production</i> , 2018, 171, 1672-1680.	4.6	58
49	Effect of long-term drainage on plant community, soil carbon and nitrogen contents and stable isotopic ($\delta^{13}C$, $\delta^{15}N$) composition of a permanent grassland. <i>European Journal of Soil Science</i> , 2018, 69, 48-68.	1.8	5
50	Peri-urbanization may vary with vegetation restoration: A large scale regional analysis. <i>Urban Forestry and Urban Greening</i> , 2018, 29, 77-87.	2.3	31
51	Geographically weighted elastic net logistic regression. <i>Journal of Geographical Systems</i> , 2018, 20, 317-341.	1.9	9
52	Shp2graph: Tools to Convert a Spatial Network into an Igraph Graph in R. <i>ISPRS International Journal of Geo-Information</i> , 2018, 7, 293.	1.4	21
53	Hyper-local geographically weighted regression: extending GWR through local model selection and local bandwidth optimization. <i>Journal of Spatial Information Science</i> , 2018, , .	1.1	2
54	Geographically weighted regression with parameter-specific distance metrics. <i>International Journal of Geographical Information Science</i> , 2017, 31, 982-998.	2.2	83

#	ARTICLE	IF	CITATIONS
55	Geographically weighted correspondence matrices for local error reporting and change analyses: mapping the spatial distribution of errors and change. <i>Remote Sensing Letters</i> , 2017, 8, 234-243.	0.6	23
56	Assessment of soil water, carbon and nitrogen cycling in reseeded grassland on the North Wyke Farm Platform using a process-based model. <i>Science of the Total Environment</i> , 2017, 603-604, 27-37.	3.9	21
57	The Application of a Geographically Weighted Principal Component Analysis for Exploring Twenty-three Years of Goat Population Change across Mongolia. <i>Annals of the American Association of Geographers</i> , 2017, 107, 1060-1074.	1.5	15
58	Introducing bootstrap methods to investigate coefficient non-stationarity in spatial regression models. <i>Spatial Statistics</i> , 2017, 21, 241-261.	0.9	23
59	Gauging policy-driven large-scale vegetation restoration programmes under a changing environment: Their effectiveness and socio-economic relationships. <i>Science of the Total Environment</i> , 2017, 607-608, 911-919.	3.9	48
60	A comparison of conventional and 137 Cs-based estimates of soil erosion rates on arable and grassland across lowland England and Wales. <i>Earth-Science Reviews</i> , 2017, 173, 49-64.	4.0	55
61	Quantifying the effect of ecological restoration on runoff and sediment yields. <i>Progress in Physical Geography</i> , 2017, 41, 753-774.	1.4	55
62	Phosphate stable oxygen isotope variability within a temperate agricultural soil. <i>Geoderma</i> , 2017, 285, 64-75.	2.3	29
63	Local variation in hedonic house pricing in Hanoi, Vietnam: a spatial analysis of status quality trade-off (SQTO) theory. <i>International Conference on GIScience Short Paper Proceedings</i> , 2016, 1, .	0.0	0
64	Geographically weighted evidence combination approaches for combining discordant and inconsistent volunteered geographical information. <i>Geoinformatica</i> , 2016, 20, 503-527.	2.0	11
65	Improving land cover classification using input variables derived from a geographically weighted principal components analysis. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2016, 119, 347-360.	4.9	26
66	The North Wyke Farm Platform: effect of temperate grassland farming systems on soil moisture contents, runoff and associated water quality dynamics. <i>European Journal of Soil Science</i> , 2016, 67, 374-385.	1.8	81
67	The Minkowski approach for choosing the distance metric in geographically weighted regression. <i>International Journal of Geographical Information Science</i> , 2016, 30, 351-368.	2.2	49
68	Contextualized Geographically Weighted Principal Components Analysis for Investigating Baseline Soils Data on the North Wyke Farm Platform. , 2016, , 651-655.		2
69	Spatial Prediction of Coastal Bathymetry Based on Multispectral Satellite Imagery and Multibeam Data. <i>Remote Sensing</i> , 2015, 7, 13782-13806.	1.8	66
70	Calibrating a Geographically Weighted Regression Model with Parameter-specific Distance Metrics. <i>Procedia Environmental Sciences</i> , 2015, 26, 109-114.	1.3	15
71	Enhancements to a Geographically Weighted Principal Component Analysis in the Context of an Application to an Environmental Data Set. <i>Geographical Analysis</i> , 2015, 47, 146-172.	1.9	55
72	Using Bootstrap Methods to Investigate Coefficient Non-stationarity in Regression Models: An Empirical Case Study. <i>Procedia Environmental Sciences</i> , 2015, 27, 112-115.	1.3	4

#	ARTICLE	IF	CITATIONS
73	GWmodel : An R Package for Exploring Spatial Heterogeneity Using Geographically Weighted Models. <i>Journal of Statistical Software</i> , 2015, 63, .	1.8	280
74	The Dublin SURGE Project: geochemical baseline for heavy metals in topsoils and spatial correlation with historical industry in Dublin, Ireland. <i>Environmental Geochemistry and Health</i> , 2014, 36, 235-254.	1.8	42
75	Geographically weighted methods and their use in network re-designs for environmental monitoring. <i>Stochastic Environmental Research and Risk Assessment</i> , 2014, 28, 1869-1887.	1.9	19
76	Multivariate Spatial Outlier Detection Using Robust Geographically Weighted Methods. <i>Mathematical Geosciences</i> , 2014, 46, 1-31.	1.4	42
77	Geographically weighted regression with a non-Euclidean distance metric: a case study using hedonic house price data. <i>International Journal of Geographical Information Science</i> , 2014, 28, 660-681.	2.2	225
78	The GWmodel R package: further topics for exploring spatial heterogeneity using geographically weighted models. <i>Geo-Spatial Information Science</i> , 2014, 17, 85-101.	2.4	193
79	Principal Component Analysis on Spatial Data: An Overview. <i>Annals of the American Association of Geographers</i> , 2013, 103, 106-128.	3.0	308
80	Portable X-Ray Fluorescence as a Rapid Technique for Surveying Elemental Distributions in Soil. <i>Spectroscopy Letters</i> , 2013, 46, 516-526.	0.5	28
81	The comap as a diagnostic tool for non-stationary kriging models. <i>International Journal of Geographical Information Science</i> , 2013, 27, 511-541.	2.2	6
82	Geographically Weighted Regression using a non-euclidean distance metric with simulation data. , 2012, , .		1
83	Visual Comparison of Moving-Window Kriging Models. <i>Cartographica</i> , 2011, 46, 211-226.	0.2	2
84	Estimating Freshwater Acidification Critical Load Exceedance Data for Great Britain Using Space-Varying Relationship Models. <i>Mathematical Geosciences</i> , 2011, 43, 265-292.	1.4	18
85	Links, comparisons and extensions of the geographically weighted regression model when used as a spatial predictor. <i>Stochastic Environmental Research and Risk Assessment</i> , 2011, 25, 123-138.	1.9	42
86	Geographically weighted principal components analysis. <i>International Journal of Geographical Information Science</i> , 2011, 25, 1717-1736.	2.2	160
87	Moving window kriging with geographically weighted variograms. <i>Stochastic Environmental Research and Risk Assessment</i> , 2010, 24, 1193-1209.	1.9	44
88	The Use of Geographically Weighted Regression for Spatial Prediction: An Evaluation of Models Using Simulated Data Sets. <i>Mathematical Geosciences</i> , 2010, 42, 657-680.	1.4	142
89	Exploring spatial variation and spatial relationships in a freshwater acidification critical load data set for Great Britain using geographically weighted summary statistics. <i>Computers and Geosciences</i> , 2010, 36, 54-70.	2.0	32
90	Robust Geographically Weighted Regression: A Technique for Quantifying Spatial Relationships Between Freshwater Acidification Critical Loads and Catchment Attributes. <i>Annals of the American Association of Geographers</i> , 2010, 100, 286-306.	3.0	73

#	ARTICLE	IF	CITATIONS
91	Identification and verification of ultrafine particle affinity zones in urban neighbourhoods: sample design and data pre-processing. Environmental Health, 2009, 8, S5.	1.7	1