## Ola Nived

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7481886/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Lower vitamin D is associated with metabolic syndrome and insulin resistance in systemic lupus: data from an international inception cohort. Rheumatology, 2021, 60, 4737-4747.	1.9	14
2	Anti-beta 2 glycoprotein I IgA in the SLICC classification criteria dataset. Lupus, 2021, 30, 096120332110142.	1.6	3
3	Economic Evaluation of Damage Accrual in an International Systemic Lupus Erythematosus Inception Cohort Using a Multistate Model Approach. Arthritis Care and Research, 2020, 72, 1800-1808.	3.4	23
4	Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. Journal of Autoimmunity, 2020, 106, 102340.	6.5	27
5	Disease duration, age at diagnosis and organ damage are important factors for cardiovascular disease in SLE. Lupus Science and Medicine, 2020, 7, e000398.	2.7	14
6	Osteopontin and Disease Activity in Patients with Recent-onset Systemic Lupus Erythematosus: Results from the SLICC Inception Cohort. Journal of Rheumatology, 2019, 46, 492-500.	2.0	15
7	Low aspirin use and high prevalence of pre-eclampsia risk factors among pregnant women in a multinational SLE inception cohort. Annals of the Rheumatic Diseases, 2019, 78, 1010-1012.	0.9	12
8	Cerebrovascular Events in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. Arthritis Care and Research, 2018, 70, 1478-1487.	3.4	55
9	Economic Evaluation of Lupus Nephritis in the Systemic Lupus International Collaborating Clinics Inception Cohort Using a Multistate Model Approach. Arthritis Care and Research, 2018, 70, 1294-1302.	3.4	21
10	Nitrated nucleosome levels and neuropsychiatric events in systemic lupus erythematosus; a multi-center retrospective case-control study. Arthritis Research and Therapy, 2017, 19, 287.	3.5	1
11	Direct and indirect costs for systemic lupus erythematosus in Sweden. A nationwide health economic study based on five defined cohorts. Seminars in Arthritis and Rheumatism, 2016, 45, 684-690.	3.4	23
12	Measuring disease activity in adults with systemic lupus erythematosus: the challenges of administrative burden and responsiveness to patient concerns in clinical research. Arthritis Research and Therapy, 2015, 17, 183.	3.5	143
13	Incidence and disease severity of anti-neutrophil cytoplasmic antibody-associated nephritis are higher than in lupus nephritis in Sweden. Nephrology Dialysis Transplantation, 2014, 30 Suppl 1, i23-30.	0.7	8
14	Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. Arthritis and Rheumatism, 2012, 64, 2677-2686.	6.7	3,838
15	High predictive value of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology damage index for survival in systemic lupus erythematosus. Journal of Rheumatology, 2002, 29, 1398-400.	2.0	94
16	The reliability of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology damage index in patients with Systemic Lupus Erythematosus. Arthritis and Rheumatism, 1997, 40, 809-813.	6.7	586
17	The development and initial validation of the systemic lupus international collaborating clinics/American college of rheumatology damage index for systemic lupus erythematosus. Arthritis and Rheumatism, 1996, 39, 363-369.	6.7	2,042
18	Increased Antiretroviral Antibody Reactivity in Sera from a Defined Population of Patients with Systemic Lupus Erythematosus. Arthritis and Rheumatism, 1994, 37, 57-66.	6.7	66

Ola Nived

#	Article	IF	CITATIONS
19	Cardiovascular Disease in Systemic Lupus Erythematosus A Study of 75 Patients from a Defined Population. Medicine (United States), 1992, 71, 216-223.	1.0	121
20	ESTIMATING THE INCIDENCE OF SYSTEMIC LUPUS ERYTHEMATOSUS IN A DEFINED POPULATION USING MULTIPLE SOURCES OF RETRIEVAL. Rheumatology, 1990, 29, 185-188.	1.9	82
21	Anticardiolipin antibodies in patients with systemic lupus erythematosus. Arthritis and Rheumatism, 1987, 30, 382-388.	6.7	122