Andreas Stöhr

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7677292/publications.pdf

Version: 2024-02-01

96 2,740 16
papers citations h-index

99 99 3061 all docs docs citations times ranked citing authors

315739

38

g-index

#	Article	IF	CITATIONS
1	Compact Folded Leaky-Wave Antenna Radiating a Fixed Beam at Broadside for 5G mm-Wave Applications. IEEE Antennas and Wireless Propagation Letters, 2022, 21, 292-296.	4.0	8
2	Simultaneous User Localization and Identification Using Leaky-Wave Antennas and Backscattering Communications. IEEE Access, 2022, 10, 37097-37108.	4.2	4
3	Terahertz Band Data Communications using Dielectric Rod Waveguide. , 2022, , .		5
4	InP-Based THz Beam Steering Leaky-Wave Antenna. IEEE Transactions on Terahertz Science and Technology, 2021, 11, 218-230.	3.1	38
5	Mobile THz communications using photonic assisted beam steering leaky-wave antennas. Optics Express, 2021, 29, 21629.	3.4	23
6	Novel 3-D Multilayer Terahertz Packaging Technology for Integrating Photodiodes Arrays and Rectangular Waveguide-Power Combiners. IEEE Transactions on Microwave Theory and Techniques, 2020, 68, 4611-4619.	4.6	9
7	Ultra-low phase-noise photonic terahertz imaging system based on two-tone square-law detection. Optics Express, 2020, 28, 29631.	3.4	12
8	Side-illuminated fully ballistic p-i-n diode-based photomixer at 1550 nm., 2020, , .		1
9	Endfire Transition from Coplanar Waveguide-to-WR3 Rectangular Waveguide for Monolithic Integration with THz Photodiodes. , 2019, , .		1
10	Fully-Hermetic 71-86 GHz WR12 Coherent Photonic Mixer Providing an RF Output Power up to +15 dBm. , 2019, , .		0
11	2D mm-Wave Beam Steering via Optical True-Time Delay and Leaky-Wave Antennas. , 2019, , .		3
12	Single Radio-Over-Fiber Link and RF Chain-Based 60 GHz Multi-Beam Transmission. Journal of Lightwave Technology, 2019, 37, 1974-1980.	4.6	20
13	300 GHz Photonic Self-Mixing Imaging-System with vertical illuminated Triple-Transit-Region Photodiode Terahertz Emitters. , 2019, , .		11
14	Polarization Diversity Photoreceiver Integration on 26 GHz PCB Leaky-Wave Antenna for Photonic Beam Steering Transmitter. , 2019, , .		2
15	3D Radar Localization via Photonic Chirp Leaky-Wave Antenna Beam Scanning. , 2019, , .		4
16	Planar 0.05–1.1 THz Laminate-Based Transition Designs for Integrating High-Frequency Photodiodes With Rectangular Waveguides. Journal of Lightwave Technology, 2019, 37, 1037-1044.	4.6	15
17	Terahertz near field coupling for integrating III-V photodiodes on silicon. , 2018, , .		O
18	Design of PCB leaky-wave antennas for Wide angle beam steering. , 2018, , .		12

#	Article	IF	Citations
19	Integrated Microwave-Photonics (iMWP) for Mobile Terahertz Systems. , 2018, , .		1
20	Radio-over-Fiber-supported Millimeter-wave Multiuser Transmission with Low-Complexity Antenna Units., 2018,,.		5
21	Continuous Wave Multimode Amplitude THz Spectroscopy. , 2018, , .		O
22	All Photonic Radar System based on Laser Frequency Sweeping and Leaky-Wave Antennas. , 2018, , .		8
23	Public Field Trial of a Multi-RAT (60 GHz 5G/ LTE/WiFi) Mobile Network. IEEE Wireless Communications, 2018, 25, 38-46.	9.0	14
24	Metallic 3D Printed Rectangular Waveguides (WR3) for Rapid Prototyping of THz Packages. , 2018, , .		6
25	Low-latency GbE 60 GHz TDD transceiver using SiGe-RFICs and PCB leaky-wave antennas. , 2018, , .		2
26	Wireless Extension for 2.5 Gbit/s GPON. , 2018, , .		2
27	The 2017 terahertz science and technology roadmap. Journal Physics D: Applied Physics, 2017, 50, 043001.	2.8	1,160
28	Field trial of a hybrid fiber wireless (HFW) bridge for 2.5 Gbit/s GPON. , 2017, , .		2
29	Photonic-Assisted mm-Wave and THz Wireless Transmission towards 100 Gbit/s Data Rate. Frequenz, 2017, 71, 485-497.	0.9	O
30	High data rate 6 Gbit/s steerable multibeam 60 GHz antennas for 5G hot-spot use cases. , 2017, , .		9
31	Lens-assisted quasi-optical THz transmitter employing antenna-integrated triple transit region photodiodes. , 2017, , .		4
32	THz beam forming and beam switching using lens-assisted quasi-optical THz transmitter., 2017,,.		5
33	Spectral efficient 64-QAM-OFDM terahertz communication link. Optics Express, 2017, 25, 19360.	3.4	63
34	Substrate-Integrated Waveguide PCB Leaky-Wave Antenna Design Providing Multiple Steerable Beams in the V-Band. Electronics (Switzerland), 2017, 6, 107.	3.1	13
35	Radio-over-fiber-supported 60GHz multiuser transmission using leaky wave antenna. , 2017, , .		3
36	Plasmonic photodetector with THz electrical bandwidth., 2017,,.		0

#	Article	IF	Citations
37	Coherent Radio-over-Fiber THz Communication Link for High Data-Rate 59 Gbit/s 64-QAM-OFDM and Real-Time HDTV Transmission. , 2017 , , .		17
38	Applications for Optical Components in THz Systems (invited paper)., 2017,,.		2
39	Planar E-Band (71-76 GHz) Platforms for Integrating Millimeter Wave Photodiodes with WR-12 Waveguides. Periodica Polytechnica Electrical Engineering and Computer Science, 2016, 60, 38-43.	1.0	4
40	Novel 50–70 GHz compact PCB leaky-wave antenna with high broadside efficiency and low return loss. , 2016, , .		11
41	Photonics for microwave measurements. Laser and Photonics Reviews, 2016, 10, 711-734.	8.7	261
42	Guest Editorial on Special Issue on Microwave Photonics. Journal of Lightwave Technology, 2016, 34, 4629-4630.	4.6	0
43	E-Band 76-GHz Coherent RoF Backhaul Link Using an Integrated Photonic Mixer. Journal of Lightwave Technology, 2016, 34, 4744-4750.	4.6	16
44	Ultrafast Surface Plasmon III–V Photodetectors Based on Nanomonopoles. Journal of Lightwave Technology, 2016, 34, 4682-4687.	4.6	5
45	InP-Based Waveguide Triple Transit Region Photodiodes for Hybrid Integration with Passive Optical Silica Waveguides. Photonics, 2015, 2, 1152-1163.	2.0	9
46	Compact E-Band (71–86 GHz) bias-tee module for external biasing of millimeter wave photodiodes. , 2015, , .		9
47	Compact triple transit region photodiode module with WR-12 rectangular waveguide output. , 2015, , .		9
48	Planar bias-tee circuit using single coupled-line approach for 71& \pm x2013; 76 GHz photonic transmitters. , 2015, , .		6
49	Planar 71–76 GHz laminate integration platform for connecting millimeter wave photodiodes to WR-12 waveguides. , 2015, , .		3
50	Impact of WDM Channel Spacing on Millimeter-wave Wireless Access using Wireless Coherent Radio-over-Fiber (CRoF) channels. , 2015, , .		7
51	10 GHz channel spacing ultra-dense WDM networks transparently extended by mm-wave coherent RoF links. , 2015, , .		6
52	Triple transit region photodiodes (TTR-PDs) providing high millimeter wave output power. Optics Express, 2014, 22, 7550.	3.4	104
53	Plasmonic photodetector with terahertz electrical bandwidth. Applied Physics Letters, 2014, 104, .	3.3	40
54	Surface plasmon nanoantenna-based photodetector with Terahertz electrical bandwidth., 2014,,.		0

#	Article	IF	Citations
55	Dual-Frequency Laser Phase Locked at 100 GHz. Journal of Lightwave Technology, 2014, 32, 3824-3830.	4.6	12
56	Transparent wireless access to optical WDM networks using a novel coherent radio-over-fiber (CRoF) approach. , 2014, , .		2
57	Robust 71-76 GHz Radio-over-Fiber Wireless Link with High-Dynamic Range Photonic Assisted Transmitter and Laser Phase-Noise Insensitive SBD Receiver. , 2014, , .		19
58	Novel Quasi-Hermetic Photodiode Module Featuring an E-Band Rectangular Waveguide (WR-12) Output. IEEE Photonics Technology Letters, 2013, 25, 217-219.	2.5	4
59	Compact Modules for Wireless Communication Systems in the E-Band (71–76ÂGHz). Journal of Infrared, Millimeter, and Terahertz Waves, 2013, 34, 251-266.	2.2	16
60	Substrate integrated waveguide antenna for 60 GHz Radio-over-Fiber transmitter., 2013,,.		1
61	Radio-over-fiber photonic wireless bridge in the W-Band. , 2013, , .		5
62	71–76 GHz grounded CPW to WR-12 transition for quasi-hermetic RoF wireless transmitter. Electronics Letters, 2012, 48, 506.	1.0	12
63	Integrated photonic 71–76 GHz transmitter module employing high linearity double mushroom-type 1.55 μm waveguide photodiodes. , 2012, , .		7
64	Double mushroom 1.55- $\hat{l}\frac{1}{4}$ m waveguide photodetectors for integrated E-band (60-90 GHz) wireless transmitter modules. , 2012, , .		7
65	Integration platform for 72-GHz photodiode-based wireless transmitter. Proceedings of SPIE, 2012, , .	0.8	5
66	Integrated E-band photoreceiver module for wideband (71–76GHz) wireless transmission. , 2012, , .		0
67	High data rate radio over fiber technologies. , 2011, , .		1
68	Novel E-Band (71& #x2013;76 GHz) photodiode module featuring a hermetic grounded-coplanar-waveguide-to-rectangular-waveguide transition., 2011,,.		10
69	10 Gbit/s Wireless Transmission Using Millimeter-Wave over Optical Fiber Systems. , 2011, , .		11
70	Ultra-wideband radio-over-fiber techniques and networks. , 2010, , .		1
71	Optoelectronic \$K\$-Band Oscillator With Gigahertz Tuning Range and Low Phase Noise. IEEE Photonics Technology Letters, 2010, 22, 1497-1499.	2.5	13
72	Thermopile antennas for detection of millimeter waves. Applied Physics Letters, 2010, 96, 133507.	3.3	17

#	Article	IF	Citations
73	Millimeter-Wave Photonic Components for Broadband Wireless Systems. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 3071-3082.	4.6	119
74	Photonic millimeter-wave generation and its applications in high data rate wireless access., 2010,,.		31
75	Opto-electronic dual-loop 50 GHz oscillator with wide tunability and low phase noise. , 2010, , .		6
76	Radio-over-fiber transport for the support of wireless broadband services [Invited]. Journal of Optical Networking, 2009, 8, 156.	2.5	105
77	60 GHz radio-over-fiber technologies for broadband wireless services [Invited]. Journal of Optical Networking, 2009, 8, 471.	2.5	97
78	14-GHz GaNAsSb Unitraveling-Carrier 1.3-\$muhbox{m}\$ Photodetectors Grown by RF Plasma-Assisted Nitrogen Molecular Beam Epitaxy. IEEE Electron Device Letters, 2009, 30, 590-592.	3.9	7
79	Pushing the boundaries. IEEE Microwave Magazine, 2009, 10, 106-115.	0.8	15
80	60-GHz Photonic Millimeter-Wave Link for Short- to Medium-Range Wireless Transmission Up to 12.5 Gb/s. Journal of Lightwave Technology, 2008, 26, 2424-2429.	4.6	97
81	High responsivity GaNAsSb p-i-n photodetectors at 13µm grown by radio-frequency nitrogen plasma-assisted molecular beam epitaxy. Optics Express, 2008, 16, 7720.	3.4	14
82	Guest Editorial Special Issue on Microwave Photonics. Journal of Lightwave Technology, 2008, 26, 2336-2337.	4.6	7
83	Highly-compact fibre-optic package for 30–300GHz wireless transmitter modules. , 2008, , .		5
84	Ultra-broadband and low phase noise photonic millimeter-wave generation. , 2008, , .		1
85	The European IPHOBAC project: Millimeter-wave photonic components and technologies for communications, radar and instrumentation. , 2008, , .		0
86	High-speed picosecond pulse response GaNAsSb p-i-n photodetectors grown by rf plasma-assisted nitrogen molecular beam epitaxy. Applied Physics Letters, 2007, 90, 183515.	3.3	24
87	Wideband photonic millimeter-wave synthesizer using a high-power pin waveguide photodiode. , 2007, ,		3
88	Millimetre wave signal generation using resonant tunneling diodes NLTLâ€resonators. Microwave and Optical Technology Letters, 2007, 49, 2907-2909.	1.4	12
89	Photonic Millimeter-wave and Terahertz Source Technologies (invited paper). , 2006, , .		1
90	THz photomixers: an overview. , 2006, , .		2

Andreas Stã¶hr

#	Article	IF	CITATIONS
91	Heterogeneous wireless/wireline optical access networks with the R-EAT as backend component., 2004, 5466, 27.		0
92	Waveguide and antenna coupled travelling-wave $1.55 \cdot \hat{l} \frac{1}{4}$ m photodetectors for optical (sub)millimeter-wave generation., 2004, 5466, 202.		7
93	Optical heterodyne millimeter-wave generation using 1.55-μm traveling-wave photodetectors. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 1926-1933.	4.6	28
94	Integrated 460 GHz photonic transmitter module. Electronics Letters, 2001, 37, 1347.	1.0	26
95	Photonic Oscillators for THz Signal Generation. , 0, , 85-110.		2
96	Near Infrared Diode Laser THz Systems. Advances in Radio Science, 0, 16, 167-175.	0.7	5