

Barbara Vitolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8280464/publications.pdf>

Version: 2024-02-01

13
papers

741
citations

933447

10
h-index

1125743

13
g-index

13
all docs

13
docs citations

13
times ranked

1299
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum calprotectin as a marker of ultrasound-detected synovitis in early psoriatic and rheumatoid arthritis: results from a cross-sectional retrospective study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 429-436.	0.8	6
2	Power Doppler ultrasonographic assessment of the joint-draining lymph node complex in rheumatoid arthritis: a prospective, proof-of-concept study on treatment with tumor necrosis factor inhibitors. <i>Arthritis Research and Therapy</i> , 2016, 18, 242.	3.5	13
3	Anti-citrullinated protein antibodies and high levels of rheumatoid factor are associated with systemic bone loss in patients with early untreated rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 226.	3.5	87
4	The Draining Lymph Node in Rheumatoid Arthritis: Current Concepts and Research Perspectives. <i>BioMed Research International</i> , 2015, 2015, 1-10.	1.9	27
5	Potential involvement of IL-9 and Th9 cells in the pathogenesis of rheumatoid arthritis. <i>Rheumatology</i> , 2015, 54, 2264-2272.	1.9	83
6	B Cells in Rheumatoid Arthritis: From Pathogenic Players to Disease Biomarkers. <i>BioMed Research International</i> , 2014, 2014, 1-14.	1.9	121
7	High expression levels of the B cell chemoattractant CXCL13 in rheumatoid synovium are a marker of severe disease. <i>Rheumatology</i> , 2014, 53, 1886-1895.	1.9	63
8	Serum levels of CXCL13 are associated with ultrasonographic synovitis and predict power Doppler persistence in early rheumatoid arthritis treated with non-biological disease-modifying anti-rheumatic drugs. <i>Arthritis Research and Therapy</i> , 2012, 14, R34.	3.5	47
9	Synovial Tissue Heterogeneity and Peripheral Blood Biomarkers. <i>Current Rheumatology Reports</i> , 2011, 13, 440-448.	4.7	38
10	B cell distribution and activation-induced cytidine deaminase expression in rheumatoid synovitis: clinical and bio-molecular correlates. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A55-A55.	0.9	3
11	Subclinical remodelling of draining lymph node structure in early and established rheumatoid arthritis assessed by power Doppler ultrasonography. <i>Rheumatology</i> , 2011, 50, 1395-1400.	1.9	36
12	Mature antigen-experienced T helper cells synthesize and secrete the B cell chemoattractant CXCL13 in the inflammatory environment of the rheumatoid joint. <i>Arthritis and Rheumatism</i> , 2008, 58, 3377-3387.	6.7	124
13	Involvement of subchondral bone marrow in rheumatoid arthritis: Lymphoid neogenesis and in situ relationship to subchondral bone marrow osteoclast recruitment. <i>Arthritis and Rheumatism</i> , 2005, 52, 3448-3459.	6.7	93