

# Fernando MartÃ- nez-FreirÃ- a

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8287866/publications.pdf>

Version: 2024-02-01

69  
papers

4,411  
citations

186265

28  
h-index

114465

63  
g-index

74  
all docs

74  
docs citations

74  
times ranked

5065  
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological diversification of Mediterranean anurans: the roles of evolutionary history and climate. <i>Biological Journal of the Linnean Society</i> , 2022, 135, 462-477.	1.6	4
2	Interpopulational variation and ontogenetic shift in the venom composition of Lataste's viper ( <i>Vipera</i> ) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	2.4	6
3	Sex, size and eco-geographic factors affect the feeding ecology of the Iberian adder, <i>Vipera seoanei</i> . <i>Amphibia - Reptilia</i> , 2022, 43, 235-250.	0.5	2
4	Using fire to enhance rewilding when agricultural policies fail. <i>Science of the Total Environment</i> , 2021, 755, 142897.	8.0	19
5	Origin, extinction and ancient DNA of a new fossil insular viper: molecular clues of overseas immigration. <i>Zoological Journal of the Linnean Society</i> , 2021, 192, 144-168.	2.3	6
6	Beyond the comfort zone: amphibian diversity and distribution in the West Sahara-Sahel using mtDNA and nuDNA barcoding and spatial modelling. <i>Conservation Genetics</i> , 2021, 22, 233-248.	1.5	2
7	Macroevolutionary variation and environmental correlates of scalation traits in Eurasian vipers (Serpentes: Viperinae). <i>Biological Journal of the Linnean Society</i> , 2021, 132, 318-327.	1.6	2
8	Species versus within-species niches: a multi-modelling approach to assess range size of a spring-dwelling amphibian. <i>Scientific Reports</i> , 2021, 11, 597.	3.3	7
9	Understanding parapatry: How do environment and competitive interactions shape Iberian vipers'™ distributions??. <i>Journal of Biogeography</i> , 2021, 48, 1322-1335.	3.0	17
10	Phylogenomic inference of species and subspecies diversity in the Palearctic salamander genus <i>Salamandra</i> . <i>Molecular Phylogenetics and Evolution</i> , 2021, 157, 107063.	2.7	22
11	Habitat use and population genetics of golden jackals in Iran: Insights from a generalist species in a highly heterogeneous landscape. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1503-1515.	1.4	5
12	Phylogeographic diversification of the <i>Mesalina olivieri</i> species complex (Squamata: Lacertidae) with the description of a new species and a new subspecies endemic from North West Africa. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2321-2349.	1.4	5
13	Want to model a species niche? A step-by-step guideline on correlative ecological niche modelling. <i>Ecological Modelling</i> , 2021, 456, 109671.	2.5	123
14	Integrative taxonomy reveals two species and intraspecific differentiation in the <i>Vipera latastei</i> "monticola" complex. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2278-2306.	1.4	7
15	Thermal melanism explains macroevolutionary variation of dorsal pigmentation in Eurasian vipers. <i>Scientific Reports</i> , 2020, 10, 16122.	3.3	18
16	Evaluating taxonomic inflation: towards evidence-based species delimitation in Eurasian vipers (Serpentes: Viperinae). <i>Amphibia - Reptilia</i> , 2020, 41, 285-311.	0.5	45
17	Sources of intraspecific morphological variation in <i>Vipera seoanei</i> : allometry, sex, and colour phenotype. <i>Amphibia - Reptilia</i> , 2020, 42, 1-16.	0.5	9
18	Mountain farmland protection and fire-smart management jointly reduce fire hazard and enhance biodiversity and carbon sequestration. <i>Ecosystem Services</i> , 2020, 44, 101143.	5.4	45

#	ARTICLE	IF	CITATIONS
19	Evolutionary history of two cryptic species of northern African jerboas. <i>BMC Evolutionary Biology</i> , 2020, 20, 26.	3.2	16
20	Integrating hybrid zone analyses in species delimitation: lessons from two anuran radiations of the Western Mediterranean. <i>Heredity</i> , 2020, 124, 423-438.	2.6	50
21	Are glacial refugia hotspots of speciation and cytonuclear discordances? Answers from the genomic phylogeography of Spanish common frogs. <i>Molecular Ecology</i> , 2020, 29, 986-1000.	3.9	63
22	Climatic refugia boosted allopatric diversification in Western Mediterranean vipers. <i>Journal of Biogeography</i> , 2020, 47, 1698-1713.	3.0	37
23	Ecophysiology of a lacertid community in the high Moroccan mountains suggests conservation guidelines. <i>Journal of Thermal Biology</i> , 2020, 94, 102743.	2.5	4
24	Reconstructing evolution at the community level: A case study on Mediterranean amphibians. <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 211-225.	2.7	21
25	Phylogeny and species delimitation of near Eastern <i>Neurergus</i> newts (Salamandridae) based on genome-wide RADseq data analysis. <i>Molecular Phylogenetics and Evolution</i> , 2019, 133, 189-197.	2.7	24
26	Allopatric diversification and evolutionary melting pot in a North African Palearctic relict: The biogeographic history of <i>Salamandra algira</i> . <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 81-91.	2.7	25
27	Living on the edge: Ecological and genetic connectivity of the spiny-footed lizard, <i>Acanthodactylus aureus</i> , confirms the Atlantic Sahara desert as a biogeographic corridor and centre of lineage diversification. <i>Journal of Biogeography</i> , 2018, 45, 1031-1042.	3.0	24
28	Armed conflicts and wildlife decline: Challenges and recommendations for effective conservation policy in the Sahara-Sahel. <i>Conservation Letters</i> , 2018, 11, e12446.	5.7	55
29	Chasing the phantom: biogeography and conservation of <i>Vipera latastei-monticola</i> in the Maghreb (North Africa). <i>Amphibia - Reptilia</i> , 2018, 39, 145-161.	0.5	9
30	The role of climatic cycles and trans-Saharan migration corridors in species diversification: Biogeography of <i>Psammophis schokari</i> group in North Africa. <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 64-74.	2.7	34
31	Where does diversity come from? Linking geographical patterns of morphological, genetic, and environmental variation in wall lizards. <i>BMC Evolutionary Biology</i> , 2018, 18, 124.	3.2	19
32	The mitochondrial genomes of Atlas Geckos ( <i>Quedenfeldtia</i> ): mitogenome assembly from transcriptomes and anchored hybrid enrichment datasets. <i>Mitochondrial DNA Part B: Resources</i> , 2017, 2, 356-358.	0.4	5
33	Inferring the shallow phylogeny of true salamanders ( <i>Salamandra</i> ) by multiple phylogenomic approaches. <i>Molecular Phylogenetics and Evolution</i> , 2017, 115, 16-26.	2.7	44
34	Integrative phylogeographical and ecological analysis reveals multiple Pleistocene refugia for Mediterranean <i>Daboia</i> vipers in north-west Africa. <i>Biological Journal of the Linnean Society</i> , 2017, 122, 366-384.	1.6	37
35	Aposematism and crypsis are not enough to explain dorsal polymorphism in the Iberian adder. <i>Acta Oecologica</i> , 2017, 85, 165-173.	1.1	15
36	Contemporary niche contraction affects climate change predictions for elephants and giraffes. <i>Diversity and Distributions</i> , 2016, 22, 432-444.	4.1	45

#	ARTICLE	IF	CITATIONS
37	Conservation Biogeography of the Saharaâ€Sahel: additional protected areas are needed to secure unique biodiversity. Diversity and Distributions, 2016, 22, 371-384.	4.1	46
38	Update of distribution, habitats, population size, and threat factors for the West African crocodile in Mauritania. Amphibia - Reptilia, 2016, 37, 325-330.	0.5	5
39	Phylogeographic relationships and shallow mitochondrial divergence of Algerian populations of Salamandra algira. Amphibia - Reptilia, 2016, 37, 1-8.	0.5	9
40	Assessing the heritability of dorsal pattern shape in Vipera latastei. Amphibia - Reptilia, 2015, 36, 313-317.	0.5	2
41	The Atlas Massif separates a northern and a southern mitochondrial haplotype group of North African water frogs Pelophylax saharicus (Anura: Ranidae) in Morocco. Amphibia - Reptilia, 2015, 36, 437-443.	0.5	9
42	Local extinctions and range contraction of the endangered <i>Coenagrion mercuriale</i> in North Africa. International Journal of Odonatology, 2015, 18, 137-152.	0.5	9
43	Trapped by climate: interglacial refuge and recent population expansion in the endemic Iberian adder <i>Vipera seoanei</i> . Diversity and Distributions, 2015, 21, 331-344.	4.1	48
44	Updated distribution and biogeography of amphibians and reptiles of Europe. Amphibia - Reptilia, 2014, 35, 1-31.	0.5	293
45	Unravelling biodiversity, evolution and threats to conservation in the Saharaâ€Sahel. Biological Reviews, 2014, 89, 215-231.	10.4	170
46	Hybridization at an ecotone: ecological and genetic barriers between three Iberian vipers. Molecular Ecology, 2014, 23, 1108-1123.	3.9	49
47	Biogeographical analysis of the Atlantic Sahara reptiles: Environmental correlates of species distribution and vulnerability to climate change. Journal of Arid Environments, 2014, 109, 65-73.	2.4	13
48	Phylogeographic and environmental correlates support the cryptic function of the zigzag pattern in a European viper. Evolutionary Ecology, 2014, 28, 611-626.	1.2	26
49	Climate change is predicted to negatively influence Moroccan endemic reptile richness. Implications for conservation in protected areas. Die Naturwissenschaften, 2013, 100, 877-889.	1.6	31
50	Integrating classical and spatial multivariate analyses for assessing morphological variability in the endemic Iberian viper <i>Vipera seoanei</i> . Journal of Zoological Systematics and Evolutionary Research, 2013, 51, 122-131.	1.4	17
51	Cold Code: the global initiative to <i>scp</i> DNA <i>/scp</i> barcode amphibians and nonavian reptiles. Molecular Ecology Resources, 2013, 13, 161-167.	4.8	72
52	A multigene species tree for Western Mediterranean painted frogs (Discoglossus). Molecular Phylogenetics and Evolution, 2012, 64, 690-696.	2.7	29
53	The origin of modern frogs (Neobatrachia) was accompanied by acceleration in mitochondrial and nuclear substitution rates. BMC Genomics, 2012, 13, 626.	2.8	53
54	Deep evolutionary lineages in a Western Mediterranean snake ( <i>Vipera latastei/monticola</i> group) and high genetic structuring in Southern Iberian populations. Molecular Phylogenetics and Evolution, 2012, 65, 965-973.	2.7	39

#	ARTICLE	IF	CITATIONS
55	Cryptic diversity within the Moroccan endemic day geckos <i>Quedenfeldtia</i> (Squamata: Gekkonidae): a multidisciplinary approach using genetic, morphological and ecological data. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 828-850.	1.6	32
56	Biogeography and conservation of viperids from North-West Africa: An application of ecological niche-based models and GIS. <i>Journal of Arid Environments</i> , 2011, 75, 1029-1037.	2.4	48
57	Crocodiles in the Sahara Desert: An Update of Distribution, Habitats and Population Status for Conservation Planning in Mauritania. <i>PLoS ONE</i> , 2011, 6, e14734.	2.5	47
58	The integrative future of taxonomy. <i>Frontiers in Zoology</i> , 2010, 7, 16.	2.0	1,281
59	Data on the distribution of mammals from Mauritania, West Africa. <i>Mammalia</i> , 2010, 74, .	0.7	12
60	Spatial and temporal segregation allows coexistence in a hybrid zone among two Mediterranean vipers ( <i>Vipera aspis</i> and <i>V. latastei</i> ). <i>Amphibia - Reptilia</i> , 2010, 31, 195-212.	0.5	24
61	Geographical patterns of morphological variation and environmental correlates in contact zones: a multi-scale approach using two Mediterranean vipers (Serpentes). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2009, 47, 357-367.	1.4	25
62	GIS-based niche models identify environmental correlates sustaining a contact zone between three species of European vipers. <i>Diversity and Distributions</i> , 2008, 14, 452-461.	4.1	70
63	Underestimation of Species Richness in Neotropical Frogs Revealed by mtDNA Analyses. <i>PLoS ONE</i> , 2007, 2, e1109.	2.5	379
64	First helminthological data on Iberian vipers: Helminth communities and host-parasite relationships. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	7
65	Deciphering amphibian diversity through DNA barcoding: chances and challenges. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 1859-1868.	4.0	438
66	Phylogeography of <i>Ptychadena mascareniensis</i> suggests transoceanic dispersal in a widespread African-Malagasy frog lineage. <i>Journal of Biogeography</i> , 2004, 31, 593-601.	3.0	102
67	Phylogeny and Comparative Substitution Rates of Frogs Inferred from Sequences of Three Nuclear Genes. <i>Molecular Biology and Evolution</i> , 2004, 21, 1188-1200.	8.9	136
68	Teeth number variation and cranial morphology within <i>Vipera aspis</i> group. <i>Basic and Applied Herpetology</i> , 0, , .	0.0	0
69	Assessing climate change vulnerability for the Iberian viper <i>Vipera seoanei</i> . <i>Basic and Applied Herpetology</i> , 0, , .	0.0	0