

# Palash Chandra Banik BScPT, MPhil

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8328030/publications.pdf>

Version: 2024-02-01

77  
papers

15,900  
citations

304743

22  
h-index

206112

48  
g-index

82  
all docs

82  
docs citations

82  
times ranked

14493  
citing authors

#	ARTICLE	IF	CITATIONS
1	Knowledge, Attitude, Practice, and Fear of COVID-19: an Online-Based Cross-cultural Study. International Journal of Mental Health and Addiction, 2023, 21, 1025-1040.	7.4	28
2	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology, 2022, 10, 177-192.	11.4	66
3	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, 2022, 7, e657-e669.	10.0	34
4	Health-related quality of life and its predictors among the type 2 diabetes population of Bangladesh: A nationwide cross-sectional study. Journal of Diabetes Investigation, 2021, 12, 277-285.	2.4	14
5	Macronutrient intake and association with the risk factors of diabetic complications among people with type 2 diabetes. Clinical Epidemiology and Global Health, 2021, 10, 100667.	1.9	1
6	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
7	Application of country-specific Globorisk score to estimate next 10 years risk of cardiovascular diseases and its associated predictors among postmenopausal rural women of Bangladesh: A cross-sectional study in a primary care setting. Lifestyle Medicine, 2021, 2, e32.	0.8	4
8	Prevalence of non-communicable disease risk factors among nurses and para-health professionals working at primary healthcare level of Bangladesh: a cross-sectional study. BMJ Open, 2021, 11, e043298.	1.9	11
9	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, 2021, 397, 996-1009.	13.7	358
10	HYPERTENSION PREVALENCE, AWARENESS, TREATMENT AND CONTROL STATUS AMONG THE HEALTHCARE PROVIDERS OF BANGLADESH WORKING AT PRIMARY HEALTH CARE LEVEL. Journal of Hypertension, 2021, 39, e126-e127.	0.5	0
11	Knowledge attitude and practices towards chronic kidney disease among type-2 diabetic patients in Bangladesh. International Journal of Health Education, 2021, 5, .	0.1	0
12	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	12.0	24
13	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, 2021, 397, 2337-2360.	13.7	609
14	Noncommunicable disease risk factors among the trainee doctors of a tertiary level diabetes hospital in Bangladesh. Lifestyle Medicine, 2021, 2, e45.	0.8	0
15	Cardiovascular risk assessment among type-2 diabetic subjects in selected areas of Bangladesh: concordance among without cholesterol-based WHO/ISH, Globorisk, and Framingham risk prediction tools. Heliyon, 2021, 7, e07728.	3.2	7
16	Peer Review of Risk Factors of SARS-CoV-2 Infection: Global Epidemiological Study. Jmirx Med, 2021, 2, e31927.	0.4	0
17	Physicians' knowledge about palliative care in Bangladesh: A cross-sectional study using digital social media platforms. PLoS ONE, 2021, 16, e0256927.	2.5	5
18	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, 2021, 398, 870-905.	13.7	229

#	ARTICLE	IF	CITATIONS
19	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. <i>Nature Medicine</i> , 2021, 27, 1761-1782.	30.7	60
20	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 1593-1618.	13.7	92
21	Malnutrition in all its forms and associated factors affecting the nutritional status of adult rural population in Bangladesh: results from a cross-sectional survey. <i>BMJ Open</i> , 2021, 11, e051701.	1.9	3
22	Factors Associated with Chronic Kidney Disease in Patients with Type 2 Diabetes in Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12277.	2.6	1
23	Baseline prevalence of high blood pressure and its predictors in a rural adult population of Bangladesh: Outcome from the application of WHO PEN interventions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2042-2052.	2.0	7
24	Prevalence and risk factors of COVID-19 suicidal behavior in Bangladeshi population: are healthcare professionals at greater risk?. <i>Heliyon</i> , 2020, 6, e05259.	3.2	44
25	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	13.7	7,664
26	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	13.7	890
27	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	13.7	335
28	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44
29	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	13.7	330
30	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	2.4	103
31	Physical activity levels, its barriers, and associated factors among the patients with type 2 diabetes residing in the capital city of Bangladesh. <i>Lifestyle Medicine</i> , 2020, 1, e14.	0.8	5
32	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	2.8	4,468
33	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. <i>Injury Prevention</i> , 2020, 26, i83-i95.	2.4	109
34	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	30.7	47
35	Risk of diabetic foot ulcer and its associated factors among Bangladeshi subjects: a multicentric cross-sectional study. <i>BMJ Open</i> , 2020, 10, e034058.	1.9	34
36	Growing Pain Among Bangladeshi Children: Urban and Rural Settings. <i>Acta Scientific Paediatrics</i> , 2020, 3, 01-05.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Iron Deficiency, Ferritin and Total Iron Binding Capacity Among Bangladeshi Children: Urban and Rural Settings. <i>Acta Scientifci Nutritional Health</i> , 2020, 4, 01-05.	0.1	0
38	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e038077.	1.9	0
39	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e038077.	1.9	1
40	Salt Intake Behaviors among Type 2 Diabetic Patients of a Tertiary Level Hospital in Dhaka City. <i>Mymensingh Medical Journal: MMJ</i> , 2020, 29, 162-168.	0.0	1
41	Atherogenic index of plasma and its association with cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. <i>Indian Heart Journal</i> , 2019, 71, 155-160.	0.5	10
42	Agreement between 2017 ACC/AHA Hypertension Clinical Practice Guidelines and Seventh Report of the Joint National Committee Guidelines to Estimate Prevalence of Postmenopausal Hypertension in a Rural Area of Bangladesh: A Cross Sectional Study. <i>Medicina (Lithuania)</i> , 2019, 55, 315.	2.0	4
43	Knowledge, Attitude and Practice towards Dietary Salt Intake among Nurses Working in a Cardiac Hospital in Bangladesh. <i>Sciences. Cardiovascular Journal</i> , 2019, 12, 53-58.	0.0	2
44	Effectiveness of health education-based conventional intervention method to reduce noncommunicable diseases risk factors among rural population. <i>Cardiovascular Diagnosis and Therapy</i> , 2019, 9, 30-34.	1.7	5
45	Peripheral neuropathy among Bangladeshi Type 2 diabetic subjects. <i>Journal of the Neurological Sciences</i> , 2019, 405, 261.	0.6	0
46	Concordance between two versions of world health organization/international society of hypertension risk prediction chart and framingham risk score among postmenopausal women in a rural area of Bangladesh. <i>Indian Journal of Public Health</i> , 2019, 63, 101.	0.6	6
47	Association between behavioural, metabolic risk factors of non-communicable diseases and socio-demographic factors among Bihari population in Bangladesh. <i>International Journal of Community Medicine and Public Health</i> , 2019, 6, 4132.	0.1	1
48	Musculoskeletal Disorders in Dentists: A Systematic Review. <i>Update Dental College Journal</i> , 2018, 7, 38-42.	0.1	3
49	Prevalence of Risk Factors of non-communicable Diseases in an Adult Population of Rural Bangladesh. <i>Cardiovascular Journal</i> , 2018, 10, 126-134.	0.0	2
50	A11543 One dollar model intervention for detection and treatment of hypertension among the rural population of Eklaipur village in Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e317.	0.5	0
51	A11551 Postmenopausal hypertension and its association with cardiovascular disease risk in a rural area of Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e200.	0.5	0
52	A2693 Variation of blood pressure with nature of job among Bangladeshi subjects. <i>Journal of Hypertension</i> , 2018, 36, e283.	0.5	0
53	Physical activity levels and associated cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. <i>Indian Heart Journal</i> , 2018, 70, S161-S166.	0.5	16
54	Prevalence and clustering of cardiovascular disease risk factors in rural Nepalese population aged 40-80 years. <i>BMC Public Health</i> , 2018, 18, 677.	2.9	28

#	ARTICLE	IF	CITATIONS
55	Prevalence of cardiovascular disease risk factors: A community-based cross-sectional study in a peri-urban community of Kathmandu, Nepal. <i>Indian Heart Journal</i> , 2018, 70, S20-S27.	0.5	36
56	A11589 Knowledge, Attitudes and Practices on Tobacco among adults attending Outpatient Departments of Public Hospitals in Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e318.	0.5	0
57	Behavioral Risk Factors of Noncommunicable Diseases Among Medical and Nonmedical Undergraduate Students of Dhaka City, Bangladesh. <i>International Journal of Epidemiologic Research</i> , 2018, 5, 119-122.	0.4	1
58	Prevalence of low back pain and its associated factors among physiotherapists in Dhaka city of Bangladesh in 2016. <i>Journal of Occupational Health and Epidemiology</i> , 2018, 7, 70-74.	0.4	7
59	Total cardiovascular risk for next 10 years among rural population of Nepal using WHO/ISH risk prediction chart. <i>BMC Research Notes</i> , 2017, 10, 120.	1.4	21
60	Diabetes knowledge and utilization of healthcare services among patients with type 2 diabetes mellitus in Dhaka, Bangladesh. <i>BMC Health Services Research</i> , 2017, 17, 586.	2.2	28
61	Prevalence of Behavioral Risk Factors of Noncommunicable Diseases in a Rural Population of Bangladesh. <i>Austin Journal of Public Health and Epidemiology</i> , 2017, 4, .	0.0	0
62	Knowledge attitude and behaviour towards dietary salt intake among Bangladeshi medical and nonmedical undergraduate students. <i>International Journal of Perceptions in Public Health</i> , 2017, 2, 31-37.	0.0	3
63	Salt Intake Behavior Among the Faculties And Doctors of Bangladesh University of Health Sciences. <i>Cardiovascular Journal</i> , 2016, 8, 94-98.	0.0	2
64	LBPS 03-18 PREVALENCE OF HYPERTENSION AMONG URBAN AND RURAL TYPE 2 DIABETIC SUBJECTS IN BANGLADESH. <i>Journal of Hypertension</i> , 2016, 34, e529.	0.5	0
65	Cardiovascular Risk Assessment Among Urban Population of Bangladesh Using WHO/ISH Risk Prediction Chart.. <i>International Journal of Epidemiology</i> , 2015, 44, i202-i202.	1.9	3
66	Foot Pain among the Elderly Subjects of Dhaka City.. <i>International Journal of Epidemiology</i> , 2015, 44, i238-i239.	1.9	0
67	Prevalence of Undiagnosed Metabolic Syndrome (MS) in Bangladesh: A Comparative Study of Different Recommendations.. <i>International Journal of Epidemiology</i> , 2015, 44, i269-i270.	1.9	0
68	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. <i>F1000Research</i> , 0, 9, 1256.	1.6	0
69	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. <i>F1000Research</i> , 0, 9, 1256.	1.6	0
70	Associations of obesity with balance and gait among young adults in Bangladesh. <i>Journal of Xiangya Medicine</i> , 0, 6, 16-16.	0.2	1
71	Functional outcomes of Ponseti method among children with congenital clubfoot: a healthcare facility-based longitudinal study. <i>Journal of Xiangya Medicine</i> , 0, .	0.2	0
72	Overweight and obesity among the urban and rural type 2 diabetic subjects in Bangladesh. <i>Journal of Xiangya Medicine</i> , 0, 5, 37-37.	0.2	0

#	ARTICLE	IF	CITATIONS
73	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	1.6	0
74	Noncommunicable disease risk factors among postgraduate students in Dhaka city, Bangladesh: a multi-centric cross-sectional study. Journal of Xiangya Medicine, 0, 6, 30-30.	0.2	1
75	Salt intake behavior among the undergraduate students of Bangladesh University of Health Sciences. Journal of Xiangya Medicine, 0, 5, 24-24.	0.2	2
76	Facing the challenges of smokeless tobacco epidemic in Bangladesh. Lifestyle Medicine, 0, , .	0.8	1
77	Awareness and social attitude towards COVID-19 in Bangladeshi population. Journal of Xiangya Medicine, 0, 6, 29-29.	0.2	0