## Patricia A Pellikka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/861355/publications.pdf

Version: 2024-02-01

534 papers 54,328 citations

98 h-index

2322

222 g-index

576 all docs

576 docs citations

576 times ranked

33080 citing authors

#	ARTICLE	IF	CITATIONS
1	Recommendations for Chamber Quantification: A Report from the American Society of Echocardiography's Guidelines and Standards Committee and the Chamber Quantification Writing Group, Developed in Conjunction with the European Association of Echocardiography, a Branch of the European Society of Cardiology. Journal of the American Society of Echocardiography, 2005, 18,	2.8	10,110
2	Recommendations for chamber quantificationa *†. European Journal of Echocardiography, 2006, 7, 79-108.	2.3	2,960
3	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography. Journal of the American Society of Echocardiography, 2009, 22, 107-133.	2.8	2,874
4	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography. European Journal of Echocardiography, 2008, 10, 165-193.	2.3	1,804
5	Echocardiographic Assessment of Valve Stenosis: EAE/ASE Recommendations for Clinical Practice. Journal of the American Society of Echocardiography, 2009, 22, 1-23.	2.8	1,611
6	Echocardiographic assessment of valve stenosis: EAE/ASE recommendations for clinical practice. European Journal of Echocardiography, 2009, 10, 1-25.	2.3	890
7	EAE/ASE Recommendations for Image Acquisition and Display Using Three-Dimensional Echocardiography. Journal of the American Society of Echocardiography, 2012, 25, 3-46.	2.8	760
8	Myocardial Viability and Survival in Ischemic Left Ventricular Dysfunction. New England Journal of Medicine, 2011, 364, 1617-1625.	27.0	734
9	Outcome of 622 Adults With Asymptomatic, Hemodynamically Significant Aortic Stenosis During Prolonged Follow-Up. Circulation, 2005, 111, 3290-3295.	1.6	725
10	Screening for cardiac contractile dysfunction using an artificial intelligence–enabled electrocardiogram. Nature Medicine, 2019, 25, 70-74.	30.7	686
11	American Society of Echocardiography Recommendations for Performance, Interpretation, and Application of Stress Echocardiography. Journal of the American Society of Echocardiography, 2007, 20, 1021-1041.	2.8	671
12	Left Atrial Volume. Circulation, 2003, 107, 2207-2212.	1.6	623
13	Carcinoid heart disease. Clinical and echocardiographic spectrum in 74 patients Circulation, 1993, 87, 1188-1196.	1.6	565
14	Prognostic Importance of Diastolic Function and Filling Pressure in Patients With Acute Myocardial Infarction. Circulation, 2006, 114, 438-444.	1.6	549
15	ACCF/ASNC/ACR/AHA/ASE/SCCT/SCMR/SNM 2009 Appropriate Use Criteria for Cardiac Radionuclide Imaging. Journal of the American College of Cardiology, 2009, 53, 2201-2229.	2.8	533
16	Natural History of Asymptomatic Patients With Normally Functioning or Minimally Dysfunctional Bicuspid Aortic Valve in the Community. Circulation, 2008, 117, 2776-2784.	1.6	503
17	Noninvasive estimation of left ventricular filling pressure by $e/e\hat{a}\in \mathbb{R}^2$ is a powerful predictor of survival after acute myocardial infarction. Journal of the American College of Cardiology, 2004, 43, 360-367.	2.8	481
18	Focused Cardiac Ultrasound: Recommendations from the American Society of Echocardiography. Journal of the American Society of Echocardiography, 2013, 26, 567-581.	2.8	476

#	Article	IF	Citations
19	EAE/ASE Recommendations for Image Acquisition and Display Using Three-Dimensional Echocardiography. European Heart Journal Cardiovascular Imaging, 2012, 13, 1-46.	1.2	433
20	ACCF/ASNC/ACR/AHA/ASE/SCCT/SCMR/SNM 2009 Appropriate Use Criteria for Cardiac Radionuclide Imaging. Circulation, 2009, 119, e561-87.	1.6	408
21	Pulmonary Hypertension in Patients With Idiopathic Pulmonary Fibrosis. Chest, 2005, 128, 2393-2399.	0.8	373
22	Left atrial function: physiology, assessment, and clinical implications. European Journal of Echocardiography, 2011, 12, 421-430.	2.3	370
23	Outcome Prediction by Quantitative Right Ventricular Function Assessment in 575 Subjects Evaluated for Pulmonary Hypertension. Circulation: Cardiovascular Imaging, 2013, 6, 711-721.	2.6	349
24	Stress Echocardiography: Recommendations for Performance and Interpretation of Stress Echocardiography. Journal of the American Society of Echocardiography, 1998, 11, 97-104.	2.8	338
25	Prognostic Value of Noninvasive Cardiovascular Testing in Patients With Stable Chest Pain. Circulation, 2017, 135, 2320-2332.	1.6	336
26	American Society of Echocardiography Recommendations for Quality Echocardiography Laboratory Operations. Journal of the American Society of Echocardiography, 2011, 24, 1-10.	2.8	335
27	The natural history of adults with asymptomatic, hemodynamically significant aortic stenosis. Journal of the American College of Cardiology, 1990, 15, 1012-1017.	2.8	329
28	Ultrasound of extravascular lung water: a new standard for pulmonary congestion. European Heart Journal, 2016, 37, 2097-2104.	2.2	321
29	Feasibility of tomographic 99mTc-hexakis-2-methoxy-2-methylpropyl-isonitrile imaging for the assessment of myocardial area at risk and the effect of treatment in acute myocardial infarction Circulation, 1989, 80, 1277-1286.	1.6	308
30	The clinical use of stress echocardiography in non-ischaemic heart disease: recommendations from the European Association of Cardiovascular Imaging and the American Society of Echocardiography. European Heart Journal Cardiovascular Imaging, 2016, 17, 1191-1229.	1.2	300
31	Mutations in Ribonucleic Acid Binding Protein Gene Cause Familial Dilated Cardiomyopathy. Journal of the American College of Cardiology, 2009, 54, 930-941.	2.8	299
32	Right Ventricular Strain for Prediction of Survival in Patients With Pulmonary Arterial Hypertension. Chest, 2011, 139, 1299-1309.	0.8	298
33	Guidelines for Performance, Interpretation, and Application of Stress Echocardiography in Ischemic Heart Disease: From the American Society of Echocardiography. Journal of the American Society of Echocardiography, 2020, 33, 1-41.e8.	2.8	294
34	Association of cholesterol levels, hydroxymethylglutaryl coenzyme-a reductase inhibitor treatment, and progression of aortic stenosis in the community. Journal of the American College of Cardiology, 2002, 40, 1723-1730.	2.8	291
35	Flow-Gradient Patterns in Severe Aortic Stenosis With Preserved Ejection Fraction. Circulation, 2013, 128, 1781-1789.	1.6	277
36	Factors Associated with Progression of Carcinoid Heart Disease. New England Journal of Medicine, 2003, 348, 1005-1015.	27.0	269

#	Article	IF	Citations
37	Diastolic stress echocardiography: A novel noninvasive diagnostic test for diastolic dysfunction using supine bicycle exercise Doppler echocardiography. Journal of the American Society of Echocardiography, 2005, 18, 63-68.	2.8	255
38	Bioprosthetic Valve Thrombosis Versus Structural Failure. Journal of the American College of Cardiology, 2015, 66, 2285-2294.	2.8	245
39	Sex Differences in Arterial Stiffness and Ventricular-Arterial Interactions. Journal of the American College of Cardiology, 2013, 61, 96-103.	2.8	244
40	Prognosis of Carcinoid Heart Disease. Circulation, 2005, 112, 3320-3327.	1.6	236
41	Dynamic intraventricular obstruction during dobutamine stress echocardiography. A new observation Circulation, 1992, 86, 1429-1432.	1.6	218
42	Age and Sex Estimation Using Artificial Intelligence From Standard 12-Lead ECGs. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007284.	4.8	213
43	Role of Noninvasive Testing in the Clinical Evaluation of Women With Suspected Ischemic Heart Disease. Circulation, 2014, 130, 350-379.	1.6	210
44	Left Ventricular Function and Exercise Capacity. JAMA - Journal of the American Medical Association, 2009, 301, 286.	7.4	208
45	The Clinical Use of Stress Echocardiography in Non-Ischaemic Heart Disease: Recommendations from the European Association of Cardiovascular Imaging and the American Society of Echocardiography. Journal of the American Society of Echocardiography, 2017, 30, 101-138.	2.8	207
46	Wall motion score index and ejection fraction for risk stratification after acute myocardial infarction. American Heart Journal, 2006, 151, 419-425.	2.7	200
47	Outcome After Normal Exercise Echocardiography and Predictors of Subsequent Cardiac Events: Follow-Up of 1,325 Patients. Journal of the American College of Cardiology, 1998, 31, 144-149.	2.8	197
48	Serial quantitative planar technetium-99m isonitrile imaging in acute myocardial infarction: Efficacy for noninvasive assessment of thrombolytic therapy. Journal of the American College of Cardiology, 1989, 14, 861-873.	2.8	196
49	Role of Dobutamine Stress Echocardiography in Predicting Outcome in 860 Patients With Known or Suspected Coronary Artery Disease. Circulation, 1998, 97, 1474-1480.	1.6	196
50	Outcome of cardiac surgery for carcinoid heart disease. Journal of the American College of Cardiology, 1995, 25, 410-416.	2.8	195
51	Prognostic Value of Treadmill Exercise Testing in Elderly Persons. Annals of Internal Medicine, 2000, 132, 862.	3.9	194
52	Real-Time Three-Dimensional Transesophageal Echocardiography in the Intraoperative Assessment of Mitral Valve Disease. Journal of the American Society of Echocardiography, 2009, 22, 34-41.	2.8	194
53	Severe pulmonary hypertension in patients with severe aortic valve stenosis: clinical profile and prognostic implications. Journal of the American College of Cardiology, 2002, 40, 789-795.	2.8	191
54	Stress Echocardiography. Part II. Dobutamine Stress Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. Mayo Clinic Proceedings, 1995, 70, 16-27.	3.0	190

#	Article	IF	CITATIONS
55	Diagnosing and Managing CarcinoidÂHeartÂDisease in PatientsÂWithÂNeuroendocrine Tumors. Journal of the American College of Cardiology, 2017, 69, 1288-1304.	2.8	174
56	Prognostic value of exercise echocardiographyin 5,798 patients: is there a gender difference?. Journal of the American College of Cardiology, 2002, 39, 625-631.	2.8	170
57	Comparative Definitions for Moderate-Severe Ischemia in Stress Nuclear, Echocardiography, and Magnetic Resonance Imaging. JACC: Cardiovascular Imaging, 2014, 7, 593-604.	5.3	168
58	Sex and Test Verification Bias. Circulation, 1997, 95, 405-410.	1.6	164
59	Contrast echocardiography improves the accuracy and reproducibility of left ventricular remodeling measurements. Journal of the American College of Cardiology, 2001, 38, 867-875.	2.8	163
60	Cardiovascular Effects of Sildenafil During Exercise in Men With Known or Probable Coronary Artery Disease. JAMA - Journal of the American Medical Association, 2002, 287, 719.	7.4	163
61	Inducible Myocardial Ischemia and Outcomes in Patients With Coronary Artery Disease and Left Ventricular Dysfunction. Journal of the American College of Cardiology, 2013, 61, 1860-1870.	2.8	163
62	Application of Appropriateness Criteria to Stress Single-Photon Emission Computed Tomography Sestamibi Studies and Stress Echocardiograms in an Academic Medical Center. Journal of the American College of Cardiology, 2008, 51, 1283-1289.	2.8	161
63	Insights from the STICH trial: Change in left ventricular size after coronary artery bypass grafting with and without surgical ventricular reconstruction. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 1139-1145.e6.	0.8	157
64	Prognostic and Bioepidemiologic Implications of Papillary Fibroelastomas. Journal of the American College of Cardiology, 2015, 65, 2420-2429.	2.8	157
65	Prognostic Value of Treadmill Exercise Testing. Circulation, 1998, 98, 2836-2841.	1.6	155
66	Subepicardial adipose tissue and the presence and severity of coronary artery disease. Atherosclerosis, 2006, 186, 354-359.	0.8	155
67	Artificial intelligence–enabled electrocardiograms for identification of patients with low ejection fraction: a pragmatic, randomized clinical trial. Nature Medicine, 2021, 27, 815-819.	30.7	154
68	Three-Dimensional Echocardiographic Assessment of Right Ventricular Volume and Function in Adult Patients With Congenital Heart Disease: Comparison With Magnetic Resonance Imaging. Journal of the American Society of Echocardiography, 2010, 23, 127-133.	2.8	147
69	Global Strain in Severe Aortic Valve Stenosis. Circulation: Cardiovascular Imaging, 2012, 5, 613-620.	2.6	144
70	Variability in Ejection Fraction Measured By Echocardiography, Gated Single-Photon Emission Computed Tomography, and Cardiac Magnetic Resonance in Patients With Coronary Artery Disease and Left Ventricular Dysfunction. JAMA Network Open, 2018, 1, e181456.	5.9	143
71	The benefits of early valve replacement in asymptomatic patients with severe aortic stenosis. Journal of Thoracic and Cardiovascular Surgery, 2008, 135, 308-315.	0.8	142
72	Decreased Right and Left Ventricular Myocardial Performance in Obstructive Sleep Apnea. Chest, 2007, 132, 1863-1870.	0.8	139

#	Article	IF	CITATIONS
73	Role of Serial Quantitative Assessment of Right Ventricular Function by Strain in Pulmonary Arterial Hypertension. American Journal of Cardiology, 2013, 111, 143-148.	1.6	137
74	Prognostic significance of impairment of heart rate response to exercise. Journal of the American College of Cardiology, 2003, 42, 823-830.	2.8	132
75	Contrast dobutamine stress echocardiography: Clinical practice assessment in 300 consecutive patients. Journal of the American Society of Echocardiography, 2001, 14, 378-385.	2.8	129
76	Clinical Recognition of Pulmonary Embolism: Problem of Unrecognized and Asymptomatic Cases. Mayo Clinic Proceedings, 1998, 73, 873-879.	3.0	128
77	Reduced Left Ventricular Ejection Fraction in Patients With Aortic Stenosis. Journal of the American College of Cardiology, 2018, 71, 1313-1321.	2.8	128
78	Artificial Intelligence in Cardiology: Present and Future. Mayo Clinic Proceedings, 2020, 95, 1015-1039.	3.0	127
79	Assessment of cardiac risk before nonvascular surgery. Journal of the American College of Cardiology, 2000, 35, 1647-1653.	2.8	123
80	Mismatch of left ventricular function and infarct size demonstrated by technetium-99m isonitrile imaging after reperfusion therapy for acute myocardial infarction: Identification of myocardial stunning and hyperkinesia. Journal of the American College of Cardiology, 1990, 16, 1632-1638.	2.8	118
81	Endomyocardial Biopsy in 30 Patients With Primary Amyloidosis and Suspected Cardiac Involvement. Archives of Internal Medicine, 1988, 148, 662.	3.8	117
82	Prognostic stratification of diabetic patients by exercise echocardiography. Journal of the American College of Cardiology, 2001, 37, 1551-1557.	2.8	117
83	Metastatic carcinoid tumor to the heart: echocardiographic-pathologic study of 11 patients. Journal of the American College of Cardiology, 2002, 40, 1328-1332.	2.8	117
84	Senile Cardiac Amyloidosis with Myocardial Dysfunction. New England Journal of Medicine, 1987, 317, 738-742.	27.0	116
85	Effects of treadmill exercise on mitral inflow and annular velocities in healthy adults. American Journal of Cardiology, 2003, 91, 114-115.	1.6	111
86	Speckle tracking echocardiography in acute myocarditis. International Journal of Cardiovascular Imaging, 2013, 29, 275-284.	1.5	111
87	Sex Differences in Demographics, Risk Factors, Presentation, and Noninvasive Testing in Stable Outpatients With Suspected Coronary Artery Disease. JACC: Cardiovascular Imaging, 2016, 9, 337-346.	5.3	111
88	Prognostic value of exercise echocardiography in 2,632 patients ≥65 years of age. Journal of the American College of Cardiology, 2001, 37, 1036-1041.	2.8	109
89	Evidence of Impaired Left Ventricular Systolic Function by Doppler Myocardial Imaging in Patients With Systemic Amyloidosis and No Evidence of Cardiac Involvement by Standard Two-Dimensional and Doppler Echocardiography. American Journal of Cardiology, 2008, 101, 1039-1045.	1.6	108
90	Detection of Left Ventricular Systolic Dysfunction in Cardiac Amyloidosis with Strain Rate Echocardiography. Journal of the American Society of Echocardiography, 2007, 20, 1194-1202.	2.8	107

#	Article	IF	CITATIONS
91	Atropine augmentation in dobutamine stress echocardiography: Role and incremental value in a clinical practice setting. Journal of the American College of Cardiology, 1996, 28, 551-557.	2.8	106
92	Impaired Left Ventricular Mechanics in Pulmonary Arterial Hypertension. Circulation: Heart Failure, 2013, 6, 748-755.	3.9	106
93	Quadricuspid Aortic Valve. Circulation, 2016, 133, 312-319.	1.6	106
94	Identification of multivessel coronary artery disease by exercise echocardiography. Journal of the American College of Cardiology, 1994, 24, 109-114.	2.8	105
95	Inconsistent echocardiographic grading of aortic stenosis: is the left ventricular outflow tract important?. Heart, 2013, 99, 921-931.	2.9	102
96	Early and Late Outcomes of Surgical Treatment in Carcinoid Heart Disease. Journal of the American College of Cardiology, 2015, 66, 2189-2196.	2.8	102
97	Diagnosis and management of atherosclerotic cardiovascular disease in chronic kidney disease: aÂreview. Kidney International, 2017, 91, 797-807.	<b>5.</b> 2	102
98	Time to onset of regional relaxation: feasibility, variability and utility of a novel index of regional myocardial function by strain rate imaging. Journal of the American College of Cardiology, 2002, 39, 1531-1537.	2.8	100
99	Ultrasound Strain Imaging of Altered Myocardial Stiffness. Circulation, 2004, 109, 2905-2910.	1.6	100
100	Stress Echocardiography. Part I. Exercise Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. Mayo Clinic Proceedings, 1995, 70, 5-15.	3.0	99
101	Stress Echocardiography. Part I. Exercise Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. Mayo Clinic Proceedings, 1995, 70, 5-15.	3.0	99
102	Stress echo applications beyond coronary artery disease. European Heart Journal, 2014, 35, 1033-1040.	2.2	99
103	Structural and Functional Changes in Left and Right Ventricles After Major Weight Loss Following Bariatric Surgery for Morbid Obesity. American Journal of Cardiology, 2010, 105, 550-556.	1.6	98
104	Independent Predictors of Survival in Primary Systemic (AL) Amyloidosis, Including Cardiac Biomarkers and Left Ventricular Strain Imaging: An Observational Cohort Study. Journal of the American Society of Echocardiography, 2010, 23, 643-652.	2.8	98
105	Prospective validation of a deep learning electrocardiogram algorithm for the detection of left ventricular systolic dysfunction. Journal of Cardiovascular Electrophysiology, 2019, 30, 668-674.	1.7	98
106	American Society of Echocardiography: Remote Echocardiography with Web-Based Assessments for Referrals at a Distance (ASE-REWARD) Study. Journal of the American Society of Echocardiography, 2013, 26, 221-233.	2.8	96
107	Perioperative risk of major non-cardiac surgery in patients with severe aortic stenosis: a reappraisal in contemporary practice. European Heart Journal, 2014, 35, 2372-2381.	2.2	96
108	Misconceptions, diagnostic challenges and treatment opportunities in bioprosthetic valve thrombosis: lessons from a case series. European Journal of Cardio-thoracic Surgery, 2015, 47, 725-732.	1.4	96

#	Article	IF	Citations
109	Outcomes in Chronic Hemodynamically Significant Aortic Regurgitation and Limitations of Current Guidelines. Journal of the American College of Cardiology, 2019, 73, 1741-1752.	2.8	94
110	Surgical Management of Left-Sided Carcinoid Heart Disease. Circulation, 2001, 104, I-36-I-40.	1.6	92
111	Determination of interobserver variability for identifying inducible left ventricular wall motion abnormalities during dobutamine stress magnetic resonance imaging. European Heart Journal, 2006, 27, 1459-1464.	2.2	92
112	Usefulness of Two-Dimensional Speckle Strain for Evaluation of Left Ventricular Diastolic Deformation in Patients With Coronary Artery Disease. American Journal of Cardiology, 2006, 98, 1581-1586.	1.6	91
113	Comparison of right ventricular longitudinal strain imaging, tricuspid annular plane systolic excursion, and cardiac biomarkers for early diagnosis of cardiac involvement and risk stratification in primary systematic (AL) amyloidosis: a 5-year cohort study. European Heart Journal Cardiovascular Imaging. 2012. 13. 680-689.	1.2	91
114	Effect of Left Ventricular Ejection Fraction on Postoperative Outcome in Patients With Severe Aortic Stenosis Undergoing Aortic Valve Replacement. Circulation: Cardiovascular Imaging, 2015, 8, .	2.6	91
115	Assessment of Subclinical Left Ventricular Dysfunction in Aortic Stenosis. JACC: Cardiovascular Imaging, 2019, 12, 163-171.	5.3	91
116	A Cardiac Computed Tomography–Based Score to Categorize MitralÂAnnularÂCalcification Severity and Predict Valve Embolization. JACC: Cardiovascular Imaging, 2020, 13, 1945-1957.	5.3	91
117	Left atrial myopathy in cardiac amyloidosis: implications of novel echocardiographic techniques. European Heart Journal, 2005, 26, 173-179.	2.2	90
118	Speckle myocardial imaging modalities for early detection of myocardial impairment in isolated left ventricular non-compaction. Heart, 2010, 96, 440-447.	2.9	87
119	Echocardiographic and Clinical Characteristics of Pulmonary Hypertension Complicating Pulmonary Langerhans Cell Histiocytosis. Mayo Clinic Proceedings, 2004, 79, 1269-1275.	3.0	86
120	Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease. Journal of the American College of Cardiology, 2002, 39, 323-327.	2.8	85
121	Prognosis of Light Chain Amyloidosis WithÂPreserved LVEF. JACC: Cardiovascular Imaging, 2017, 10, 398-407.	<b>5.</b> 3	83
122	Outcome after abnormal exercise echocardiography for patients with good exercise capacity. Journal of the American College of Cardiology, 2002, 39, 1345-1352.	2.8	82
123	Left and right ventricular strain and strain rate measurement in normal adults using velocity vector imaging: an assessment of reference values and intersystem agreement. International Journal of Cardiovascular Imaging, 2013, 29, 571-580.	1.5	79
124	Reference Values for Right Ventricular Strain in Patients without Cardiopulmonary Disease: A Prospective Evaluation and Metaâ€Analysis. Echocardiography, 2015, 32, 787-796.	0.9	79
125	Comparison of Usefulness of Echocardiographic Doppler Variables to Left Ventricular End-Diastolic Pressure in Predicting Future Heart Failure Events. American Journal of Cardiology, 2006, 97, 866-871.	1.6	78
126	Aortic valve stenosis in community medical practice: Determinants of outcome and implications for aortic valve replacement. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 1421-1427.	0.8	77

#	Article	IF	CITATIONS
127	<i>Cardiac troponin T </i> mutation in familial cardiomyopathy with variable remodeling and restrictive physiology. Clinical Genetics, 2008, 74, 445-454.	2.0	76
128	Cognitive impairment and outcomes in older adult survivors of acute myocardial infarction: Findings from the Translational Research Investigating Underlying disparities in acute Myocardial infarction Patients' Health Status registry. American Heart Journal, 2011, 162, 860-869.e1.	2.7	76
129	Pulmonary Hypertension in Patients With Interstitial Lung Diseases. Mayo Clinic Proceedings, 2007, 82, 342-350.	3.0	<b>7</b> 5
130	Sex Differences in Functional and CTÂAngiography Testing in Patients With Suspected Coronary Artery Disease. Journal of the American College of Cardiology, 2016, 67, 2607-2616.	2.8	75
131	Echocardiographic Assessment of Left Ventricular Systolic Function: An Overview of Contemporary Techniques, Including Speckle-Tracking Echocardiography. Mayo Clinic Proceedings, 2019, 94, 125-138.	3.0	75
132	Prognostic significance of the location of wall motion abnormalities during exercise echocardiography. Journal of the American College of Cardiology, 2002, 40, 1623-1629.	2.8	74
133	Pulmonary Hypertension in Patients With Interstitial Lung Diseases. Mayo Clinic Proceedings, 2007, 82, 342-350.	3.0	74
134	Noncompacted myocardium in ebstein's anomaly: initial description in three patients. Journal of the American Society of Echocardiography, 2004, 17, 677-680.	2.8	73
135	Dobutamine stress Doppler hemodynamics in patients with aortic stenosis: Feasibility, safety, and surgical correlations. American Heart Journal, 1998, 136, 1010-1016.	2.7	72
136	Recurrent cardiac calcific amorphous tumor: the CAT had a kitten. Cardiovascular Pathology, 2007, 16, 115-118.	1.6	71
137	Carcinoid Heart Disease. Progress in Cardiovascular Diseases, 2007, 49, 439-451.	3.1	71
138	Aortic Valve Sclerosis and Clinical Outcomes: Moving Toward a Definition. American Journal of Medicine, 2011, 124, 103-110.	1.5	71
139	Echocardiography Criteria for Structural Heart Disease in Patients With End-Stage Renal Disease Initiating Hemodialysis. Journal of the American College of Cardiology, 2016, 67, 1173-1182.	2.8	71
140	Safety of Contrast Agent Use During Stress Echocardiography. JACC: Cardiovascular Imaging, 2009, 2, 1048-1056.	5.3	70
141	Microvascular Function in Takotsubo Cardiomyopathy With Contrast Echocardiography: Prospective Evaluation and Review of Literature. Journal of the American Society of Echocardiography, 2009, 22, 1249-1255.	2.8	70
142	Primary angioplasty in myocardial infarction: Assessment of improved myocardial perfusion with technetium-99m isonitrile. Journal of the American College of Cardiology, 1991, 17, 365-372.	2.8	69
143	Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea. Journal of the American College of Cardiology, 2004, 43, 2242-2246.	2.8	69
144	Gender differences in use of stress testing and coronary heart disease mortality: a population-based study in Olmsted County, Minnesota. Journal of the American College of Cardiology, 1998, 32, 345-352.	2.8	67

#	Article	IF	Citations
145	Normal left ventricular mechanical function and synchrony values by speckle-tracking echocardiography in the transplanted heart with normal ejection fraction. Journal of Heart and Lung Transplantation, 2011, 30, 652-658.	0.6	67
146	Effects of Aerosol vs IV UT-15 on Prostaglandin H2 Analog-Induced Pulmonary Hypertension in Sheep. Chest, 2005, 128, 616S.	0.8	66
147	Effect of Candesartan Treatment on Left Ventricular Remodeling After Aortic Valve Replacement for Aortic Stenosis. American Journal of Cardiology, 2010, 106, 713-719.	1.6	66
148	Saddle pulmonary embolism diagnosed by CT angiography: Frequency, clinical features and outcome. Respiratory Medicine, 2007, 101, 1537-1542.	2.9	65
149	Survival by stroke volume index in patients with low-gradient normal EF severe aortic stenosis. Heart, 2015, 101, 23-29.	2.9	65
150	Core Lab Analysis of Baseline Echocardiographic Studies in the STICH Trial and Recommendation for Use of Echocardiography in Future Clinical Trials. Journal of the American Society of Echocardiography, 2012, 25, 327-336.	2.8	63
151	Prognostic value of dobutamine stress echocardiography in patients with chronic kidney disease. American Heart Journal, 2007, 153, 385-391.	2.7	62
152	Sex Differences and Survival in Adults With Bicuspid Aortic Valves: Verification in 3 Contemporary Echocardiographic Cohorts. Journal of the American Heart Association, 2016, 5, .	3.7	62
153	Comparison of ischemic response during exercise and dobutamine echocardiography in patients with left main coronary artery disease. Journal of the American College of Cardiology, 1996, 27, 1171-1177.	2.8	60
154	Two-dimensional speckle tracking echocardiography predicts early subclinical cardiotoxicity associated with anthracycline-trastuzumab chemotherapy in patients with breast cancer. BMC Cancer, 2018, 18, 1037.	2.6	60
155	Doppler Myocardial Imaging for Early Detection of Right Ventricular Dysfunction in Patients With Pulmonary Hypertension. Journal of the American Society of Echocardiography, 2008, 21, 1035-1041.	2.8	59
156	Pulmonary Hypertension in Patients with Idiopathic Pulmonary Fibrosis. Chest, 2004, 126, 771S.	0.8	58
157	Carcinoid heart disease associated with primary ovarian carcinoid tumor. American Journal of Cardiology, 2004, 93, 1314-1315.	1.6	57
158	Characteristics and Outcomes of Patients With Abnormal Stress Echocardiograms and Angiographically Mild Coronary Artery Disease (<50% Stenoses) or Normal Coronary Arteries. Journal of the American Society of Echocardiography, 2010, 23, 207-214.	2.8	57
159	Diagnosis of Pulmonary Embolism With Use of Computed Tomographic Angiography. Mayo Clinic Proceedings, 2001, 76, 59-65.	3.0	56
160	Dobutamine Stress Echocardiography in Patients With Diabetes Mellitus. Journal of the American College of Cardiology, 2006, 47, 1029-1036.	2.8	56
161	Safety of Contrast Agent Use During Stress Echocardiography in Patients With Elevated Right Ventricular Systolic Pressure. Circulation: Cardiovascular Imaging, 2010, 3, 240-248.	2.6	56
162	Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis. Circulation: Cardiovascular Imaging, 2014, 7, 142-148.	2.6	56

#	Article	IF	CITATIONS
163	Natural History of Patients With Ischemia and No Obstructive Coronary Artery Disease. Circulation, 2021, 144, 1008-1023.	1.6	56
164	Outcomes after normal dobutamine stress echocardiography and predictors of adverse events: long-term follow-up of 3014 patients. European Heart Journal, 2006, 27, 3039-3044.	2.2	54
165	Comparison of Maximal Wall Thickness in Hypertrophic Cardiomyopathy Differs Between Magnetic Resonance Imaging and Transthoracic Echocardiography. American Journal of Cardiology, 2017, 119, 643-650.	1.6	54
166	Safety of Stress Echocardiography Supervised by Registered Nurses: Results of a 2-Year Audit of 15,404 Patients. Journal of the American Society of Echocardiography, 2008, 21, 337-341.	2.8	53
167	Noninvasive assessment of filling pressure and left atrial pressure overload in severe aortic valve stenosis: Relation to ventricular remodeling and clinical outcome after aortic valve replacement. Journal of Thoracic and Cardiovascular Surgery, 2011, 142, e77-e83.	0.8	53
168	A Randomized Trial of Pocket-Echocardiography Integrated Mobile Health Device Assessments in Modern Structural Heart Disease Clinics. JACC: Cardiovascular Imaging, 2018, 11, 546-557.	5.3	52
169	Left Ventricular Global Longitudinal Strain Is Associated With Long-Term Outcomes in Moderate Aortic Stenosis. Circulation: Cardiovascular Imaging, 2020, 13, e009958.	2.6	52
170	Prediction of mortality in patients with left ventricular hypertrophy by clinical, exercise stress, and echocardiographic data. Journal of the American College of Cardiology, 2003, 41, 129-135.	2.8	51
171	Vascular abnormalities in primary amyloidosis. European Heart Journal, 2007, 28, 1019-1024.	2.2	51
172	Prognostic Significance of Exercise Induced Arrhythmias and Echocardiographic Variables in Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2007, 99, 835-838.	1.6	51
173	Independent Prognostic Value of Stroke Volume Index in Patients With Immunoglobulin Light Chain Amyloidosis. Circulation: Cardiovascular Imaging, 2018, 11, e006588.	2.6	51
174	Prognostic significance of echocardiographically defined mitral regurgitation early after acute myocardial infarction. American Heart Journal, 2005, 150, 1268-1275.	2.7	50
175	A Suggested Roadmap for Cardiovascular Ultrasound Research for the Future. Journal of the American Society of Echocardiography, 2011, 24, 455-464.	2.8	50
176	Prognostic value of exercise echocardiography in patients with classic angina pectoris. American Journal of Cardiology, 2004, 94, 559-563.	1.6	49
177	Early Diastolic Strain Rate in Relation toÂSystolic and Diastolic Function and Prognosis in Aortic Stenosis. JACC: Cardiovascular Imaging, 2016, 9, 519-528.	5.3	49
178	Outcomes of Warfarin Therapy for Bioprosthetic Valve Thrombosis of Surgically Implanted Valves. JACC: Cardiovascular Interventions, 2017, 10, 379-387.	2.9	49
179	Is review of videotape necessary after review of digitized cine-loop images in stress echocardiography? A prospective study in 306 patients. Journal of the American Society of Echocardiography, 1997, 10, 179-184.	2.8	47
180	Exercise echocardiography for the prognostic stratification of patients with low pretest probability of coronary artery disease. American Journal of Medicine, 2001, 111, 18-23.	1.5	47

#	Article	IF	CITATIONS
181	The Natural History of Severe Calcific Mitral Stenosis. Journal of the American College of Cardiology, 2020, 75, 3048-3057.	2.8	47
182	Prognostic value of stress echocardiography assessed by the ABCDE protocol. European Heart Journal, 2021, 42, 3869-3878.	2.2	47
183	Normal stroke volume and cardiac output response during dobutamine stress echocardiography in subjects without left ventricular wall motion abnormalities. American Journal of Cardiology, 1995, 76, 881-886.	1.6	46
184	Asymptomatic Left Ventricular Systolic Dysfunction in Patients With Severe Aortic Stenosis. Journal of the American College of Cardiology, 2012, 60, 2325-2329.	2.8	46
185	Development of paradoxical low-flow, low-gradient severe aortic stenosis. Heart, 2015, 101, 1015-1023.	2.9	46
186	Role of Biplane and Biplane Echocardiographically Guided 3-Dimensional Echocardiography During Dobutamine Stress Echocardiography. Journal of the American Society of Echocardiography, 2006, 19, 1136-1143.	2.8	44
187	Role of Hepatic Resection for Patients With Carcinoid Heart Disease. Mayo Clinic Proceedings, 2008, 83, 143-150.	3.0	43
188	Safety of performing dobutamine stress echocardiography in patients with abdominal aortic aneurysm ≥4 cm in diameter. American Journal of Cardiology, 1996, 77, 413-416.	1.6	42
189	Functional and prognostic significance of exercise-induced ventricular arrhythmias in patients with suspected coronary artery disease. American Journal of Cardiology, 2002, 90, 95-100.	1.6	42
190	Aetiology and outcomes of severe right ventricular dysfunction. European Heart Journal, 2020, 41, 1273-1282.	2.2	42
191	Clinical Outcome of Asymptomatic Severe Aortic Stenosis With Medical and Surgical Management: Importance of STS Score at Diagnosis. Annals of Thoracic Surgery, 2010, 90, 1876-1883.	1.3	41
192	Carcinoid heart disease. Current Cardiology Reports, 2006, 8, 96-101.	2.9	40
193	Dynamic left ventricular outflow tract obstruction evoked by exercise echocardiography: prevalence and predictive factors in a prospective study. European Journal of Echocardiography, 2008, 9, 665-671.	2.3	40
194	Carcinoid heart disease: Diagnosis and management. Best Practice and Research in Clinical Endocrinology and Metabolism, 2016, 30, 149-158.	4.7	40
195	Contemporary Etiologies, Mechanisms, and Surgical Approaches in Pure Native Aortic Regurgitation. Mayo Clinic Proceedings, 2019, 94, 1158-1170.	3.0	40
196	Prognostic value of exercise echocardiography in patients after coronary artery bypass surgery. American Journal of Cardiology, 2001, 87, 1069-1073.	1.6	39
197	Effect of Transcatheter Aortic Valve Replacement on Right Ventricular–Pulmonary ArteryÂCoupling. JACC: Cardiovascular Interventions, 2019, 12, 2145-2154.	2.9	39
198	Utility of stress Doppler echocardiography in patients undergoing percutaneous mitral balloon valvotomy. Journal of the American Society of Echocardiography, 2001, 14, 676-681.	2.8	38

#	Article	IF	Citations
199	Strain echocardiography tracks dobutamine-induced decrease in regional myocardial perfusion in nonocclusive coronary stenosis. Journal of the American College of Cardiology, 2004, 44, 1664-1671.	2.8	38
200	Relation of QRS Duration on the Surface 12-Lead Electrocardiogram With Mortality in Patients With Known or Suspected Coronary Artery Disease. American Journal of Cardiology, 2005, 96, 1082-1088.	1.6	38
201	Left Atrial Index Is a Predictor of Exercise Capacity in Patients with Hypertrophic Cardiomyopathy. Journal of the American Society of Echocardiography, 2005, 18, 1373-1380.	2.8	38
202	Applicability of Appropriateness Criteria for Stress Imaging. Circulation: Cardiovascular Imaging, 2009, 2, 213-218.	2.6	38
203	Measurement of myocardium at risk by technetium-99m sestamibi: Correlation with coronary angiography. Journal of the American College of Cardiology, 1992, 19, 67-73.	2.8	37
204	Stress echocardiography in the evaluation of chest pain and accuracy in the diagnosis of coronary artery disease. Progress in Cardiovascular Diseases, 1997, 39, 523-532.	3.1	37
205	Respiratory Failure in Tetanus. Chest, 2002, 122, 1488-1492.	0.8	37
206	Prognostic Importance of Secondary Pulmonary Hypertension After Acute Myocardial Infarction. American Journal of Cardiology, 2005, 96, 199-203.	1.6	37
207	Implication of right ventricular dysfunction on long-term outcome in patients with ischemic cardiomyopathy undergoing coronary artery bypass grafting with or without surgical ventricular reconstruction. Journal of Thoracic and Cardiovascular Surgery, 2015, 149, 1312-1321.	0.8	37
208	Nonexercise stress transthoracic echocardiography: transesophageal atrial pacing versus dobutamine stress. Journal of the American College of Cardiology, 1999, 33, 506-511.	2.8	36
209	Diastolic dysfunction and left atrial enlargement as contributing factors to functional mitral regurgitation in dilated cardiomyopathy: Data from the Acorn trial. American Heart Journal, 2009, 157, 762.e3-762.e10.	2.7	36
210	Application of the Appropriateness Criteria for Echocardiography in an Academic Medical Center. Journal of the American Society of Echocardiography, 2010, 23, 267-274.	2.8	36
211	Long-Term Outcomes of Anticoagulation for Bioprosthetic Valve Thrombosis. Journal of the American College of Cardiology, 2020, 75, 857-866.	2.8	36
212	Prognostic Risk Stratification of Patients with Moderate Aortic Stenosis. Journal of the American Society of Echocardiography, 2021, 34, 248-256.	2.8	36
213	Artificial Intelligence (AI)-Empowered Echocardiography Interpretation: A State-of-the-Art Review. Journal of Clinical Medicine, 2021, 10, 1391.	2.4	36
214	Carcinoid heart disease: impact of pulmonary valve replacement in right ventricular function and remodeling. Circulation, 2002, 106, I51-I56.	1.6	36
215	Size, Shape, and Stamina. Hypertension, 2010, 55, 1143-1149.	2.7	35
216	Causes of death and predictors of survival after aortic valve replacement in low flow vs. normal flow severe aortic stenosis with preserved ejection fraction. European Heart Journal Cardiovascular Imaging, 2015, 16, 1270-1275.	1.2	35

#	Article	IF	Citations
217	Paradoxical Sinus Deceleration During Dobutamine Stress Echocardiography: Description and Angiographic Correlation. Journal of the American College of Cardiology, 1997, 29, 994-999.	2.8	34
218	Major weight loss prevents long-term left atrial enlargement in patients with morbid and extreme obesity. European Journal of Echocardiography, 2008, 9, 587-593.	2.3	34
219	Quantitative myocardial contrast echocardiography during pharmacological stress for diagnosis of coronary artery disease: a systematic review and meta-analysis of diagnostic accuracy studies. European Heart Journal Cardiovascular Imaging, 2009, 10, 813-825.	1.2	34
220	Doppler Myocardial Imaging Compared to Standard Two-Dimensional and Doppler Echocardiography for Assessment of Diastolic Function in Patients With Systemic Amyloidosis. Journal of the American Society of Echocardiography, 2009, 22, 290-298.	2.8	34
221	Does Left Atrial Size Predict Mortality in Asymptomatic Patients with Severe Aortic Stenosis?. Echocardiography, 2010, 27, 105-109.	0.9	34
222	American Society of Echocardiography Cardiovascular Technology and Research Summit: A Roadmap for 2020. Journal of the American Society of Echocardiography, 2013, 26, 325-338.	2.8	34
223	Wave propagation of myocardial stretch: correlation with myocardial stiffness. Basic Research in Cardiology, 2014, 109, 438.	5.9	34
224	Value of Interactive Scanning for Improving the Outcome of New-Learners in Transcontinental Tele-Echocardiography (VISION-in-Tele-Echo) Study. Journal of the American Society of Echocardiography, 2015, 28, 75-87.	2.8	34
225	Sex Differences in the Associations of Hemodynamic Load With Left Ventricular Hypertrophy and Concentric Remodeling. American Journal of Hypertension, 2016, 29, 73-80.	2.0	34
226	Comparative study of bicuspid vs. tricuspid aortic valve stenosis. European Heart Journal Cardiovascular Imaging, 2018, 19, 3-8.	1.2	34
227	Calcified right ventricular mass and pulmonary embolism in a previously healthy young woman. Journal of the American Society of Echocardiography, 2005, 18, 275-277.	2.8	33
228	ACC/AHA Versus ESC Guidelines on Prosthetic Heart Valve Management. Journal of the American College of Cardiology, 2019, 73, 1707-1718.	2.8	33
229	Stress Echo 2030: The Novel ABCDE-(FGLPR) Protocol to Define the Future of Imaging. Journal of Clinical Medicine, 2021, 10, 3641.	2.4	33
230	Analysis of the Interaction Between Segmental Relaxation Patterns and Global Diastolic Function by Strain Echocardiography. Journal of the American Society of Echocardiography, 2005, 18, 901-906.	2.8	32
231	Determining myocardial viability in chronic ischemic left ventricular dysfunction: A prospective comparison of rest-redistribution thallium 201 single-photon emission computed tomography, nitroglycerin-dobutamine echocardiography, and intracoronary myocardial contrast echocardiography. American Heart Journal, 2006, 151, 882-889.	2.7	32
232	Prognostic value of ankle-brachial index and dobutamine stress echocardiography for cardiovascular morbidity and all-cause mortality in patients with peripheral arterial disease. Journal of Vascular Surgery, 2007, 46, 62-70.	1.1	32
233	Diagnostic and predictive value of speckle tracking echocardiography in cardiac sarcoidosis. BMC Cardiovascular Disorders, 2020, 20, 21.	1.7	32
234	Echocardiographic Imaging Challenges in Obesity: Guideline Recommendations and Limitations of Adjusting to Body Size. Journal of the American Heart Association, 2020, 9, e014609.	3.7	32

#	Article	lF	Citations
235	Safety of Dobutamine Stress Echocardiography Supervised by Registered Nurse Sonographers. Journal of the American Society of Echocardiography, 1998, 11, 601-605.	2.8	31
236	The prognostic significance of exercise-induced atrial arrhythmias. Journal of the American College of Cardiology, 2004, 43, 1236-1240.	2.8	31
237	Abnormal Glucose Metabolism in Acute Myocardial Infarction. JACC: Cardiovascular Imaging, 2009, 2, 592-599.	5.3	31
238	2019 ACC/AHA/ASE Key Data Elements and Definitions for Transthoracic Echocardiography: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Clinical Data Standards for Transthoracic) Tj ETQq0 0 0 rgBT /Overloc	k 1206Tf 50	6 <b>37</b> Td (Ech
239	Imaging, 2019, 12, e000027.  Unicuspid Aortic Valve. Circulation, 2019, 140, 1853-1855.	1.6	31
240	Diastolic Blood Pressure and Heart Rate Are Independently Associated With Mortality in Chronic Aortic Regurgitation. Journal of the American College of Cardiology, 2020, 75, 29-39.	2.8	31
241	Impact of age on pulmonary artery systolic pressures at rest and with exercise. Journal of Animal Science and Technology, 2016, 3, 53-61.	2.5	31
242	Advanced Cardiac Amyloidosis Associated withÂNormal Interventricular Septal Thickness: AnÂUncommon Presentation of Infiltrative Cardiomyopathy. Journal of the American Society of Echocardiography, 2014, 27, 440-447.	2.8	30
243	Carcinoid Heart Disease: Impact of Pulmonary Valve Replacement in Right Ventricular Function and Remodeling. Circulation, 2002, $106$ , .	1.6	29
244	Exercise Capacity, Breathing Pattern, and Gas Exchange During Exercise for Patients with Isolated Diastolic Dysfunction. Journal of the American Society of Echocardiography, 2007, 20, 838-846.	2.8	29
245	Carcinoid Heart Disease in Patients Without Hepatic Metastases. American Journal of Cardiology, 2007, 99, 292-294.	1.6	29
246	Association Between Echocardiography Laboratory Accreditation and the Quality of Imaging and Reporting for Valvular Heart Disease. Circulation: Cardiovascular Imaging, 2017, 10, .	2.6	29
247	Non-invasive imaging in coronary syndromes: recommendations of the European Association of Cardiovascular Imaging and the American Society of Echocardiography, in collaboration with the American Society of Nuclear Cardiology, Society of Cardiovascular Computed Tomography, and Society for Cardiovascular Magnetic Resonance. European Heart Journal Cardiovascular Imaging,	1.2	29
248	Comparison of Valsalva Maneuver, Amyl Nitrite, and Exercise Echocardiography to Demonstrate Latent Left Ventricular Outflow Obstruction in Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2017, 120, 2265-2271.	1.6	28
249	Causes of death in patients with chronic sarcoidosis. Sarcoidosis Vasculitis and Diffuse Lung Diseases, 2016, 33, 275-280.	0.2	28
250	Electrocardiographic Prediction of Myocardial Area at Risk. Mayo Clinic Proceedings, 1991, 66, 985-990.	3.0	27
251	Impact of Individual and Cumulative Coronary Risk Factors on Coronary Flow Reserve Assessed by Dobutamine Stress Echocardiography. American Journal of Cardiology, 2008, 101, 1694-1699.	1.6	27
252	Recent advances in stress echocardiography. Current Opinion in Cardiology, 2011, 26, 379-384.	1.8	27

#	Article	IF	Citations
253	Correlation between Left Ventricular Global and Regional Longitudinal Systolic Strain and Impaired Microcirculation in Patients with Acute Myocardial Infarction. Echocardiography, 2012, 29, 1181-1190.	0.9	27
254	Association of Echocardiographic Left Ventricular End-Systolic Volume and Volume-Derived Ejection Fraction With Outcome in Asymptomatic Chronic Aortic Regurgitation. JAMA Cardiology, 2021, 6, 189.	6.1	27
255	Hypertensive Response During Dobutamine Stress Echocardiography. American Journal of Cardiology, 1997, 80, 970-971.	1.6	26
256	Evaluation of Coronary CTA Appropriateness Criteria $\hat{A}^{@}$ in an Academic Medical Center. Journal of the American College of Radiology, 2010, 7, 125-131.	1.8	26
257	Can ischemia and dyssynchrony be detected during early stages of dobutamine stress echocardiography by 2-dimensional speckle tracking echocardiography?. International Journal of Cardiovascular Imaging, 2013, 29, 95-102.	1.5	26
258	Intrinsic Wave Propagation of Myocardial Stretch, A New Tool to Evaluate Myocardial Stiffness: A Pilot Study in Patients with Aortic Stenosis and Mitral Regurgitation. Journal of the American Society of Echocardiography, 2017, 30, 1070-1080.	2.8	26
259	Predictors of Progression in Patients With Stage B Aortic Regurgitation. Journal of the American College of Cardiology, 2019, 74, 2480-2492.	2.8	26
260	Analysis of systolic and diastolic time intervals during dobutamine-atropine stress echocardiography: Diagnostic potential of the doppler myocardial performance index. Journal of the American Society of Echocardiography, 2001, 14, 978-986.	2.8	25
261	Comparison of intravenous myocardial contrast echocardiography and low-dose dobutamine echocardiography for predicting left ventricular functional recovery following acute myocardial infarction. American Journal of Cardiology, 2003, 92, 504-508.	1.6	25
262	Relationship Between Coronary Artery Calcification Detected by Electron-Beam Computed Tomography and Abnormal Stress Echocardiography. Journal of the American College of Cardiology, 2006, 48, 2125-2131.	2.8	25
263	Left Ventricular Contractility and WallÂStress in Patients With AorticÂStenosis With Preserved or Reduced Ejection Fraction. JACC: Cardiovascular Imaging, 2020, 13, 357-369.	5.3	25
264	Aortic stenosis in women. Heart, 2020, 106, 970-976.	2.9	25
265	Use of a scoring model combining clinical, exercise test, and echocardiographic data to predict mortality in patients with known or suspected coronary artery disease. American Journal of Cardiology, 2004, 93, 1223-1228.	1.6	24
266	Outcomes of Patients With Reduced Exercise Capacity at Time of Exercise Echocardiography. Mayo Clinic Proceedings, 2004, 79, 750-757.	3.0	24
267	'Hypersynchronisation' by tissue velocity imaging in patients with cardiac amyloidosis. Heart, 2008, 95, 234-240.	2.9	24
268	Left Ventricular Diastolic Function and Long-Term Outcomes in Patients With Normal Exercise Echocardiographic Findings. American Journal of Cardiology, 2013, 112, 200-207.	1.6	24
269	Cardiac Troponin T Before and After Kidney Transplantation: Determinants and Implications for Posttransplant Survival. American Journal of Transplantation, 2013, 13, 406-414.	4.7	24
270	Echocardiographic Indices Associated With Frailty in Adults ≥65ÂYears. American Journal of Cardiology, 2015, 116, 1591-1595.	1.6	24

#	Article	IF	CITATIONS
271	Early Prosthetic Valve Dysfunction DueÂtoÂBioprosthetic Valve Thrombosis. JACC: Cardiovascular Imaging, 2018, 11, 951-958.	5.3	24
272	Lowâ€Gradient Severe Mitral Stenosis: Hemodynamic Profiles, Clinical Characteristics, and Outcomes. Journal of the American Heart Association, 2019, 8, e010736.	3.7	24
273	Age-Related Differences in the Noninvasive Evaluation for Possible Coronary Artery Disease. JAMA Cardiology, 2020, 5, 193.	6.1	24
274	Concomitant Mitral Regurgitation in Patients With Chronic AorticÂRegurgitation. Journal of the American College of Cardiology, 2020, 76, 233-246.	2.8	24
275	Effects of <i>Oxalobacter formigenes</i> in subjects with primary hyperoxaluria Type 1 and end-stage renal disease: a Phase II study. Nephrology Dialysis Transplantation, 2021, 36, 1464-1473.	0.7	24
276	Influence of Abnormal Glucose Metabolism on Coronary Microvascular Function After a Recent Myocardial Infarction. JACC: Cardiovascular Imaging, 2009, 2, 1159-1166.	<b>5.</b> 3	23
277	Characteristics and Outcomes of Patients Who Achieve High Workload (≥10 Metabolic Equivalents) During Treadmill Exercise Echocardiography. Mayo Clinic Proceedings, 2013, 88, 1408-1419.	3.0	23
278	Diagnostic Capability of Comprehensive Handheld vs Transthoracic Echocardiography. Mayo Clinic Proceedings, 2014, 89, 790-798.	3.0	23
279	Risk stratification and clinical outcomes after surgical pulmonary valve replacement. American Heart Journal, 2018, 206, 105-112.	2.7	23
280	The Safety of Treadmill Exercise Stress Testing in Patients with Abdominal Aortic Aneurysms. Annals of Internal Medicine, 1998, 129, 628.	3.9	22
281	Myocardial contrast echocardiography in biopsy-proven primary cardiac amyloidosis. European Heart Journal Cardiovascular Imaging, 2008, 9, 338-341.	1.2	22
282	Relation of Dyspnea in Patients Unable to Perform Exercise Stress Testing to Outcome and Myocardial Ischemia. American Journal of Cardiology, 2009, 104, 265-269.	1.6	22
283	Contrast Echocardiography for Assessment of Left Ventricular Thrombi. Journal of Ultrasound in Medicine, 2014, 33, 1337-1344.	1.7	22
284	Trends in Noninvasive Testing for Coronary Artery Disease: Less Exercise, Less Information. American Journal of Medicine, 2015, 128, 5-7.	1.5	22
285	Cardiac Myxoma. JACC: Cardiovascular Imaging, 2017, 10, 203-206.	<b>5.</b> 3	22
286	Myocardial Stiffness by Intrinsic Cardiac Elastography in Patients with Amyloidosis: Comparison with Chamber Stiffness and Global Longitudinal Strain. Journal of the American Society of Echocardiography, 2019, 32, 958-968.e4.	2.8	22
287	Characteristics and Consequences of Work-Related Musculoskeletal Pain among Cardiac Sonographers Compared with Peer Employees: A Multisite Cross-Sectional Study. Journal of the American Society of Echocardiography, 2019, 32, 1138-1146.	2.8	22
288	Prognostic value of peak stress cardiac power in patients with normal ejection fraction undergoing exercise stress echocardiography. European Heart Journal, 2021, 42, 776-785.	2.2	22

#	Article	IF	CITATIONS
289	Comparison of supine bicycle exercise and treadmill exercise Doppler echocardiography in evaluation of patients with coronary artery disease. American Journal of Cardiology, 2003, 91, 1245-1248.	1.6	21
290	Role of Hepatic Resection for Patients With Carcinoid Heart Disease. Mayo Clinic Proceedings, 2008, 83, 143-150.	3.0	21
291	Assessment of Myocardial Perfusion during Adenosine Stress Using Real Time Threeâ€Dimensional and Twoâ€Dimensional Myocardial Contrast Echocardiography: Comparison with Singleâ€Photon Emission Computed Tomography. Echocardiography, 2010, 27, 421-429.	0.9	21
292	Utility of Doppler Myocardial Imaging, Cardiac Biomarkers, and Clonal Immunoglobulin Genes to Assess Left Ventricular Performance and Stratify Risk Following Peripheral Blood Stem Cell Transplantation in Patients with Systemic Light Chain Amyloidosis (AL). Journal of the American Society of Echocardiography, 2011, 24, 444-454.e2.	2.8	21
293	Atrial fibrillation is not an independent predictor of outcome in patients with aortic stenosis. Heart, 2020, 106, 280-286.	2.9	21
294	Cardiac Imaging in the Post-ISCHEMIA Trial Era. JACC: Cardiovascular Imaging, 2020, 13, 1815-1833.	5.3	21
295	Left Ventricular Diastolic Filling Pressures During Dobutamine Stress Echocardiography: Relationship to Symptoms and Ischemia. Journal of the American Society of Echocardiography, 2009, 22, 947-953.	2.8	20
296	Detection of myocardial microvascular disease using contrast echocardiography during adenosine stress in type 2 diabetes mellitus: Prospective comparison with single-photon emission computed tomography. Diabetes and Vascular Disease Research, 2011, 8, 254-261.	2.0	20
297	Pediatric Cardiac Shear Wave Elastography for Quantitative Assessment of Myocardial Stiffness: A Pilot Study in Healthy Controls. Ultrasound in Medicine and Biology, 2016, 42, 1719-1729.	1.5	20
298	Assessment of Right Ventricular-Pulmonary Arterial Coupling in Chronic Pulmonary Regurgitation. Canadian Journal of Cardiology, 2019, 35, 914-922.	1.7	20
299	Sex differences in management and outcomes of patients with stable symptoms suggestive of coronary artery disease: Insights from the PROMISE trial. American Heart Journal, 2019, 208, 28-36.	2.7	20
300	Harmonic imaging: echocardiographic enhanced contrast intensity and duration. International Journal of Cardiovascular Imaging, 1999, 15, 215-220.	0.6	19
301	A rapid stress-testing protocol for the detection of coronary artery disease. Journal of the American College of Cardiology, 2000, 36, 1659-1663.	2.8	19
302	Stress echocardiography for the diagnosis of coronary artery disease: progress towards quantification. Current Opinion in Cardiology, 2005, 20, 395-398.	1.8	19
303	Are Some False-Positive Stress Echocardiograms a Forme Fruste Variety of Apical Ballooning Syndrome?. American Journal of Cardiology, 2009, 103, 1434-1438.	1.6	19
304	Diagnostic accuracy of contrast echocardiography during adenosine stress for detection of abnormal myocardial perfusion: a prospective comparison with technetium-99 m sestamibi single-photon emission computed tomography. Heart and Vessels, 2010, 25, 121-130.	1,2	19
305	Association of Left Ventricular Volume in Predicting Clinical Outcomes in Patients with Aortic Regurgitation. Journal of the American Society of Echocardiography, 2021, 34, 352-359.	2.8	19
306	Adipose Tissue of Atrial Septum as a Marker of Coronary Artery Disease. Chest, 2007, 132, 817-822.	0.8	18

#	Article	IF	Citations
307	Absolute myocardial blood flow determination using real-time myocardial contrast echocardiography during adenosine stress: comparison with single-photon emission computed tomography. Heart, 2009, 95, 1662-1668.	2.9	18
308	Occurrence of Atrial Fibrillation during Dobutamine Stress Echocardiography: Incidence, Risk Factors, and Outcomes. Journal of the American Society of Echocardiography, 2011, 24, 86-90.	2.8	18
309	Relationship Between Diastolic Function and Heart Rate Recovery After Symptom-Limited Exercise. Journal of Cardiac Failure, 2012, 18, 34-40.	1.7	18
310	Exercise-induced changes in left ventricular filling pressure after myocardial infarction assessed with simultaneous right heart catheterization and Doppler echocardiography. International Journal of Cardiology, 2013, 168, 2803-2810.	1.7	18
311	2019 ACC/AHA/ASE Key Data Elements and Definitions for Transthoracic Echocardiography. Journal of the American College of Cardiology, 2019, 74, 403-469.	2.8	18
312	Stage B Aortic Regurgitation in BicuspidÂAortic Valve. JACC: Cardiovascular Imaging, 2020, 13, 1442-1445.	<b>5.</b> 3	18
313	Chronotropic response, safety, and accuracy of dobutamine stress echocardiography in patients with atrial fibrillation and known or suspected coronary artery disease. American Journal of Cardiology, 1998, 82, 1425-1427.	1.6	17
314	Sex Differences in Evaluation and Outcome After Stress Testing. Mayo Clinic Proceedings, 2002, 77, 638-645.	3.0	17
315	Does the prognostic value of dobutamine stress echocardiography differ among different age groups?. American Heart Journal, 2011, 161, 740-745.	2.7	17
316	Associations of Alterations in Pulsatile Arterial Load With Left Ventricular Longitudinal Strain. American Journal of Hypertension, 2015, 28, 1325-1331.	2.0	17
317	Use of speckle-tracking echocardiography–derived strain and systolic strain rate measurements to predict rejection in transplant hearts with preserved ejection fraction. BMC Cardiovascular Disorders, 2018, 18, 241.	1.7	17
318	Combined spatiotemporal and frequency-dependent shear wave elastography enables detection of vulnerable carotid plaques as validated by MRI. Scientific Reports, 2020, 10, 403.	3.3	17
319	Prevalence and Prognostic Implications of Left Ventricular Systolic Dysfunction in Adults With Congenital Heart Disease. Journal of the American College of Cardiology, 2022, 79, 1356-1365.	2.8	17
320	Transthoracic Doppler echocardiographic comparison of left internal mammary grafts to left anterior descending coronary artery with ungrafted right internal mammary arteries in patients with and without myocardial ischemia by dobutamine stress echocardiography. American Journal of Cardiology, 2000, 86, 919-922.	1.6	16
321	Safety of Exercise Stress Testing in Patients With Abnormal Concentrations of Serum Potassiumâ€â€Portions of this manuscript were published in abstract form in Circulation 2002;106(suppl):II-437 (used with permission) American Journal of Cardiology, 2006, 97, 1247-1249.	1.6	16
322	Prosthetic Valve Thrombus Versus Pannus. Circulation: Cardiovascular Imaging, 2015, 8, .	2.6	16
323	Prevalence and Natural History of Mitral Annulus Calcification and Related Valve Dysfunction. Mayo Clinic Proceedings, 2022, 97, 1094-1107.	3.0	16
324	Exertional Changes in Circulating Cardiac Natriuretic Peptides in Patients with Suggested Coronary Artery Disease. Journal of the American Society of Echocardiography, 2006, 19, 772-776.	2.8	15

#	Article	IF	CITATIONS
325	Carcinoid heart disease. Current Treatment Options in Cardiovascular Medicine, 2007, 9, 482-489.	0.9	15
326	Takotsubo cardiomyopathy caused by hypoglycemia. International Journal of Cardiology, 2011, 147, e21-e23.	1.7	15
327	A Summary of the American Society of Echocardiography Foundation Value-Based Healthcare: Summit 2014. Journal of the American Society of Echocardiography, 2015, 28, 755-769.	2.8	15
328	Bioprosthetic valve thrombosis: The eyes will not see what the mind does not know. Journal of Thoracic and Cardiovascular Surgery, 2015, 149, e86-e87.	0.8	15
329	Typical blood pressure response during dobutamine stress echocardiography of patients without known cardiovascular disease who have normal stress echocardiograms. European Heart Journal Cardiovascular Imaging, 2016, 17, 557-563.	1.2	15
330	Right ventricular and pulmonary vascular function indices for risk stratification of patients with pulmonary regurgitation. Congenital Heart Disease, 2019, 14, 657-664.	0.2	15
331	Increased Myocardial Stiffness Detected by Intrinsic Cardiac Elastography in Patients With Amyloidosis. JACC: Cardiovascular Imaging, 2019, 12, 375-377.	5.3	15
332	Left ventricular filling pressure and survival following aortic valve replacement for severe aortic stenosis. Heart, 2020, 106, 830-837.	2.9	15
333	Prognostic Value of Intraplaque Neovascularization Detected by Carotid Contrast-Enhanced Ultrasound in Patients Undergoing Stress Echocardiography. Journal of the American Society of Echocardiography, 2021, 34, 614-624.	2.8	15
334	High Prevalence of Severe Aortic Stenosis in Low-Flow State Associated With Atrial Fibrillation. Circulation: Cardiovascular Imaging, 2021, 14, e012453.	2.6	15
335	Doppler derived coronary flow reserve during dobutamine stress echocardiography further improves detection of myocardial ischemiaâ~†. European Journal of Echocardiography, 2006, 7, 134-140.	2.3	14
336	Viability by MRI or PET Would Not Have Changed the Results of the STICH Trial. Progress in Cardiovascular Diseases, 2013, 55, 494-497.	3.1	14
337	Frequency, Predictors, and Implications of Abnormal Blood Pressure Responses During Dobutamine Stress Echocardiography. Circulation: Cardiovascular Imaging, 2017, 10, .	2.6	14
338	Characteristics and long term outcomes of patients with acute coronary syndromes due to culprit left main coronary artery disease treated with percutaneous coronary intervention. American Heart Journal, 2018, 199, 156-162.	2.7	14
339	The Right Ventricle. Journal of the American College of Cardiology, 2020, 76, 1978-1981.	2.8	14
340	Preoperative Dobutamine Stress Echocardiography and Clinical Factors for Assessment of Cardiac Risk after Noncardiac Surgery. Journal of the American Society of Echocardiography, 2020, 33, 423-432.	2.8	14
341	Cardiac Abnormalities in COVID-19 and Relationship to Outcome. Mayo Clinic Proceedings, 2021, 96, 932-942.	3.0	14
342	Impact of Atropine Injection on Heart Rate Response During Treadmill Exercise Echocardiography: A Doubleâ€Blind Randomized Pilot Study. Echocardiography, 2000, 17, 221-227.	0.9	13

#	Article	IF	CITATIONS
343	Neuropsychiatric Symptoms During 24 Hours after Dobutamine-Atropine Stress Testing: A Prospective Study in 1,006 Patients. Journal of the American Society of Echocardiography, 2011, 24, 367-373.	2.8	13
344	Plasma Fibulinâ€1 Is Linked to Restrictive Filling of the Left Ventricle and to Mortality in Patients With Aortic Valve Stenosis. Journal of the American Heart Association, 2012, 1, e003889.	3.7	13
345	Quantitative Assessment of Strain and Strain Rate by Velocity Vector Imaging During Dobutamine Stress Echocardiography to Predict Outcome in Patients With Left Bundle Branch Block. Journal of the American Society of Echocardiography, 2009, 22, 1212-1219.	2.8	12
346	An Exaggerated Blood Pressure Response to Treadmill Exercise does not Increase the Likelihood that Exercise Echocardiograms are Abnormal in Men or Women. Journal of the American Society of Echocardiography, 2012, 25, 1113-1119.	2.8	12
347	Impact of Stress Testing for Coronary Artery Disease Screening in Asymptomatic Patients With Diabetes Mellitus: A Community-Based Study in Olmsted County, Minnesota. Mayo Clinic Proceedings, 2016, 91, 1535-1544.	3.0	12
348	Impact of Diabetes Mellitus on the Evaluation of Stable Chest Pain Patients: Insights From the PROMISE (Prospective Multicenter Imaging Study for Evaluation of Chest Pain) Trial. Journal of the American Heart Association, 2017, 6, .	3.7	12
349	Echocardiographic predictors of severe right ventricular diastolic dysfunction in tetralogy of Fallot: Relations to patient outcomes. International Journal of Cardiology, 2020, 306, 49-55.	1.7	12
350	The Doppler myocardial performance index during low-dose dobutamine echocardiography predicts mortality and left ventricular dilation after a first acute myocardial infarction. American Heart Journal, 2005, 150, 522-529.	2.7	11
351	Relationship Between Low Bone Mineral Density and Exercise-Induced Myocardial Ischemia. Mayo Clinic Proceedings, 2007, 82, 679-685.	3.0	11
352	Association between coronary flow reserve, left ventricular systolic function, and myocardial viability in acute myocardial infarction. European Journal of Echocardiography, 2010, 11, 665-670.	2.3	11
353	Evaluation of pretransplant factors predicting cardiac dysfunction following highâ€dose melphalan conditioning and autologous peripheral blood stem cell transplantation. European Journal of Haematology, 2012, 89, 228-235.	2.2	11
354	Relation of Osteoprotegerin in Severe Aortic Valve Stenosis to Postoperative Outcome and Left Ventricular Function. American Journal of Cardiology, 2013, 112, 1433-1438.	1.6	11
355	Predicting outcomes after percutaneous mitral balloon valvotomy: the impact of left ventricular strain imaging. European Heart Journal Cardiovascular Imaging, 2017, 18, 763-771.	1.2	11
356	Hemodynamics and Prognostic Impact of Concomitant Mitral Stenosis in Patients Undergoing Surgical or Transcatheter Aortic Valve Replacement for Aortic Stenosis. Circulation, 2019, 140, 1251-1260.	1.6	11
357	Hemodynamic Response in Low-Flow Low-Gradient Aortic Stenosis With Preserved Ejection Fraction AfterÂTAVR. Journal of the American College of Cardiology, 2019, 73, 1731-1732.	2.8	11
358	Impact of Aortic Valve Replacement for Severe Aortic Stenosis on Perioperative Outcomes Following Major Noncardiac Surgery. Mayo Clinic Proceedings, 2020, 95, 727-737.	3.0	11
359	Relationship Between Low Bone Mineral Density and Exercise-Induced Myocardial Ischemia. Mayo Clinic Proceedings, 2007, 82, 679-685.	3.0	10
360	Pharmacologic Stress Echocardiography for the Assessment of Organ Suitability for Heart Transplantation: Casting a Broader Net in Search of Donors. Journal of the American Society of Echocardiography, 2011, 24, 363-366.	2.8	10

#	Article	IF	CITATIONS
361	Atrial fibrillation in severe aortic valve stenosis $\hat{a}\in$ " Association with left ventricular left atrial remodeling. International Journal of Cardiology Heart & Vessels, 2014, 4, 102-107.	0.5	10
362	Resting qualitative and quantitative myocardial contrast echocardiography to predict cardiac events in patients with acute myocardial infarction and percutaneous revascularization. Heart and Vessels, 2015, 30, 45-55.	1,2	10
363	Clinical Importance of Transthoracic Echocardiography with Direct Input from Treating Physicians. Journal of the American Society of Echocardiography, 2016, 29, 195-204.	2.8	10
364	Occupational musculoskeletal pain in cardiac sonographers compared to peer employees: a multisite crossâ€sectional study. Echocardiography, 2016, 33, 1642-1647.	0.9	10
365	Comparative survival and role of STS score in aortic paravalvular leak after SAVR or TAVR: a retrospective study from the USA. BMJ Open, 2018, 8, e022437.	1.9	10
366	Carcinoid Heart Disease in Patients With Bronchopulmonary Carcinoid. Journal of Thoracic Oncology, 2018, 13, 1602-1605.	1.1	10
367	Is Speckle Tracking Imaging Ready for Prime Time in Current Echo Clinical Practice?. Progress in Cardiovascular Diseases, 2018, 61, 437-445.	3.1	10
368	Focused Cardiac Ultrasonography: Current Applications and Future Directions. Journal of Ultrasound in Medicine, 2019, 38, 865-876.	1.7	10
369	A Novel Assessment Using Projected Transmitral Gradient Improves Diagnostic Yield of Doppler Hemodynamics in Rheumatic and CalcificÂMitral Stenosis. JACC: Cardiovascular Imaging, 2021, 14, 559-570.	5.3	10
370	Future Guidelines for Artificial Intelligence in Echocardiography. Journal of the American Society of Echocardiography, 2022, 35, 878-882.	2.8	10
371	Pulmonary Congestion During Exercise Stress Echocardiography in Ischemic and Heart Failure Patients. Circulation: Cardiovascular Imaging, 2022, 15, e013558.	2.6	10
372	Automated detection of low ejection fraction from a one-lead electrocardiogram: application of an Al algorithm to an electrocardiogram-enabled Digital Stethoscope. European Heart Journal Digital Health, 2022, 3, 373-379.	1.7	10
373	Cardiology services after stress testing. Journal of Clinical Epidemiology, 2000, 53, 661-668.	5.0	9
374	Prognostic significance of chronotropic response to dobutamine stress echocardiography in patients with peripheral arterial disease. American Journal of Cardiology, 2004, 94, 1523-1528.	1.6	9
375	Outcomes of Patients With Reduced Exercise Capacity at Time of Exercise Echocardiography. Mayo Clinic Proceedings, 2004, 79, 750-757.	3.0	9
376	Left Ventricular Dyssynchrony in Patients with Normal Ventricular Systolic Function Referred for Exercise Echocardiography. Journal of the American Society of Echocardiography, 2008, 21, 1145-1149.	2.8	9
377	Real-time myocardial perfusion contrast echocardiography and regional wall motion abnormalities after aneurysmal subarachnoid hemorrhage. Journal of Neurosurgery, 2009, 111, 1023-1028.	1.6	9
378	Exercise Echocardiography in Rheumatoid Arthritis: A Case-Control Study. Journal of the American Society of Echocardiography, 2009, 22, 1228-1231.	2.8	9

#	Article	IF	Citations
379	Stress Echocardiography: What Is New and How Does It Compare with Myocardial Perfusion Imaging and Other Modalities?. Current Cardiology Reports, 2015, 17, 43.	2.9	9
380	2-Dimensional Speckle Tracking Echocardiography predicts severe coronary artery disease in women with normal left ventricular function: a case-control study. BMC Cardiovascular Disorders, 2017, 17, 231.	1.7	9
381	Diagnostic Accuracy of Echocardiography and Intraoperative Surgical Inspection of the Unicuspid Aortic Valve. American Journal of Cardiology, 2019, 123, 967-971.	1.6	9
382	Discordances between predicted and actual risk in obese patients with suspected cardiac ischaemia. Heart, 2020, 106, 273-279.	2.9	9
383	Contemporary differences between bicuspid and tricuspid aortic valve in chronic aortic regurgitation. Heart, 2021, 107, 916-924.	2.9	9
384	Catheter Ablation in Patients With Neuroendocrine (Carcinoid) Tumors and CarcinoidÂHeartÂDisease. JACC: Clinical Electrophysiology, 2021, 7, 151-160.	3.2	9
385	Safety of dobutamine stress echocardiography in patients with unruptured intracranial aneurysms. Journal of the American Society of Echocardiography, 2002, 15, 1401-1404.	2.8	8
386	Changes in the Doppler myocardial performance index during dobutamine echocardiography: association with neurohormonal activation and prognosis after acute myocardial infarction. Heart, 2006, 92, 1071-1076.	2.9	8
387	Carcinoid Pulmonary Valvulopathy Evaluated by Real-time 3-Dimensional Transthoracic Echocardiography. Journal of the American Society of Echocardiography, 2008, 21, 407.e1-407.e2.	2.8	8
388	Stress echocardiography for the detection and assessment of coronary artery disease. Journal of Nuclear Cardiology, 2011, 18, 501-515.	2.1	8
389	Prevention of atrial fibrillation in patients with aortic valve stenosis with candesartan treatment after aortic valve replacement. International Journal of Cardiology, 2013, 165, 242-246.	1.7	8
390	2019 ACC/AHA/ASE Key Data Elements and Definitions for Transthoracic Echocardiography. Journal of the American Society of Echocardiography, 2019, 32, 1161-1248.	2.8	8
391	Lung Ultrasound During Stress Echocardiography Aids the Evaluation of Valvular Heart Disease Severity. JACC: Cardiovascular Imaging, 2020, 13, 866-872.	5.3	8
392	Doppler Mean Gradient Is Discordant to Aortic Valve Calcium Scores in Patients with Atrial Fibrillation Undergoing Transcatheter Aortic Valve Replacement. Journal of the American Society of Echocardiography, 2022, 35, 116-123.	2.8	8
393	A Multicenter, Prospective Study to Evaluate the Use of Contrast Stress Echocardiography in Early Menopausal Women at Risk for Coronary Artery Disease: Trial Design and Baseline Findings. Journal of Women's Health, 2013, 22, 173-183.	3.3	7
394	A <i>Dab2lp</i> Genotype: Sex Interaction is Associated with Abdominal Aortic Aneurysm Expansion. Journal of Investigative Medicine, 2017, 65, 1077-1082.	1.6	7
395	Prognostic Utility of Stress Testing and Cardiac Biomarkers in Menopausal Women at Low to Intermediate Risk for Coronary ARTery Disease (SMART Study): 5-Year Outcome. Journal of Women's Health, 2018, 27, 542-551.	3.3	7
396	First-phase ejection fraction: association with remodelling and outcome in aortic valve stenosis. Open Heart, 2021, 8, e001543.	2.3	7

#	Article	IF	CITATIONS
397	Cardiogastric fistula occurring 9 years after resection of left ventricular aneurysm. International Journal of Cardiology, 1990, 27, 327-331.	1.7	6
398	Going for the money: transthoracic assessment of coronary artery flow reserve. Journal of the American Society of Echocardiography, 2004, 17, 700-703.	2.8	6
399	Tissue Doppler and strain-rate imaging in cardiac ultrasound imaging: valuable tools or expensive ornaments?. Expert Review of Cardiovascular Therapy, 2005, 3, 1-4.	1.5	6
400	Predicting outcome in asymptomatic aortic stenosis: should we measure the severity of obstruction or its physiological consequences?. European Heart Journal, 2010, 31, 2191-2193.	2.2	6
401	Impact of cardiac rehabilitation exercise program on left ventricular diastolic function in coronary artery disease: a pilot study. International Journal of Cardiovascular Imaging, 2013, 29, 777-785.	1.5	6
402	Mechanism of Aortic Valve Opening: Beyond the Pressure Gradient. JACC: Cardiovascular Imaging, 2014, 7, 633-634.	5.3	6
403	Asymptomatic Severe Aortic Stenosis. Journal of the American College of Cardiology, 2015, 66, 2842-2843.	2.8	6
404	The spectrum of low-output low-gradient aortic stenosis with normal ejection fraction. Heart, 2016, 102, 665-671.	2.9	6
405	Sex differences in associations of cardio-ankle vascular index with left ventricular function and geometry. Vascular Medicine, 2017, 22, 465-472.	1.5	6
406	Advanced cardiac imaging techniques assist in characterizing a cardiac mass and directing management. Echocardiography, 2017, 34, 1744-1746.	0.9	6
407	Controversies in Diagnostic Imaging of Patients With Suspected Stable and Acute Chest Pain Syndromes. JACC: Cardiovascular Imaging, 2019, 12, 1254-1278.	5.3	6
408	The role of echocardiography for quantitative assessment of right ventricular size and function in adults with repaired tetralogy of Fallot. Congenital Heart Disease, 2019, 14, 700-705.	0.2	6
409	Effects of obesity on noninvasive test results in patients with suspected cardiac ischemia: Insights from the PROMISE trial. Journal of Cardiovascular Computed Tomography, 2019, 13, 211-218.	1.3	6
410	Predictive value of left ventricular diastolic chamber stiffness in patients with severe aortic stenosis undergoing aortic valve replacement. European Heart Journal Cardiovascular Imaging, 2020, 21, 1160-1168.	1.2	6
411	Conversion of left atrial volume to diameter for automated estimation of sudden cardiac death risk in hypertrophic cardiomyopathy. Echocardiography, 2021, 38, 183-188.	0.9	6
412	Atrial fibrillation is associated with large beat-to-beat variability in mitral and tricuspid annulus dimensions. European Heart Journal Cardiovascular Imaging, 2021, , .	1.2	6
413	Natural History of Clinical, Laboratory, and Echocardiographic Parameters of a Primary Hyperoxaluria Cohort on Long Term Hemodialysis. Frontiers in Medicine, 2021, 8, 592357.	2.6	6
414	Gradient changes in bioprosthetic valve thrombosis: duration of anticoagulation and strategies to improve detection. Open Heart, 2021, 8, e001608.	2.3	6

#	Article	IF	Citations
415	Hemodynamic Heterogeneity of Reduced Cardiac Reserve Unmasked by Volumetric Exercise Echocardiography. Journal of Clinical Medicine, 2021, 10, 2906.	2.4	6
416	Characteristics of Transgender Women Referred to Women's Heart Clinic. American Journal of Preventive Cardiology, 2021, 7, 100223.	3.0	6
417	Non-invasive imaging in Coronary Syndromes: Recommendations of The European Association of Cardiovascular Imaging and the American Society of Echocardiography, in Collaboration with The American Society of Nuclear Cardiology, Society of Cardiovascular Computed Tomography, and Society for Cardiovascular Magnetic Resonance. Journal of the American Society of	2.8	6
418	Cardiac Remodeling and Disease Progression in Patients With Repaired Coarctation of Aorta and Aortic Stenosis. Circulation: Cardiovascular Imaging, 2021, 14, 1091-1099.	2.6	6
419	Serial Left and Right Ventricular Strain Analysis in Patients Recovered from COVID-19. Journal of the American Society of Echocardiography, 2022, 35, 1055-1063.	2.8	6
420	Prognosis of Patients with Good Exercise Capacity and Mildly Abnormal Exercise Echocardiography Results: Identification of an At-risk Subgroup. Journal of the American Society of Echocardiography, 2005, 18, 644-648.	2.8	5
421	Prognostic significance of ST-segment elevation during dobutamine stress echocardiography. American Heart Journal, 2006, 151, 744.e1-744.e6.	2.7	5
422	Influence of left ventricular filling pattern on exercise-induced changes of natriuretic peptides in patients with suspected coronary artery disease. International Journal of Cardiology, 2008, 124, 204-210.	1.7	5
423	Left ventricular function and heart failure in myocardial infarction: Impact of the new definition in the community. American Heart Journal, 2008, 156, 810-815.	2.7	5
424	Persistent Abnormal Coronary Flow Reserve in Association with Abnormal Glucose Metabolism Affects Prognosis in Acute Myocardial Infarction. Echocardiography, 2011, 28, 210-218.	0.9	5
425	Is the Standard Weight-Based Dosing of Dobutamine for Stress Testing Appropriate for Patients of Widely Varying Body Mass Index?. Journal of Cardiovascular Pharmacology and Therapeutics, 2011, 16, 173-177.	2.0	5
426	Observation for mildly symptomatic normal-flow, low-gradient severe aortic stenosis: caution advised. Heart, 2015, 101, 1349-1350.	2.9	5
427	Carcinoid Heart Disease without Severe Tricuspid Valve Involvement. Cardiology, 2016, 133, 217-222.	1.4	5
428	Dobutamine Stress Echocardiography: Impact of Abnormal Blood Potassium Levels on Cardiac Arrhythmias. Journal of the American Society of Echocardiography, 2017, 30, 595-601.	2.8	5
429	TAVR for Severe Aortic Regurgitation. Journal of the American College of Cardiology, 2017, 70, 2764-2765.	2.8	5
430	Left ventricular remodeling and function after transapical versus transfemoral transcatheter aortic valve replacement. Catheterization and Cardiovascular Interventions, 2019, 94, 738-744.	1.7	5
431	Right and left ventricular interaction in pulmonary hypertension: Insight from velocity vector imaging. Echocardiography, 2019, 36, 877-887.	0.9	5
432	Left ventricular filling pressure in Tetralogy of Fallot: Correlation between invasive and noninvasive indices. IJC Heart and Vasculature, 2020, 26, 100457.	1.1	5

#	Article	IF	Citations
433	Intrinsic cardiac elastography in patients with primary mitral regurgitation: predictive role after mitral valve repair. European Heart Journal Cardiovascular Imaging, 2021, 22, 912-921.	1.2	5
434	Ventricular strain analysis in patients with no structural heart disease using a vendor-independent speckle-tracking software. BMC Cardiovascular Disorders, 2020, 20, 274.	1.7	5
435	Dissecting myocardial mechanics in patients with severe aortic stenosis: 2-dimensional vs 3-dimensional-speckle tracking echocardiography. BMC Cardiovascular Disorders, 2020, 20, 33.	1.7	5
436	Clinical and Economic Implications of Inconclusive Noninvasive Test Results in Stable Patients With Suspected Coronary Artery Disease. Circulation: Cardiovascular Imaging, 2020, 13, e009986.	2.6	5
437	Myocardial Stiffness by Cardiac Elastography in Hypertrophic Cardiomyopathy. JACC: Cardiovascular Imaging, 2021, 14, 2051-2053.	5.3	5
438	Sex Differences in Outcomes of Patients With Chronic Aortic Regurgitation: Closing the Mortality Gap. Mayo Clinic Proceedings, 2021, 96, 2145-2156.	3.0	5
439	Artificially Intelligent Interpretation of Stress Echocardiography. JACC: Cardiovascular Imaging, 2022, 15, 728-730.	<b>5.</b> 3	5
440	Impact of mitral intervention on outcomes of patients with mitral valve dysfunction and annulus calcification. Catheterization and Cardiovascular Interventions, 2022, , .	1.7	5
441	Performance of Echocardiographic Algorithms for Assessment of High Aortic Bioprosthetic Valve Gradients. Journal of the American Society of Echocardiography, 2022, 35, 682-691.e2.	2.8	5
442	Mycotic aneurysm of the left ventricle: Echocardiographic diagnosis. Journal of the American Society of Echocardiography, 2003, 16, 191-193.	2.8	4
443	Appropriate Use of Exercise Testing Prior to Administration of Drugs for Treatment of Erectile Dysfunction. Herz, 2003, 28, 291-297.	1.1	4
444	akinesia becoming dyskinesia after exercise testing: prevalence and relationship to clinical outcome. Journal of the American College of Cardiology, 2004, 43, 599-605.	2.8	4
445	Pretest Score for Predicting Microbubble Contrast Agent Use in Stress Echocardiography: A Method to Increase Efficiency in the Echo Laboratory. Cardiology Research and Practice, 2009, 2009, 1-6.	1.1	4
446	Does Normal Left Atrial Size Really Predict Normal Stress Echocardiographic Results?. Journal of the American College of Cardiology, 2013, 61, 2391-2392.	2.8	4
447	Aortic Stenosis and Noncardiac Surgery: Managing the Risk. Current Problems in Cardiology, 2015, 40, 483-503.	2.4	4
448	Prognostic Implications of Left Ventricular Cardiomyopathy in Adults With Tetralogy of Fallot. CJC Open, 2020, 2, 1-7.	1.5	4
449	Characteristics and Long-Term Outcomes of Patients With Prior Coronary Artery Bypass Grafting Undergoing Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. American Journal of Cardiology, 2020, 135, 1-8.	1.6	4
450	Relationship Between Anemia and Sudden Cardiac Death in Patients With Severe Aortic Stenosis. American Journal of Cardiology, 2020, 136, 107-114.	1.6	4

#	Article	IF	Citations
451	Impact of aortic valve replacement for severe aortic stenosis on organic and functional mitral regurgitation. ESC Heart Failure, 2021, 8, 5482-5492.	3.1	4
452	Association of Postprocedural Left Atrial Volume and Reservoir Function with Outcomes in Patients with Atrial Fibrillation Undergoing Catheter Ablation. Journal of the American Society of Echocardiography, 2022, 35, 818-828.e3.	2.8	4
453	Stress Echocardiography. Journal of the American College of Cardiology, 2007, 50, 1990-1991.	2.8	3
454	Risk Stratification of Diabetics With Stress Testing. Circulation: Cardiovascular Imaging, 2015, 8, .	2.6	3
455	The role of stress echocardiography in the evaluation of coronary artery disease and myocardial ischemia in women. Journal of Nuclear Cardiology, 2016, 23, 1023-1035.	2.1	3
456	Midterm Sapien Transcatheter ValveÂDurability. JACC: Cardiovascular Imaging, 2017, 10, 26-28.	5.3	3
457	Continuum of disease versus the fascination with numbers: an ongoing struggle. Heart, 2018, 104, 188-189.	2.9	3
458	Impact of transcatheter aortic valve replacement on hemodynamic status in patients with aortic stenosis and mitral stenosis: Doppler echocardiographic study. Journal of Cardiology, 2019, 74, 532-538.	1.9	3
459	Can Aortic Regurgitation Evolve into Aortic Stenosis? New Insights on Mixed Aortic Valve Disease. Journal of the American Society of Echocardiography, 2020, 33, 406-408.	2.8	3
460	Small whole heart volume predicts cardiovascular events in patients with stable chest pain: insights from the PROMISE trial. European Radiology, 2021, 31, 6200-6210.	4.5	3
461	Safe Operation of an Echocardiography Practice During the COVID-19 Pandemic: Single-Center Experience. Mayo Clinic Proceedings, 2021, 96, 531-536.	3.0	3
462	Outcomes and periprocedural management of cardiac implantable electronic devices in patients with carcinoid heart disease. Heart Rhythm, 2021, 18, 2094-2100.	0.7	3
463	Artificial Intelligence Application in Graves Disease. Mayo Clinic Proceedings, 2022, 97, 730-737.	3.0	3
464	Physician judgement in predicting obstructive coronary artery disease and adverse events in chest pain patients. Heart, 2022, , heartjnl-2021-320275.	2.9	3
465	Presenting Symptoms in Patients Undergoing Coronary Artery Disease Evaluation: Association With Noninvasive Test Results and Clinical Outcomes in the PROMISE Trial. Circulation: Cardiovascular Quality and Outcomes, 2022, 15, 101161CIRCOUTCOMES121008298.	2.2	3
466	Impact of Managing Provider Type on Severe Aortic Stenosis Management and Mortality. Journal of the American Heart Association, 2022, $11$ , .	3.7	3
467	Stress Echocardiography: Is There an Optimal Type of Stress?. Journal of the American Society of Echocardiography, 1993, 6, 198-199.	2.8	2
468	Surgical Management of Left-Sided Carcinoid Heart Disease. Circulation, 2001, 104, .	1.6	2

#	Article	IF	Citations
469	Three-Dimensional Echocardiography for Evaluating Left Ventricular Function in Patients With ST Elevation Myocardial Infarction: A Pilot Study. Mayo Clinic Proceedings, 2008, 83, 372-373.	3.0	2
470	Management of asymptomatic severe aortic stenosis: is aortic valve replacement indicated?. Nature Clinical Practice Cardiovascular Medicine, 2008, 5, 608-609.	3.3	2
471	Echocardiography Here, There, and Everywhereâ^—. Journal of the American Society of Echocardiography, 2012, 25, A13.	2.8	2
472	Diastolic Dysfunction Pre-Transcatheter Aortic Valve Replacement. JACC: Cardiovascular Interventions, 2018, 11, 602-604.	2.9	2
473	What Is Needed for Artificial Intelligence to Be Trusted?. American Journal of Medicine, 2022, 135, 421-423.	1.5	2
474	Case 10-2022: A 78-Year-Old Man with Marked Ventricular Wall Thickening. New England Journal of Medicine, 2022, 386, 1266-1276.	27.0	2
475	Measurement of Myocardium at Risk and Salvage in Myocardial Infarction With ST-Segment Depression. Mayo Clinic Proceedings, 1990, 65, 1222-1226.	3.0	1
476	Stress Echocardiography. Part II. Dobutamine Stress Echocardiography: Techniques, Implementation, Clinical Applications, and Correlations. Mayo Clinic Proceedings, 1995, 70, 16-27.	3.0	1
477	Early Deterioration Followed by Improvement in Contractility During Dobutamine Stress Echocardiography: An Unusual Response. Journal of the American Society of Echocardiography, 1999, 12, 1110-1113.	2.8	1
478	Can Computed Tomography Coronary Angiography Replace Noninvasive Functional Stress Testing?. American Journal of Medicine, 2008, 121, 358-359.	1.5	1
479	Cardiomyopathy Characterized by Normal Interventricular Septal Thickness in Amyloidosis: Description of a New Entity. Journal of Cardiac Failure, 2011, 17, S95.	1.7	1
480	Increasing Member Engagement. Journal of the American Society of Echocardiography, 2012, 25, A19-A20.	2.8	1
481	Potential Impact of Concomitant Valvular Lesions and Coronary Artery Bypass Surgery on Outcome in Low-Gradient Severe Aortic Stenosis With Preserved Ejection Fraction. Journal of the American College of Cardiology, 2013, 61, 1832-1833.	2.8	1
482	ASEâ€"Global Health and Our Foundation. Journal of the American Society of Echocardiography, 2013, 26, A35-A36.	2.8	1
483	Repeated Testing and Appropriate Use of Echocardiography. JAMA Internal Medicine, 2013, 173, 935.	5.1	1
484	Stress Imaging in Men with Hypertrophic Cardiomyopathy and Erectile Dysfunction. Journal of Men's Health, 2013, 10, 152-153.	0.3	1
485	Value of Echocardiography in an Era of Healthcare Reform. Progress in Cardiovascular Diseases, 2014, 57, 1-2.	3.1	1
486	Low to Intermediate Dose Atropine Administration During Dobutamine Stress Echocardiography in the Pre-Liver Transplant Population. Progress in Transplantation, 2018, 28, 361-367.	0.7	1

#	Article	IF	CITATIONS
487	Incidence, Mechanisms, and Predictors of Mean Systolic Gradients ≥20 mm Hg after Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2020, 125, 941-947.	1.6	1
488	Impact of Anemia on Exercise and Pharmacologic Stress Echocardiography. Journal of the American Society of Echocardiography, 2020, 33, 1067-1076.	2.8	1
489	Large, Unpredictable Beat-To-Beat Variability of Mitral Annulus Size in Atrial Fibrillation. JACC: Cardiovascular Interventions, 2020, 13, 1387-1389.	2.9	1
490	Impact of Inferior Venae Cava Assessment in Tetralogy of Fallot. CJC Open, 2020, 2, 129-134.	1.5	1
491	Biomarker and Invasive Hemodynamic Assessment of Cardiac Damage Class in Aortic Stenosis. Structural Heart, 2021, 5, 208-217.	0.6	1
492	To Be or Not to Be Severe?. JACC: Cardiovascular Imaging, 2021, 14, 537-540.	5.3	1
493	Rate-Pressure Product versus Peak Heart Rate for Assessment of Stress Adequacy during Dobutamine Stress Echocardiography. Journal of the American Society of Echocardiography, 2021, 34, 696-698.	2.8	1
494	Imaging Quality Control, Methodology Harmonization and Clinical Data Management in Stress Echo 2030. Journal of Clinical Medicine, 2021, 10, 3020.	2.4	1
495	Model drift: When it can be a sign of success and when it can be an occult problem. Intelligence-based Medicine, 2022, 6, 100058.	2.4	1
496	Invasive Hemodynamic Predictors of Survival in Patients With Mitral Stenosis Secondary to Mitral Annular Calcification. Journal of the American Heart Association, 2022, 11, e023107.	3.7	1
497	Athlete With Traumatic Tricuspid Regurgitation. Clinical Journal of Sport Medicine, 2005, 15, 106-108.	1.8	0
498	"Good-Old" Transthoracic Echo: Tracking Aortic Dissection from Top to Bottom. Echocardiography, 2007, 24, 883-884.	0.9	0
499	Echocardiography Contrast for Image Optimization: Beyond Confidence, It Is a Matter of Accuracy. JACC: Cardiovascular Imaging, 2008, 1, 153-155.	5.3	0
500	Integrating Research into Clinical Practice: Development of an Echocardiography Research Unit. Echocardiography, 2009, 26, 699-703.	0.9	0
501	Myocardial Specific BNP Gene-Delivery Improves Diastolic Function and Ventricular Structure in Spontaneous Hypertensive Rodents. Journal of Cardiac Failure, 2010, 16, S72.	1.7	0
502	Physician Billing and Cardiac Stress Testing Patterns. JAMA - Journal of the American Medical Association, 2012, 307, 781.	7.4	0
503	Happiness and the ASE. Journal of the American Society of Echocardiography, 2013, 26, A17-A18.	2.8	0
504	Response to Letter Regarding Article, "Flow-Gradient Patterns in Severe Aortic Stenosis With Preserved Ejection Fraction: Clinical Characteristics and Predictors of Survival― Circulation, 2014, 130, e39.	1.6	O

#	Article	IF	Citations
505	The missing aortic prosthesis: an unusual case of pseudo-aortic regurgitation. European Heart Journal Cardiovascular Imaging, 2014, 15, 132-132.	1.2	O
506	To shock or not to shock? Parasystole of the left atrial appendage mimicking sinus rhythm at TEE-guided cardioversion. European Heart Journal Cardiovascular Imaging, 2014, 15, 833-833.	1.2	0
507	In an era of multimodality cardiac imaging, echocardiography remains the gold standard for the evaluation of valvular and periprosthetic masses. European Heart Journal Cardiovascular Imaging, 2014, 15, 940-940.	1.2	0
508	Response to Letter Regarding Article, "Left Ventricular Diastolic Function Is Associated With Symptom Status in Severe Aortic Valve Stenosis― Circulation: Cardiovascular Imaging, 2014, 7, 413-413.	2.6	0
509	Management of coexistent multi-valvular prosthetic dysfunction: a unique approach. European Heart Journal, 2015, 36, 1077-1077.	2.2	0
510	Important Update for the Readers of Our Article. Cardiology, 2016, 134, 127-127.	1.4	0
511	COMPARATIVE OUTCOME OF PARAVALVULAR LEAK FOLLOWING SURGICAL VERSUS TRANSCATHETER AORTIC VALVE REPLACEMENT. Journal of the American College of Cardiology, 2017, 69, 1296.	2.8	0
512	Assessment of the Patient With Severe Aortic Stenosis. Circulation: Cardiovascular Imaging, 2017, 10, .	2.6	0
513	When to use stress echocardiography in the evaluation of patients with valvular heart disease. SA Heart Journal, 2017, 7, .	0.0	0
514	WORK-RELATED MUSCULOSKELETAL PAIN AMONG CARDIAC SONOGRAPHERS COMPARED TO A LARGE CONTROL GROUP OF PEER EMPLOYEES: A MULTISITE CROSS-SECTIONAL STUDY. Journal of the American College of Cardiology, 2019, 73, 1618.	2.8	0
515	PREDICTIVE VALUE OF LEFT VENTRICULAR DIASTOLIC CHAMBER STIFFNESS IN PATIENTS WITH SEVERE AORTIC STENOSIS UNDERGOING AORTIC VALVE REPLACEMENT. Journal of the American College of Cardiology, 2019, 73, 1674.	2.8	0
516	THE PROGNOSIS OF PATIENTS WITH MODERATE AORTIC STENOSIS. Journal of the American College of Cardiology, 2019, 73, 2010.	2.8	0
517	IMPACT OF LEFT VENTRICULAR DIASTOLIC DYSFUNCTION ON OUTCOMES AFTER AORTIC VALVE REPLACEMENT. Journal of the American College of Cardiology, 2019, 73, 2015.	2.8	0
518	NOVEL ECHO MEASURES OF LEFT VENTRICULAR AND MYOCARDIAL STIFFNESS. Journal of the American College of Cardiology, 2019, 73, 1435.	2.8	0
519	RESTING HEART RATE AND OUTCOMES IN PATIENTS WITH HEMODYNAMICALLY SIGNIFICANT AORTIC REGURGITATION. Journal of the American College of Cardiology, 2019, 73, 1959.	2.8	0
520	BEAT-TO-BEAT VARIABILITY OF MITRAL ANNULUS DIMENSIONS IN ATRIAL FIBRILLATION: IMPLICATIONS FOR PERCUTANEOUS INTERVENTIONS. Journal of the American College of Cardiology, 2019, 73, 1448.	2.8	0
521	Authors' Reply. Journal of the American Society of Echocardiography, 2020, 33, 1294-1295.	2.8	0
522	Agitated Blood-Saline Rather Than Agitated Air-Saline for Echocardiographic Shunt Studies. Journal of the American Society of Echocardiography, 2020, 33, 1032-1033.	2.8	0

#	Article	IF	CITATIONS
523	Cardiovascular risk and outcomes in symptomatic patients with suspected coronary artery disease and non coronary vascular disease: A report from the PROMISE trial. American Heart Journal, 2021, 242, 82-91.	2.7	O
524	Tricuspid Stenosis and Regurgitation., 2009,, 247-264.		0
525	Featured Expert Commentary and Review. , 2011, , 216-217.		O
526	Featured Expert Commentary and Review. , 2011, , 218-221.		O
527	Stress Echocardiography: A Historical Perspective. , 2015, , 3-18.		O
528	Abstract 17078: Myocardial Stiffness by Intrinsic Wave Propagation Method: Comparison With End-Diastolic Pressure-Volume Relationship. Circulation, 2018, 138, .	1.6	0
529	Impact of Agreement and Discrepancies inÂlnterpretations of Stress Echocardiography. JACC: Cardiovascular Imaging, 2020, 13, 2048-2050.	5.3	O
530	Factors associated with change in frailty scores and long-term outcomes in older adults with coronary artery disease. Journal of Geriatric Cardiology, 2021, 18, 196-203.	0.2	0
531	Assessment of diastolic function in aortic stenosis: A comparison between 2009 and 2016 guidelines. Echocardiography, 2021, 38, 2006-2015.	0.9	O
532	Abstract 10518: Impact of Managing Provider Type on Severe Aortic Stenosis Referral and Treatment Patterns: An Optum Electronic Medical Records Analysis. Circulation, 2021, 144, .	1.6	0
533	Point of Care Cardiac Ultrasound. , 2017, , 91-104.		O
534	Abstract 21016: Left Atrial Dysfunction Persists After Transapical but Not Transfemoral Transcatheter Aortic Valve Replacement and is Associated With Worse Outcomes. Circulation, 2017, 136, .	1.6	0