

Ryo Momosaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8748205/publications.pdf>

Version: 2024-02-01

120
papers

1,754
citations

304743

22
h-index

377865

34
g-index

129
all docs

129
docs citations

129
times ranked

1628
citing authors

#	ARTICLE	IF	CITATIONS
1	Hospital Frailty Risk Score predicts adverse events in older patients with hip fractures after surgery: Analysis of a nationwide inpatient database in Japan. Archives of Gerontology and Geriatrics, 2022, 98, 104552.	3.0	17
2	Effects of In-Hospital Rehabilitation on Preventing Hospital Readmissions in Patients With Cirrhosis: A Retrospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1730-1737.	0.9	1
3	RE: Progression of Frailty in Survivors of Childhood Cancer: A St. Jude Lifetime Cohort Report. Journal of the National Cancer Institute, 2022, , .	6.3	1
4	<scp>Hospital Frailty Risk Score</scp> predicts adverse events in older patients with vertebral compression fractures: Analysis of data in a nationwide inpatient database in <scp>Japan</scp>. Geriatrics and Gerontology International, 2022, 22, 233-239.	1.5	8
5	In response to study results concerning the impact of antidepressants in older adults with major depressive disorder relating to frailty. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, , .	3.6	0
6	Association between the number of board-certified psychiatrists and volume of rehabilitation provided in Japan: an ecological study. Journal of Rural Medicine: JRM, 2022, 17, 73-78.	0.5	2
7	Diagnostic reasoning in rehabilitation nutrition: Position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). Journal of General and Family Medicine, 2022, 23, 205-216.	0.8	7
8	Relationship of body mass index on activities of daily living in hospitalized patients with chronic obstructive pulmonary disease. Respiratory Medicine and Research, 2022, 81, 100899.	0.6	1
9	Pharmacotherapy and the Role of Pharmacists in Rehabilitation Medicine. Progress in Rehabilitation Medicine, 2022, 7, n/a.	0.9	23
10	Trends in outpatient rehabilitation practices in Japan: analysis using the National Database of Health Insurance Claims Open Data. Journal of Rural Medicine: JRM, 2022, 17, 125-130.	0.5	0
11	Development of a Point System to Predict Discharge to Home for Acute Stroke Patients. PM and R, 2021, 13, 38-44.	1.6	3
12	Impact of Number of Drugs on Rehabilitation Outcomes in Patients after Traumatic Brain Injury: A Retrospective Cohort Study. PM and R, 2021, 13, 496-502.	1.6	1
13	Strategies for Effective Home Modification in Older Adults. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110207.	1.4	1
14	Epidemiology of Dysphagia Pandemic. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 4-10.	0.0	0
15	Virtual reality applied to home-visit rehabilitation for hemiplegic shoulder pain in a stroke patient: a case report. Journal of Rural Medicine: JRM, 2021, 16, 174-178.	0.5	6
16	Types of Geriatric Assessment and Management Approaches to Hip Fracture. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932199861.	1.4	0
17	Body mass index affects postoperative daily activities of older patients after gastrectomy. European Geriatric Medicine, 2021, 12, 825-835.	2.8	6
18	Nutritional Assessment in Adult Patients with Dysphagia: A Scoping Review. Nutrients, 2021, 13, 778.	4.1	26

#	ARTICLE	IF	CITATIONS
19	Predictive validity of the Mini Nutritional Assessment Short-Form for rehabilitation patients: A retrospective analysis of the Japan Rehabilitation Nutrition Database. <i>Journal of Human Nutrition and Dietetics</i> , 2021, 34, 881-889.	2.5	12
20	Comparing post-hospital care pathways following hip fracture. <i>Disability and Rehabilitation</i> , 2021, , 1-1.	1.8	1
21	Impact of Rehabilitation Dose on Nutritional Status at Discharge from a Convalescent Rehabilitation Ward in Malnourished Patients with Hip Fracture. <i>Healthcare (Switzerland)</i> , 2021, 9, 722.	2.0	2
22	Association of Speech Therapy Time and Cognitive Recovery in Stroke Patients: A Comparison of Studies. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1327-1328.	2.5	0
23	Comment on: Geriatric co-management for cardiology patients in the hospital: A quasi-experimental study. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2364-2365.	2.6	1
24	Clinical practice guidelines for rehabilitation nutrition in cerebrovascular disease, hip fracture, cancer, and acute illness: 2020 update. <i>Clinical Nutrition ESPEN</i> , 2021, 43, 90-103.	1.2	37
25	Strategies to Improve Exercise Adherence in Patients With Cirrhosis. <i>American Journal of Gastroenterology</i> , 2021, Publish Ahead of Print, 2153.	0.4	0
26	Community-Based Integrated Care Units: Intermediate Care Units for Older Adults in Japan. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1774-1775.	2.5	1
27	Barriers and Strategies for Early Mobilization in Acute Cardiovascular Disease. <i>Canadian Journal of Cardiology</i> , 2021, 37, 1300.	1.7	1
28	Stored Energy Increases Body Weight and Skeletal Muscle Mass in Older, Underweight Patients after Stroke. <i>Nutrients</i> , 2021, 13, 3274.	4.1	14
29	Re: Logan G. Briggs, Chanan Reitblat, Paul A. Bain, et al. Prehabilitation Exercise Before Urologic Cancer Surgery: A Systematic and Interdisciplinary Review. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.05.015 . <i>European Urology</i> , 2021, 80, e139-e140.	1.9	0
30	Sarcopenia is associated with incontinence and recovery of independence in urination and defecation in post-acute rehabilitation patients. <i>Nutrition</i> , 2021, 91-92, 111397.	2.4	15
31	Effectiveness of Early Rehabilitation for Vertebral Compression Fractures: A Retrospective Cohort Study. <i>Journal of Geriatric Physical Therapy</i> , 2021, 44, 139-143.	1.1	9
32	A Machine Learning-Based Screening Test for Sarcopenic Dysphagia Using Image Recognition. <i>Nutrients</i> , 2021, 13, 4009.	4.1	4
33	Enabling physical activity for people living with disabilities. <i>Lancet, The</i> , 2021, 398, 2073.	13.7	0
34	Karaoke as a feasible alternative therapy for pulmonary rehabilitation for COPD. <i>European Respiratory Journal</i> , 2021, , 2103113.	6.7	0
35	Impact of Multiple Texture-Modified Diets on Oral Intake and Nutritional Status in Older Patients with Pneumonia: A Retrospective Cohort Study. <i>Dysphagia</i> , 2020, 35, 574-582.	1.8	11
36	Impact of Energy intake at One Week after Hospitalization on Prognosis for Older Adults with Pneumonia. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 119-124.	3.3	8

#	ARTICLE	IF	CITATIONS
37	Assignment of Dental Hygienists Improves Outcomes in Japanese Rehabilitation Wards: A Retrospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 28-36.	3.3	13
38	Preoperative rehabilitation for patients undergoing colorectal cancer surgery: a retrospective cohort study. <i>Supportive Care in Cancer</i> , 2020, 28, 2293-2297.	2.2	9
39	Nutritional status change and activities of daily living in elderly pneumonia patients admitted to acute care hospital: A retrospective cohort study from the Japan Rehabilitation Nutrition Database. <i>Nutrition</i> , 2020, 71, 110613.	2.4	30
40	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 104009.	3.0	21
41	Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. <i>Healthcare (Switzerland)</i> , 2020, 8, 385.	2.0	1
42	Predictive Validity of Body Mass Index Cutoff Values Used in the Global Leadership Initiative on Malnutrition Criteria for Discriminating Severe and Moderate Malnutrition Based on Inpatients With Pneumonia in Asians. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 45, 941-950.	2.6	20
43	Nutritional Therapy in Older Patients With Hip Fractures Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1364-1364.e6.	2.5	11
44	Repetitive Peripheral Magnetic Stimulation for Patients After Stroke. <i>Stroke</i> , 2020, 51, e105-e106.	2.0	6
45	Semi-Solid Nutrients for Prevention of Enteral Tube Feeding-Related Complications in Japanese Population: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2020, 12, 1687.	4.1	5
46	Nasogastric Tube Feeding Versus Total Parenteral Nutrition in Older Dysphagic Patients with Pneumonia: Retrospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 883-887.	3.3	4
47	Effectiveness of Early Versus Delayed Physical Rehabilitation on In-Hospital Mortality in Interstitial Pneumonia: A Retrospective Cohort Study. <i>PM and R</i> , 2020, 12, 1081-1085.	1.6	5
48	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 36.	2.7	4
49	Physical Therapy: Does Physical Therapy Have Therapeutic Roles in Aspiration Pneumonia?. <i>Respiratory Disease Series</i> , 2020, , 187-191.	0.0	1
50	Shorter Interval between Onset and Admission to Convalescent Rehabilitation Wards Is Associated with Improved Outcomes in Ischemic Stroke Patients. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 252, 15-22.	1.2	16
51	Effects of Nutrition Therapy in Older Stroke Patients Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 21-26.	3.3	7
52	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. <i>Nutrients</i> , 2019, 11, 2369.	4.1	10
53	Characteristics of rehabilitation services in high-FIM efficiency hospitals after hip fracture. <i>Journal of Medical Investigation</i> , 2019, 66, 324-327.	0.5	4
54	Impact of Number of Drug Types on Clinical Outcome in Patients with Acute Hip Fracture. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 937-942.	3.3	9

#	ARTICLE	IF	CITATIONS
55	Impact of oral health status on oral intake ability prognosis after pneumonia in older patients: a retrospective cohort study. <i>European Geriatric Medicine</i> , 2019, 10, 899-903.	2.8	4
56	Impact of Nutrition Therapy and Rehabilitation on Acute and Critical Illness: A Systematic Review. <i>Journal of UOEH</i> , 2019, 41, 303-315.	0.6	8
57	Relationship between nutritional status and improved ADL in individuals with cervical spinal cord injury in a convalescent rehabilitation ward. <i>Spinal Cord</i> , 2019, 57, 501-508.	1.9	12
58	Effect of early versus delayed mobilization by physical therapists on oral intake in patients with sarcopenic dysphagia after pneumonia. <i>European Geriatric Medicine</i> , 2019, 10, 603-607.	2.8	18
59	Energy Intake at Admission for Improving Activities of Daily Living and Nutritional Status among Convalescent Stroke Patients. <i>Neurología Medico-Chirúrgica</i> , 2019, 59, 313-320.	2.2	17
60	Effectiveness of Intensive Rehabilitation Therapy on Functional Outcomes After Stroke: A Propensity Score Analysis Based on Japan Rehabilitation Database. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 2537-2542.	1.6	24
61	Vitamin D Supplementation and Post-Stroke Rehabilitation: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Nutrients</i> , 2019, 11, 1295.	4.1	27
62	Effectiveness of self-exercise on elderly patients after hip fracture : A retrospective cohort study. <i>Journal of Medical Investigation</i> , 2019, 66, 178-181.	0.5	1
63	Effectiveness of acute in-hospital occupational therapy for older patients with hip fracture. <i>Geriatrics and Gerontology International</i> , 2019, 19, 611-615.	1.5	7
64	Influence of Antipsychotics on Functional Prognosis After Geriatric Hip Fracture. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 381-385.	3.3	8
65	Repetitive peripheral magnetic stimulation for impairment and disability in people after stroke. <i>The Cochrane Library</i> , 2019, 2019, CD011968.	2.8	18
66	Home visits by occupational therapists in acute hospital care: a systematic review. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 205-210.	1.3	5
67	Effectiveness of Early Rehabilitation for Acute Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, E23-E25.	2.1	12
68	Conclusiveness of Cochrane Reviews in physiotherapy: a systematic search and analytical review. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 97-105.	1.3	8
69	Botulinum Toxin Therapy Combined with Rehabilitation for Stroke: A Systematic Review of Effect on Motor Function. <i>Toxins</i> , 2019, 11, 707.	3.4	26
70	Impact of Body Mass Index on Activities of Daily Living in Inpatients with Acute Heart Failure. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 151-156.	3.3	18
71	Relationship Between Performance Improvement in Activities of Daily Living and Energy Intake in Older Patients With Hip Fracture Undergoing Rehabilitation. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 562-569.	1.6	2
72	Impact of orthotic therapy for improving activities of daily living in individuals with spinal cord injury: a retrospective cohort study. <i>Spinal Cord</i> , 2018, 56, 790-795.	1.9	5

#	ARTICLE	IF	CITATIONS
73	Effectiveness of preoperative physical therapy for older patients with hip fracture. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1003-1008.	1.5	11
74	Effectiveness of weekend physical rehabilitation for functional recovery in geriatric patients with hip fracture. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1143-1146.	1.5	14
75	Nutritional supplementation for activities of daily living and functional ability of older people in residential facilities: A systematic review. <i>Geriatrics and Gerontology International</i> , 2018, 18, 197-210.	1.5	9
76	The effects of resistance training of swallowing muscles on dysphagia in older people: A cluster, randomized, controlled trial. <i>Nutrition</i> , 2018, 48, 111-116.	2.4	45
77	Factors Associated with Difficulty in Returning to School in Students After Traumatic Brain Injury. <i>Journal of UOEH</i> , 2018, 40, 299-305.	0.6	2
78	Causal inference from an observational study of geriatric rehabilitation pharmacotherapy. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1307-1308.	1.5	1
79	Construction and Quality Evaluation of the Japanese Rehabilitation Nutrition Database. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 251-257.	0.6	11
80	Rehabilitation Characteristics in High-Performance Hospitals after Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2431-2435.	1.6	7
81	Diffusion Tensor Imaging Evaluation of Neural Network Development in Patients Undergoing Therapeutic Repetitive Transcranial Magnetic Stimulation following Stroke. <i>Neural Plasticity</i> , 2018, 2018, 1-8.	2.2	12
82	Nutritional Status Changes and Activities of Daily Living after Hip Fracture in Convalescent Rehabilitation Units: A Retrospective Observational Cohort Study from the Japan Rehabilitation Nutrition Database. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 1270-1276.	0.8	63
83	Clinical Effectiveness of Board-certificated Physiatrists on Functional Recovery in Elderly Stroke Patients During Convalescence: A Retrospective Cohort Study. <i>International Journal of Gerontology</i> , 2017, 11, 7-11.	0.6	8
84	Association Between 7 Days Per Week Rehabilitation and Functional Recovery of Patients With Acute Stroke: A Retrospective Cohort Study Based on the Japan Rehabilitation Database. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 701-706.	0.9	27
85	Repetitive peripheral magnetic stimulation for activities of daily living and functional ability in people after stroke. <i>The Cochrane Library</i> , 2017, 6, CD011968.	2.8	16
86	Comparison of the Effect of Low-Frequency Repetitive Transcranial Magnetic Stimulation with That of Theta Burst Stimulation on Upper Limb Motor Function in Poststroke Patients. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	10
87	Rehabilitative management for aspiration pneumonia in elderly patients. <i>Journal of General and Family Medicine</i> , 2017, 18, 12-15.	0.8	16
88	High-frequency rTMS for the Treatment of Chronic Fatigue Syndrome: A Case Series. <i>Internal Medicine</i> , 2016, 55, 3515-3519.	0.7	12
89	Predictive factors for oral intake after aspiration pneumonia in older adults. <i>Geriatrics and Gerontology International</i> , 2016, 16, 556-560.	1.5	29
90	Impact of board-certificated physiatrists on rehabilitation outcomes in elderly patients after hip fracture: An observational study using the Japan Rehabilitation Database. <i>Geriatrics and Gerontology International</i> , 2016, 16, 963-968.	1.5	20

#	ARTICLE	IF	CITATIONS
91	Very Early versus Delayed Rehabilitation for Acute Ischemic Stroke Patients with Intravenous Recombinant Tissue Plasminogen Activator: A Nationwide Retrospective Cohort Study. <i>Cerebrovascular Diseases</i> , 2016, 42, 41-48.	1.7	32
92	Board-certificated Physiatrists and Functional Recovery after Hip Fracture. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2016, 53, 202-206.	0.0	0
93	Noninvasive brain stimulation for dysphagia after acquired brain injury: a systematic review. <i>Journal of Medical Investigation</i> , 2016, 63, 153-158.	0.5	8
94	Influence of repetitive peripheral magnetic stimulation on neural plasticity in the motor cortex related to swallowing. <i>International Journal of Rehabilitation Research</i> , 2016, 39, 263-266.	1.3	6
95	Proton Pump Inhibitors versus Histamine-2 Receptor Antagonists and Risk of Pneumonia in Patients with Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1035-1040.	1.6	16
96	Therapeutic administration of atomoxetine combined with rTMS and occupational therapy for upper limb hemiparesis after stroke: a case series study of three patients. <i>Acta Neurologica Belgica</i> , 2016, 116, 31-37.	1.1	8
97	Atomoxetine administration combined with intensive speech therapy for post-stroke aphasia: evaluation by a novel SPECT method. <i>International Journal of Neuroscience</i> , 2016, 126, 829-838.	1.6	14
98	Role of Brain-Derived Neurotrophic Factor in Beneficial Effects of Repetitive Transcranial Magnetic Stimulation for Upper Limb Hemiparesis after Stroke. <i>PLoS ONE</i> , 2016, 11, e0152241.	2.5	52
99	Repetitive Peripheral Magnetic Stimulation With Intensive Swallowing Rehabilitation for Poststroke Dysphagia: An Open-Label Case Series. <i>Neuromodulation</i> , 2015, 18, 630-635.	0.8	13
100	Effect of dysphagia rehabilitation on oral intake in elderly patients with aspiration pneumonia. <i>Geriatrics and Gerontology International</i> , 2015, 15, 694-699.	1.5	38
101	Effect of Early Rehabilitation by Physical Therapists on In-hospital Mortality After Aspiration Pneumonia in the Elderly. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 205-209.	0.9	73
102	Clinical Management Provided by Board-Certificated Physiatrists in Early Rehabilitation Is a Significant Determinant of Functional Improvement in Acute Stroke Patients: A Retrospective Analysis of Japan Rehabilitation Database. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1019-1024.	1.6	29
103	Effects of Ankle-â€œFoot Orthoses on Functional Recovery after Stroke: A Propensity Score Analysis Based on Japan Rehabilitation Database. <i>PLoS ONE</i> , 2015, 10, e0122688.	2.5	21
104	Functional Magnetic Stimulation Using a Parabolic Coil for Dysphagia After Stroke. <i>Neuromodulation</i> , 2014, 17, 637-641.	0.8	28
105	Randomized, Multicenter, Comparative Study of NEURO versus CIMT in Poststroke Patients with Upper Limb Hemiparesis: The NEURO-VERIFY Study. <i>International Journal of Stroke</i> , 2014, 9, 607-612.	5.9	63
106	Comments on Selected Recent Dysphagia Literature. <i>Dysphagia</i> , 2014, 29, 286-293.	1.8	0
107	Effects of Testosterone Levels on Functional Recovery with Rehabilitation in Stroke Patients. <i>Neurologia Medico-Chirurgica</i> , 2014, 54, 794-798.	2.2	4
108	Bilateral Repetitive Transcranial Magnetic Stimulation Combined with Intensive Swallowing Rehabilitation for Chronic Stroke Dysphagia: A Case Series Study. <i>Case Reports in Neurology</i> , 2014, 6, 60-67.	0.7	34

#	ARTICLE	IF	CITATIONS
109	High-frequency rTMS applied over bilateral leg motor areas combined with mobility training for gait disturbance after stroke: A preliminary study. <i>Brain Injury</i> , 2013, 27, 1080-1086.	1.2	39
110	Applicability of the Two-Step Thickened Water Test in Patients With Poststroke Dysphagia: A Novel Assessment Tool for Paste Food Aspiration. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 817-821.	1.6	10
111	Swallowing Analysis for Semisolid Food Texture in Poststroke Dysphagic Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 267-270.	1.6	28
112	Which Cortical Area Is Related to the Development of Dysphagia after Stroke? A Single Photon Emission Computed Tomography Study Using Novel Analytic Methods. <i>European Neurology</i> , 2012, 67, 74-80.	1.4	13
113	Application of combined 6-Hz primed low-frequency rTMS and intensive occupational therapy for upper limb hemiparesis after stroke. <i>NeuroRehabilitation</i> , 2011, 29, 365-371.	1.3	22
114	Combination Treatment of Low-Frequency rTMS and Occupational Therapy with Levodopa Administration: An Intensive Neurorehabilitative Approach for Upper Limb Hemiparesis After Stroke. <i>International Journal of Neuroscience</i> , 2011, 121, 373-378.	1.6	40
115	Anti-spastic effect of low-frequency rTMS applied with occupational therapy in post-stroke patients with upper limb hemiparesis. <i>Brain Injury</i> , 2011, 25, 496-502.	1.2	91
116	Baseline Severity of Upper Limb Hemiparesis Influences the Outcome of Low-Frequency rTMS Combined With Intensive Occupational Therapy in Patients Who Have Had a Stroke. <i>PM and R</i> , 2011, 3, 516-522.	1.6	22
117	Therapeutic application of 6-Hz-primed low-frequency rTMS combined with intensive speech therapy for post-stroke aphasia. <i>Brain Injury</i> , 2011, 25, 1242-1248.	1.2	46
118	Low-frequency repetitive transcranial magnetic stimulation and intensive occupational therapy for poststroke patients with upper limb hemiparesis: preliminary study of a 15-day protocol. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 339-345.	1.3	55
119	Low-frequency rTMS combined with intensive occupational therapy for upper limb hemiparesis after brain tumour resection. <i>Brain Injury</i> , 2010, 24, 1505-1510.	1.2	14
120	Calf circumference and stroke are independent predictors for an improvement in the food intake level scale in the Japanese sarcopenic dysphagia database. <i>European Geriatric Medicine</i> , 0, , .	2.8	4