

# Naohiro Yonemoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8922277/publications.pdf>

Version: 2024-02-01

65  
papers

5,007  
citations

257450

24  
h-index

114465

63  
g-index

69  
all docs

69  
docs citations

69  
times ranked

10567  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level. <i>JAMA Oncology</i> , 2017, 3, 1683.	7.1	1,448
2	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. <i>JAMA Oncology</i> , 2018, 4, 1553.	7.1	1,260
3	Nationwide Improvements in Survival From Out-of-Hospital Cardiac Arrest in Japan. <i>Circulation</i> , 2012, 126, 2834-2843.	1.6	288
4	Outcomes of Infants Born at 22 and 23 Weeksâ€™ Gestation. <i>Pediatrics</i> , 2013, 132, 62-71.	2.1	213
5	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2167-2179.	6.1	194
6	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 792.	7.4	189
7	Smartphone Cognitive Behavioral Therapy as an Adjunct to Pharmacotherapy for Refractory Depression: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e373.	4.3	125
8	Interventions to prevent repeat suicidal behavior in patients admitted to an emergency department for a suicide attempt: A meta-analysis. <i>Journal of Affective Disorders</i> , 2015, 175, 66-78.	4.1	105
9	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017, 12, e0169575.	2.5	102
10	Developmental assessment of VLBW infants at 18months of age: A comparison study between KSPD and Bayley III. <i>Brain and Development</i> , 2016, 38, 377-385.	1.1	95
11	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990â€“2013: findings from the Global Burden of Disease Study 2013. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1365-1373.	0.9	81
12	Interventions for bereaved parents following a childâ€™s death: A systematic review. <i>Palliative Medicine</i> , 2015, 29, 590-604.	3.1	59
13	Gatekeeper training for suicidal behaviors: A systematic review. <i>Journal of Affective Disorders</i> , 2019, 246, 506-514.	4.1	56
14	Prevalence of suicide attempters in emergency departments in Japan: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2014, 163, 33-39.	4.1	55
15	Optimising first- and second-line treatment strategies for untreated major depressive disorder â€“ the SUNâ„D study: a pragmatic, multi-centre, assessor-blinded randomised controlled trial. <i>BMC Medicine</i> , 2018, 16, 103.	5.5	49
16	Changes in survival and neurodevelopmental outcomes of infants born at <25 weeksâ€™ gestation: a retrospective observational study in tertiary centres in Japan. <i>BMJ Paediatrics Open</i> , 2018, 2, e000211.	1.4	48
17	Early Lactate Clearance Is Associated With Improved Outcomes in Patients With Postcardiac Arrest Syndrome: A Prospective, Multicenter Observational Study (SOS-KANTO 2012 Study). <i>Critical Care Medicine</i> , 2017, 45, e559-e566.	0.9	46
18	Outcomes of veryâ€“lowâ€“birthweight infants at 3 years of age born in 2003â€“2004 in Japan. <i>Pediatrics International</i> , 2011, 53, 1051-1058.	0.5	40

#	ARTICLE	IF	CITATIONS
19	Applying the termination of resuscitation rules to out-of-hospital cardiac arrests of both cardiac and non-cardiac etiologies: a prospective cohort study. <i>Critical Care</i> , 2016, 20, 49.	5.8	34
20	Early inhaled steroid use in extremely low birthweight infants: a randomised controlled trial. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2016, 101, F552-F556.	2.8	33
21	Neonatal correlates of adverse outcomes in very low birthweight infants in the NICU Network. <i>Pediatrics International</i> , 2011, 53, 930-935.	0.5	32
22	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 1319-1329.	1.4	27
23	Serum Osteopontin as a Novel Biomarker for Muscle Regeneration in Duchenne Muscular Dystrophy. <i>American Journal of Pathology</i> , 2016, 186, 1302-1312.	3.8	27
24	Adding smartphone-based cognitive-behavior therapy to pharmacotherapy for major depression (FLATT). <i>Trends in Psychiatry and Behavioral Science</i> , 2016, 11, 100-101.	1.6	24
25	Interventions to prevent suicidal behavior and ideation for patients with cancer: A systematic review. <i>General Hospital Psychiatry</i> , 2019, 60, 98-110.	2.4	24
26	Subsequent shock deliveries are associated with increased favorable neurological outcomes in cardiac arrest patients who had initially non-shockable rhythms. <i>Critical Care</i> , 2015, 19, 322.	5.8	22
27	Weight Growth Velocity and Neurodevelopmental Outcomes in Extremely Low Birth Weight Infants. <i>PLoS ONE</i> , 2015, 10, e0139014.	2.5	22
28	Strategic use of new generation antidepressants for depression: SUN(UN)D study protocol. <i>Trials</i> , 2011, 12, 116.	1.6	20
29	Mechanical Cardiopulmonary Resuscitation and Hospital Survival Among Adult Patients With Nontraumatic Out-of-Hospital Cardiac Arrest Attending the Emergency Department: A Prospective, Multicenter, Observational Study in Japan (SOS-KANTO [Survey of Survivors after Out-of-Hospital]). <i>Critical Care Medicine</i> , 2019, 47, e10.	3.7	20
30	Validation of a transcutaneous bilirubin meter in Mongolian neonates: comparison with total serum bilirubin. <i>BMC Pediatrics</i> , 2013, 13, 151.	1.7	18
31	Association of the time to first epinephrine administration and outcomes in out-of-hospital cardiac arrest: SOS-KANTO 2012 study. <i>American Journal of Emergency Medicine</i> , 2019, 37, 241-248.	1.6	15
32	Association between cardiopulmonary resuscitation duration and one-month neurological outcomes for out-of-hospital cardiac arrest: a prospective cohort study. <i>BMC Anesthesiology</i> , 2017, 17, 59.	1.8	13
33	Validity and reliability of the Japanese version of the family needs survey. <i>Research in Developmental Disabilities</i> , 2013, 34, 3596-3606.	2.2	12
34	Does the number of emergency medical technicians affect the neurological outcome of patients with out-of-hospital cardiac arrest?. <i>American Journal of Emergency Medicine</i> , 2017, 35, 391-396.	1.6	12
35	Obesity was associated with worse neurological outcome among Japanese patients with out-of-hospital cardiac arrest. <i>Intensive Care Medicine</i> , 2018, 44, 665-666.	8.2	12
36	Social involvement issues in patients with Becker muscular dystrophy: A questionnaire survey of subjects from a patient registry. <i>Brain and Development</i> , 2018, 40, 268-277.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Characteristics of Japanese Patients with Becker Muscular Dystrophy and Intermediate Muscular Dystrophy in a Japanese National Registry of Muscular Dystrophy (Remudy): Heterogeneity and Clinical Variation. <i>Journal of Neuromuscular Diseases</i> , 2018, 5, 193-203.	2.6	12
38	Implementation of gatekeeper training programs for suicide prevention in Japan: a systematic review. <i>International Journal of Mental Health Systems</i> , 2019, 13, 2.	2.7	12
39	Differences in Cerebral Aneurysm Rupture Rate According to Arterial Anatomies Depend on the Hemodynamic Environment. <i>American Journal of Neuroradiology</i> , 2019, 40, 834-839.	2.4	10
40	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008824.	3.0	10
41	An hour-specific transcutaneous bilirubin nomogram for Mongolian neonates. <i>European Journal of Pediatrics</i> , 2015, 174, 1299-1304.	2.7	9
42	Hopelessness is associated with repeated suicidal behaviors after discharge in patients admitted to emergency departments for attempted suicide. <i>Journal of Affective Disorders</i> , 2020, 272, 170-175.	4.1	9
43	Implementation of nationwide screening of pregnant women for HTLV-1 infection in Japan: analysis of a repeated cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 1150.	2.9	9
44	Psychometric validation of the Family Outcomes Survey-Revised in Japan. <i>Research in Developmental Disabilities</i> , 2015, 39, 55-66.	2.2	8
45	Two-day assertive case management educational program for medical personnel to prevent suicide attempts: A multicenter pre-post observational study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 362-370.	1.8	8
46	Issues of infant feeding for postnatal prevention of human T-cell leukemia/lymphoma virus type 1 mother-to-child transmission. <i>Pediatrics International</i> , 2021, 63, 284-289.	0.5	8
47	Does Antiarrhythmic Drug During Cardiopulmonary Resuscitation Improve the One-month Survival: The SOS-KANTO 2012 Study. <i>Journal of Cardiovascular Pharmacology</i> , 2016, 68, 58-66.	1.9	7
48	Assessing archetypes of organizational culture based on the Competing Values Framework: the experimental use of the framework in Japanese neonatal intensive care units. <i>International Journal for Quality in Health Care</i> , 2017, 29, 384-391.	1.8	7
49	Predictors of Cardioembolic Stroke in Japanese Patients with Atrial Fibrillation in the Fushimi AF Registry. <i>Cerebrovascular Diseases Extra</i> , 2018, 8, 50-59.	1.5	7
50	Strategic use of new generation antidepressants for depression: SUN(^_^) D protocol update and statistical analysis plan. <i>Trials</i> , 2015, 16, 459.	1.6	6
51	Renal dysfunction can be a common complication in patients with myotonic dystrophy 1. <i>Journal of the Neurological Sciences</i> , 2016, 368, 266-271.	0.6	6
52	Maternal socio-demographic and psychological predictors for risk of developmental delays among young children in Mongolia. <i>BMC Pediatrics</i> , 2018, 18, 68.	1.7	6
53	The Effect of Early Postnatal Nutrition on Human T Cell Leukemia Virus Type 1 Mother-to-Child Transmission: A Systematic Review and Meta-Analysis. <i>Viruses</i> , 2021, 13, 819.	3.3	6
54	Real world data and data science in medical research: present and future. <i>Japanese Journal of Statistics and Data Science</i> , 2022, 5, 769-781.	1.2	6

#	ARTICLE	IF	CITATIONS
55	Trends in steroid therapy for Duchenne muscular dystrophy in Japan. <i>Muscle and Nerve</i> , 2016, 54, 673-680.	2.2	5
56	Association between prenatal exposure to antidepressants and neonatal morbidity: An analysis of real-world data from a nationwide claims database in Japan. <i>Journal of Affective Disorders</i> , 2022, 310, 60-67.	4.1	5
57	A Retrospective Cohort Study on Mortality and Neurodevelopmental Outcomes of Preterm Very Low Birth Weight Infants Born to Mothers with Hypertensive Disorders of Pregnancy. <i>American Journal of Perinatology</i> , 2022, 39, 1465-1477.	1.4	4
58	Impact of Induced Therapeutic Hypothermia by Intravenous Infusion of Ice-Cold Fluids After Hospital Arrival in Comatose Survivors of Out-of-Hospital Cardiac Arrest With Initial Shockable Rhythm. <i>Circulation Journal</i> , 2021, 85, 1842-1848.	1.6	4
59	Association between accessibility to emergency cardiovascular centers and cardiovascular mortality in Japan. <i>International Journal for Quality in Health Care</i> , 2016, 28, 281-287.	1.8	3
60	Effectiveness of assertive case management for patients with suicidal intent. <i>Psychiatry Research</i> , 2021, 304, 114125.	3.3	3
61	Impacts of early intervention on family outcomes: A multicenter cross-sectional study in Japan. <i>Disability and Health Journal</i> , 2020, 13, 100832.	2.8	1
62	Response to "suicide prevention among patients with cancer". <i>General Hospital Psychiatry</i> , 2020, 64, 123.	2.4	1
63	Association between patients' feedback comments and depressive mood, satisfaction, homework conducted, and dropouts during self-guided smartphone cognitive behavioral therapy. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 349-350.	1.8	0
64	&lt;b&gt;Completion Report of the Overseas Training Program Awarded by Japanese Society of Clinical Pharmacology and Therapeutics in 2013&lt;/b&gt;. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 47, 25-28.	0.1	0
65	Predictive factors for recurrent suicide attempts: Evidence from the ACTION study. , 2022, 1, .		0