## Shirley Y Hill

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9075224/publications.pdf

Version: 2024-02-01

80 papers

3,201 citations

34 h-index 54 g-index

81 all docs 81 docs citations

81 times ranked 2205 citing authors

#	Article	IF	CITATIONS
1	Suicidal ideation and aggression in childhood, genetic variation and young adult depression. Journal of Affective Disorders, 2020, 276, 954-962.	4.1	21
2	Accuracy of selfâ€reported hypertension: Effect of age, gender, and history of alcohol dependence. Journal of Clinical Hypertension, 2020, 22, 842-849.	2.0	7
3	DRD2 methylation and regional grey matter volumes in young adult offspring from families at ultra-high risk for alcohol dependence. Psychiatry Research - Neuroimaging, 2019, 286, 31-38.	1.8	8
4	Familial Risk for Alcohol Dependence and Brain Morphology: The Role of Cortical Thickness Across the Lifespan. Alcoholism: Clinical and Experimental Research, 2018, 42, 841-844.	2.4	5
5	Differentiating the Effects of Familial Risk for Alcohol Dependence and Prenatal Exposure to Alcohol on Offspring Brain Morphology. Alcoholism: Clinical and Experimental Research, 2017, 41, 312-322.	2.4	17
6	Neural predictors of substance use disorders in Young adulthood. Psychiatry Research - Neuroimaging, 2017, 268, 22-26.	1.8	16
7	Data sharing: guard the privacy of donors. Nature, 2017, 548, 281-281.	27.8	1
8	Cross-generational effects of alcohol dependence in humans on <i>HRAS</i> and <i>TP53</i> methylation in offspring. Epigenomics, 2017, 9, 1189-1203.	2.1	18
9	Commentary on McCutcheon <i>et al.</i> (2017): Familial transmission of abstinent remission and social cognition. Addiction, 2017, 112, 1918-1919.	3.3	0
10	Abnormalities of Cerebellar Structure and Function in Alcoholism and Other Substance Use Disorders., 2016,, 575-586.		1
11	Longitudinal predictors of cannabis use and dependence in offspring from families at ultra high risk for alcohol dependence and in control families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 383-395.	1.7	9
12	Lifetime use of cannabis from longitudinal assessments, cannabinoid receptor (CNR1) variation, and reduced volume of the right anterior cingulate. Psychiatry Research - Neuroimaging, 2016, 255, 24-34.	1.8	24
13	Volumetric Differences in Cerebellar Lobes in Individuals from Multiplex Alcohol Dependence Families and Controls: Their Relationship to Externalizing and Internalizing Disorders and Working Memory. Cerebellum, 2016, 15, 744-754.	2.5	11
14	ACN9 and alcohol dependence: Familyâ€based association analysis in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 179-187.	1.7	4
15	Psychological and Neurobiological Precursors of Alcohol Use Disorders in High-Risk Youth. Current Addiction Reports, 2015, 2, 104-113.	3.4	17
16	FamilialÂrisk for alcohol dependence and developmental changes in BMI: the moderating influence of addiction and obesity genes. Pharmacogenomics, 2014, 15, 1311-1321.	1.3	15
17	Effects of Prenatal Alcohol and Cigarette Exposure on Offspring Substance Use in Multiplex, Alcoholâ€Dependent Families. Alcoholism: Clinical and Experimental Research, 2014, 38, 2952-2961.	2.4	33
18	Maladaptive Decision Making and Substance Use Outcomes in High-Risk Individuals: Preliminary Evidence for the Role of 5-HTTLPR Variation. Journal of Studies on Alcohol and Drugs, 2014, 75, 643-652.	1.0	10

#	Article	IF	Citations
19	Cholinergic receptor gene (CHRM2) variation and familial loading for alcohol dependence predict childhood developmental trajectories of P300. Psychiatry Research, 2013, 209, 504-511.	3.3	13
20	White matter microstructure, alcohol exposure, and familial risk for alcohol dependence. Psychiatry Research - Neuroimaging, 2013, 212, 43-53.	1.8	17
21	Amygdala Volume in Offspring from Multiplex for Alcohol Dependence Families: The Moderating Influence of Childhood Environment and 5-HTTLPR Variation. Journal of Alcoholism and Drug Dependence, 2013, s1, .	0.2	24
22	Caudate Volume in Offspring at Ultra High Risk for Alcohol Dependence: COMT Val158Met, DRD2, Externalizing Disorders, and Working Memory*. Advances in Molecular Imaging, 2013, 03, 43-54.	0.3	20
23	Family-based association analysis of alcohol dependence implicates KIAA0040 on Chromosome 1q in multiplex alcohol dependence families. Open Journal of Genetics, 2013, 03, 243-252.	0.1	7
24	ASTN1 and alcohol dependence: Familyâ€based association analysis in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 445-455.	1.7	18
25	Psychopathology in offspring from families of alcohol dependent female probands: A prospective study. Journal of Psychiatric Research, 2011, 45, 285-294.	3.1	67
26	Cerebellum volume in high-risk offspring from multiplex alcohol dependence families: Association with allelic variation in GABRA2 and BDNF. Psychiatry Research - Neuroimaging, 2011, 194, 304-313.	1.8	48
27	Neural Circuitry Associated with Risk for Alcohol Use Disorders. Neuropsychology Review, 2010, 20, 1-20.	4.9	62
28	Temperament at 5years of age predicts amygdala and orbitofrontal volume in the right hemisphere in adolescence. Psychiatry Research - Neuroimaging, 2010, 182, 14-21.	1.8	33
29	Neural Plasticity, Human Genetics, and Risk for Alcohol Dependence. International Review of Neurobiology, 2010, 91, 53-94.	2.0	25
30	Disruption of Orbitofrontal Cortex Laterality in Offspring from Multiplex Alcohol Dependence Families. Biological Psychiatry, 2009, 65, 129-136.	1.3	91
31	Childhood Risk Factors for Young Adult Substance Dependence Outcome in Offspring from Multiplex Alcohol Dependence Families: A Prospective Study. Biological Psychiatry, 2009, 66, 750-757.	1.3	44
32	Dopaminergic mutations: Withinâ€family association and linkage in multiplex alcohol dependence families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 517-526.	1.7	42
33	Psychopathology in offspring from multiplex alcohol dependence families with and without parental alcohol dependence: A prospective study during childhood and adolescence. Psychiatry Research, 2008, 160, 155-166.	3.3	58
34	Cerebellar Volume in Offspring From Multiplex Alcohol Dependence Families. Biological Psychiatry, 2007, 61, 41-47.	1.3	76
35	The Role of the GABRA2 Polymorphism in Multiplex Alcohol Dependence Families With Minimal Comorbidity: Within-Family Association and Linkage Analyses. Journal of Studies on Alcohol and Drugs, 2007, 68, 625-633.	1.0	42
36	fMRI BOLD Response to the Eyes Task in Offspring From Multiplex Alcohol Dependence Families. Alcoholism: Clinical and Experimental Research, 2007, 31, 2028-2035.	2.4	56

#	Article	IF	CITATIONS
37	Offspring from families at high risk for alcohol dependence: Increased body mass index in association with prenatal exposure to cigarettes but not alcohol. Psychiatry Research, 2005, 135, 203-216.	3.3	30
38	Trajectories of Alcohol Use and Electrophysiological and Morphological Indices of Brain Development: Distinguishing Causes from Consequences. Annals of the New York Academy of Sciences, 2004, 1021, 245-259.	3.8	38
39	A genome wide search for alcoholism susceptibility genes. American Journal of Medical Genetics Part A, 2004, 128B, 102-113.	2.4	96
40	Neurodevelopmental patterns of visual P3b in association with familial risk for alcohol dependence and childhood diagnosis. Biological Psychiatry, 2002, 51, 621-631.	1.3	58
41	Mental and Physical Health Consequences of Alcohol Use in Women. , 2002, 12, 181-197.		16
42	Right amygdala volume in adolescent and young adult offspring from families at high risk for developing alcoholism. Biological Psychiatry, 2001, 49, 894-905.	1.3	183
43	Biological phenotypes associated with individuals at high risk for developing alcohol-related disorders: Part 1. Addiction Biology, 2000, 5, 5-22.	2.6	6
44	Developmental changes in postural sway in children at high and low risk for developing alcohol-related disorders. Biological Psychiatry, 2000, 47, 501-511.	1.3	33
45	Factors predicting the onset of adolescent drinking in families at high risk for developing alcoholism. Biological Psychiatry, 2000, 48, 265-275.	1.3	159
46	Personality traits and dopamine receptors (D2 and D4): Linkage studies in families of alcoholics. , 1999, 88, 634-641.		44
47	Linkage studies of D2 and D4 receptor genes and alcoholism. , 1999, 88, 676-685.		39
48	Path analysis of P300 amplitude of individuals from families at high and low risk for developing alcoholism. Biological Psychiatry, 1999, 45, 346-359.	1.3	38
49	Developmental delay in P300 production in children at high risk for developing alcohol-related disorders. Biological Psychiatry, 1999, 46, 970-981.	1.3	119
50	Absence of visual and auditory P300 reduction in nondepressed male and female alcoholics. Biological Psychiatry, 1999, 46, 982-989.	1.3	52
51	Psychopathology and Achievement in Children at High Risk for Developing Alcoholism. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 883-891.	0.5	52
52	Behavioral Inhibition in Children From Families at High Risk for Developing Alcoholism. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 410-417.	0.5	40
53	Genetic Association between Reduced P300 Amplitude and the DRD2 Dopamine Receptor A1 Allele in Children at High Risk for Alcoholism. Biological Psychiatry, 1998, 43, 40-51.	1.3	100
54	Childhood Psychopathology in Children from Families of Alcoholic Female Probands. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 725-733.	0.5	68

#	Article	IF	CITATIONS
55	Segregation analysis of alcoholism in high density families: A replication. , 1996, 67, 71-76.		28
56	Event-Related Potentials in Alcoholic Men, Their High-Risk Male Relatives, and Low-Risk Male Controls. Alcoholism: Clinical and Experimental Research, 1995, 19, 567-576.	2.4	46
57	Exclusion of linkage between alcoholism and the MNS blood group region on chromosome 4q in multiplex families. American Journal of Medical Genetics Part A, 1995, 60, 72-79.	2.4	11
58	Association and linkage studies of the TAQI A1 allele at the dopamine D2 receptor gene in samples of female and male alcoholics. American Journal of Medical Genetics Part A, 1995, 60, 267-271.	2.4	107
59	What can the DRD2/alcoholism story teach us about association studies in psychiatric genetics?. American Journal of Medical Genetics Part A, 1995, 60, 272-275.	2.4	33
60	P300 amplitude decrements in children from families of alcoholic female probands. Biological Psychiatry, 1995, 38, 622-632.	1.3	62
61	Eight-year longitudinal follow-up of P300 and clinical outcome in children from high-risk for alcoholism families. Biological Psychiatry, 1995, 37, 823-827.	1.3	90
62	Neurobiological and Clinical Markers for a Severe Form of Alcoholism in Women. Alcohol Health and Research World, 1995, 19, 249-256.	0.2	4
63	Event-Related Potentials. Alcohol Health and Research World, 1995, 19, 54-55.	0.2	0
64	Personality Characteristics of Sisters and Spouses of Male Alcoholics. Alcoholism: Clinical and Experimental Research, 1993, 17, 733-739.	2.4	10
65	Postural sway in children from pedigrees exhibiting a high density of alcoholism. Biological Psychiatry, 1993, 33, 313-325.	1.3	22
66	Event-Related Potential Characteristics in Children of Alcoholics from High Density Families. Alcoholism: Clinical and Experimental Research, 1990, 14, 6-16.	2.4	115
67	Personality resemblance in relatives of male alcoholics: A comparison with families of male control cases. Biological Psychiatry, 1990, 27, 1305-1322.	1.3	29
68	Suggestive Evidence of Genetic Linkage between Alcoholism and the MNS Blood Group. Alcoholism: Clinical and Experimental Research, 1988, 12, 811-814.	2.4	35
69	Event-related Potentials as Markers for Alcoholism Risk in High Density Families. Alcoholism: Clinical and Experimental Research, 1988, 12, 545-554.	2.4	64
70	Static Ataxia as a Psychobiological Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1987, 11, 345-348.	2.4	26
71	Event-related potentials in alcoholics and their first-degree relatives. Alcohol, 1987, 4, 307-314.	1.7	105
72	Effects of repeated zimelidine administration on sleep parameters in the rat. Psychopharmacology, 1986, 88, 54-57.	3.1	8

## SHIRLEY Y HILL

#	Article	IF	CITATION
73	Static Ataxia: a Possible Marker for Alcoholism. Alcoholism: Clinical and Experimental Research, 1984, 8, 580-582.	2.4	42
74	Effects of acute doses of zimelidine on REM sleep in rats. Psychopharmacology, 1983, 80, 214-216.	3.1	25
75	Computerized Transaxial Tomographic and Neuropsychological Evaluations in Chronic Alcoholics and Heroin Abusers. American Journal of Psychiatry, 1979, 136, 598-602.	7.2	70
76	The canter background interference procedure (BIP): Effects of demographic variables on diagnosis. Journal of Clinical Psychology, 1977, 33, 765-771.	1.9	6
77	Independent Familial Transmission of Alcoholism and Opiate Abuse. Alcoholism: Clinical and Experimental Research, 1977, 1, 335-342.	2.4	58
78	Effect of p-Chlorophenylalanine and Stress on Alcohol Consumption by Rats. Quarterly Journal of Studies on Alcohol, 1974, 35, 34-41.	0.2	12
79	State-dependent Effects of Marihuana on Human Memory. Nature, 1973, 243, 241-242.	27.8	43
80	Effect of Alcohol on Short Term Memory in Alcoholics. British Journal of Psychiatry, 1973, 122, 93-94.	2.8	19