Fulvia Seccareccia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9161297/publications.pdf

Version: 2024-02-01

66 papers

3,470 citations

236925 25 h-index 59 g-index

70 all docs

70 docs citations

times ranked

70

4419 citing authors

#	Article	IF	CITATIONS
1	THE DIET AND 15-YEAR DEATH RATE IN THE SEVEN COUNTRIES STUDY. American Journal of Epidemiology, 1986, 124, 903-915.	3.4	1,497
2	Heart Rate as a Predictor of Mortality: The MATISS Project. American Journal of Public Health, 2001, 91, 1258-1263.	2.7	161
3	1-Year Outcomes After TransfemoralÂTranscatheter or SurgicalÂAortic Valve Replacement. Journal of the American College of Cardiology, 2015, 66, 804-812.	2.8	161
4	A Simple Risk Tool (the OBSERVANT Score) for Prediction of 30-Day Mortality After Transcatheter Aortic Valve Replacement. American Journal of Cardiology, 2014, 113, 1851-1858.	1.6	126
5	Seven Countries Study. First 20-Year Mortality Data in 12 Cohorts of Six Countries. Annals of Medicine, 1989, 21, 175-179.	3.8	111
6	Transcatheter aortic valve implantation versus surgical aortic valve replacement for severe aortic stenosis: Results from an intermediate risk propensity-matched population of the Italian OBSERVANT study. International Journal of Cardiology, 2013, 167, 1945-1952.	1.7	101
7	Transcatheter Aortic Valve Implantation Compared With Surgical Aortic Valve Replacement in Low-Risk Patients. Circulation: Cardiovascular Interventions, 2016, 9, e003326.	3.9	100
8	Immediate and Intermediate Outcome After Transapical Versus Transfemoral Transcatheter Aortic Valve Replacement. American Journal of Cardiology, 2016, 117, 245-251.	1.6	100
9	Different impact of sex on baseline characteristics and major periprocedural outcomes of transcatheter and surgical aortic valve interventions: Results of the multicenter Italian OBSERVANT Registry. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 1529-1539.	0.8	92
10	Comparison of multivariate predictive power of major risk factors for coronary heart diseases in different countries: results from eight nations of the Seven Countries Study, 25-year follow-up. European Journal of Cardiovascular Prevention and Rehabilitation, 1996, 3, 69-75.	1.5	82
11	Twenty-Five-Year Prediction of Stroke Deaths in the Seven Countries Study. Stroke, 1996, 27, 381-387.	2.0	63
12	Prognostic Value of Dobutamine Echocardiography Early After Uncomplicated Acute Myocardial Infarction: A Comparison With Exercise Electrocardiography. Journal of the American College of Cardiology, 1997, 29, 261-267.	2.8	61
13	Short-Term All-Cause Mortality and Its Determinants in Elderly Male Populations in Finland, the Netherlands, and Italy: The FINE Study. Preventive Medicine, 1996, 25, 319-326.	3.4	55
14	Outcome After General Anesthesia Versus Monitored Anesthesia Care in Transfemoral Transcatheter Aortic Valve Replacement. Journal of Cardiothoracic and Vascular Anesthesia, 2016, 30, 1238-1243.	1.3	54
15	Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project). American Journal of Cardiology, 1993, 72, 1383-1388.	1.6	49
16	Five-Year Outcomes of Transfemoral Transcatheter Aortic Valve Replacement or Surgical Aortic Valve Replacement in a Real World Population. Circulation: Cardiovascular Interventions, 2019, 12, e007825.	3.9	46
17	Early and Midterm Outcome of Propensity-Matched Intermediate-Risk Patients Aged ≥80 Years With Aortic Stenosis Undergoing Surgical or Transcatheter Aortic Valve Replacement (from the Italian) Tj ETQq1 1 C	.784 ß &4 rgE	BT (® verlock 1
18	The Italian CABG Outcome Study: short-term outcomes in patients with coronary artery bypass graft surgery. European Journal of Cardio-thoracic Surgery, 2006, 29, 56-62.	1.4	35

#	Article	IF	CITATIONS
19	Comparison between an empirically derived model and the EuroSCORE system in the evaluation of hospital performance: the example of the Italian CABG Outcome Projecta T. European Journal of Cardio-thoracic Surgery, 2008, 33, 325-333.	1.4	32
20	Transcatheter Aortic Valve Implantation Versus Surgical Aortic Valve Replacement for Severe Aortic Stenosis in Patients With Chronic Kidney Disease Stages 3b to 5. Annals of Thoracic Surgery, 2016, 102, 540-547.	1.3	32
21	Transcatheter or surgical treatment of severe aortic stenosis and coronary artery disease: A comparative analysis from the Italian OBSERVANT study. International Journal of Cardiology, 2018, 270, 102-106.	1.7	32
22	The Relation of Chronic Diseases to All-cause Mortality Risk - The Seven Countries Study. Annals of Medicine, 1997, 29, 135-141.	3.8	31
23	Prediction of cardiac events after uncomplicated acute myocardial infarction by clinical variables and dobutamine stress test. Journal of the American College of Cardiology, 1999, 34, 435-440.	2.8	30
24	Use of hierarchical models to evaluate performance of cardiac surgery centres in the Italian CABG outcome study. BMC Medical Research Methodology, 2007, 7, 29.	3.1	27
25	Factors influencing the choice between transcatheter and surgical treatment of severe aortic stenosis in patients younger than 80 years: Results from the OBSERVANT study. Catheterization and Cardiovascular Interventions, 2020, 95, E186-E195.	1.7	26
26	Transcatheter aortic valve replacement in nonagenarians: early and intermediate outcome from the OBSERVANT study and meta-analysis of the literature. Heart and Vessels, 2017, 32, 157-165.	1.2	25
27	The Prediction of Coronary Heart Disease Mortality as a Function of Major Risk Factors in Over 30000 Men in the Italian RIFLE Pooling Project. A Comparison with the MRFIT Primary Screenees. European Journal of Cardiovascular Prevention and Rehabilitation, 1994, 1, 263-270.	2.8	24
28	Effect of severe left ventricular systolic dysfunction on hospital outcome after transcatheter aortic valve implantation or surgical aortic valve replacement: Results from a propensity-matched population of the Italian OBSERVANT multicenter study. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 568-575.	0.8	24
29	Coronary Mortality and its Prediction in Samples of US and Italian Railroad Employees in 25 Years within the Seven Countries Study of Cardiovascular Diseases. International Journal of Epidemiology, 1995, 24, 515-521.	1.9	23
30	Trends in mortality and heart failure after acute myocardial infarction in Italy from 2001 to 2011. International Journal of Cardiology, 2015, 184, 115-121.	1.7	20
31	An index to measure the association between dietary patterns and coronary heart disease risk factors: findings from two Italian studies. Preventive Medicine, 2004, 39, 841-847.	3.4	15
32	Impact of off-pump coronary artery bypass grafting on long-term percutaneous coronary interventions. Journal of Thoracic and Cardiovascular Surgery, 2015, 150, 902-909.e6.	0.8	13
33	Thirty-Day Mortality After Coronary Artery Bypass Surgery in Patients Aged <50 Years: Results of a Multicenter Study and Meta-Analysis of the Literature. Journal of Cardiac Surgery, 2013, 28, 207-211.	0.7	12
34	Transcatheter Aortic Valve Replacement for Severe Aortic Stenosis Patients Undergoing Chronic Dialysis. Journal of the American College of Cardiology, 2015, 66, 93-94.	2.8	12
35	Vegetable Intake and Long-term Survival among Middle-aged Men in Italy. Annals of Epidemiology, 2003, 13, 424-430.	1.9	11
36	Clinical SYNTAX score predicts outcomes of patients undergoing coronary artery bypass grafting. American Heart Journal, 2017, 188, 118-126.	2.7	11

#	Article	IF	CITATIONS
37	Role of Radical Retropubic Prostatectomy in Patients with Locally Advanced Prostate Cancer: The Influence of Gleason Score 8–10. Urologia Internationalis, 2003, 70, 186-194.	1.3	10
38	Effectiveness of invasive reperfusion therapy and standard medical treatment in AMI. Acta Cardiologica, 2010, 65, 645-652.	0.9	10
39	Results Differ Between Transaortic and Open Surgical Aortic Valve Replacement in Women. Annals of Thoracic Surgery, 2013, 96, 1336-1342.	1.3	10
40	Risk Factors and Mortality Patterns in the Seven Countries Study. , 1994, , 17-33.		9
41	Impact of age, gender and heart failure on mortality trends after acute myocardial infarction in Italy. International Journal of Cardiology, 2022, 348, 147-151.	1.7	9
42	The relationship of cardiovascular risk factors measured at different ages to prediction of all-cause mortality and longevity. Archives of Gerontology and Geriatrics, 1998, 26, 99-111.	3.0	8
43	One-Year Outcomes after Surgical versus Transcatheter Aortic Valve Replacement with Newer Generation Devices. Journal of Clinical Medicine, 2021, 10, 3703.	2.4	8
44	Early and late outcomes after transcatheter versus surgical aortic valve replacement in obese patients. Archives of Medical Science, 2020, 16, 796-801.	0.9	7
45	Role of gender and age on early mortality after coronary artery bypass graft in different hospitals: data from a national administrative databaseâ [*] †. Interactive Cardiovascular and Thoracic Surgery, 2010, 11, 537-542.	1.1	6
46	Identification of very high risk octogenarians undergoing coronary artery bypass surgery: results of a multicenter study. Heart and Vessels, 2013, 28, 684-689.	1.2	6
47	High thrombotic risk increases adverse clinical events up to 5 years after acute myocardial infarction. A nationwide retrospective cohort study. Monaldi Archives for Chest Disease, 2019, 89, .	0.6	6
48	A novel, comprehensive tool for predicting 30-day mortality after surgical aortic valve replacement. European Journal of Cardio-thoracic Surgery, 2021, 59, 586-592.	1.4	6
49	Midterm Outcome of Coronary Artery Bypass Grafting in Young Patients: A Multicenter Italian Study. Annals of Thoracic Surgery, 2015, 100, 1689-1696.	1.3	5
50	Thirty-day mortality after AMI: effect modification by gender in outcome studies. European Journal of Public Health, 2010, 20, 397-402.	0.3	4
51	Transcatheter aortic valve implantation compared with surgical aortic valve replacement in patients with anaemia. Acta Cardiologica, 2018, 73, 50-59.	0.9	4
52	Coronary angiographic findings in asymptomatic men with suspected sient myocardial ischemia (the) Tj ETQq0 (0 rgBT /0	Oveglock 10 Th
53	Coronary risk factors and silent ischemic heart disease. The ECCIS Project. International Journal of Cardiology, 1994, 45, 35-43.	1.7	3
54	Predictive Value of Sequential Testing in Screening for Silent Myocardial Ischemia in Asymptomatic Middle-Aged Men (the ECCIS Project). Cardiology, 1996, 87, 240-243.	1.4	3

#	Article	IF	CITATIONS
55	Longâ€term outcomes of selfâ€expanding versus balloonâ€expandable transcatheter aortic valves: Insights from the OBSERVANT study. Catheterization and Cardiovascular Interventions, 2021, 98, 1167-1176.	1.7	3
56	Impact of gender on 10-year outcome after coronary artery bypass grafting. Interactive Cardiovascular and Thoracic Surgery, 2021, 33, 510-517.	1.1	3
57	Ten-year outcomes after off-pump and on-pump coronary artery bypass grafting: an inverse probability of treatment weighting comparative study. Journal of Cardiovascular Medicine, 2022, 23, 371-378.	1.5	2
58	Concerning the Editorial comment by Dr Menicanti. European Journal of Cardio-thoracic Surgery, 2006, 29, 858-859.	1.4	1
59	One-Year Outcomes and Trends over Two Eras of Transcatheter Aortic Valve Implantation in Real-World Practice. Journal of Clinical Medicine, 2022, 11, 1164.	2.4	1
60	Reply to Biondi-Zoccai et al European Journal of Cardio-thoracic Surgery, 2006, 29, 856-856.	1.4	0
61	Reply to Hekmat et al European Journal of Cardio-thoracic Surgery, 2006, 29, 857-858.	1.4	0
62	Re: Editorial comment by Dr Menicanti. European Journal of Cardio-thoracic Surgery, 2008, 34, 468-469.	1.4	0
63	Reply to Ranucci. European Journal of Cardio-thoracic Surgery, 2009, 35, 380-381.	1.4	0
64	Is patent foramen ovale closure an OPTION in patients with cryptogenic stroke? An Italian multicentre registry proposal. Journal of Cardiovascular Medicine, 2014, 15, 769-770.	1.5	0
65	Reply. Journal of the American College of Cardiology, 2016, 67, 1381-1382.	2.8	0
66	OPCAB versus conventional CABG: What we learn today will help addressing the future. Journal of Thoracic and Cardiovascular Surgery, 2016, 151, 894-895.	0.8	0